Social Networks & Recommendation Systems

IX. Random walks.

Grzegorz Siudem

Warsaw University of Technology



Warsaw University of Technology



MSc program in Data Science has been developed as a part of task 10 of the project "NERW PW. Science - Education - Development - Cooperation" co-funded by European Union from European Social Fund.

MASZ

Project

Projects

- P9.1 Find the analytical formula of the ergodic density for random walk on a graph given by adjacency matrix A with Markov operator $p_{ji} = \frac{A_{ij}}{R_i}$. [30%]
- P9.2 Determine numerically (looking for the eigenvector) values of ergodic density for the random walk on selected network. [20%]
- P9.3 Determine dynamically (by iterating the Markov operator) ergodic density for the random walk on selected network. [20%]
- P9.4 Read the original work introducing pagerank http: //infolab.stanford.edu/pub/papers/google.pdf or one of many of its variations. Prepare few slides which explain the algorithm to the rest of the group. [40%]
- P9.5 Determine the value of classic or modified pagerank for the selected network. [30%]
- P9.6 Find a graph with a fixed number of edges and vertices where diffusion occurs fastest (hint: value a second eigenvalue can help). [70%]

MASZ

Thank you for your attention!



Warsaw University of Technology



MSc program in Data Science has been developed as a part of task 10 of the project "NERW PW. Science - Education - Development - Cooperation" co-funded by European Union from European Social Fund.

MASZ