Progress-27.08.2020

Team COVID-IML

8/27/2020

COVID-19 Prediction on CXRs using Interpretable Machine Learning

AIM:

Our Task is to create something similar to Chester AI Radiology, but just that we have constraints of making it with Interpretable Machine Learning Models and Explanability with SHAP. In order to work with Interpretable Machine Learning models, we need some kind of feature engineering.

The idea for the feature engineering so far is that to use Radiological features extracted by paper as our baseline features, and we need methods or models which extracts these individual approx. 10 features from image and gives us feature vectors. So far we don't have any model that just gives us feature vectors out of an image(CXR) fed. We found few implementations who tried to so but, those are individual feature efforts. I mean one model for 2-3 features. We would need different different models in order to extract all 10 or may be combine them. We need to work on that technical aspect ASAP, so that we could start implementation of features and we could work on its errors and we could proceed with implementing SHAP.

Apparently, difficulty lies in either making a custom model for feature extraction (A Feature Extractor) or combining the existing. As per my team mates, implementing would be an easier task. For Kick-off, We would also need a presentation with a pellucid idea of our pipeline and feature extractor and SHAP explicitly.

Though complete implementation is not required but we would need something to show. At the end I am not sure whether we would have to make an online/ web-based application running the same. We also need to update and rebuild our working website to add feather to the cap. On the side of code, first we need to have some working code satisfying all the dependencies and requirements and then we can restructure and beautify.

ISSUE:

One big issue we're facing is that all the existing similar experiments we saw, they have labeled data-set. Meaning Radiologically-annotated images. This makes our task bit differently difficult. Most of the images used in the existing experiments are Digital Imaging and Communications in Medicine (DICOM) images.

Implementation Methods we know:

- 1. Implementation of AI Chester Radiology Assistant. 12
- 2. Pneumothorax Detection
- 3. Cardiomegaly Detection

¹https://mlmed.org/tools/xray/

²https://github.com/mlmed/chester-xray

4. Pneumonia Radiological Feature Detection 345678

References

- [1] L. Brunese, F. Mercaldo, A. Reginelli, A. Santone, Explainable deep learning for pulmonary disease and coronavirus covid-19 detection from x-rays, Computer Methods and Programs in Biomedicine. 196 (2020) 105608.
- [2] S. Toba, Y. Mitani, N. Yodoya, H. Ohashi, H. Sawada, H. Hayakawa, M. Hirayama, A. Futsuki, N. Yamamoto, H. Ito, others, Prediction of pulmonary to systemic flow ratio in patients with congenital heart disease using deep learning–based analysis of chest radiographs, JAMA Cardiology. 5 (2020) 449–457.
- [3] M.I. Neuman, E.Y. Lee, S. Bixby, S. Diperna, J. Hellinger, R. Markowitz, S. Servaes, M.C. Monuteaux, S.S. Shah, Variability in the interpretation of chest radiographs for the diagnosis of pneumonia in children, Journal of Hospital Medicine. 7 (2012) 294–298.
- [4] L. Wang, A. Wong, COVID-net: A tailored deep convolutional neural network design for detection of covid-19 cases from chest x-ray images, arXiv Preprint arXiv:2003.09871. (2020).
- [5] J. Zhang, Y. Xie, Z. Liao, G. Pang, J. Verjans, W. Li, Z. Sun, J. He, Y. Li, C. Shen, others, Viral pneumonia screening on chest x-ray images using confidence-aware anomaly detection, arXiv: 2003.12338. (2020).
- [6] Y.-H. Wu, S.-H. Gao, J. Mei, J. Xu, D.-P. Fan, C.-W. Zhao, M.-M. Cheng, JCS: An explainable covid-19 diagnosis system by joint classification and segmentation, arXiv Preprint arXiv:2004.07054. (2020).
- [7] S.H. Kassani, P.H. Kassani, M.J. Wesolowski, K.A. Schneider, R. Deters, Automatic detection of coronavirus disease (covid-19) in x-ray and ct images: A machine learning-based approach, arXiv Preprint arXiv:2004.10641. (2020).
- [8] S. Chatterjee, F. Saad, C. Sarasaen, S. Ghosh, R. Khatun, P. Radeva, G. Rose, S. Stober, O. Speck, A. Nürnberger, Exploration of interpretability techniques for deep covid-19 classification using chest x-ray images, arXiv Preprint arXiv:2006.02570. (2020).
- [9] M.M. Ahsan, K.D. Gupta, M.M. Islam, S. Sen, M. Rahman, M.S. Hossain, others, Study of different deep learning approach with explainable ai for screening patients with covid-19 symptoms: Using ct scan and chest x-ray image dataset, arXiv Preprint arXiv:2007.12525. (2020).
- [10] Y. Chen, L. Ouyang, S. Bao, Q. Li, L. Han, H. Zhang, B. Zhu, M. Xu, J. Liu, Y. Ge, others, An interpretable machine learning framework for accurate severe vs non-severe covid-19 clinical type classification, medRxiv. (2020).
- [11] M. Zokaeinikoo, P. Kazemian, P. Mitra, S. Kumara, AIDCOV: An interpretable artificial intelligence model for detection of covid-19 from chest radiography images, medRxiv. (2020).
- [12] G. Kumar, P.K. Bhatia, A detailed review of feature extraction in image processing systems, in: 2014 Fourth International Conference on Advanced Computing & Communication Technologies, IEEE, 2014: pp. 5–12.
- [13] Z.-Q. Hong, Algebraic feature extraction of image for recognition, Pattern Recognition. 24 (1991) 211–219.
- [14] I.D. Apostolopoulos, S.I. Aznaouridis, M.A. Tzani, Extracting possibly representative covid-19 biomarkers from x-ray images with deep learning approach and image data related to pulmonary diseases, Journal of Medical and Biological Engineering. (2020) 1.

 $^{^3 \}rm https://github.com/brucechou1983/CheXNet-Keras$

 $^{^4}$ https://www.kaggle.com/kmader/cardiomegaly-pretrained-vgg16

⁵https://github.com/PyTorchLightning/lightning-Covid19

⁶https://github.com/ManuelPalermo/X-Ray-ConvNet

⁷https://github.com/mlmed/torchxrayvision

⁸https://biomedical-engineering-online.biomedcentral.com/articles/10.1186/s12938-019-0627-4

- [15] J. Cleverley, J. Piper, M.M. Jones, The role of chest radiography in confirming covid-19 pneumonia, Bmj. 370 (2020).
- [16] D. Cozzi, M. Albanesi, E. Cavigli, C. Moroni, A. Bindi, S. Luvarà, S. Lucarini, S. Busoni, L.N. Mazzoni, V. Miele, Chest x-ray in new coronavirus disease 2019 (covid-19) infection: Findings and correlation with clinical outcome, La Radiologia Medica. (2020) 1.
- [17] I. Getzi, D. Durairaj, V. Raj, Efficient image retrieval approach for large-scale chest x ray data using hand-crafted features and machine learning algorithms, International Journal of Computer Sciences and Engineering. 6 (2018) 890–896. https://doi.org/10.26438/ijcse/v6i11.890896.
- [18] A.M. Hasan, M.M. AL-Jawad, H.A. Jalab, H. Shaiba, R.W. Ibrahim, A.R. AL-Shamasneh, Classification of covid-19 coronavirus, pneumonia and healthy lungs in ct scans using q-deformed entropy and deep learning features, Entropy. 22 (2020) 517.
- [19] N. Tsiknakis, E. Trivizakis, E.E. Vassalou, G.Z. Papadakis, D.A. Spandidos, A. Tsatsakis, J. Sánchez-García, R. López-González, N. Papanikolaou, A.H. Karantanas, others, Interpretable artificial intelligence framework for covid-19 screening on chest x-rays, Experimental and Therapeutic Medicine. 20 (2020) 727–735.
- [20] D.M. Hansell, A.A. Bankier, H. MacMahon, T.C. McLoud, N.L. Muller, J. Remy, Fleischner society: Glossary of terms for thoracic imaging, Radiology. 246 (2008) 697–722.
- [21] M. Durrani, U.K. Inam ul Haq, A. Yousaf, Chest x-rays findings in covid 19 patients at a university teaching hospital-a descriptive study, Pakistan Journal of Medical Sciences. 36 (2020) S22.
- [22] M. Nour, Z. Cömert, K. Polat, A novel medical diagnosis model for covid-19 infection detection based on deep features and bayesian optimization, Applied Soft Computing. (2020) 106580.
- [23] P.K. Sethy, S.K. Behera, Detection of coronavirus disease (covid-19) based on deep features, Preprints. 2020030300 (2020) 2020.
- [24] D. Toussie, N. Voutsinas, M. Finkelstein, M.A. Cedillo, S. Manna, S.Z. Maron, A. Jacobi, M. Chung, A. Bernheim, C. Eber, others, Clinical and chest radiography features determine patient outcomes in young and middle age adults with covid-19, Radiology. (2020) 201754.
- [25] W. Ye, W. Gu, X. Guo, P. Yi, Y. Meng, F. Han, L. Yu, Y. Chen, G. Zhang, X. Wang, Detection of pulmonary ground-glass opacity based on deep learning computer artificial intelligence, Biomedical Engineering Online. 18 (2019) 1–12.
- [26] K. Santosh, AI-driven tools for coronavirus outbreak: Need of active learning and cross-population train/test models on multitudinal/multimodal data, Journal of Medical Systems. 44 (2020) 1–5.
- [27] M.R. Zare, D.O. Alebiosu, S.L. Lee, Comparison of handcrafted features and deep learning in classification of medical x-ray images, in: 2018 Fourth International Conference on Information Retrieval and Knowledge Management (Camp), IEEE, 2018: pp. 1–5.
- [28] M. Ilovar, L. Šajn, Analysis of radiograph and detection of cardiomegaly, in: 2011 Proceedings of the 34th International Convention Mipro, IEEE, 2011: pp. 859–863.
- [29] J.P. Cohen, M. Hashir, R. Brooks, H. Bertrand, On the limits of cross-domain generalization in automated x-ray prediction, arXiv Preprint arXiv:2002.02497. (2020).
- [30] S. Candemir, S. Rajaraman, G. Thoma, S. Antani, Deep learning for grading cardiomegaly severity in chest x-rays: An investigation, in: 2018 Ieee Life Sciences Conference (Lsc), IEEE, 2018: pp. 109–113.