ш3schools.com





HTML

CSS

MORE ▼

Q

JavaScript Array Reference

< Previous</pre>

Next >

Array Object

The Array object is used to store multiple values in a single variable:

```
var cars = ["Saab", "Volvo", "BMW"];
```

Array indexes are zero-based: The first element in the array is 0, the second is 1, and so on.

For a tutorial about Arrays, read our <u>JavaScript Array Tutorial</u>.

Array Properties

Property	Description
<u>constructor</u>	Returns the function that created the Array object's prototype
<u>length</u>	Sets or returns the number of elements in an array
<u>prototype</u>	Allows you to add properties and methods to an Array object

Array Methods

Method	Description
<u>concat()</u>	Joins two or more arrays, and returns a copy of the joined arrays

<u>copyWithin()</u>	Copies array elements within the array, to and from specified positions
<u>entries()</u>	Returns a key/value pair Array Iteration Object
<u>every()</u>	Checks if every element in an array pass a test
<u>fill()</u>	Fill the elements in an array with a static value
<u>filter()</u>	Creates a new array with every element in an array that pass a test
<u>find()</u>	Returns the value of the first element in an array that pass a test
<pre>findIndex()</pre>	Returns the index of the first element in an array that pass a test
<pre>forEach()</pre>	Calls a function for each array element
<u>from()</u>	Creates an array from an object
<u>includes()</u>	Check if an array contains the specified element
indexOf()	Search the array for an element and returns its position
<u>isArray()</u>	Checks whether an object is an array
j <u>oin()</u>	Joins all elements of an array into a string
<u>keys()</u>	Returns a Array Iteration Object, containing the keys of the original array
<u>lastIndexOf()</u>	Search the array for an element, starting at the end, and returns its position
<u>map()</u>	Creates a new array with the result of calling a function for each array element
<u>pop()</u>	Removes the last element of an array, and returns that element
<u>push()</u>	Adds new elements to the end of an array, and returns the new length
<u>reduce()</u>	Reduce the values of an array to a single value (going left-to-right)
reduceRight()	Reduce the values of an array to a single value (going right-to-left)
<u>reverse()</u>	Reverses the order of the elements in an array
<u>shift()</u>	Removes the first element of an array, and returns that element
slice()	Selects a part of an array, and returns the new array
some()	Checks if any of the elements in an array pass a test

sort()	Sorts the elements of an array
splice()	Adds/Removes elements from an array
toString()	Converts an array to a string, and returns the result
unshift()	Adds new elements to the beginning of an array, and returns the new length
<u>valueOf()</u>	Returns the primitive value of an array

< Previous</pre>

Next >

COLOR PICKER



HOW TO

Tabs Dropdowns Accordions Side Navigation Top Navigation **Modal Boxes Progress Bars** Parallax Login Form **HTML Includes** Google Maps Range Sliders **Tooltips** Slideshow Filter List Sort List