

eQRAP Expedice (Lite): admin guide

This is the simple version of the app, built for **warehouse and expedice**, not production. It's two files: `Code.gs` and `Index.html`. You manage almost everything in the Google Sheet, so you don't need to open the code.

1. What changed compared with the big version

	Big version (<code>apps-script/</code>)	Lite (<code>eqrap-lite/</code>)
Files to paste	39	2 (+ optional <code>appsscript.json</code>)
Lines of code	~7,200	~2,000 (≈900 server, ≈1,100 screen incl. styles)
Roles	10 (kiosk, operator, TL, supervisor, pilot, quality, EHS, manager, APU manager, admin)	3: everyone / VEDOUCÍ / MANAŽER
Screens	13	4: Přehled · Nahlásit · Detail (form ①–⑦) · Jak to funguje
Sheet tabs	~20	6 (you edit only 3 of them)
Waiting	each screen asked the server (1–3 s)	only first opening and saving wait. Moving around is instant
Focus	production shifts, pilots, APU copies	zásilka, dodací list, zákazník, sklad, rampa

Why it's faster: when the page opens, it receives all open problems at once. Clicking a problem, filtering and searching then happen in the browser with no server call. The server is only called when you **save**, plus a quiet refresh every 90 seconds.

What was left out on purpose: the 5-shift effectiveness slots, the pilot role, APU escalation copies, drafts and the step-by-step wizard, English, and 11 e-mail types.

What replaces them: one simple "účinné ANO/NE" check, an owner on each action, an e-mail to the manager on escalation, one form, and 3 e-mail types plus an optional morning reminder.

2. Setup (about 10 minutes, one time)


1. Create a **new Google Sheet**, for example "eQRAP Expedice". Use the account that should own the app (see §7 about ownership).
2. In the Sheet, open **Extensions** → **Apps Script**.
 - In `Code.gs`, delete everything and paste the content of `eqrap-lite/Code.gs`.
 - Click **+** → **HTML** and name it `Index`. Delete everything and paste `eqrap-lite/Index.html`.
 - (Optional) In ⚙ Project Settings, tick "Show appsscript.json" and paste `eqrap-lite/appsscript.json`. If you skip this, set the time zone to *Europe/Prague* in Project Settings.
 - Click  Save.
3. In the toolbar, choose the function `setup`, click **Run** and allow the permissions. This creates the 6 tabs and a Drive folder "eQRAP fotky".
4. Go back to the Sheet and reload it. A new menu **eQRAP** appears. Then:
 - In **Lidé**, replace the example people with real people (see §4).
 - In **Seznamy**, check the areas and problem types.
 - In **Nastavení**, set `EMAILY` to `NE` while you are testing.
5. Back in Apps Script, click **Deploy** → **New deployment** → ⚙ **Web app**:
 - **Execute as:** **Me**

- *Who has access:* **Anyone within [your company]**
- Click **Deploy** and copy the URL. That is the app.
- For the kiosk PC, add `?kiosk=1` to the end of the URL.

6. (Optional) Use **eQRAP** → **Vložit ukázková data** to see 3 example problems. Delete those rows afterwards, or better, try things in a separate test Sheet.

Updating the code later: paste the new code, then go to **Deploy** → **Manage deployments** →  → **Version: New version** → **Deploy**. The URL stays the same.

3. How it works: the flow and who does what



The **status** is **calculated automatically** from what has been filled in. Nobody sets it by hand:

Status in the app	Means	Who acts
③ Opatření	reported, immediate actions missing (deadline 24 h)	anyone on the shift
④ Rozhodnutí	③ done, waiting for the leader's decision	VEDOUcí
⑤⑥ Analýza	5× Proč and actions in progress	VEDOUcí + action owners
⑥ Ověření	all actions done, check that the problem does not return	VEDOUcí
Uzavřeno / Zrušeno	finished / cancelled by a manager (the record stays)	–

Roles. There are only three.

	Everyone with a company account (no row in Lidé needed)	VEDOUcí	MANAŽER
①② report a problem	✓	✓	✓
③ immediate actions (until the decision)	✓	✓	✓
④ decide · ⑤ 5× Proč · ⑥ add actions	–	✓	✓
⑥ mark own action as done	✓	✓	✓
⑥ verify and close · ⑦ QRQC assessment	–	✓	✓
cancel / reopen a problem	–	–	✓
gets an e-mail when...	an action is assigned to them	there's a new problem in their area (empty area = all areas)	there's an escalation or a BOZP (safety) problem

The person who owns the script is always MANAŽER.

What each person sees. Everyone sees the **same 4 screens**, and buttons appear only if that person is allowed to use them. The **"Moje úkoly"** tile on the board shows each person only what is waiting for them:

- leaders see problems in their area that need a decision, analysis or verification
- everyone sees their own actions
- the reporter sees their own problem while ③ is missing

The **kiosk** (?kiosk=1) is the same app with 3 differences: no personal name, a "thank you" screen after reporting, and it returns to the board by itself after 2 minutes of no use.

4. Everyday admin tasks, all in the Sheet (no code)

I want to...	Do this
add a person or make someone a leader	Lidé : add a row with Jméno, E-mail (exactly their Google account), Role VEDOUCÍ or MANAŽER , Oblast
take a role away / someone left	Lidé : set Aktivní to NE (keep the row so the history still shows the name)
add or change an area, problem type or checklist item	Seznamy : edit the column. Old problems keep their old value
change the 24 h deadline for ③	Nastavení → LHUTA_OPATRENI_HODIN
turn e-mails off or on	Nastavení → EMAILY = NE / ANO
send a morning reminder to leaders and late action owners	menu eQRAP → Zapnout denní připomínky
rename the app	Nastavení → NAZEV
show closed problems for longer on the board	Nastavení → ZOBRAZIT_UZAVRENE_DNI
get rid of a duplicate or mistaken problem	in the app, as manager: Správa → Zrušit problém (with a reason). It stays in the history
reopen a closed problem	in the app, as manager: Správa → Znovu otevřít
make a report or chart	add your own tab with formulas (for example =COUNTIF(Problémy!B:B;"UZAVŘENO")), or File → Download → Excel
back up	File → Version history works automatically; also make a monthly File → Make a copy

Changes in Lidé, Seznamy and Nastavení apply **within 5 minutes**. To apply them right away, use **eQRAP** → **Použít změny v nastavení hned**. Users then reload the app.

Tabs in the Sheet

Tab	What it is	May I edit it?
Lidé	people, roles, areas	✓ yes, this is your main control
Seznamy	dropdown values (areas, types, ...)	✓ yes
Nastavení	name, e-mails on/off, deadlines	✓ only the <i>Hodnota</i> column
Problémy	one row = one QRAP (columns ①–⑦)	⚠ read only. Change data through the app
Akce	one row = one action ⑥	⚠ read only
Historie	who changed what and when	⚠ read only (this is your audit trail)

The three data tabs are protected with a warning, so you get a prompt before editing them by hand.

Never do these:

- rename, delete or reorder the columns in Problémy, Akce or Historie (you may add your own columns *to the right*)
- delete the tabs Lidé, Seznamy or Nastavení
- give everyone edit access to the Sheet. Users don't need it at all, because the app works without it

5. If something is wrong

Problem	Fix
"Aplikaci se nepodařilo spustit – chybí list / sloupec"	run eQRAP → Nastavit tabulku (setup) . It repairs things and never deletes data. Check that no column header was renamed
a leader has no "Rozhodnout" button	their e-mail in Lidé must match their Google account exactly, and Aktivní must be ANO . Then eQRAP → Použít změny... and reload
e-mails don't arrive	EMAILY = ANO , the person has an e-mail in Lidé, check spam. Google allows about 1,500 e-mails a day
someone gets "you need permission"	the deployment must be "Anyone within [company]" and they must be signed in with their company Google account
I changed the code but nothing changed	Manage deployments → New version (§2)
the first opening takes 2–4 s	normal: Google starts the script. After that, clicks are instant and saves take about 1–2 s

6. If you ever need to look at the code

Both files are split into numbered sections with a table of contents at the top. Typical changes:

Change	Where
texts of the form (labels, hints)	<code>Index.html</code> section 7 (<code>popisForm</code> , <code>opatreForm</code> , <code>actionForm</code>)
the decision options ④	<code>Index.html</code> section 1 DECISIONS + <code>Code.gs</code> section 1 DECISIONS
who may do what	<code>Code.gs</code> section 5: six one-line rules <code>canPopis_ ... canAssess_</code>
when a status changes	<code>Code.gs</code> section 4 <code>statusOf_</code> (8 lines)
e-mail texts	<code>Code.gs</code> section 7 (<code>mailNew_</code> , <code>mailEscalated_</code> , <code>mailAction_</code>)
colours	<code>Index.html</code> top of <code><style></code> (<code>--accent</code> etc.)
a new column	<code>Code.gs</code> section 1 COLS , then run setup (it adds the missing header)

Code.gs (server)	Index.html (screen)
1 tabs, columns, defaults	1 state and texts
2 web app entry (<code>doGet</code>)	2 small helpers (<code>h</code> , <code>api</code> , <code>save</code>)
3 API called by the page	3 header and routing
4 status rules	4 board (Přehled)
5 permissions	5 new problem (Nahlásit)
6 sheet helpers	6 problem detail ①–⑦
7 e-mails, daily reminder	7 section forms
8 setup, menu, example data	8 photos · 9 help, kiosk, refresh

7. Is it safe to use in the firm?

Short answer: it's safe for an **internal pilot in expedice**. Before it becomes the official QRAP record, get IT and Quality to approve it and move the ownership to a team account.

What protects it

- **Only company accounts** can open it ("Anyone within [company]"). People outside the company can't.
- **Users never get access to the Sheet or the Drive folder.** The app runs as the owner, and **every save is checked on the server** against the Lidé tab. Hiding a button in the browser is only for convenience. The real check is on the server, so a user can't bypass it.
- **Everything is logged** in Historie: who, when and what. Nothing can be deleted from the app. "Zrušit" keeps the record with a reason.
- **Typed text can't do harm.** It's always shown as plain text, never run as code. In the Sheet it's stored as text, never as a formula, so values like "00123" stay exactly as typed.
- A photo can be opened **only through its own problem**, so nobody can read other files from the owner's Drive.
- **No outside services or libraries.** Everything stays in your company's Google Workspace, the same place as your e-mail and Drive.
- **Tested:** 108 automatic server checks (permissions, statuses, e-mails, bad input) and a full browser test of the whole flow, including the kiosk and a phone.

Risks you should know about (and what to do)

Risk	What to do
It depends on one person's account. If the owner leaves and the account is deleted, the app stops and the photos disappear	Put the Sheet in a Shared Drive , or create it under a team account (e.g. qrqc-expedice@...). Have 2 people with edit access to the Sheet
It isn't a validated system (IATF 16949 / customer requirements)	Run it in parallel with the paper QRAP for 2–4 weeks . Let Quality decide if it can replace the paper
Everyone in the company can see all problems	This is intended for transparency. Don't write health details of injuries into it; BOZP injuries still go to the official injury book
Kiosk shared account: "Kdo hlásí" is typed, not verified	Never give the kiosk account a role. Decisions are made from personal accounts
Google limits: about 1,500 e-mails a day; about 30 people saving <i>at the same second</i>	Plenty for one warehouse. Not meant for the whole company
Personal data (names, e-mails of employees)	Tell IT / the data protection officer. It stays inside your Google Workspace
Backups	Version history is automatic. Also make a monthly File → Make a copy

Pilot checklist

- ☐ IT agrees with an Apps Script web app on the company domain (and with a kiosk account, if used).
- ☐ Owner is a team account or Shared Drive; 2 admins have edit access to the Sheet.
- ☐ Lidé filled in: every leader and manager, e-mails checked.
- ☐ Seznamy match your areas and problem types.
- ☐ One week with EMAILY = NE on a test Sheet, then switch to the real Sheet with EMAILY = ANO.
- ☐ Short training (5 min): show "Jak to funguje" in the app.
- ☐ 2–4 weeks in parallel with paper, then Quality decides.

Placeholder data only: all example people use example.com addresses.