Manual Testing Portfolio: SauceDemo

Jaleel Meli

Test cases, an exploratory session and bug reports, written and tracked in Jira

Summary

APPLICATION	SauceDemo (Swag Labs), a demo e-commerce site: https://www.saucedemo.com
SCOPE	Login (valid and invalid), product sorting, post-login behaviour for the problem_user account, and an exploratory session on the checkout flow.
APPROACH	Manual functional testing with positive and negative test cases, plus one time-boxed exploratory session. Each defect is logged as a separate bug report and linked to the test case that found it.
ENVIRONMENT	Safari Version 26.6.2 (21624.5.1.11.3), macOS 26.6.2, MacBook Air
TESTED	25 September to 14 October 2026
TOOL	Jira (test cases, bug reports, linked work items)
RESULTS	8 test cases executed: 6 passed, 2 failed. 5 defects reported: 2 High, 1 Medium, 2 Low. All 5 are open.

Test cases

ID	TEST CASE	TYPE	PRIORITY	RESULT
KAN-4	Verify login with valid credentials	Positive	High	**Pass**
KAN-5	Verify products can be sorted by name and price in both directions	Positive	Medium	**Pass**
KAN-6	Verify locked out user cannot log in	Negative	High	**Pass**
KAN-7	Verify login fails with incorrect password	Negative	High	**Pass**
KAN-8	Verify login fails with empty username and password fields	Negative	High	**Pass**
KAN-12	Verify login fails with empty password field	Negative	High	**Pass**
KAN-9	Verify problem_user login and post-login behaviour	Functional	High	**Fail**
KAN-16	Exploratory test: SauceDemo checkout flow as standard_user	Exploratory	Medium	**Fail**

Defects

ID	DEFECT	SEVERITY	STATUS	FOUND BY
KAN-10	Product images do not match titles/descriptions for problem_user	High	**Open**	KAN-9
KAN-13	Clicking a product opens a different product's page for problem_user	High	**Open**	KAN-9
KAN-17	Checkout can be completed with an empty cart	Medium	**Open**	KAN-16
KAN-14	Login error message text is cut off when it wraps to three lines	Low	**Open**	KAN-7
KAN-18	Checkout accepts symbols-only input in First Name, Last Name and Postcode	Low	**Open**	KAN-16


Test plan

Retrospective plan describing how the testing in this portfolio was scoped and run. SauceDemo has no formal requirements document, so the expected behaviour was taken from the site's own behaviour for each user type.


OBJECTIVE	Confirm that login, product sorting and checkout of SauceDemo work as a user would expect, and report any defects.
IN SCOPE	Login with valid, invalid, empty-field and locked-out credentials. Product sorting by name and price. Product images and product pages for problem_user. Checkout flow as standard_user, covered by one exploratory session (KAN-16).
OUT OF SCOPE	Scripted test cases for cart and checkout, logout, the performance_glitch_user, error_user and visual_user accounts, mobile devices, accessibility, performance and security testing.
TEST TYPES	Functional testing with positive and negative test cases, and one time-boxed exploratory session.
APPROACH	Each test case is written in Jira with preconditions, steps and expected result. The exploratory session has a charter and a 45-minute time box. Each failure is logged as a separate bug report and linked to the test case or session that found it. Acceptance criteria are written in Given/When/Then form for KAN-4, KAN-6 and KAN-9.
ENVIRONMENT	Safari 26.6.2 on macOS 26.6.2 (MacBook Air). Only one browser was used, so cross-browser behaviour is not covered.
TEST DATA	The public demo accounts standard_user, locked_out_user and problem_user, all with the password secret_sauce.
ENTRY CRITERIA	SauceDemo is reachable. Test cases and the session charter are written in Jira.
EXIT CRITERIA	All planned test cases are executed and the session time box is used. Every failure has a bug report with steps and evidence. Every requirement is linked to at least one test case or session (see the traceability matrix).
DEFECT HANDLING	Severity and priority are set on each bug. New bugs start in To Do and are retested once fixed.
RISKS	Single browser. The tested site is a demo that can change without notice. Some defects only appear on re-run, as with KAN-13. Exploratory results depend on the tester's choices and are harder to repeat exactly.
TESTER	Jaleel Meli

Tracking in Jira

Snapshot after the scripted testing: ten items. Executed test cases sit in Done with a pass or fail label; bugs stay in To Do until fixed and retested. KAN-16 to KAN-18 were added on 14 Oct 2026 (page 9).




List view: seven test cases and three bug reports, with assignee, priority and status



Board view: three open bugs in To Do, executed test cases in Done


Test cases

KAN-4	**Verify login with valid credentials** Test case | Positive | Priority: High | Result: **Pass** | Tested: 26 Sep 2026
PRECONDITIONS	User is on the saucedemo.com login page
ACCEPTANCE CRITERIA	Given I'm on the login page, when I enter standard_user and secret_sauce, then I'm taken to the products page.
STEPS	1. Enter username: standard_user 2. Enter password: secret_sauce 3. Click Login button
EXPECTED RESULT	User is successfully logged in and redirected to the products page.
ACTUAL RESULT	User was successfully logged in and redirected to the products page.




Evidence: products page displayed after login


KAN-5	**Verify products can be sorted by name and price in both directions** Test case | Positive | Priority: Medium | Result: **Pass** | Tested: 26 Sep 2026
PRECONDITIONS	User is logged in as standard_user and on the products page.
STEPS	1. Click the sort dropdown (currently showing "Name (A to Z)") 2. Select each sort option one at a time: Name (Z to A), Price (low to high), Price (high to low) 3. Observe the product order after each selection 4. Select Name (A to Z) and confirm the order returns to alphabetical.
EXPECTED RESULT	Products reorder correctly to match each selected sort option: • Name (Z to A): first item is Test.allTheThings() T-Shirt (Red), last is Sauce Labs Backpack • Price (low to high): first is $7.99, last is $49.99 • Price (high to low): first is $49.99, last is $7.99 • Name (A to Z): first item is Sauce Labs Backpack, last is Test.allTheThings() T-Shirt (Red)
ACTUAL RESULT	Name Z-A correctly reversed order; Price low-high and high-low both sorted correctly. Name A-Z restored alphabetical order.




Name (Z to A)



Price (low to high)




Price (high to low)




Name (A to Z)

KAN-6	**Verify locked out user cannot log in** Test case | Negative | Priority: High | Result: **Pass** | Tested: 25 Sep 2026
PRECONDITIONS	User is on the saucedemo.com login page
ACCEPTANCE CRITERIA	Given I'm on the login page, when I enter locked_out_user and secret_sauce, then login is rejected and an error says the user has been locked out.
STEPS	1. Enter username: locked_out_user 2. Enter password: secret_sauce 3. Click Login button
EXPECTED RESULT	Login is rejected. An error message is displayed stating the user has been locked out. User remains on the login page.
ACTUAL RESULT	Login was rejected and a message was displayed: "Epic sadface: Sorry, this user has been locked out". User remained on the login page.




Evidence: locked-out error message

KAN-7	**Verify login fails with incorrect password** Test case | Negative | Priority: High | Result: **Pass** | Tested: 26 Sep 2026
PRECONDITIONS	User is on the saucedemo.com login page
STEPS	1. Enter username: standard_user 2. Enter password: wrong_password 3. Click the Login button
EXPECTED RESULT	Login is rejected. An error message is displayed indicating the username and password do not match. User remains on the login page.
ACTUAL RESULT	Login was rejected and a message was displayed: "Epic sadface: Username and password do not match any user in this service". User remained on the login page.




Evidence: login rejected. The clipped message text is reported separately as KAN-14

KAN-8	**Verify login fails with empty username and password fields** Test case | Negative | Priority: High | Result: **Pass** | Tested: 26 Sep 2026
PRECONDITIONS	User is on the saucedemo.com login page
STEPS	1. Leave the Username field empty 2. Leave the Password field empty 3. Click Login button
EXPECTED RESULT	Login is rejected. An error message is displayed stating that a username is required. User remains on the login page.
ACTUAL RESULT	Login was rejected and a message was displayed: "Epic sadface: Username is required". User remained on the login page.



Evidence: username required message

KAN-12	**Verify login fails with empty password field** Test case | Negative | Priority: High | Result: **Pass** | Tested: 5 Oct 2026
PRECONDITIONS	User is on the saucedemo.com login page
STEPS	1. Enter username: standard_user 2. Leave the Password field empty 3. Click Login button
EXPECTED RESULT	Login is rejected. An error message is displayed stating that a password is required. User remains on the login page.
ACTUAL RESULT	Login was rejected and a message was displayed: "Epic sadface: Password is required". User remained on the login page.




Evidence: password required message

KAN-9	**Verify problem_user login and post-login behaviour** Test case | Functional | Priority: High | Result: **Fail** | Tested: 26 Sep 2026
PRECONDITIONS	User is on the saucedemo.com login page
ACCEPTANCE CRITERIA	Given I'm logged in as problem_user, when I click Sauce Labs Backpack, then the Backpack product page opens. (Failed: see KAN-13.)
STEPS	1. Enter username: problem_user 2. Enter password: secret_sauce 3. Click Login button 4. Check that each product's image matches its title 5. Click Sauce Labs Backpack
EXPECTED RESULT	User logs in and lands on the products page. Each product displays its own image, and clicking Sauce Labs Backpack opens the Sauce Labs Backpack product page.
ACTUAL RESULT	User logged in and landed on the products page. Two defects were found: 1. All products displayed the same incorrect image, a dog with a tennis ball in its mouth (see KAN-10). 2. Clicking Sauce Labs Backpack opened the Sauce Labs Fleece Jacket product page (see KAN-13). Evidence is shown with each bug report. Note: Initial run 26 Sep (KAN-10 found); re-run 5 Oct (KAN-13 found).

Bug reports

KAN-10	**Product images do not match titles/descriptions for problem_user** Bug report | Severity: High | Priority: High | Status: **Open** | Found: 26 Sep 2026 | Test: KAN-9
PRECONDITIONS	User is on the saucedemo.com login page
STEPS TO REPRODUCE	1. Log in with username: problem_user, password: secret_sauce 2. Observe the product images on the products page
EXPECTED RESULT	Each product's image should match its title and description.
ACTUAL RESULT	All products display the same incorrect image, a dog with a tennis ball in its mouth, regardless of the actual product title or description.
SEVERITY	High. Affects every product on the page, not an isolated case. A significant data/UI integrity issue that a real user would immediately notice.



Evidence: every product shows the same image

Exploratory session report

Session KAN-16. A time-boxed session with a charter, no pre-written steps, run to find problems that scripted test cases would not.

CHARTER	Explore the SauceDemo checkout flow as standard_user, using empty fields, very long text, numbers and special characters, to discover validation problems and usability issues.
TESTER AND DATE	Jaleel Meli, 14 October 2026
TIME BOX	45 minutes
ENVIRONMENT	Safari 26.6.2, macOS 26.6.2, MacBook Air. https://www.saucedemo.com
RESULT	Fail. 2 defects found, 4 observations noted.

Areas covered

- Cart: adding and removing items, item count, totals, persistence after refresh and after logout and login
- Checkout information form: first name, last name, postcode, with empty fields and special characters
- Checkout overview: item list, prices, tax and total
- Navigation: back button and page refresh mid-checkout

What worked

- Items stay in the cart after a refresh. Adding several products and removing products both work.
- Each empty required field gives its own message: first name, last name and postcode are required.
- The totals add up: item total $75.97 + tax $6.08 = $82.05 for three items.
- The Checkout button and the back button behave correctly.

Defects found (linked to KAN-16)

- KAN-17 (Medium): Checkout can be completed with an empty cart. The overview shows $0.00 and Finish gives "Thank you for your order!".
- KAN-18 (Low): Checkout accepts symbols-only input in First Name, Last Name and Postcode (for example %^**+$$€) and reaches the overview.

Observations (not logged as defects)


- The cart has no way to change the quantity of an item.
- The site does not show how many of an item are in stock.
- Checkout asks only for a zip/postal code, not a full delivery address.
- Cart contents are kept after logging out and back in. This may be intended, so it is a question for the product owner.

Not covered


- Very long text and numeric-only input were in the charter but are not recorded in the session notes. Also not covered: payment details, other user accounts and other browsers.

Exploratory session evidence


Screenshots taken during session KAN-16 on 14 October 2026, cropped to the relevant part of the page. The full screenshots are attached to KAN-17 and KAN-18 in Jira.



KAN-17 (1 of 2): the checkout overview with an empty cart shows Item total $0, Tax $0.00, Total $0.00, and the Finish button is available.



KAN-17 (2 of 2): clicking Finish with an empty cart completes the order: "Thank you for your order!".




KAN-18: symbols-only input (for example $%£@*) typed into First Name, Last Name and Postcode, before Continue is clicked.


KAN-13 Clicking a product opens a different product's page for problem_user

Bug report | Severity: High | Priority: High | Status: **Open** | Found: 5 Oct 2026 | Test: KAN-9

STEPS TO REPRODUCE	1. Log in with username: problem_user, password: secret_sauce. 2. On the products page, click Sauce Labs Backpack.
EXPECTED RESULT	The product page for Sauce Labs Backpack opens.
ACTUAL RESULT	The product page for Sauce Labs Fleece Jacket opened instead.
SEVERITY	High. Users cannot open the product they selected, which blocks viewing and buying the correct item.



Item clicked: Sauce Labs Backpack




Page that opened: Sauce Labs Fleece Jacket

KAN-14 Login error message text is cut off when it wraps to three lines

Bug report | Severity: Low | Priority: Low | Status: **Open** | Found: 5 Oct 2026 | Test: KAN-7

PRECONDITIONS	User is on the saucedemo.com login page
STEPS TO REPRODUCE	1. Enter username: standard_user 2. Enter password: wrong_password 3. Click the Login button 4. Observe the red error message box
EXPECTED RESULT	The full error message is visible inside the error box.
ACTUAL RESULT	The message "Epic sadface: Username and password do not match any user in this service" wrapped to three lines, and the top and bottom lines were cut off by the edges of the error box.
SEVERITY	Low. The login is still correctly rejected and the message can mostly be read, but the text is clipped and looks broken.



Evidence: first and last lines of the message are clipped

Requirements traceability matrix

Each requirement is linked to the test case or session that checks it and to any defect found. The requirements are written from the acceptance criteria and the exploratory charter in this portfolio.

ID	REQUIREMENT	TEST CASE	RESULT	DEFECT
R-01	A valid user can log in and is taken to the products page	KAN-4	**Pass**	None
R-02	A locked-out user cannot log in and sees a clear message	KAN-6	**Pass**	None
R-03	Login with a wrong password is rejected with an error message	KAN-7	**Pass**	KAN-14 (Low)
R-04	Login with an empty username is rejected: "Username is required"	KAN-8	**Pass**	None
R-05	Login with an empty password is rejected: "Password is required"	KAN-12	**Pass**	None
R-06	Products can be sorted by name and by price, in both directions	KAN-5	**Pass**	None
R-07	Each product shows its own image (problem_user)	KAN-9	**Fail**	KAN-10 (High)
R-08	Clicking a product opens that product's page (problem_user)	KAN-9	**Fail**	KAN-13 (High)
R-09	Checkout shows a required-field error for an empty first name, last name or postcode	KAN-16	**Pass**	None
R-10	Checkout item total, tax and total are calculated correctly	KAN-16	**Pass**	None
R-11	Checkout cannot be completed with an empty cart	KAN-16	**Fail**	KAN-17 (Medium)
R-12	Checkout rejects invalid input in the name and postcode fields	KAN-16	**Fail**	KAN-18 (Low)

Coverage summary

REQUIREMENTS	12 requirements, all 12 linked to a test case or session.
RESULTS	8 pass (R-01 to R-06, R-09, R-10), 4 fail (R-07 and R-08 through KAN-9, R-11 and R-12 through KAN-16).
DEFECTS	5 open: KAN-10 (High), KAN-13 (High), KAN-17 (Medium), KAN-14 (Low), KAN-18 (Low). KAN-14 is cosmetic and R-03 still passes.
NOT COVERED	Logout, the other special user accounts, quantity changes (the site has no control for it), payment details, and browsers other than Safari. See the test plan.