

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (branche-c)
● $ git init
Initialized empty Git repository in C:/Users/SAV/OneDrive/Bureau/Cours git 2/git-github-evaluation/.git/

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
● $ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
● $ touch README.md

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
● $ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      README.md

nothing added to commit but untracked files present (use "git add" to track)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
● $ git add README.md

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
● $ git status
On branch master

```

```
No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git commit -m "premier commit"
[master (root-commit) b096c71] premier commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 README.md

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ touch index.html

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ touch style.css

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html
        style.css

nothing added to commit but untracked files present (use "git add" to track)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git add .
-evaluation (master)
• $ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   index.html
```

```

(use "git restore --staged <file>..." to unstage)
    new file:   index.html
-evaluation (master)
$ git status
On branch master
-evaluation (master)
-evaluation (master)
-evaluation (master)
$ git status
-evaluation (master)
$ git status
On branch master
-evaluation (master)
$ git status
On branch master
-evaluation (master)
-evaluation (master)
$ git status
-evaluation (master)
-evaluation (master)
-evaluation (master)
$ git status
-evaluation (master)
-evaluation (master)
-evaluation (master)
-evaluation (master)
-evaluation (master)
-evaluation (master)
-evaluation (master)
$ git status
On branch master
changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   index.html
    new file:   style.css

```

```

On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   index.html
        new file:   style.css

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git commit -m "Ajout de deux fichiers"
[master 9a03b8e] Ajout de deux fichiers
 2 files changed, 12 insertions(+)
 create mode 100644 index.html
 create mode 100644 style.css

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
⊗ $ cd README.md
bash: cd: README.md: Not a directory

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ echo -e "\n Dwayne Wade">> README.md

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)

```

```

• $ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")

$ git add README.md
• warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   README.md

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$ git diff --staged
• diff --git a/README.md b/README.md
index e69de29..8110c3f 100644
--- a/README.md
+++ b/README.md
@@ -0,0 +1,2 @@
+The Rock Dwayne Johnson
+ Dwayne Wade

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
○ $

```

6- ajout fichiers [README.md](#)

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$ git commit -m "Ajout dans le fichiers READMED.md"
[master 65e30c7] Ajout dans le fichiers READMED.md
• 1 file changed, 2 insertions(+)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
○ $

```

- Affichage de l'historique

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git log --oneline
65e30c7 (HEAD -> master) Ajout dans le fichiers READMED.md
9a03b8e Ajout de deux fichiers
b096c71 premier commit

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
○ $

```

- Affichage des derniers commits

```
Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$ git show HEAD
commit 65e30c7e7d55df5115e2ccf39829c3e245588d37 (HEAD -> master)
Author: Jalen-jr <juniortela965@gmail.com>
Date: Tue Feb 17 15:39:54 2026 +0100

    Ajout dans le fichiers README.md

diff --git a/README.md b/README.md
index e69de29..8110c3f 100644
--- a/README.md
+++ b/README.md
@@ -0,0 +1,2 @@
+The Rock Dwayne Johnson
+ Dwayne Wade

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
```

TRAVAIL DE BRANCHE

1&2 - création et changement de branch

```
Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$ git checkout -b feature/ajout-style
Switched to a new branch 'feature/ajout-style'

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/ajout-style)
$
```

3 - Vérification

```
Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/ajout-style)
$ git branch
* feature/ajout-style
  master

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/ajout-style)
$
```

4&5 -

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/ajout-style)
• $ git status
On branch feature/ajout-style
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   style.css

no changes added to commit (use "git add" and/or "git commit -a")

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/ajout-style)
• $ git add style.css

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/ajout-style)
• $ git commit -m "Ajout du css"
[feature/ajout-style 2040286] Ajout du css
1 file changed, 7 insertions(+)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/ajout-style)

```

6&7 -

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/ajout-style)
• $ git checkout master
Switched to branch 'master'

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git merge feature/ajout-style
Updating 65e30c7..2040286
Fast-forward
 style.css | 7 ++++++
1 file changed, 7 insertions(+)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
○ $

```

8- suppression de la branch

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git branch -d feature/ajout-style
Deleted branch feature/ajout-style (was 2040286).

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
○ $

```

Lien local et distant

1&2 -

```
Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$ git remote add origin https://github.com/Jalen-jr/-git-github-evaluation.git


Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$ git remote -v
origin https://github.com/Jalen-jr/-git-github-evaluation.git (fetch)
origin https://github.com/Jalen-jr/-git-github-evaluation.git (push)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$
```

1 - Envoi sur GitHub

```
Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git push --set-upstream origin master
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 16 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (12/12), 1.24 KiB | 254.00 KiB/s, done.
Total 12 (delta 0), pack-reused 0 (delta 0), pack-reused 0 (from 0)
remote: Follow link \(ctrl + click\): 100% (1/1), done.
To https://github.com/Jalen-jr/-git-github-evaluation.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$
```

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-e
$ git branch feature/page-contact

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$ git checkout feature/page-contact
Switched to branch 'feature/page-contact'

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/page-contact)
$ touch contact.html

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/page-contact)
$ git sta
stage      stash      status

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/page-contact)
$ git status
On branch feature/page-contact
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        contact.html

nothing added to commit but untracked files present (use "git add" to track)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/page-contact)
$ git add contact.html

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/page-contact)
$ git commit -m "Page contact"
[feature/page-contact ea6f842] Page contact
 1 file changed, 25 insertions(+)
 create mode 100644 contact.html

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/page-contact)

```

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/page-contact)
$ git push --set-upstream origin feature/page-contact
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 618 bytes | 309.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/page-contact' on GitHub by visiting:
remote:   https://github.com/Jalen-jr/-git-github-evaluation/pull/new/feature/page-contact
remote:   Follow link (ctrl + click)
To https://github.com/Jalen-jr/-git-github-evaluation.git
 * [new branch]      feature/page-contact -> feature/page-contact
branch 'feature/page-contact' set up to track 'origin/feature/page-contact'.

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/page-contact)
$

```

```
Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/page-contact)
● $ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
● $ git merge feature/page-contact
Updating 2040286..ea6f842
Fast-forward
 contact.html | 25 +++++++++++++++++++++++++++++++++++++
 1 file changed, 25 insertions(+)
 create mode 100644 contact.html

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
○ $
```

```
Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
● $ git push --set-upstream origin master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Jalen-jr/-git-github-evaluation.git
 2040286..ea6f842 master -> master
branch 'master' set up to track 'origin/master'.
```

```
Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
● $ git push origin --delete feature/page-contact
To https://github.com/Jalen-jr/-git-github-evaluation.git
 - [deleted]          feature/page-contact

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
○ $
```

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/amelioration-readme)
• $ git status
On branch feature/amelioration-readme
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   README.md

Changes not staged for commit:
  , LF will be replaced by CRLF the next time Git touches it

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/amelioration-readme)
$ git commit -m "Modification du fichier README.md"
[feature/amelioration-readme b26c14b] Modification du fichier README.md
 1 file changed, 10 insertions(+)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/amelioration-readme)
• $ git push -u origin feature/amelioration-readme
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 462 bytes | 154.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/amelioration-readme' on GitHub by visiting:
remote:   https://github.com/Jalen-jr/-git-github-evaluation/pull/new/feature/amelioration-readme
remote:
To https://github.com/Jalen-jr/-git-github-evaluation.git
 * [new branch]      feature/amelioration-readme -> feature/amelioration-readme
branch 'feature/amelioration-readme' set up to track 'origin/feature/amelioration-readme'.
🔔
Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/amelioration-readme)
$

```

```

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/amelioration-readme)
• $ git pull
Already up to date.

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (feature/amelioration-readme)
• $ git checkout master
Switched to branch 'master'
Your branch is behind 'origin/master' by 2 commits, and can be fast-forwarded.
  (use "git pull" to update your local branch)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git status
On branch master
Your branch is behind 'origin/master' by 2 commits, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
• $ git pull
Updating ea6f842..a3d69d7
Fast-forward
 README.md | 10 ++++++++
 1 file changed, 10 insertions(+)

Junior@LAPTOP-IR7LGVDE MINGW64 ~/OneDrive/Bureau/Cours git 2/git-github-evaluation (master)
$

```