

Product Insight Report

Purpose: organize fictional mobile feedback into signals I would investigate before making product decisions.

Author: Jalpa Parmar

Version 1.0 | 23 September 2026

Independent portfolio prototype. All reviews, versions and analysis scenarios are fictional.

Dataset and method

I used 180 original synthetic reviews dated June to September 2026, split across iOS and Android and fictional versions 5.0 to 5.3. Records include date, platform, version, stars, text, sentiment, primary theme and review type. Theme and sentiment labels were assigned for this exercise; no classifier or external model was used.

Each review has one primary theme. That keeps totals clear but simplifies mixed feedback. The sample is deliberately constructed, not representative of a customer population. Review frequency is not user reach or a task failure rate.

Full sample: 180 reviews. Mean rating: 2.80 / 5. Negative: 78 (43.3%). Feature requests: 36 (20.0%). These describe the fictional dataset only.

Feedback themes

Theme	Reviews	Negative	Feature requests
Payments	28	16	4
Login / Authentication	24	12	4
Performance	22	10	4
Booking	20	8	4
Notifications	24	8	8
User Experience	20	8	4
Search	22	8	4
Reliability	20	8	4

Version and time patterns

Version / associated month	Reviews	Mean stars	Negative
5.0 / June	40	2.98	15
5.1 / July	41	2.88	16
5.2 / August	56	2.57	30
5.3 / September	43	2.86	17

The fictional 5.2 sample has a lower mean rating and a larger negative-review count. Versions align with successive months in this dataset, so time and version effects cannot be separated. I would not conclude that a release caused the change.

Checkout reliability

14 of 17 payment reviews tagged 5.2 are negative in the full sample. Other versions: 2 of 11.

Payment issues can interrupt a core transaction. I would compare release changes, support incidents and checkout telemetry, including payment method, retry state, device and platform. Fourteen negative reviews are evidence about these fictional comments, not fourteen verified failures.

Authentication friction

Negative login reviews: 6 iOS and 6 Android in the full sample.

I would investigate recovery and session flows across both platforms rather than assume a platform-specific defect. Reproduction steps and service-side events would be needed to identify a cause.

Notification preferences

The sample contains eight notification feature requests and eight negative notification reviews. I would separate requests for control from failed or late delivery. Preference requests would remain in discovery while delivery failures receive their own investigation.

Search and performance

Search has four usability comments and eight negative reviews. I would observe filter use and empty-result recovery, then compare this with search-to-detail progression. Performance has ten negative reviews out of twenty-two. Device and connection context would be needed before choosing an optimization.

From signals to opportunities

The prioritization matrix uses non-positive theme frequency, impact, business relevance, confidence and estimated effort. Frequency comes from the sample; other factors are explicit planning judgments. Confidence starts at 0.5 because reviews alone do not validate a solution.

Opportunity	Discussion score	Next step
Checkout reliability	50.9	Investigate
Authentication friction	41.7	Root-cause analysis
Accessible navigation	31.1	Usability review
Search clarity	26.7	User research
App responsiveness	23.7	Measure and investigate
Notification controls	22.5	Discovery
Booking changes	20.7	Validate journey

What I would do next

Start by validating checkout and authentication problems with support, telemetry and release context. Run usability review for navigation barriers even if their frequency is lower. Explore notification preferences and search needs before writing solution-specific requirements.

Questions still open

How representative are the review writers? Which journeys are affected most? Are repeated comments describing the same failure? How do device, version and connection mix differ? What do silent users experience? These questions require evidence beyond reviews.

No real users were interviewed, no production changes were made and no business improvements are claimed. The recommendations are a portfolio exercise.