Cucumber Report

| Start : Dec 19, 10:59:35.481 pm	End : Dec 19, 11:01:05.255 pm	Duration : 1 m 29.774 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 30 FAILED - 3 SKIPPED - 0

Features: 1

Scenarios: 7

Steps: 33

Features Pass %: 0 %

Scenarios Pass %: 57 %

Steps Pass %: 90 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Test Feature	1 m 29.774 s	7	4	3	0	33	30	3	0

#	Feature Name	Scenario Name
1	*Login Test Feature*	*User should get error message with invalid credentials*
2		*User should get error message with invalid credentials*
3		*User should get error message with invalid credentials*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	2	2	0	0	1	0	1	0
@Sanity	1	1	0	0	1	0	1	0
@Disha	7	4	3	0	1	0	1	0
@Regression	7	4	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login Test Feature	7	4	3	0	1 m 29.774 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Test Feature	Verify User Should Login SuccessFully	5	5	0	0	5.397 s
2		Verify That The Logo Display On HomePage	5	5	0	0	4.478 s
3		Verify User Should LogOut SuccessFully	7	7	0	0	5.617 s
4		User should get error message with invalid credentials	4	3	1	0	23.399 s
5		User should get error message with invalid credentials	4	3	1	0	23.497 s
6		User should get error message with invalid credentials	4	3	1	0	23.398 s
7		User should get error message with invalid credentials	4	4	0	0	3.896 s

Login Test Feature

FAILED	DURATION - 1 m 29.774 s	Scenarios		Steps	
		Total - 7		Total - 33	
/ 10:59:35.481 pm // 11:01:05.255 pm /		Pass - 4	7	Pass - 30	33
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	

Verify User Should Login SuccessFully

PASSED	DURATION - 5.397 s		Steps	
			Total - 5	
/ 10:59:35.485 pm // 10:59:40.882 pm /			Pass - 5	5
Login Test Feature			Fail - 0	
@Smoke @Sanity @Disha @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.396 s
2	And User Enter password "admin123"	PASSED	0.139 s
3	And User click on login button	PASSED	0.830 s
4	And User login to Application successfully	PASSED	0.000 s
5	Then User Should able to login successfully and verify the text "Dashboard"	PASSED	0.262 s

Verify That The Logo Display On HomePage

PASSED	DURATION - 4.478 s		Steps	
			Total - 5	
/ 10:59:40.912 pm // 10:59:45.390 pm /			Pass - 5	5
Login Test Feature			Fail - 0	
@Smoke @Disha @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.402 s
2	And User Enter password "admin123"	PASSED	0.125 s
3	And User click on login button	PASSED	0.893 s
4	And User login to Application successfully	PASSED	0.000 s
5	Then User Should able to see the OrangeHRM logo	PASSED	0.283 s

Verify User Should LogOut SuccessFully

PASSED	DURATION - 5.617 s		
/ 10:59:45.404 pm // 10:59:51.021 pm /		Steps	
		Total - 7	
Login Test Feature		Pass - 7	
		Fail - 0	
@Disha @Regression		Skip - 0	7

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.381 s
2	And User Enter password "admin123"	PASSED	0.111 s
3	And User click on login button	PASSED	0.806 s
4	And User login to Application successfully	PASSED	0.001 s
5	And User click on User Profile logo	PASSED	0.656 s
6	And User mouse hover and click on logout button	PASSED	0.807 s
7	Then User should navigate to the login page and verify the text "Login"	PASSED	0.204 s

User should get error message with invalid credentials

| FAILED	DURATION - 23.399 s		
/ 10:59:51.036 pm // 11:00:14.435 pm /		Steps	
		Total - 4	
Login Test Feature		Pass - 3	
		Fail - 1	
@Disha @Regression		Skip - 0	4

#	Step / Hook Details	Status	Duration
1	When User enter Username1""	PASSED	0.329 s
2	And User enter password1""	PASSED	0.088 s
3	And User click on login button	PASSED	0.101 s
4	Then User should get error message "Required" depends on username "" and password ""	FAILED	20.052 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"}   (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c2a67a00aad63bf11c17c2a76d1ba3a5, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\disha\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62974}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62974/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c2a67a00aad63bf11c17c2a76d1ba3a5
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
  at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source)
  at com.orangehrmlive.demo.utilities.Utility.getTextFromElement(Utility.java:65)
  at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:61)
  at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps. java:61)
  at ?.User should get error message "Required" depends on username "" and password ""(file:///C:/Users/disha/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/logintest.feature:38)

| #	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.294 s
	User should get error message with invalid credentials		

User should get error message with invalid credentials

FAILED	DURATION - 23.497 s		Steps	
/ 11:00:14.446 pm // 11:00:37.943 pm /			Total - 4	
Login Test Feature			Pass - 3	
			Fail - 1	
@Disha @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	When User enter Username1"test123@gmail.com"	PASSED	0.403 s
2	And User enter password1""	PASSED	0.109 s
3	And User click on login button	PASSED	0.078 s
4	Then User should get error message "Required" depends on username "test123@gmail.com" and password ""	FAILED	20.035 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [51d9e30cdf54929eaced1b539921994f, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\disha\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62996}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62996/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 51d9e30cdf54929eaced1b539921994f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source)		
	at com.orangehrmlive.demo.utilities.Utility.getTextFromElement(Utility.java:65)		
	at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:61)		
	at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps.java:61)		
	at ?.User should get error message "Required" depends on username "test123@gmail.com" and password ""(file:///C:/Users/disha/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/logintest.feature:38)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.269 s
	User should get error message with invalid credentials		

User should get error message with invalid credentials

FAILED	DURATION - 23.398 s
/ 11:00:37.954 pm // 11:01:01.352 pm /	
Login Test Feature	
@Disha @Regression	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	When User enter Username1""	PASSED	0.376 s
2	And User enter password1"test123"	PASSED	0.134 s
3	And User click on login button	PASSED	0.083 s
4	Then User should get error message "Required" depends on username "" and password "test123"	FAILED	20.021 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"}   (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [60c4106063ae19f083d5bd7c4c45312e, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\disha\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63023}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63023/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 60c4106063ae19f083d5bd7c4c45312e
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source) at com.orangehrmlive.demo.utilities.Utility.getTextFromElement(Utility.java:65) at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:61) at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps.java:61) at ?.User should get error message "Required" depends on username "" and password "test123"(file:///C:/Users/disha/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/logintest.feature:38) * Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should get error message with invalid credentials	PASSED	0.259 s

User should get error message with invalid credentials

PASSED	*DURATION - 3.896 s*
/ 11:01:01.359 pm // 11:01:05.255 pm /	
Login Test Feature	
@Disha @Regression	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	When User enter Username1"test123@gmail.com"	PASSED	0.384 s
2	And User enter password1"test123"	PASSED	0.113 s
3	And User click on login button	PASSED	0.505 s
4	Then User should get error message "Invalid credentials" depends on username "test123@gmail.com" and password "test123"	PASSED	0.199 s