

## Praktikum Cloud Computing 4

Nama : Revanto Alif Nawasta

NIM : 123170060 / C


File Sharing Menggunakan Freenas

### Local File Sharing (SAMBA)


→ Protokol file sharing milik windows.

Langkah – langkah :


1. Buat folder baru dengan nama “Folder Sharing”. Dimana ini merupakan tempat untuk menampung file sharing.




2. Buat 5 folder baru yang terdiri dari “Aplikasi”, “Games”, “Foto”, “Dokumen”, “Video” untuk mengelompokkan.




3. Di dalam folder “Dokumen” buat satu text file yang berisi identitas.




4. Buat akun baru dengan cara masuk ke Setting → Accounts → Family and Other users → Add someone else to the pc



5. Cara lain untuk membuat akun, jalankan run lalu ketik “netplwiz”



6. Tekan Add



7. Inputkan field-field yang ada dengan identitas Anda.

## Add a user

Choose a password that will be easy for you to remember but hard for others to guess. If you forget, we'll show the hint.

User name

Password

Reenter password

Password hint

Next


Cancel

Network access


Choose people to share with

Type a name and then click Add, or click the arrow to find someone.

Add

Name	Permission Level
 Mahasiswa PC-21	Owner

[I'm having trouble sharing](#)

 Share


Cancel

User Accounts

×

Users

Advanced





Use the list below to grant or deny users access to your computer, and to change passwords and other settings.

☒

Users must enter a user name and password to use this computer.

Users for this computer:


User Name	Group
 Lab Informatika	ORA_DBA; Administrators; Remot...
 revanalif	Users

Add...

Remove

Properties

Password for Lab Informatika





To change your password, press Ctrl-Alt-Del and select Change Password.

Reset Password...


OK



Cancel

Apply







  Map Network Drive

### What network folder would you like to map?

Specify the drive letter for the connection and the folder that you want to connect to:

Drive:


Folder:



Example: \\server\share

☒ Reconnect at sign-in

☐ Connect using different credentials

[Connect to a Web site that you can use to store your documents and pictures.](#)



  Map Network Drive

### What network folder would you like to map?

Specify the drive letter for the connection and the folder that you want to connect to:

Drive:



Folder:


Example: \\server\share

☒ Reconnect at sign-in



☒ Connect using different credentials

[Connect to a Web site that you can use to store your documents and pictures.](#)





Mengubah kepemilikan folder sharing



Select User or Group

Select this object type:  
User, Group, or Built-in security principal

From this location:  
LABSISDIG-21

Enter the object name to select (examples):  
LABSISDIG-21\revanalif

Advanced... OK Cancel

Network access

### Choose people to share with



Type a name and then click Add, or click the arrow to find someone.

Add

Name	Permission Level
Everyone	Read
Mahasiswa PC-21	Read/Write
revanalif	Owner

[I'm having trouble sharing](#)

Share Cancel

 Map Network Drive

## What network folder would you like to map?

Specify the drive letter for the connection and the folder that you want to connect to:

Drive:

Folder:

Example: \\server\share

☒ Reconnect at sign-in

☒ Connect using different credentials

[Connect to a Web site that you can use to store your documents and pictures.](#)

```
hosts - Notepad
File Edit Format View Help
# Copyright (c) 1993-2009 Microsoft Corp.
#
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
#
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
#
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
#
# For example:
#
# 102.54.94.97 rhino.acme.com # source server
# 38.25.63.10 x.acme.com # x client host

# localhost name resolution is handled within DNS itself.
# 127.0.0.1 localhost
# ::1 localhost

127.0.0.1 activate.navicat.com
127.0.0.1 crw.devolutions.net
127.0.0.1 www.sublimetext.com
127.0.0.1 sublimetext.com
127.0.0.1 sublimehq.com
127.0.0.1 license.sublimehq.com
127.0.0.1 45.55.255.55
127.0.0.1 45.55.41.223
0.0.0.0 license.sublimehq.com
0.0.0.0 45.55.255.55
0.0.0.0 45.55.41.223
0.0.0.0 apps.corel.com
0.0.0.0 mc.corel.com
0.0.0.0 origin-mc.corel.com
0.0.0.0 lws.corel.com
192.168.64.30 topiqui.if.upnyk.ac.id
192.168.64.32 awisema.if.upnyk.ac.id
192.168.64.29 via.if.upnyk.ac.id
```

Folder Sharing dengan 3 server berbeda.

