

## LEMBAR KERJA PRAKTIKUM CLOUD COMPUTING

## INSTALASI DAN KONFIGURASI LAYANAN HOSTING DENGAN LAMPP (SAAS)

#### **IDENTITAS:**

Nama:	Muhammad Ma'ruf Al Rizqi
NIM:	123170101
Kelas:	В
Hari, Tanggal:	12 Maret 2020

### **CONTOH ISIAN:**

1. Tampilkan hasil login pada Ubuntu Server dengan menggunakan PuTTY

```
💤 root@eternal-loops: ~
                                                                          П
                                                                                ×
📥 login as: root
root@45.76.145.117's password:
Welcome to Ubuntu 18.04.3 LTS (GNU/Linux 4.15.0-45-generic x86 64)
 * Documentation: https://help.ubuntu.com
               https://landscape.canonical.com
https://ubuntu.com/advantage
 * Management:
 * Support:
 System information as of Mon Feb 17 21:56:08 WIB 2020
 System load: 0.0
                                   Processes:
                                                        146
 Usage of /: 84.9% of 19.63GB Users logged in:
 Memory usage: 78%
                                   IP address for ens3: 45.76.145.117
  Swap usage:
 * Multipass 1.0 is out! Get Ubuntu VMs on demand on your Linux, Windows or
  Mac. Supports cloud-init for fast, local, cloud devops simulation.
    https://multipass.run/
 * Canonical Livepatch is available for installation.
   - Reduce system reboots and improve kernel security. Activate at:
    https://ubuntu.com/livepatch
187 packages can be updated.
141 updates are security updates.
*** System restart required ***
Last login: Sun Feb 2 19:18:13 2020 from 180.254.121.187
root@eternal-loops:~#
```

2. Deskripsikan parameter yang digunakan untuk keluar dari akun root

\$ exit
Perintah exit digunakan untuk keluar dari sesi akun aktif

3. Tampilkan pesan kesalahan pada saat login PHPMyAdmin



## **TUGAS BAGIAN PERTAMA:**

1. Tampilan hasil login Server Ubuntu pada PuTTY (tampilan dashboard/motd)

```
💤 maruf@marufal: ~
                                                                             login as: maruf
maruf@192.168.116.128's password:
Welcome to Ubuntu 18.04.3 LTS (GNU/Linux 4.15.0-88-generic x86_64)
* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/advantage
 System information as of Thu Mar 12 04:19:08 UTC 2020
 System load: 0.0
                                                           162
                                   Processes:
 Usage of /: 19.3% of 19.56GB Users logged in:
                                   IP address for ens33: 192.168.116.128
 Memory usage: 26%
 Swap usage: 0%
5 packages can be updated.
updates are security updates.
ast login: Thu Mar 12 04:18:05 2020
'o run a command as administrator (user "root"), use "sudo <command>".
ee "man sudo root" for details.
```

2. Deskripsikan parameter atau cara untuk mendapatkan IP dari Server Ubuntu

\$ ifconfig		

3. Tampilkan hasil instalasi Apache (Ubuntu Default Page) pada browser (perlihatkan juga address bar pada browser)

```
Building dependency tree
Reading state information... Done
65 packages can be upgraded. Run 'apt list --upgradable' to see them.
maruf@marufal:~$ sudo apt install apache2
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
 apache2-bin apache2-data apache2-utils libaprl libaprutill
 libaprutill-dbd-sqlite3 libaprutill-ldap liblua5.2-0 ssl-cert
Suggested packages:
 www-browser apache2-doc apache2-suexec-pristine | apache2-suexec-custom
 openssl-blacklist
The following NEW packages will be installed:
 apache2 apache2-bin apache2-data apache2-utils libaprl libaprutill
 libaprutill-dbd-sqlite3 libaprutill-ldap liblua5.2-0 ssl-cert
0 upgraded, 10 newly installed, 0 to remove and 65 not upgraded.
Need to get 1,729 kB of archives.
After this operation, 6,986 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://id.archive.ubuntu.com/ubuntu bionic/main amd64 libapr1 amd64 1.6.3-
2 [90.9 kB]
Get:2 http://id.archive.ubuntu.com/ubuntu bionic/main amd64 libaprutill amd64 l.
6.1-2 [84.4 kB]
Get:3 http://id.archive.ubuntu.com/ubuntu bionic/main amd64 libaprutill-dbd-sqli
te3 amd64 1.6.1-2 [10.6 kB]
Get:4 http://id.archive.ubuntu.com/ubuntu bionic/main amd64 libaprutill-ldap amd
64 1.6.1-2 [8,764 B]
Get:5 http://id.archive.ubuntu.com/ubuntu bionic/main amd64 liblua5.2-0 amd64 5.
2.4-1.1build1 [108 kB]
Get:6 http://id.archive.ubuntu.com/ubuntu bionic-updates/main amd64 apache2-bin
amd64 2.4.29-lubuntu4.12 [1,071 kB]
Get:7 http://id.archive.ubuntu.com/ubuntu bionic-updates/main amd64 apache2-util
s amd64 2.4.29-lubuntu4.12 [83.5 kB]
Get:8 http://id.archive.ubuntu.com/ubuntu bionic-updates/main amd64 apache2-data
all 2.4.29-lubuntu4.12 [160 kB]
Get:9 http://id.archive.ubuntu.com/ubuntu bionic-updates/main amd64 apache2 amd6
4 2.4.29-lubuntu4.12 [95.1 kB]
Get:10 http://id.archive.ubuntu.com/ubuntu bionic/main amd64 ssl-cert all 1.0.39
[17.0 kB]
Fetched 1,729 kB in 8s (213 kB/s)
Preconfiguring packages ...
Selecting previously unselected package libaprl:amd64.
(Reading database ... 66957 files and directories currently installed.)
Preparing to unpack .../0-libaprl_1.6.3-2_amd64.deb ...
Unpacking libaprl:amd64 (1.6.3-2) ...
Selecting previously unselected package libaprutill:amd64.
Preparing to unpack .../1-libaprutill 1.6.1-2 amd64.deb ...
Unpacking libaprutill:amd64 (1.6.1-2) ...
Selecting previously unselected package libaprutill-dbd-sqlite3:amd64.
Preparing to unpack .../2-libaprutill-dbd-sqlite3 1.6.1-2 amd64.deb ...
Unpacking libaprutill-dbd-sqlite3:amd64 (1.6.1-2) ...
Selecting previously unselected package libaprutill-ldap:amd64.
Preparing to unpack .../3-libaprutill-ldap 1.6.1-2 amd64.deb ...
Unpacking libaprutill-ldap:amd64 (1.6.1-2) ...
Selecting previously unselected package liblua5.2-0:amd64.
Preparing to unpack .../4-liblua5.2-0 5.2.4-l.lbuildl amd64.deb ...
Unpacking liblua5.2-0:amd64 (5.2.4-1.1build1) ...
Selecting previously unselected package apache2-bin.
Preparing to unpack .../5-apache2-bin 2.4.29-lubuntu4.12 amd64.deb ...
Unpacking apache2-bin (2.4.29-lubuntu4.12) ...
Selecting previously unselected package apache2-utils.
```

```
maruf@marufal: ~
                                                                         ×
Preparing to unpack .../6-apache2-utils 2.4.29-lubuntu4.12 amd64.deb ...
Unpacking apache2-utils (2.4.29-lubuntu4.12) ...
Selecting previously unselected package apache2-data.
Preparing to unpack .../7-apache2-data 2.4.29-lubuntu4.12 all.deb ...
Unpacking apache2-data (2.4.29-lubuntu4.12) ...
Selecting previously unselected package apache2.
Preparing to unpack .../8-apache2_2.4.29-lubuntu4.12_amd64.deb ...
Unpacking apache2 (2.4.29-lubuntu4.12) ...
Selecting previously unselected package ssl-cert.
Preparing to unpack .../9-ssl-cert 1.0.39 all.deb ...
Unpacking ssl-cert (1.0.39) ...
Setting up libaprl:amd64 (1.6.3-2) ...
Processing triggers for ufw (0.36-Oubuntu0.18.04.1) ...
Processing triggers for ureadahead (0.100.0-21) ...
Setting up apache2-data (2.4.29-lubuntu4.12) ...
Setting up ssl-cert (1.0.39) ...
Processing triggers for libc-bin (2.27-3ubuntul) ...
Setting up libaprutill:amd64 (1.6.1-2) ...
Processing triggers for systemd (237-3ubuntu10.38) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Setting up liblua5.2-0:amd64 (5.2.4-1.1build1) ...
Setting up libaprutill-ldap:amd64 (1.6.1-2) ...
Setting up libaprutill-dbd-sqlite3:amd64 (1.6.1-2) ...
Setting up apache2-utils (2.4.29-lubuntu4.12) ...
Setting up apache2-bin (2.4.29-lubuntu4.12) ...
Setting up apache2 (2.4.29-lubuntu4.12) ...
Enabling module mpm event.
Enabling module authz core.
Enabling module authz host.
Enabling module authn core.
Enabling module auth basic.
Enabling module access compat.
Enabling module authn file.
Enabling module authz user.
Enabling module alias.
Enabling module dir.
Enabling module autoindex.
Enabling module env.
Enabling module mime.
Enabling module negotiation.
Enabling module setenvif.
Enabling module filter.
Enabling module deflate.
Enabling module status.
Enabling module reqtimeout.
Enabling conf charset.
Enabling conf localized-error-pages.
Enabling conf other-vhosts-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
Created symlink /etc/systemd/system/multi-user.target.wants/apache2.service - /1
ib/systemd/system/apache2.service.
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.
service → /lib/systemd/system/apache-htcacheclean.service.
Processing triggers for libc-bin (2.27-3ubuntul) ...
Processing triggers for systemd (237-3ubuntul0.38) ...
Processing triggers for ureadahead (0.100.0-21) ...
Processing triggers for ufw (0.36-Oubuntu0.18.04.1) ...
maruf@marufal:~$
```


4. Tampilkan proses instalasi MySQL

```
🚅 maruf@marufal: ~
                                                                         Enabling module deflate.
Enabling module status.
Enabling module reqtimeout.
Enabling conf charset.
Enabling conf localized-error-pages.
Enabling conf other-vhosts-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
Created symlink /etc/systemd/system/multi-user.target.wants/apache2.service \rightarrow /1
ib/systemd/system/apache2.service.
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.
service - /lib/systemd/system/apache-htcacheclean.service.
Processing triggers for libc-bin (2.27-3ubuntul) ...
Processing triggers for systemd (237-3ubuntul0.38) ...
Processing triggers for ureadahead (0.100.0-21) ...
Processing triggers for ufw (0.36-Oubuntu0.18.04.1) ...
maruf@marufal:~$ sudo ufw allow in "Apache Full"
Rules updated
Rules updated (v6)
maruf@marufal:~$ sudo at install mysql-server
syntax error. Last token seen: i
Garbled time
maruf@marufal:~$ sudo apt install mysql-server
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  libaiol libcgi-fast-perl libcgi-pm-perl libencode-locale-perl
  libevent-core-2.1-6 libfcgi-perl libhtml-parser-perl libhtml-tagset-perl
  libhtml-template-perl libhttp-date-perl libhttp-message-perl libio-html-perl
  liblwp-mediatypes-perl libtimedate-perl liburi-perl mysql-client-5.7
  mysql-client-core-5.7 mysql-common mysql-server-5.7 mysql-server-core-5.7
Suggested packages:
 libdata-dump-perl libipc-sharedcache-perl libwww-perl mailx tinyca
The following NEW packages will be installed:
 libaiol libcgi-fast-perl libcgi-pm-perl libencode-locale-perl
 libevent-core-2.1-6 libfcgi-perl libhtml-parser-perl libhtml-tagset-perl
 libhtml-template-perl libhttp-date-perl libhttp-message-perl libio-html-perl
 liblwp-mediatypes-perl libtimedate-perl liburi-perl mysql-client-5.7
 mysql-client-core-5.7 mysql-common mysql-server mysql-server-5.7
 mysql-server-core-5.7
0 upgraded, 21 newly installed, 0 to remove and 65 not upgraded.
Need to get 19.7 MB of archives.
After this operation, 156 MB of additional disk space will be used.
Do you want to continue? [Y/n]
```

5. Tampilkan keberhasilan instalasi PHP dengan cara menampilkan <u>info.php</u> pada browser




6. Tampilkan halaman awal dari login PHPmyAdmin pada browser



7. Deskripsikan parameter untuk memperbaiki login database (Flush Privileges)

```
$ sudo mysql -u root
```

8. Tampilkan hasil login WinSCP yang menunjukkan berkas pada Ubuntu Server



## **TUGAS BAGIAN KEDUA:**

Khusus untuk yang <u>telah</u> mengerjakan tugas 000webhost:

Unduh berkas PHP/HTML Rumah Makan yang tersimpan pada 000webhost Anda. Khusus untuk yang <u>belum</u> mengerjakan tugas 000webhost:

Buatlah biodata/CV sederhana yang menampilkan identitas Anda menggunakan bahasa PHP/HTML dengan contoh hasil seperti pada ilustrasi berikut



LAKUKAN UNGGAH BERKAS TERSEBUT PADA UBUNTU SERVER, KEMUDIAN TAMPILKAN HASILNYA PADA BROWSER. ATUR JUGA DATABASE BILA PERLU.



# **TUGAS BAGIAN KETIGA:**

Catatlah IP lima teman Anda secara acak pada tabel berikut, kemudian buat definisi domain untuk teman Anda dengan format: http://www.namateman.if.upnyk.ac.id

No.	IP	Nama	Domain
6)/	192.168.64.250	Wahyu Aji Nugroho	wahyu.if.upnyk.ac.id
ex.	192.168.64.245	Muhammad Imam Alfatah	imam.if.upnyk.ac.id
1.			.if.upnyk.ac.id
2.			.if.upnyk.ac.id
3.			.if.upnyk.ac.id
4.			.if.upnyk.ac.id
5.			.if.upnyk.ac.id

Tampilkan hasil akses situs tersebut (menggunakan domain, bukan akses dengan IP) pada isian berikut (perlihatkan URL pada tangkapan layar):

1.	Situs pertama
2.	Situs kedua
3.	Situs ketiga
4.	Situs keempat
5.	Situs kelima