

LEMBAR KERJA PRAKTIKUM CLOUD COMPUTING

INSTALASI DAN KONFIGURASI LAYANAN HOSTING DENGAN LAMPP (SAAS)

IDENTITAS:

Nama:	Dzaky Muhammad Iqbal
NIM:	123170085
Kelas:	С
Hari, Tanggal:	Jumat, 21 Februari 2020

CONTOH ISIAN:

1. Tampilkan hasil login pada Ubuntu Server dengan menggunakan PuTTY

```
💤 root@eternal-loops: ~
                                                                          П
                                                                                ×
📥 login as: root
root@45.76.145.117's password:
Welcome to Ubuntu 18.04.3 LTS (GNU/Linux 4.15.0-45-generic x86 64)
 * Documentation: https://help.ubuntu.com
               https://landscape.canonical.com
https://ubuntu.com/advantage
 * Management:
 * Support:
 System information as of Mon Feb 17 21:56:08 WIB 2020
 System load: 0.0
                                   Processes:
                                                        146
 Usage of /: 84.9% of 19.63GB Users logged in:
 Memory usage: 78%
                                   IP address for ens3: 45.76.145.117
  Swap usage:
 * Multipass 1.0 is out! Get Ubuntu VMs on demand on your Linux, Windows or
  Mac. Supports cloud-init for fast, local, cloud devops simulation.
    https://multipass.run/
 * Canonical Livepatch is available for installation.
   - Reduce system reboots and improve kernel security. Activate at:
    https://ubuntu.com/livepatch
187 packages can be updated.
141 updates are security updates.
*** System restart required ***
Last login: Sun Feb 2 19:18:13 2020 from 180.254.121.187
root@eternal-loops:~#
```

2. Deskripsikan parameter yang digunakan untuk keluar dari akun root

\$ exit
Perintah exit digunakan untuk keluar dari sesi akun aktif

3. Tampilkan pesan kesalahan pada saat login PHPMyAdmin



TUGAS BAGIAN PERTAMA:

1. Tampilan hasil login Server Ubuntu pada PuTTY (tampilan dashboard/motd)

2. Deskripsikan parameter atau cara untuk mendapatkan IP dari Server Ubuntu

\$ ifconfig			

3. Tampilkan hasil instalasi Apache (Ubuntu Default Page) pada browser (perlihatkan juga address bar pada browser)



4. Tampilkan proses instalasi MySQL


```
1 2.3000-2 [37.5 kB]
Get:17 http://id.archive.ubuntu.com/ubuntu bionic/main amd64 libhttp-date-perl a
11 6.02-1 [10.4 kB]
Get:18 http://id.archive.ubuntu.com/ubuntu bionic/main amd64 libio-html-perl all
1.001-1 [14.9 kB]
Get:19 http://id.archive.ubuntu.com/ubuntu bionic/main amd64 liblwp-mediatypes-p
erl all 6.02-1 [21.7 kB]
```

```
dzaky@dzaky-server: ~
Created symlink /etc/systemd/system/multi-user.target.wants/mysql.service - /lib
/systemd/system/mysql.service.
Setting up mysql-server (5.7.29-0ubuntu0.18.04.1) ...
Processing triggers for libc-bin (2.27-3ubuntul) ...
Processing triggers for systemd (237-3ubuntul0.38) ...
Processing triggers for ureadahead (0.100.0-21)
dzaky@dzaky-server:~$ sudo mysql_secure_installation
Securing the MySQL server deployment.
Connecting to MySQL using a blank password.
VALIDATE PASSWORD PLUGIN can be used to test passwords
and improve security. It checks the strength of password and allows the users to set only those passwords which are
secure enough. Would you like to setup VALIDATE PASSWORD plugin?
Press y|Y for Yes, any other key for No: No
Please set the password for root here.
New password:
Re-enter new password:
By default, a MySQL installation has an anonymous user,
allowing anyone to log into MySQL without having to have
a user account created for them. This is intended only for
testing, and to make the installation go a bit smoother.
You should remove them before moving into a production
environment.
Remove anonymous users? (Press y|Y for Yes, any other key for No) : y
Success.
Normally, root should only be allowed to connect from
'localhost'. This ensures that someone cannot quess at
the root password from the network.
Disallow root login remotely? (Press y|Y for Yes, any other key for No) : y
Success.
By default, MySQL comes with a database named 'test' that
anyone can access. This is also intended only for testing,
and should be removed before moving into a production
environment.
Remove test database and access to it? (Press y|Y for Yes, any other key for No) : y
 - Dropping test database...
 - Removing privileges on test database...
Reloading the privilege tables will ensure that all changes
made so far will take effect immediately.
Reload privilege tables now? (Press y|Y for Yes, any other key for No) : y
All done!
dzaky@dzaky-server:~$
```

5. Tampilkan keberhasilan instalasi PHP dengan cara menampilkan <u>info.php</u> pada browser




6. Tampilkan halaman awal dari login PHPmyAdmin pada browser



7. Deskripsikan parameter untuk memperbaiki login database (Flush Privileges)

```
$ sudo mysql -u root
Atau
$ sudo mysql -u root -p
```

8. Tampilkan hasil login WinSCP yang menunjukkan berkas pada Ubuntu Server



TUGAS BAGIAN KEDUA:


Khusus untuk yang <u>telah</u> mengerjakan tugas 000webhost:

Unduh berkas PHP/HTML Rumah Makan yang tersimpan pada 000webhost Anda. Khusus untuk yang <u>belum</u> mengerjakan tugas 000webhost:

Buatlah biodata/CV sederhana yang menampilkan identitas Anda menggunakan bahasa PHP/HTML dengan contoh hasil seperti pada ilustrasi berikut



LAKUKAN UNGGAH BERKAS TERSEBUT PADA UBUNTU SERVER, KEMUDIAN TAMPILKAN HASILNYA PADA BROWSER. ATUR JUGA DATABASE BILA PERLU.




TUGAS BAGIAN KETIGA:

Catatlah IP lima teman Anda secara acak pada tabel berikut, kemudian buat definisi domain untuk teman Anda dengan format: http://www.namateman.if.upnyk.ac.id

No.	IP	Nama	Domain
0)/	192.168.64.250	Wahyu Aji Nugroho	wahyu.if.upnyk.ac.id
ex.	192.168.64.245	Muhammad Imam Alfatah	imam.if.upnyk.ac.id
1.	192.168.116.128	Dzaky Muhammad Iqbal	dzaky.if.upnyk.ac.id
2.			.if.upnyk.ac.id
3.			.if.upnyk.ac.id
4.			.if.upnyk.ac.id
5.			.if.upnyk.ac.id

Tampilkan hasil akses situs tersebut (menggunakan domain, bukan akses dengan IP) pada isian berikut (perlihatkan URL pada tangkapan layar):

1. Situs pertama



2. Situs kedua

3. Situs ketiga

4.	Situs keempat
 5.	Situs kelima