



LEMBAR KERJA PRAKTIKUM CLOUD COMPUTING

INSTALASI DAN KONFIGURASI LAYANAN HOSTING DENGAN LAMPP (SAAS)

IDENTITAS:

Nama:	Dias Galih Saputra
NIM:	123170038
Kelas:	D
Hari, Tanggal:	Jumat, 21 Februari 2020

CONTOH ISIAN:

1. Tampilkan hasil login pada Ubuntu Server dengan menggunakan PuTTY

```
root@eternal-loops: ~
login as: root
root@45.76.145.117's password:
Welcome to Ubuntu 18.04.3 LTS (GNU/Linux 4.15.0-45-generic x86_64)

* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:        https://ubuntu.com/advantage

System information as of Mon Feb 17 21:56:08 WIB 2020

System load:  0.0               Processes:            146
Usage of /:   84.9% of 19.63GB   Users logged in:     1
Memory usage: 78%               IP address for ens3: 45.76.145.117
Swap usage:   33%

* Multipass 1.0 is out! Get Ubuntu VMs on demand on your Linux, Windows or
  Mac. Supports cloud-init for fast, local, cloud devops simulation.

  https://multipass.run/

* Canonical Livepatch is available for installation.
  - Reduce system reboots and improve kernel security. Activate at:
    https://ubuntu.com/livepatch

187 packages can be updated.
141 updates are security updates.

*** System restart required ***
Last login: Sun Feb  2 19:18:13 2020 from 180.254.121.187
root@eternal-loops:~#
```

2. Deskripsikan parameter yang digunakan untuk keluar dari akun root

```
$ exit
```


Perintah exit digunakan untuk keluar dari sesi akun aktif

3. Tampilkan pesan kesalahan pada saat login PHPMyAdmin



TUGAS BAGIAN PERTAMA:

1. Tampilan hasil login Server Ubuntu pada PuTTY (tampilan dashboard/motd)



```
dias@dias-server: ~
login as: dias
dias@192.168.116.129's password:
Welcome to Ubuntu 18.04.3 LTS (GNU/Linux 4.15.0-88-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/advantage

System information as of Fri Feb 21 07:02:29 UTC 2020

System load:  0.17               Processes:            194
Usage of /:   19.4% of 19.56GB   Users logged in:     1
Memory usage: 24%               IP address for ens33: 192.168.116.129
Swap usage:   0%


65 packages can be updated.
0 updates are security updates.

Last login: Fri Feb 21 07:01:00 2020
dias@dias-server:~$
```

2. Deskripsikan parameter atau cara untuk mendapatkan IP dari Server Ubuntu

```
$ ifconfig
```

3. Tampilkan hasil instalasi Apache (Ubuntu Default Page) pada browser (perlihatkan juga address bar pada browser)



The screenshot shows a web browser window with the title "Apache2 Ubuntu Default Page". The address bar shows "192.168.116.129". The page features the Ubuntu logo and the text "It works!". Below this, a paragraph explains that this is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It mentions that the configuration system is fully documented in `/usr/share/doc/apache2/README.Debian.gz`. A section titled "Configuration Overview" follows, explaining that Ubuntu's Apache2 default configuration is different from the upstream default configuration and is split into several files optimized for interaction with Ubuntu tools. It lists the configuration layout for an Apache2 web server installation on Ubuntu systems as follows:

```
/etc/apache2/  
|-- apache2.conf  
|   |-- ports.conf  
|-- mods-enabled  
|   |-- *.load  
|   |-- *.conf  
|-- conf-enabled  
|   |-- *.conf  
|-- sites-enabled  
|   |-- *.conf
```

- `apache2.conf` is the main configuration file. It puts the pieces together by including all remaining configuration files when starting up the web server.
- `ports.conf` is always included from the main configuration file. It is used to determine the listening ports for incoming connections, and this file can be customized anytime.
- Configuration files in the `mods-enabled/`, `conf-enabled/` and `sites-enabled/` directories contain particular configuration snippets which manage modules, global configuration fragments, or virtual host configurations, respectively.
- They are activated by symlinking available configuration files from their respective `*-available/` counterparts. These should be managed by using our helpers `a2enmod`, `a2dismod`, `a2ensite`, `a2dissite`, and `a2enconf`, `a2disconf`. See their respective man pages for detailed information.
- The binary is called `apache2`. Due to the use of environment variables, in the default configuration, `apache2` needs to be started/stopped with `/etc/init.d/apache2` or `apache2ctl`. **Calling `/usr/bin/apache2` directly will not work** with the default configuration.

4. Tampilkan proses instalasi MySQL

```
dias@dias-server: ~
Unpacking liburi-perl (1.73-1) ...
Selecting previously unselected package libhtml-parser-perl.
Preparing to unpack .../03-libhtml-parser-perl_3.72-3build1_amd64.deb ...
Unpacking libhtml-parser-perl (3.72-3build1) ...
Selecting previously unselected package libcgi-pm-perl.
Preparing to unpack .../04-libcgi-pm-perl_4.38-1_all.deb ...
Unpacking libcgi-pm-perl (4.38-1) ...
Selecting previously unselected package libfcgi-perl.
Preparing to unpack .../05-libfcgi-perl_0.78-2build1_amd64.deb ...
Unpacking libfcgi-perl (0.78-2build1) ...
Selecting previously unselected package libcgi-fast-perl.
Preparing to unpack .../06-libcgi-fast-perl_1%3a2.13-1_all.deb ...
Unpacking libcgi-fast-perl (1:2.13-1) ...
Selecting previously unselected package libencode-locale-perl.
Preparing to unpack .../07-libencode-locale-perl_1.05-1_all.deb ...
Unpacking libencode-locale-perl (1.05-1) ...
Selecting previously unselected package libhtml-template-perl.
Preparing to unpack .../08-libhtml-template-perl_2.97-1_all.deb ...
Unpacking libhtml-template-perl (2.97-1) ...
Selecting previously unselected package libtimedate-perl.
Preparing to unpack .../09-libtimedate-perl_2.3000-2_all.deb ...
Unpacking libtimedate-perl (2.3000-2) ...
Selecting previously unselected package libhttp-date-perl.
Preparing to unpack .../10-libhttp-date-perl_6.02-1_all.deb ...
Unpacking libhttp-date-perl (6.02-1) ...
Selecting previously unselected package libio-html-perl.
Preparing to unpack .../11-libio-html-perl_1.001-1_all.deb ...
Unpacking libio-html-perl (1.001-1) ...
Selecting previously unselected package liblwp-mediatypes-perl.
Preparing to unpack .../12-liblwp-mediatypes-perl_6.02-1_all.deb ...
Unpacking liblwp-mediatypes-perl (6.02-1) ...
Selecting previously unselected package libhttp-message-perl.
Preparing to unpack .../13-libhttp-message-perl_6.14-1_all.deb ...
Unpacking libhttp-message-perl (6.14-1) ...
Selecting previously unselected package mysql-server.
Preparing to unpack .../14-mysql-server_5.7.29-0ubuntu0.18.04.1_all.deb ...
Unpacking mysql-server (5.7.29-0ubuntu0.18.04.1) ...
Setting up libhtml-tagset-perl (3.20-3) ...
Setting up libevent-core-2.1-6:amd64 (2.1.8-stable-4build1) ...
Processing triggers for ureadahead (0.100.0-21) ...
Setting up libencode-locale-perl (1.05-1) ...
Setting up libtimedate-perl (2.3000-2) ...
Setting up libio-html-perl (1.001-1) ...
Setting up liblwp-mediatypes-perl (6.02-1) ...
Processing triggers for libc-bin (2.27-3ubuntu1) ...
Setting up libaiol:amd64 (0.3.110-5ubuntu0.1) ...
Setting up liburi-perl (1.73-1) ...
Processing triggers for systemd (237-3ubuntu10.38) ...
Setting up libhtml-parser-perl (3.72-3build1) ...
Setting up libcgi-pm-perl (4.38-1) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Progress: [ 80%] [#####.....]
```

5. Tampilkan keberhasilan instalasi PHP dengan cara menampilkan `info.php` pada browser

Gmail - Penyimpanan dan Email
dokumentasi_tcc_pertemuan2 - c
phpinfo()

Not secure | 192.168.116.129/info.php

PHP Version 7.2.24-0ubuntu0.18.04.3



System	Linux dias-server 4.15.0-88-generic #88-Ubuntu SMP Tue Feb 11 20:11:34 UTC 2020 x86_64
Build Date	Feb 11 2020 15:55:52
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php/7.2/apache2
Loaded Configuration File	/etc/php/7.2/apache2/php.ini
Scan this dir for additional .ini files	/etc/php/7.2/apache2/conf.d
Additional .ini files parsed	/etc/php/7.2/apache2/conf.d/10-mysqld.ini, /etc/php/7.2/apache2/conf.d/10-opcache.ini, /etc/php/7.2/apache2/conf.d/10-pdo.ini, /etc/php/7.2/apache2/conf.d/20-calendar.ini, /etc/php/7.2/apache2/conf.d/20-ctype.ini, /etc/php/7.2/apache2/conf.d/20-exif.ini, /etc/php/7.2/apache2/conf.d/20-fileinfo.ini, /etc/php/7.2/apache2/conf.d/20-ftp.ini, /etc/php/7.2/apache2/conf.d/20-gettext.ini, /etc/php/7.2/apache2/conf.d/20-iconv.ini, /etc/php/7.2/apache2/conf.d/20-json.ini, /etc/php/7.2/apache2/conf.d/20-mysqli.ini, /etc/php/7.2/apache2/conf.d/20-pdo_mysql.ini, /etc/php/7.2/apache2/conf.d/20-phar.ini, /etc/php/7.2/apache2/conf.d/20-posix.ini, /etc/php/7.2/apache2/conf.d/20-readline.ini, /etc/php/7.2/apache2/conf.d/20-shmop.ini, /etc/php/7.2/apache2/conf.d/20-sockets.ini, /etc/php/7.2/apache2/conf.d/20-sysvmsg.ini, /etc/php/7.2/apache2/conf.d/20-sysvsem.ini, /etc/php/7.2/apache2/conf.d/20-sysvshm.ini, /etc/php/7.2/apache2/conf.d/20-tokenizer.ini
PHP API	20170718
PHP Extension	20170718
Zend Extension	320170718
Zend Extension Build	API320170718,NTS
PHP Extension Build	API20170718,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	enabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
DTrace Support	available, disabled
Registered PHP Streams	https, ftps, compress.zlib, php, file, glob, data, http, ftp, phar
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2
Registered Stream Filters	zlib.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, convert.iconv.*


This program makes use of the Zend Scripting Language Engine:
Zend Engine v3.2.0, Copyright (c) 1998-2018 Zend Technologies
with Zend OPcache v7.2.24-0ubuntu0.18.04.3, Copyright (c) 1999-2018, by Zend Technologies



Configuration

apache2handler

6. Tampilkan halaman awal dari login PHPmyAdmin pada browser



7. Deskripsikan parameter untuk memperbaiki login database (Flush Privileges)

```
$ FLUSH PRIVILEGES;
```

8. Tampilkan hasil login WinSCP yang menunjukkan berkas pada Ubuntu Server

html - dias@192.168.116.129 - WinSCP

Local Mark Files Commands Session Options Remote Help

Synchronize Queue Transfer Settings Default

dias@192.168.116.129 X New Session

My documents Upload Edit Properties New Download Edit Properties New Find Files

C:\Users\Lab Informatika\Documents\ /var/www/html/

Name	Size	Type	Changed	Name	Size	Changed	Rights	Owner
..		Parent directory	21 Feb 2020 13.41.48	..		21 Feb 2020 14.06.36	rw-r--r--	root
!SHARE!!		File folder	16 Okt 2019 10.22.49	index.html	11 KB	21 Feb 2020 14.06.39	rw-r--r--	root
Adobe		File folder	02 Agt 2019 22.14.46	info.php	1 KB	21 Feb 2020 14.15.28	rw-r--r--	root
ArcGIS		File folder	30 Jul 2019 17.31.41					
Arduino		File folder	30 Jul 2019 17.46.19					
Corel		File folder	02 Agt 2019 22.06.44					
Custom Office Templ...		File folder	21 Feb 2020 13.41.48					
Fritzing		File folder	30 Jul 2019 19.35.24					
GIS DataBase		File folder	29 Jul 2019 16.12.30					
Journals		File folder	20 Agt 2019 20.48.35					
Leapdroid		File folder	18 Agt 2019 21.05.30					
MATLAB		File folder	30 Jul 2019 16.33.13					
My Shapes		File folder	29 Jul 2019 11.09.16					
Navicat		File folder	31 Jul 2019 09.22.55					
NetBeansProjects		File folder	29 Jul 2019 15.20.58					
EasyBCD Backup (201...	44 KB	BCD File	26 Jul 2019 10.04.02					
symbology-style.db	388 KB	Data Base File	30 Jul 2019 17.02.48					

0 B of 432 KB in 0 of 16 5 hidden 0 B of 10,6 KB in 0 of 2

SFTP-3 0.01.46


TUGAS BAGIAN KEDUA:

Khusus untuk yang telah mengerjakan tugas 000webhost:


Unduh berkas PHP/HTML Rumah Makan yang tersimpan pada 000webhost Anda.

Khusus untuk yang belum mengerjakan tugas 000webhost:

Buatlah biodata/CV sederhana yang menampilkan identitas Anda menggunakan bahasa PHP/HTML dengan contoh hasil seperti pada ilustrasi berikut



LAKUKAN UNGGAH BERKAS TERSEBUT PADA UBUNTU SERVER, KEMUDIAN TAMPILKAN HASILNYA PADA BROWSER. ATUR JUGA DATABASE BILA PERLU.




TUGAS BAGIAN KETIGA:

Catatlah IP lima teman Anda secara acak pada tabel berikut, kemudian buat definisi domain untuk teman Anda dengan format: <http://www.namateman.if.upnyk.ac.id>

No.	IP	Nama	Domain
ex.	192.168.64.250	Wahyu Aji Nugroho	wahyu .if.upnyk.ac.id
	192.168.64.245	Muhammad Imam Alfatah	imam .if.upnyk.ac.id
1.	192.168.116.129	Dias Galih Saputra	tccmantap.if.upnyk.ac.id
2.			.if.upnyk.ac.id
3.			.if.upnyk.ac.id
4.			.if.upnyk.ac.id
5.			.if.upnyk.ac.id

Tampilkan hasil akses situs tersebut (menggunakan domain, bukan akses dengan IP) pada isian berikut (perlihatkan URL pada tangkapan layar):

1. Situs pertama



2. Situs kedua

3. Situs ketiga

4. Situs keempat

5. Situs kelima

