


Nama : Alviansyah Satria Maulana

NIM : 123170104


---

1. Cara membuat Local File Sharing (samba):

- Buat terlebih dahulu foldernya sebagai berikut




- Beri identitas di folder dokumen



- Buka setting->account->family->add someone else

Microsoft account

 Microsoft

## How will this person sign in?

Enter the email address or phone number of the person you want to add. If they use Windows, Office, Outlook.com, OneDrive, Skype, or Xbox, enter the email or phone number they use to sign in.

Email or phone

[I don't have this person's sign-in information](#)

Cancel Next

[Terms of Use](#) [Privacy & Cookies](#)

- Untuk membuat user dengan cara lain adalah dengan cara mengetikkan command netplwiz di run

## How will this person sign in?

What email address would this person like to use to sign in to Windows? (If you know the email address they use to sign in to Microsoft services, enter it here.)

[Sign up for a new email address](#)

This person can sign in to easily get their online email, photos, files, and settings (like browser history and favorites) on all of their devices. They can manage their synced settings at any time.


[Privacy statement](#)

[Sign in without a Microsoft account \(not recommended\)](#)


Next

Cancel


- Jika sudah akan tampil interface sebagai berikut:




- Untuk mencoba file sharing klik kanan folder->give access to->specified user




- Untuk mengakses file sharing, klik kanan pada this pc->map network drive...




- Isikan folder path, maka akan tampil sbb:



- Akan tampil windows sbb:




- Untuk mencoba file sharing buat guest access menjadi everyone




- Cara mengubah owner





- Local Domain dengan Hosts File






- Tambahkan ip pc lain di file hosts lalu beri nama, misal alvin.if.upnyk.ac.id

```
hosts - Notepad
File Edit Format View Help
# localhost name resolution is handled within DNS itself.
# 127.0.0.1 localhost
# ::1 localhost

127.0.0.1 activate.navicat.com
127.0.0.1 crm.devolutions.net
127.0.0.1 www.sublimetext.com
127.0.0.1 sublimetext.com
127.0.0.1 sublimehq.com
127.0.0.1 license.sublimehq.com
127.0.0.1 45.55.255.55
127.0.0.1 45.55.41.223
0.0.0.0 license.sublimehq.com
0.0.0.0 45.55.255.55
0.0.0.0 45.55.41.223
0.0.0.0 apps.corel.com
0.0.0.0 mc.corel.com
0.0.0.0 origin-mc.corel.com
0.0.0.0 iws.corel.com
```

## 2. Contoh Local domain dengan hosts file

- >  Folder Sharing (\\alfa.if.upnyk.ac.id) (U:)
- >  Folder Sharing (\\eko.if.upnyk.ac.id) (V:)
- >  Folder Sharing (\\fajar.if.upnyk.ac.id) (W:)