Binary Tree & its types

- Each node can have 'atmost' two children

Children — 0, 1, 2







Max. No. of nodes at any level 'i' $= 2^i$

Height of tree = Height of Root Node

= No. of edges in longest path from Root to the leaf node

for this tree, height is 3

Max no. of nodes in tree of height '3'

$= 2^0 + 2^1 + 2^2 + 2^3$

$= 1 + 2 + 4 + 8 = 15 \left(2^{h+1} - 1\right)$

Max. no. of nodes in tree of height 'h'

$= 2^0 + 2^1 + 2^2 + \ldots\ldots\ldots + 2^h$

$= 2^{h+1} - 1$

Min. no. of nodes in tree of ht. 'h'

$= h+1$



$4\ (h+1)$

Max. ht. = when min. no. of nodes

$= n - 1$

Min. ht = when max. no. of nodes

$= \lceil \log_2 (n+1) - 1 \rceil$

Types of Binary Tree

→ Full / Proper / Strict

- All nodes have 2 children, except the leaf nodes
- No. of leaf nodes = No. of non-leaf nodes + 1



No. of non-leaf nodes = 2

Leaf nodes = 2 + 1 = 3

Max. no. of nodes = $2^{h+1} - 1$

Min no of nodes = $2h + 1$

→ Min ht = $\lceil \log_2(n+1) - 1 \rceil$ ← Max ht = $(n-1)/2$

Complete Binary Tree



1) All levels completely filled except the last

2) In the last level, node must be as left as possible



Max nodes $= 2^{h+1} - 1$

Min nodes $= 2^h$

Max ht $= \lceil \log_2(n+1) - 1 \rceil$

Min ht $= \log_2 n$

Perfect Binary Tree

→ All internal nodes have 2 children

→ All leaves are at the same level



Is this CBT = ____

Is this FBT = ____

Degenerate Binary Tree

→ All internal nodes have only 1 child



Binary Tree Implementation

```
Node
{ int data
  Node Left, Right
}
```




```
Node createBinaryTree()
  {
1  newnode = Create a newnode
2  Print("Enter data")
3    x = value to insert in node
4   if (x == -1)
5       { return 0; }
6     newnode -> data = x
7     Print("Enter left child")
8     newnode -> left = createBinaryTree();
9     Print("Enter right child")
```

10 newnode -> Right = createBinaryTree

11 return newnode

}