Qualidade do Ar: Projete (conclua) e Implemente seu Produto

Bem-vindo ao laboratório final deste projeto. Aqui, novamente, você trabalhará com o conjunto de dados com o qual já se familiarizou da rede de monitoramento da qualidade do ar em Bogotá [RMCAB](http://201.245.192.252:81/home/map). Neste caderno, você concluirá as seguintes etapas:

1. Importe pacotes Python
2. Carregue o conjunto de dados com os valores ausentes preenchidos (resultado do último laboratório)
3. Use o método do vizinho mais próximo para fazer um mapa das PM2,5 em Bogotá
4. Teste diferentes valores de k para o método do vizinho mais próximo
5. Use o melhor valor de k para fazer um mapa de PM2,5 em Bogotá
6. Construa uma animação de mapa do PM2.5 em Bogotá
7. Exiba a animação do seu mapa

1. Importar pacotes Python

Execute a próxima célula para importar os pacotes Python necessários para este laboratório.

Observe a linha `import utils`. Esta linha importa as funções que foram escritas especificamente para este laboratório. Se você quiser ver quais são essas funções, vá em `Arquivo -> Abrir...` e abra o arquivo `utils.py` para dar uma olhada.

In [1]:
```
# Importar pacotes
import folium # Animações
import folium.plugins as plugins # Animações extras
import pandas as pd # Manipular dados
from sklearn.neighbors import KNeighborsRegressor # Pacote KNN
from datetime import datetime # Manipular datas/horas

import utiliTariosFaseC # Ferramentas próprias

print("Todos pacotes importados com sucesso!")
```

```
Todos pacotes importados com sucesso!
```

2. Carregue o conjunto de dados com os valores ausentes preenchidos (resultado do último laboratório)

Execute a próxima célula para ler o conjunto de dados que foi o resultado final do último laboratório, ou seja, um conjunto de dados com todos os valores faltantes para os poluentes preenchidos.

In [14]:
```
# Carregar o conjunto de dados, usando a primeira coluna como índice
full_dataset = pd.read_csv('data/DadosCompletosFaseA.csv', index_col=0)

# Converter a coluna DateTime para datetime
full_dataset['DateTime'] = pd.to_datetime(full_dataset['DateTime'], errors='coerce', dayfirst=True)

# Visualizar as primeiras linhas
full_dataset.head(5)
```

Out[14]:

	DateTime	Station	Latitude	Longitude	PM2.5	PM10	NO	NO2	NOX	CO	OZONE	PM2.
0	2021-01-01 00:00:00	USM	4.532056	-74.117139	32.7	56.6	7.504	15.962	23.493	0.44924	2.431	NaN
1	2021-01-01 01:00:00	USM	4.532056	-74.117139	39.3	59.3	16.560	17.866	34.426	0.69832	1.121	NaN
2	2021-01-01 02:00:00	USM	4.532056	-74.117139	70.8	96.4	22.989	17.802	40.791	0.88243	1.172	NaN
3	2021-01-01 03:00:00	USM	4.532056	-74.117139	81.0	108.3	3.704	9.886	13.591	0.29549	6.565	NaN
4	2021-01-01 04:00:00	USM	4.532056	-74.117139	56.1	87.7	2.098	9.272	11.371	0.16621	9.513	NaN

3. Use o método do vizinho mais próximo para fazer um mapa de PM2,5 em Bogotá

Aqui você usa o método do vizinho mais próximo para estimar os valores dos poluentes nos pontos entre as estações, para poder criar um bom mapa visual da poluição.

In [15]:
```
# Define a value for k (Vizinhos)
k = 3
#
# Definir o target do polutante
target = 'PM2.5'
#
# Defina um tamanho de célula da grade (valor mais alto implica uma grade mais fina)
n_points_grid = 68
neighbors_model = KNeighborsRegressor(n_neighbors=k, weights = 'distance', metric='sqeuclidean')
#
#Isole uma única etapa de tempo do conjunto de dados
time_step = datetime.fromisoformat('2021-04-05T08:00:00')
time_step_data = full_dataset[full_dataset['DateTime'] == time_step]
neighbors_model.fit(time_step_data[['Latitude', 'Longitude']], time_step_data[[target]])
# Generate a map of predictions for Bogotá
predictions_xy, dlat, dlon = utiliTariosFaseC.predict_on_bogota(neighbors_model, n_points_grid)
utiliTariosFaseC.create_heat_map(predictions_xy, time_step_data, dlat, dlon, target)
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
```

```
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
```

```
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
```

```
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(
```

Out[15]:


50
Madrid
Funza
Mosquera
Mosquera
Aeropuerto Internacional El Dorado
Bogotá
La Calera
La Calera
Guavio
Soacha
Soacha
Soacha
Sibaté
Sibaté
Choachí
Choachí
Ubaque
Ubaque
Fómeque
Chipaque
Leaflet (https://leafletjs.com) | Data by © OpenStreetMap (http://openstreetmap.org), under ODbL (http://www.openstreetmap.org/copyright).

4. Teste diferentes valores de k para o método do vizinho mais próximo

Execute as células abaixo para calcular primeiro o erro médio absoluto (MAE) para k=1, ou em outras palavras, o erro associado ao uso de apenas um vizinho mais próximo, como você fez para criar o mapa acima. Depois disso, você executará o mesmo cálculo para diferentes valores de k.

A maneira como você está fazendo isso é semelhante ao que fez no laboratório anterior, onde calculou o MAE para usar medições de estações de sensores próximas para estimar o valor de PM2,5 em qualquer local de estação de sensores. Aqui você avaliará o método mostrado no mapa acima em cada localização de estação de sensor como se a medição dessa estação fosse substituída por um valor da estação vizinha mais próxima e, em seguida, uma média ponderada de k estações vizinhas mais próximas.

O cálculo do erro médio absoluto que está sendo executado pelo código anterior é o seguinte:

$$MAE = \frac{1}{n} \sum_{i=1}^{n}{|\rm{real}_i - \rm{modelo}_i|}$$

Onde "n" é o número de amostras no conjunto de dados de teste

In [11]:
```
# Faça uma estimativa do erro médio absoluto para k=1
utiliTariosFaseC.calculate_mae_for_k(full_dataset, k=1, target_pollutant=target)
```

Out[11]: 7.990951687085921

After testing k=1, run the following cell to test a range of values for k.

In [12]:
```
# Faça uma estimativa do erro médio absoluto (MAE) para um intervalo de valores k.
kmin = 1
kmax = 7

for kneighbors in range(kmin, kmax+1):
    mae = utiliTariosFaseC.calculate_mae_for_k(full_dataset, k=kneighbors, target_pollutant=target)
    print(f'k = {kneighbors}, MAE = {mae}')
```

```
k = 1, MAE = 7.990951687085921
k = 2, MAE = 7.3784360503014055
k = 3, MAE = 7.237339373651147
k = 4, MAE = 7.192974827013243
k = 5, MAE = 7.1831419667215455
k = 6, MAE = 7.179474879422885
k = 7, MAE = 7.179023423730082
```

5. Use o melhor valor de k para fazer um mapa de PM2,5 em Bogotá

Execute a célula abaixo para gerar um mapa de valores PM2,5. O mapa mostrará a concentração do poluente escolhido sobre a cidade na `data_final` selecionada. Ao clicar nos círculos do mapa (estações), aparecem gráficos pop-up, mostrando a concentração do poluente no intervalo de tempo selecionado (de `data_inicial` a `data_final`). Você pode alterar os valores de datas e horas ou `k` para ver como os dados diferem em vários momentos e como o resultado muda dependendo de `k`.

In [13]:
```
k = 3
start_date = datetime.fromisoformat('2021-08-02T08:00:00')
end_date = datetime.fromisoformat('2021-08-05T08:00:00')

utiliTariosFaseC.create_heat_map_with_date_range(full_dataset, start_date, end_date, k, target)
```

```
/media/maykon/Arquivos/4-ProjetoQualidadeDoAr/venvQualidadeAr/lib/python3.10/site-
packages/sklearn/base.py:465: UserWarning: X does not have valid feature names, but
KNeighborsRegressor was fitted with feature names
  warnings.warn(


---------------------------------------------------------------------------
ZeroDivisionError                         Traceback (most recent call last)
Cell In[13], line 5
      2 start_date = datetime.fromisoformat('2021-08-02T08:00:00')
      3 end_date = datetime.fromisoformat('2021-08-05T08:00:00')
----> 5 utiliTariosFaseC.create_heat_map_with_date_range(full_dataset, start_date, end_date, k,
target)

File /media/maykon/Arquivos/4-ProjetoQualidadeDoAr/FaseC-
PrototipandoSolucao/utiliTariosFaseC.py:220, in create_heat_map_with_date_range(df, start_date,
end_date, k_neighbors, target_pollutant, distance_metric)
    218 # Cria retângulos para o mapa com base nas previsões
    219 for row in predictions_df.itertuples():
--> 220     rect = create_polygon(row, dlat, dlon, day_hour, target_pollutant)
    221     features.append(rect)
    223 # Cria círculos para as estações no mapa

File /media/maykon/Arquivos/4-ProjetoQualidadeDoAr/FaseC-
PrototipandoSolucao/utiliTariosFaseC.py:312, in create_polygon(p, dlat, dlon, time, pollutant)
    285 ''' Given the parameters it creates a dictionary with information for the polygon feature.
    286
    287 Args:
   (...)
    295     feature (Dict[str, Any]): dictionary of the feature properties.
```

```
    296 '''
    297 # Create a polygon feature for the map
    298 feature = {
    299         'type': 'Feature',
    300         'geometry': {
    301             'type': 'Polygon',
    302             'coordinates': [[[p[1] - dlon * FACTOR / 2, p[0] - dlat * FACTOR / 2],
    303                              [p[1] - dlon * FACTOR / 2, p[0] + dlat * FACTOR / 2],
    304                              [p[1] + dlon * FACTOR / 2, p[0] + dlat * FACTOR / 2],
    305                              [p[1] + dlon * FACTOR / 2, p[0] - dlat * FACTOR / 2],
    306                              [p[1] - dlon * FACTOR / 2, p[0] - dlat * FACTOR / 2]]],
    307
    308         },
    309         'properties': {
    310             'times': [time],
    311             'style': {
--> 312                 'color': color_producer(pollutant, p[2]),
    313                 'stroke': False,
    314                 'fillOpacity': 0.4
    315             }
    316         }
    317 }
    318 return feature

File /media/maykon/Arquivos/4-ProjetoQualidadeDoAr/FaseC-
PrototipandoSolucao/utiliTariosFaseC.py:271, in color_producer(pollutant_type, pollutant_value)
    269 if pollutant_value < threshold:
    270     bucket_size = threshold - previous
--> 271     bucket = (pollutant_value - previous) / bucket_size
    272     colors = list(Color(colors_dict[previous]).range_to(Color(colors_dict[threshold]), 11))
    273     pin_color = str(colors[int(np.round(bucket*10))])

ZeroDivisionError: float division by zero
```

6. Construa uma animação de mapa de PM2.5 em Bogotá

Execute a próxima célula para gerar uma animação de PM2.5 em um intervalo de tempo específico. Você pode alterar k para usar um número diferente de vizinhos e alterar as datas e horas para observar um intervalo de tempo diferente.

In [17]:
```
#Escolha os parâmetros da animação
import utiliTariosFaseC # Ferramentas próprias
k = 3
n_points_grid = 64
#
#Filtrar um período
start_date = datetime.fromisoformat('2021-08-04T08:00:00')
end_date = datetime.fromisoformat('2021-08-05T08:00:00')

# Crie os recursos para a animação (essas são as formas que aparecerão no mapa)
features = utiliTariosFaseC.create_animation_features(full_dataset, start_date, end_date, k, n_points_grid,
target)
print('Recursos para a animação criada com sucesso! Execute a próxima célula para ver o resultado!')
```

```
---------------------------------------------------------------------------
AttributeError                            Traceback (most recent call last)
Cell In[17], line 11
      8 end_date = datetime.fromisoformat('2021-08-05T08:00:00')
     10 # Crie os recursos para a animação (essas são as formas que aparecerão no mapa)
---> 11 features = utiliTariosFaseC.create_animation_features(full_dataset, start_date, end_date, k,
n_points_grid, target)
     12 print('Recursos para a animação criada com sucesso! Execute a próxima célula para ver o
resultado!')

AttributeError: module 'utiliTariosFaseC' has no attribute 'create_animation_features'
```

7. Display your map animation

Run the next cell to display the animation you created!

In [ ]:
```
# Create the map animation using the folium library
map_animation = folium.Map(location=[4.7110, -74.0721], zoom_start = 11)
# Add the features to the animation
plugins.TimestampedGeoJson(
    {"type": "FeatureCollection", "features": features},
    period="PT1H",
    duration='PT1H',
    add_last_point=True
).add_to(map_animation)

# Run the animation
map_animation
```

Congratulations on finishing this lab!

Keep up the good work :)

Exported with runcell — convert notebooks to HTML or PDF anytime at runcell.dev.