Parte A: AWS CLI

- Instala el CLI de AWS (aws)

```
Símbolo del sistema
Microsoft Windows [Versión 10.0.22631.3593]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\jamal>aws --version
aws-cli/2.15.59 Python/3.11.8 Windows/10 exe/AMD64

C:\Users\jamal>aws s3 ls
```

- Comprueba los errores que se producen al ejecutar los comandos

```
C:\Users\jamal>aws s3 ls

Provided region_name 'aws_session_token=IQoJb3JpZ2luX2VjEH0aCXVzLXdlc3QtMiJHMEUCIQDyLznYA9uk/qpb24G9VnV4N7VFw6JZ6HnKzubGSFx0cAIgYWk+ppMlEtj7+OHIhaeHmL58YhVZ
WSBXJx5b+juE5pUqrQII9v//////////ARAAGgwyNDM0Nzk0MzgxNjgiDFbZJb1yJXxWAg8PuyqBAoAUs2S4EMGW7yQkxRLGmI9TYlDLql6DNS2RHbF++eGcNV8BhrXJFvfnK6JbQNaOHEStwcI91VZzLFj7
MVqepRtNG0X2xyusK0F+DjdXct0SFrtwH6f3ur4f0h6s3PrJ/K8/QcPoODqwsQ10PHRiT5O6ssZctYAxtY1LQY2hkTzBECCzbe2b4AJ2OCQ2xKViiEs+nrxe3T7HZIVvcGTuYdU8yVstx3zpfF/yHR2NLNqa
bt0nJ3hkgC1F2ovHDrxkpXpw/TcvZChvdV+Jpuccd4oOf9qnqhL4KdbW6LfrAm1QhCPkxHKiO1KrYpAquS6zr50gW6wwIWr8uxmkErhM1t6uMJeM2bIGOp0Bqr9eh3IpWlTUq7I9OC0CCv7WBGkbPZSRTsbP
Ednd+FFl/x0bYfpvL4+QmD706Jq0EBAdnllb9/QLQRVC4rQ+FvHp6+IM8GI5kcdFVTZBDHqHNreU/s5jwgscQtNBmz3prz9iPthTCcIvb+ox1cLpGFBmDzEGjyiq+X2msUDB+OvtERKhYZRNW79ZnhfmSrM2
TgwfyluuaAacSyoKfQ==' doesn't match a supported format.
```

```
C:\Users\jamal>aws ec2 describe-instances | grep PublicIpAddress
"grep" no se reconoce como un comando interno o externo,
programa o archivo por lotes ejecutable.
```

- Acredita al CLI aws para trabajar con tu cuenta AWS mediante variables de entorno

```
C:\Users\jamal>set AWS_ACCESS_KEY_ID=ASIATRMEBMNME3KJUDH7
C:\Users\jamal>set AWS_SECRET_ACCESS_KEY=9GWb2s4LevFS6dOcg25wSoQU0glpbo6SEhFbhVJ+
C:\Users\jamal>set AWS_SESSION_TOKEN=IQoJb3JpZ2luX2VjEI//////////wEaCXVzLXdlc3QtMiJGMEQCICrLDiUcyrZa72GiZnopXyeAEdX84Pp+6qmdNAy+b0fKAiA8lFOQ9ZiVZIgWG1f1soA
veJL7mONLkL4+JLDVSv2ipSqkAggXEAAaDDI0MzQ3OTQzODE2OCIMRJlHpv7/TRAScinAKoEC3tIloTP6fQeh43BYWZRYVJi8C/zuC6/5m1PJHTZkU/xBxCmrm0HWWTHpXfNv2RACzPvLR3ck7kGh8knoTvY
5bFdd6c1O6Gd57tvqTPCE+BJoZcxZkKGBJM6G10K8m7+/syyi+MrMgc/HjjKGtleAKroqL++W2WoMZOmUUoWPmcFUCPfC+p3Ejn7Kw8kYhd45syGYZnhJrROlWx0DRmq44upJNH0F4FGRyGGEDGqjcHLhl3
4jY7V1930JkPiR9MUW+aiouKRqHCdqnyhIJtw2EhL5hCZQmPQAcLP+nmgHyfbbb60LbMOD9xu9uFPEvbkg06XLjWEKzIW6vV8mSFe2/Ewq/PcsgY6ngEs5S7/8yE1A3alZWzYTPgHfqQvyiGdUcwas82vNoM
1lwwAFd9TGwXtBDeFM2WIIc2HVJ498iQn+LQJlMLGXrE6qaLzLITzEs3WgozVsdk0uAy2rUtMVjUPC6XVyufUf5dd+WmUiSHmDlste8Vp9zkHt4lzHNkzxBh4wt+OqqKq0kC0lGPHRtldsmPazQmAbhAEZ4+
CWqDiTHFDUNgGeA==
```

- Repite los comandos del punto anterior para comprobar que ahora tienes acceso; si no es así, verifica las credenciales

```
C:\Users\jamal>aws s3 ls

Provided region_name 'aws_session_token=IQoJb3JpZ2luX2VjEH0aCXVzLXdlc3QtMiJHMEUCIQDyLznYA9uk/qpb24G9VnV4N7VFw6JZ6HnKzubGSFx0cAIgYWk+ppMlEtj7+OHIhaeHmL58YhVZ
WSBXJx5b+juE5pUqrQII9v//////////ARAAGgwyNDM0Nzk0MzgxNjgiDFbZJb1yJXxWAg8PuyqBAoAUs2S4EMGW7yQkxRLGmI9TYlDLql6DNS2RHbF++eGcNV8BhrXJFvfnK6JbQNaOHEStwcI91VZzLFj7
MVqepRtNG0X2xyusK0F+DjdXct0SFrtwH6f3ur4f0h6s3PrJ/K8/QcPoODqwsQ10PHRiT5O6ssZctYAxtY1LQY2hkTzBECCzbe2b4AJ2OCQ2xKViiEs+nrxe3T7HZIVvcGTuYdU8yVstx3zpfF/yHR2NLNqa
bt0nJ3hkgC1F2ovHDrxkpXpw/TcvZChvdV+Jpuccd4oOf9qnqhL4KdbW6LfrAm1QhCPkxHKiO1KrYpAquS6zr50gW6wwIWr8uxmkErhM1t6uMJeM2bIGOp0Bqr9eh3IpWlTUq7I9OC0CCv7WBGkbPZSRTsbP
Ednd+FFl/x0bYfpvL4+QmD706Jq0EBAdnllb9/QLQRVC4rQ+FvHp6+IM8GI5kcdFVTZBDHqHNreU/s5jwgscQtNBmz3prz9iPthTCcIvb+ox1cLpGFBmDzEGjyiq+X2msUDB+OvtERKhYZRNW79ZnhfmSrM2
TgwfyluuaAacSyoKfQ==' doesn't match a supported format.

C:\Users\jamal>aws ec2 describe-instances | Select-String "PublicIpAddress"
"Select-String" no se reconoce como un comando interno o externo,
programa o archivo por lotes ejecutable.
```

- Verificar y corregir la configuración de la región

```
C:\Users\jamal>set AWS_DEFAULT_REGION=us-east-1
```

- Verificar la configuración del AWS CLI

```
C:\Users\jamal>aws configure list
      Name                    Value             Type    Location
      ----                    -----             ----    --------
   profile                <not set>             None    None
access_key     ****************UDH7              env
secret_key     ****************hVJ+              env
    region                us-east-1              env    ['AWS_REGION', 'AWS_DEFAULT_REGION']
```

- Probar un comando aws s3 ls

```
C:\Users\jamal>aws s3 ls
```

- Uso de PowerShell para comandos aws ec2 describe-instances | Select-String -Pattern "PublicIpAddress"

```
PowerShell 7 (x64)
PowerShell 7.4.2
PS C:\Users\jamal> aws ec2 describe-instances | Select-String -Pattern "PublicIpAddress"

Provided region_name 'aws_session_token=IQoJb3JpZ2luX2VjEH0aCXVzLXdlc3QtMiJHMEUCIQDyLznYA9uk/qpb24G9VnV4N7VFw6JZ6HnKzubG
SFx0cAIgYWk+ppMlEtj7+OHIhaeHmL58YhVZWSBXJx5b+juE5pUqrQII9v//////////ARAAGgwyNDM0Nzk0MzgxNjgiDFbZJb1yJXxWAg8PuyqBAoAUs2S4
EMGW7yQkxRLGmI9TYlDLql6DNS2RHbF++eGcNV8BhrXJFvfnK6JbQNaOHEStwcI91VZzLFj7MVqepRtNG0X2xyusK0F+DjdXct0SFrtwH6f3ur4f0h6s3PrJ
/K8/QcPoODqwsQ10PHRiT5O6ssZctYAxtY1LQY2hkTzBECCzbe2b4AJ2OCQ2xKViiEs+nrxe3T7HZIVvcGTuYdU8yVstx3zpfF/yHR2NLNqabt0nJ3hkgC1F
2ovHDrxkpXpw/TcvZChvdV+Jpuccd4oOf9qnqhL4KdbW6LfrAm1QhCPkxHKiO1KrYpAquS6zr50gW6wwIWr8uxmkErhM1t6uMJeM2bIGOp0Bqr9eh3IpWlTU
q7I9OC0CCv7WBGkbPZSRTsbPEdnd+FFl/x0bYfpvL4+QmD706Jq0EBAdnllb9/QLQRVC4rQ+FvHp6+IM86I5kcdFVTZBDHqHNreU/s5jwgscQtNBmz3prz9i
PthTCcIvb+ox1cLpGFBmDzEGjyiq+X2msUDB+OvtERKhYZRNW79ZnhfmSrM2TgwfyluuaAacSyoKfQ==' doesn't match a supported format.
PS C:\Users\jamal>
```

- Acredita al CLI aws para trabajar con tu cuenta AWS mediante un profile con aws configure

Configurar AWS CLI con aws configure y crear y actualizar los archivos config y credentials en el directorio .aws

```
Símbolo del sistema
Microsoft Windows [Versión 10.0.22631.3593]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\jamal>aws configure
AWS Access Key ID [****************PJNM]: ASIATRMEBMNMNKQ6XDF2
AWS Secret Access Key [****************nda0]: aws_secret_access_key=GZ0P9Mtmz56YRdxM78ORtDP+U1b/czBSzBx6X7no
Default region name [aws_session_token=IQoJb3JpZ2luX2VjEH0aCXVzLXdlc3QtMiJHMEUCIQDyLznYA9uk/qpb24G9VnV4N7VFw6JZ6HnKzubGS
Fx0cAIgYWk+ppMlEtj7+OHIhaeHmL58YhVZWSBXJx5b+juE5pUqrQII9v//////////ARAAGgwyNDM0Nzk0MzgxNjgiDFbZJb1yJXxWAg8PuyqBAoAUs2S4E
MGW7yQkxRLGmI9TYlDLql6DNS2RHbF++eGcNV8BhrXJFvfnK6JbQNaOHEStwcI91VZzLFj7MVqepRtNG0X2xyusK0F+DjdXct0SFrtwH6f3ur4f0h6s3PrJ/
K8/QcPoODqwsQ10PHRiT5O6ssZctYAxtY1LQY2hkTzBECCzbe2b4AJ2OCQ2xKViiEs+nrxe3T7HZIVvcGTuYdU8yVstx3zpfF/yHR2NLNqabt0nJ3hkgC1F2
ovHDrxkpXpw/TcvZChvdV+Jpuccd4oOf9qnqhL4KdbW6LfrAm1QhCPkxHKiO1KrYpAquS6zr50gW6wwIWr8uxmkErhM1t6uMJeM2bIGOp0Bqr9eh3IpWlTUq
7I9OC0CCv7WBGkbPZSRTsbPEdnd+FFl/x0bYfpvL4+QmD706Jq0EBAdnllb9/QLQRVC4rQ+FvHp6+IM86I5kcdFVTZBDHqHNreU/s5jwgscQtNBmz3prz9iP
thTCcIvb+ox1cLpGFBmDzEGjyiq+X2msUDB+OvtERKhYZRNW79ZnhfmSrM2TgwfyluuaAacSyoKfQ==]:
Default output format [json]:

C:\Users\jamal>
```

Configura el Token de Sesión

```
C:\Users\jamal>aws configure set aws_session_token "IQoJb3JpZ2luX2VjEJ7//////////wEaCXVzLXdlc3QtMiJGMEQCIGfQp2dkQIDD2nbs
xfQgUObMPwrqgyb8ihNMiMmKHy6oAiA4N6QjqEV0EXmltQ28wmf3J8UJ5UgQt0P0RYpM/+gBayqkAggnEAAaDDI0MzQ3OTQzODE2OCIMDBjUX/VEHAJM7BIp
KoECQ/LP3KS+Vsq/yJEr9wz/ZqpyhyCPLAWP+6hXfuUopCtHfVbd/CvumZYyx7MV4Wx7IJNd1Q0ZOr9TGuqXehVvgBfCzkstaTHoqctnqxMzD3RZ7xDH2Uiw
aMMBsqYYDmZXGZFpLsJLzI+0mY0SDDB+CkAlimEgL+7U6bOmPcg0RJvr1IknLku7FcUAl05oFpyy4fdkfKJP62Ny1clFkVl7M+Oizbsqb+AQ/kx/FmTru3ys
mgenydUD0H3+U5ro4ucP9SnlhG6QbM+ObPAVx6G3dFGIBQ7GLARn61WrYZ0GrU/bf+L/+EiQENt+9w00WoUa5Pfm6d2JAAjwjpmDcLXDXVYwm6zgsgY6ngGb
YQ82Vt9w1uqfp2Hxow9lHCDxaicQpA48CWeC6WV6ZWYQli3cdnxFqGEgARTSRWP3KC1kCAJQCDh7PeAomJ6hWtu9B7a26eAHK2T+kqS0LnD8uLnVDDEnBlGK
N6+/uXdXVcgNima6g2Ima/n9OX2GWx6maArqg0fvDJbPJdtwcP6Y9sBnTjaBF9CLVNoZtmyDuiScNJoAcuFg80/WxA=" --profile default
```

Verificar la configuración

```
C:\Users\jamal>aws configure list
      Name                    Value             Type    Location
      ----                    -----             ----    --------
   profile                <not set>             None    None
access_key     ****************XDF2 shared-credentials-file
secret_key     ****************X7no shared-credentials-file
    region                 us-east-1      config-file    ~/.aws/config

C:\Users\jamal>aws s3 ls
```

Parte B: GCP CLI

- Crear máquina virtual







- Instalación del CLI de Google Cloud (gcloud) en VM 'web-server-01'

actualizar el sistema

```
Linux web-server-01.us-central1-a.c.gcp-cli-424119.internal 6.1.0-21-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.9

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
jamal_habboula@web-server-01:~$ sudo apt-get update
Get:1 file:/etc/apt/mirrors/debian.list Mirrorlist [30 B]
Get:5 file:/etc/apt/mirrors/debian-security.list Mirrorlist [39 B]
Hit:7 https://packages.cloud.google.com/apt google-compute-engine-bookworm-stable InRelease
Get:8 https://packages.cloud.google.com/apt cloud-sdk-bookworm InRelease [1652 B]
Get:2 https://deb.debian.org/debian bookworm InRelease [151 kB]
Get:3 https://deb.debian.org/debian bookworm-updates InRelease [55.4 kB]
Get:4 https://deb.debian.org/debian bookworm-backports InRelease [56.5 kB]
Get:6 https://deb.debian.org/debian-security bookworm-security InRelease [48.0 kB]
Get:9 https://packages.cloud.google.com/apt cloud-sdk-bookworm/main amd64 Packages [3029 kB]
Get:10 https://packages.cloud.google.com/apt cloud-sdk-bookworm/main all Packages [1464 kB]
```

```
Reading package lists... Done
jamal_habboula@web-server-01:~$ sudo apt-get upgrade
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
The following packages will be upgraded:
  google-cloud-cli google-cloud-cli-anthoscli
2 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
Need to get 107 MB of archives.
After this operation, 96.3 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 https://packages.cloud.google.com/apt cloud-sdk-bookworm/main amd64 google-cloud-cli-anthoscli amd64 477.0.0-0
Get:2 https://packages.cloud.google.com/apt cloud-sdk-bookworm/main amd64 google-cloud-cli amd64 477.0.0-0 [81.7 MB]
Fetched 107 MB in 2s (64.0 MB/s)
Reading changelogs... Done
(Reading database ... 67702 files and directories currently installed.)
Preparing to unpack .../google-cloud-cli-anthoscli_477.0.0-0_amd64.deb ...
Unpacking google-cloud-cli-anthoscli (477.0.0-0) over (476.0.0-0) ...
```

descargar y extraer e instalar el SDK de Google Cloud

```
jamal_habboula@web-server-01:~$ curl -O https://dl.google.com/dl/cloudsdk/channels/rapid/downloads/google-cloud-sdk-443.0.0-linux-x86_64.tar.gz
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
100  178M  100  178M    0     0  15.5M      0  0:00:11  0:00:11 --:--:-- 18.3M
jamal_habboula@web-server-01:~$ tar -xf google-cloud-sdk-443.0.0-linux-x86_64.tar.gz
jamal_habboula@web-server-01:~$ ./google-cloud-sdk/install.sh
Welcome to the Google Cloud CLI!

To help improve the quality of this product, we collect anonymized usage data
and anonymized stacktraces when crashes are encountered; additional information
is available at <https://cloud.google.com/sdk/usage-statistics>. This data is
handled in accordance with our privacy policy
<https://cloud.google.com/terms/cloud-privacy-notice>. You may choose to opt in this
collection now (by choosing 'Y' at the below prompt), or at any time in the
future by running the following command:

    gcloud config set disable_usage_reporting false

Do you want to help improve the Google Cloud CLI (y/N)?  y


Your current Google Cloud CLI version is: 443.0.0
The latest available version is: 477.0.0

┌─────────────────────────────────────────────────────────────────────────────┐
│                                   Components                                │
├──────────────┬────────────────────────────────────────┬──────────┬──────────┤
│    Status    │                  Name                  │    ID    │   Size   │
```

inicializar el SDK

```
jamal_habboula@web-server-01:~$ ./google-cloud-sdk/bin/gcloud init
Welcome! This command will take you through the configuration of gcloud.

Your current configuration has been set to: [default]

You can skip diagnostics next time by using the following flag:
  gcloud init --skip-diagnostics

Network diagnostic detects and fixes local network connection issues.
Checking network connection...done.
Reachability Check passed.
Network diagnostic passed (1/1 checks passed).

Choose the account you would like to use to perform operations for this configuration:
 [1] 684180618246-compute@developer.gserviceaccount.com
 [2] Log in with a new account
Please enter your numeric choice:  jamal
Please enter a value between 1 and 2:  2
```

verificar la instalación

```
To check gcloud for common problems, please run the following command:
  gcloud info --run-diagnostics
jamal_habboula@web-server-01:~$ gcloud version
Google Cloud SDK 477.0.0
alpha 2024.05.17
beta 2024.05.17
bq 2.1.4
bundled-python3-unix 3.11.8
core 2024.05.17
gcloud-crc32c 1.0.0
gsutil 5.29
jamal_habboula@web-server-01:~$
```

El ID del proyecto es gcp-cli-424119

configurar y verificar el proyecto en gcloud



- El comando gcloud compute instances list muestra la instancia web-server-01 en la zona us-central1-a con los detalles de la IP interna y externa, y el estado RUNNING.

- identificar mediante el comando gcloud init

inicializar gcloud

```
jamal habboula@web-server-01:~$ gcloud init
Welcome! This command will take you through the configuration of gcloud.

Settings from your current configuration [default] are:
core:
  account: jamal.habboula@gmail.com
  disable_usage_reporting: 'False'
  project: gcp-cli-424119

Pick configuration to use:
 [1] Re-initialize this configuration [default] with new settings
 [2] Create a new configuration
Please enter your numeric choice:  1

Your current configuration has been set to: [default]

You can skip diagnostics next time by using the following flag:
  gcloud init --skip-diagnostics

Network diagnostic detects and fixes local network connection issues.
Checking network connection...done.
Reachability Check passed.
Network diagnostic passed (1/1 checks passed).

Choose the account you would like to use to perform operations for this configuration:
 [1] 684180618246-compute@developer.gserviceaccount.com
 [2] jamal.habboula@gmail.com
 [3] Log in with a new account
Please enter your numeric choice:  2

You are logged in as: [jamal.habboula@gmail.com].

Pick cloud project to use:
 [1] ansible-423919
 [2] gcp-cli-424119
 [3] Enter a project ID
 [4] Create a new project
```

```
Please enter numeric choice or text value (must exactly match list item):  2

Your current project has been set to: [gcp-cli-424119].

Do you want to configure a default Compute Region and Zone? (Y/n)?  y

Which Google Compute Engine zone would you like to use as project default?
If you do not specify a zone via a command line flag while working with Compute Engine resources, the default
is assumed.
 [1] us-east1-b
 [2] us-east1-c
 [3] us-east1-d
 [4] us-east4-c
 [5] us-east4-b
 [6] us-east4-a
 [7] us-central1-c
 [8] us-central1-a
 [9] us-central1-f
 [10] us-central1-b
 [11] us-west1-b
 [12] us-west1-c
 [13] us-west1-a
 [14] europe-west4-a
 [15] europe-west4-b
 [16] europe-west4-c
 [17] europe-west1-b
 [18] europe-west1-d
 [19] europe-west1-c
 [20] europe-west3-c
 [21] europe-west3-a
 [22] europe-west3-b
```

verificar la creación de directorios (.config y .gsutil)

```
* Run `gcloud cheat-sheet` to see a roster of go-to `gcloud` commands.
jamal_habboula@web-server-01:~$ ls -a ~
.   .bash_history  .bashrc          .boto    .profile  google-cloud-sdk
..  .bash_logout   .bashrc.backup   .config  .ssh      google-cloud-sdk-443.0.0-linux-x86_64.tar.gz
jamal_habboula@web-server-01:~$ gsutil version -l
gsutil version: 5.25
checksum: d494cfdd904bb99c325b295aa08eb3df (OK)
boto version: 2.49.0
python version: 3.9.16 (main, Jun 23 2023, 20:20:31) [Clang 12.0.1 ]
OS: Linux 6.1.0-21-cloud-amd64
multiprocessing available: True
using cloud sdk: True
pass cloud sdk credentials to gsutil: True
config path(s): /etc/boto.cfg, /home/jamal_habboula/.boto, /home/jamal_habboula/.config/gcloud/legacy_credentia
ls/jamal.habboula@gmail.com/.boto
gsutil path: /home/jamal_habboula/google-cloud-sdk/bin/gsutil
compiled crcmod: True
installed via package manager: False
editable install: False
shim enabled: False
jamal_habboula@web-server-01:~$ gsutil ls
jamal_habboula@web-server-01:~$ ls -a ~
.               .bash_logout    .boto    .profile          google-cloud-sdk-443.0.0-linux-x86_64.tar.gz
..              .bashrc         .config  .ssh
.bash_history   .bashrc.backup  .gsutil  google-cloud-sdk
jamal_habboula@web-server-01:~$
```

eliminar los directorios (.config y .gsutil)

ssh.cloud.google.com/v2/ssh/projects/gcp-cli-424119/zones/us-central1-a/instances/web-server-01?authuser=0&hl=es

ssh.cloud.google.com/v2/ssh/projects/gcp-cli-424119/zones/us-central1-a/instances/web-server-01?

SSH en el navegador

```
jamal_habboula@web-server-01:~$ rm -rf ~/.config/gcloud
jamal_habboula@web-server-01:~$ rm -rf ~/.gsutil
jamal_habboula@web-server-01:~$
```

- Crea la cuenta de servicio









- Copiar el Archivo JSON a la Máquina Virtual

configuración gcloud en mi maquina Windows (Utilizando PowerShell)

```
PowerShell 7 (x64)
PowerShell 7.4.2
PS C:\Users\jamal> gcloud init
Welcome! This command will take you through the configuration of gcloud.

Settings from your current configuration [default] are:
accessibility:
  screen_reader: 'False'
core:
  account: jamal.habboula@gmail.com
  disable_usage_reporting: 'True'
  project: gcp-cli-424119

Pick configuration to use:
 [1] Re-initialize this configuration [default] with new settings
 [2] Create a new configuration
Please enter your numeric choice:  1

Your current configuration has been set to: [default]

You can skip diagnostics next time by using the following flag:
  gcloud init --skip-diagnostics

Network diagnostic detects and fixes local network connection issues.
Checking network connection...done.
Reachability Check passed.
Network diagnostic passed (1/1 checks passed).
```

utilización gcloud scp para copiar el archivo JSON

```
This gcloud configuration is called [default]. You can create additional configurations if you work with multiple accoun
ts and/or projects.
Run `gcloud topic configurations` to learn more.

Some things to try next:

* Run `gcloud --help` to see the Cloud Platform services you can interact with. And run `gcloud help COMMAND` to get hel
p on any gcloud command.
* Run `gcloud topic --help` to learn about advanced features of the SDK like arg files and output formatting
* Run `gcloud cheat-sheet` to see a roster of go-to `gcloud` commands.
PS C:\Users\jamal> gcloud compute scp "C:\Users\jamal\Downloads\gcp-cli-424119-13ffc383d067.json" jamal_habboula@web-ser
ver-01:/home/jamal_habboula/
gcp-cli-424119-13ffc383d0 | 2 kB |   2.3 kB/s | ETA: 00:00:00 | 100%
PS C:\Users\jamal>
```

Utilizar las Credenciales JSON en la VM 'web-server-01' (conectar a tu VM 'web-server-01' y autenticar con el archivo JSON y configurar el proyecto y la zona y configurar el proyecto y la zona y verifica el acceso a las instancias de compute engine.)

SSH en el navegador SUBIR ARCHIVO DESCARGAR ARCHIVO

```
jamal_habboula@web-server-01:~$ gcloud auth activate-service-account --key-file=/home/jamal_habboula/gcp-cli-42
4119-13ffc383d067.json
Activated service account credentials for: [mi-cs-261@gcp-cli-424119.iam.gserviceaccount.com]
jamal_habboula@web-server-01:~$ gcloud auth activate-service-account --key-file=/home/jamal_habboula/gcp-cli-42
4119-13ffc383d067.json
Activated service account credentials for: [mi-cs-261@gcp-cli-424119.iam.gserviceaccount.com]
jamal_habboula@web-server-01:~$ gcloud config set project gcp-cli-424119
WARNING: You do not appear to have access to project [gcp-cli-424119] or it does not exist.
Are you sure you wish to set property [core/project] to gcp-cli-424119?

Do you want to continue (Y/n)?  y

Updated property [core/project].
jamal_habboula@web-server-01:~$ gcloud config set compute/zone us-central1-a
Updated property [compute/zone].
jamal_habboula@web-server-01:~$ gcloud compute instances list
NAME           ZONE           MACHINE_TYPE  PREEMPTIBLE  INTERNAL_IP  EXTERNAL_IP     STATUS
my-instance    us-central1-a  e2-medium                  10.128.0.3   34.123.192.200  RUNNING
web-server-01  us-central1-a  e2-medium                  10.128.0.2   34.27.188.38    RUNNING
jamal_habboula@web-server-01:~$
```