



View from Top side (Scale 1:1)



View from Bottom side (Scale 1:1)



A

B


C

D

E

1

Top Layer (Scale 1:1)



2

3

4

A


B

C

D

E

02_GND1 (Scale 1:1)



1

2

3

4

A

B


C

D

E

1

03_Slg1 (Scale 1:1)



2

3

4

A


B

C

D

E

04_Slg2 (Scale 1:1)



1

2

3

4

A

B


C

D

E

1

05_Pwr1 (Scale 1:1)



2

3

4

A

B

C

D

E


1

2


3

4

Bottom Layer (Scale 1:1)



Drill Drawing View (Scale 1:1)



Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
F	973	0.25mm	Plated	
▽	2	0.63mm	Plated	
B	2	0.65mm	Plated	
M	2	0.70mm	Plated	
□	28	0.80mm	Plated	
E	16	0.89mm	Plated	
✱	8	0.90mm	Plated	
O	24	0.95mm	Plated	
I	3	1.00mm	Plated	
H	14	1.02mm	Plated	
✧	1	1.10mm	Non-Plated	
○	23	1.10mm	Plated	
✱	1	1.15mm	Non-Plated	
Q	4	1.15mm	Plated	
◎	2	1.32mm	Plated	
K	6	1.40mm	Plated	
P	4	1.57mm	Plated	
✧	1	1.60mm	Non-Plated	
□	6	1.60mm	Plated	
▽	1	1.65mm	Non-Plated	
✱	2	1.71mm	Plated	
N	2	1.96mm	Plated	
G	12	2.35mm	Plated	
A	4	2.70mm	Non-Plated	
D	4	3.18mm	Plated	
✱	4	3.25mm	Non-Plated	
◇	4	3.50mm	Non-Plated	
✱	1	3.50mm	Plated	
C	2	3.51mm	Non-Plated	
1156 Total				

Layer Stack Legend

Material	Layer	Thickness	Dielectric Material	Type	Gerber
	Top Overlay			Legend	GTO
Surface Material	Top Solder	0.01mm	SM-001	Solder Mask	GTS
CF-004	Top Layer	0.04mm		Signal	GTL
Prepreg		0.10mm	PP-014	Dielectric	
CF-003	02_GND1	0.02mm		Signal	G1
Core		0.55mm	Core-037	Dielectric	
CF-003	03_Slg1	0.02mm		Signal	G2
Prepreg		0.11mm	PP-015	Dielectric	
CF-003	04_Slg2	0.02mm		Signal	G3
Core		0.55mm	Core-037	Dielectric	
CF-003	05_Pwr1	0.02mm		Signal	G4
Prepreg		0.10mm	PP-014	Dielectric	
CF-004	Bottom Layer	0.04mm		Signal	GBL
Surface Material	Bottom Solder	0.01mm	SM-001	Solder Mask	GBS
	Bottom Overlay			Legend	GBO

Total thickness: 1.56mm