Операционные системы

Продвинутое использование git

Дмитраков Михаил Алексеевич

2026-03-05

Содержание (i)

Цели и задачи работы

Процесс выполнения лабораторной работы

Выводы по проделанной работе

1. Цели и задачи работы

Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

Задачи лабораторной работы

1 Выполнить работу для тестового репозитория.

2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

2. Процесс выполнения лабораторной работы

Node.js

```
dmitrakovma@dmitrakovma:~$ pnpm setup
Appended new lines to /home/dmitrakovma/.bashrc

Next configuration changes were made:
export PNPM_HOME="/home/dmitrakovma/.local/share/pnpm"
case ":$PATH:" in
  *":$PNPM_HOME:"*) ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac

To start using pnpm, run:
source /home/dmitrakovma/.bashrc
dmitrakovma@dmitrakovma:~$ source ~/.bashrc
dmitrakovma@dmitrakovma:~$
```

Рисунок 1: Node.js

commitizen

```
dmitrakovma@dmitrakovma:~$ pnpm add -g commitizen

    Update available! 10.27.0 → 10.30.1.
    Changelog: https://pnpm.io/v/10.30.1
      To update, run: pnpm self-update

WARN  2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +149
++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
Progress: resolved 149, reused 0, downloaded 149, added 149, done

/home/dmitrakovma/.local/share/pnpm/global/5:
+ commitizen 4.3.1

Done in 2.5s using pnpm v10.27.0
```

Рисунок 2: установка commitizen

standard-changelog

```
dmitrakovma@dmitrakovma:~$ pnpm add -g standard-changelog
 WARN  2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +32
++++++++++++++++++++++++++++++
Progress: resolved 181, reused 149, downloaded 32, added 32, done

/home/dmitrakovma/.local/share/pnpm/global/5:
+ standard-changelog 7.0.1

Done in 2.4s using pnpm v10.27.0
dmitrakovma@dmitrakovma:~$
```

Рисунок 3: установка standard-changelog

package.json



Рисунок 4: package.json

Использование commitizen

```
dmitrakovma@dmitrakovma:~/git-extended$ git add .
dmitrakovma@dmitrakovma:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:   Other changes the
modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter

? Write a short, imperative tense description of the change (max 93 chars):
 (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master b3869cd] chore: test
 1 file changed, 15 insertions(+)
 create mode 100644 package.json
dmitrakovma@dmitrakovma:~/git-extended$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.12 KiB | 1.12 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:dmitrakovma/git-extended.git
   4837057..b3869cd  master -> master
dmitrakovma@dmitrakovma:~/git-extended$
```

Рисунок 5: Отправка

git-flow

```
dmitrakovma@dmitrakovma:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
   - master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? [] v
Hooks and filters directory? [/home/dmitrakovma/git--extended/.git/hooks]
dmitrakovma@dmitrakovma:~/git-extended$ git branch
* develop
  master
dmitrakovma@dmitrakovma:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:      https://github.com/dmitrakovma/git-extended/pull/new/develop
remote:
To github.com:dmitrakovma/git-extended.git
 * [new branch]      develop -> develop
dmitrakovma@dmitrakovma:~/git-extended$
```

Рисунок 6: Инициализация и загрузка изменений

```
dmitrakovma@dmitrakovmama:~/git-extended$ git flow release start 1.0.0
Switched to a new branch 'release/1.0.0'

Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
- You are now on branch 'release/1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

dmitrakovarma@dmitrakovma:~/git-extended$ standard-changelog --first-release
dmitrakovarma@dmitrakovma:~/git-extended$ git add CHANGELOG.md
dmitrakovarma@dmitrakovma:~/git-extended$ git commit -am 'chore(site): add chan
[release/1.0.0 7541729] chore(site): add changelog
 1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
dmitrakovarma@dmitrakovma:~/git-extended$ git flow release finish 1.0.0
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
Merge made by the 'ort' strategy.
 CHANGELOG.md | 4 ++++
 1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
Already on 'master'
Your branch is ahead of 'origin/master' by 2 commits.
  (use "git push" to publish your local commits)
Switched to branch 'develop'
```

Рисунок 7: Завершение релиза

Отправим данные на github

```
dmitrakovma@dmitrakovmma:~/git-extended$ git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 2.68 KiB | 2.68 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:dmitrakovma687/git-extended.git
   b3869cd..b0bbe5d  develop -> develop
   b3869cd..2de5666  master -> master
dmitrakovma@dmitrakovma:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 159 bytes | 159.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:dmitrakovmma687/git-extended.git
 * [new tag]         v1.0.0 -> v1.0.0
dmitrakovma@dmitrakovma:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.
https://github.com/dmitrakovmaa687/git-extended/releases/tag/v1.0.0
dmitrakovma@dmitrakovma:~/git-extended$
```

Рисунок 8: Отправка

Объединение веток

```
dmitrakovma@dmitrakovma:~/git-extended$ git flow feature start feature_branch
Switched to a new branch 'feature/feature_branch'

Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
- You are now on branch 'feature/feature_branch'

Now, start committing on your feature. When done, use:

     git flow feature finish feature_branch

dmitrakovma@dmitrakovma:~/git-extended$ touch test2
dmitrakovma@dmitrakovma:~/git-extended$ git flow feature finish feature_branc
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
Already up to date.
Deleted branch feature/feature_branch (was b0bbe5d).

Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'

dmitrakovma@dmitrakovma:~/git-extended$
```

Рисунок 9: Объединение веток

git-flow

```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

dmitrakovma@dmitrakovmaan:~/work/study/2025-2026/Операционные системы/2026-1--s
-intro$ git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 2.76 KiB | 2.76 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:dmitrakovma687/2026-1--study--os-intro.git
   4fd6ecd..25e7f86  develop -> develop
   4fd6ecd..40fbd8a  master -> master
dmitrakovma@dmitrakovmamn:~/work/study/2025-2926/Операционные системы/2026-1--s
-intro$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 156 bytes | 156.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:dmitrakovmaa687/2026-1--study--os-intro.git
 * [new tag]         v1.0.0 -> v1.0.0
dmitrakovma@dmitrakovmama:~/work/study/2025-2026/Операционные системы/2026-1--s
-intro$
```

Рисунок 10: Завершение релиза

Подготовка рабочего репозитория

```
dmitrakovma@dmitrakovma:~/workk/study/2025-2026/Операционные системы/2026-1--study---os
-intro$ git add .
dmitrakovma@dmitrakovma:~/workk/study/2025-2026/Операционные системы/2026-1--study---os
-intro$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:   Other changes that don't
modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)

? Write a short, imperative tense description of the change (max 93 chars):
 (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 4fd6ecd] chore: test
 1 file changed, 11 insertions(+), 11 deletions(-)
dmitrakovma@dmitrakovma:~/work/study/2025-2026/Операционные системы/2026-1--study--os
-intro$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.12 KiB | 1.12 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:dmitrakovma687/2026-1--study--os-intro.git
   b8b1b3f..4fd6ecd  master -> master
```

Рисунок 11: package.json и коммит

Подготовка рабочего репозитория

```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

dmitrakovma@dmitrakovmaan:~/work/study/2025-2026/Операционные системы/2026-1--s
-intro$ git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 2.76 KiB | 2.76 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:dmitrakovma687/2026-1--study--os-intro.git
   4fd6ecd..25e7f86  develop -> develop
   4fd6ecd..40fbd0a  master -> master
dmitrakovma@dmitrakovmamn:~/work/study/2025-2926/Операционные системы/2026-1--s
-intro$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 156 bytes | 156.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:dmitrakovmaa687/2026-1--study--os-intro.git
 * [new tag]         v1.0.0 -> v1.0.0
dmitrakovma@dmitrakovmama:~/work/study/2025-2026/Операционные системы/2026-1--s
-intro$
```

Рисунок 12: Завершение релиза

3. Выводы по проделанной работе

Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.