





```
Activities Terminal Sep 12 14:33
jameregolden@jgrhelsrver:/var/software/eclipse-installer

jameregolden@jgrhelsrver:/var/software/eclipse-installer
jameregolden@jgrhelsrver:/var/software/eclipse-installer
[root@jgrhelsrver eclipse-installer]# systemctl status mysqld
* mysqld.service - MySQL 8.0 database server
   Loaded: loaded (/usr/lib/systemd/system/mysqld.service; disabled; preset: disabled)
   Active: active (running) since Thu 2024-09-12 14:25:24 EDT; 7min ago
     Main PID: 8298 (mysqld)
    Status: "Server is operational"
       Tasks: 38 (Limit: 28542)
      Memory: 358.7M
         CPU: 2.895s
    CGroup: /system.slice/mysqld.service
            └─8298 /usr/libexec/mysqld --basedir=/usr

Sep 12 14:25:18 jgrhelsrver.cs372.com systemd[1]: Starting MySQL 8.0 database server...
Sep 12 14:25:18 jgrhelsrver.cs372.com mysqld-preparedb-dir[8222]: Initializing MySQL database
Sep 12 14:25:24 jgrhelsrver.cs372.com systemd[1]: Started MySQL 8.0 database server.
[root@jgrhelsrver eclipse-installer]# systemctl enable mysqld
Created symlink /etc/systemd/system/multi-user.target.wants/mysqld.service → /usr/lib/systemd/system/mysqld.service.
[root@jgrhelsrver eclipse-installer]#
```

Activities Terminal Sep 17 14:18

Installing IDE (Eclipse) an x ChatGPT

https://barry.instructure.com/courses/1622254/assignments/7246591

Customer Portal Red Hat Red Hat Products Doc... Red Hat Enterprise Lin... Red Hat Developer Por... Red Hat Container Cat... Red Hat Hybrid Cloud...

Eclipse and MySQL Server Installation and Configuration.docx Download Alternative formats Info X Close

5. # systemctl

6. Take a screenshot

Open the port

1. # firewall-cmd

2. # firewall-cmd

Connecting/lo

1. At the RHEL

Create a user o

1. mysql> cre

2. mysql> SEL

3. Take a screenshot

Submission

```
username@jgrhelsrver:~
jameregolden@jgrhelsrver:/home/jam...
username@jgrhelsrver:~
ERROR 1049 (42000): Unknown database 'cs371_2024db'
mysql> SELECT user from mysql.user;
+-----+
| user |
+-----+
| mysql.infoschema |
| mysql.session |
| mysql.sys |
| root |
+-----+
4 rows in set (0.00 sec)

mysql> SELECT user from mysql.user;
+-----+
| user |
+-----+
| mysql.infoschema |
| mysql.session |
| mysql.sys |
| root |
+-----+
4 rows in set (0.00 sec)

mysql>
```