

FishLodger: A Progressive Web App Up-to-Date Fish Market Monitoring System with Retailer
Information, Supply Source Identification, Automated Report Generation, and Predictive
Analytics for Lucena Fish Port Complex

By

Garay, Martin Ryan

Mora, Jhun Albert M.

Viñas, Edwin

CHAPTER I

INTRODUCTION

This chapter will introduce the research problem, provide the project context, statement of objectives, purpose and description, outline the scope and limitations. It will also present the conceptual and theoretical framework used in the development of the system.

Project Context

Fish ports remain critical economic centers that link fishermen, traders, retailers, and consumers within the marine supply chain. They play a vital role in ensuring national food security and supporting the livelihood of Filipino fishermen along the coasts. However, the majority of public fish ports still rely on manual monitoring systems, traditional handwritten documentation, and fragmented reporting processes all of which contribute to operational inefficiencies and limited data visibility.

Among these is the Lucena Fish Port Complex that will be developed into a regional fish trading center in Southern Luzon. The port will receive daily fish landings from its fleet as well as other fishing activities, and it will serve as a platform for fish products to be transported to retailers and local markets. Although essential for their operation, the identification of fish arrivals, the retailer information, sourcing, supply and reporting will be largely manual or semi-paperless.

Manual logbooks and spreadsheet monitoring can negatively impact operations through late reporting, incomplete data entries, challenge in tracing the origin of the fish supply, or generally making market activities invisible in up-to-date. In addition, administrators may have difficulty in predicting fish availability, the days session will be busiest and demand patterns in the absence of foresight.

It has been pointed out that equipment information, health status and record are highly integrated in supply chain and market surveillance system based on digital technology, and this combination enhances operational transparency and efficiency, and coordination among players (Ivanov et al., 2019). The adoption of web-based monitoring systems has led to a decrease in manual errors and an increase in visibility of up-to-date data, as well as the facilitation of expedited administrative decisions in the logistics and distribution industries (Kache & Seuring, 2017).

Especially, predictive analytics has been shown to not only improve demand forecasting accuracy but also reveal seasonal patterns in supply chains, enable more efficient resource utilization and storage allocation in the supply chain (Choi et al., 2018). Also, studies have demonstrated how data-driven forecasting models can assist firms in reducing waste, avoiding overstocking/understocking, and improving strategic planning in industries dealing with perishable goods such as agro-based products and fisheries (Mukhopadhyay et al., 2020).

The aforementioned studies back the advancement of FishLodger as the digital monitoring and predictive analytics solution enhancing the operational capabilities, transparency and decisions of those within the LFP.

With this, the researchers will develop FishLodger, a progressive web app up-to-date fish market monitoring system catered for the Lucena Fish Port complex. The system will combine retailer information management, supply source identification, automated reporting, and predictive analytics on a single digital platform. In this way, fish port managers can keep a pulse on routine activity, prepare accurate reports, and predict future supply patterns for improved planning and administration.

Statement of Objectives

The general objective of this study will be to enhance the operational efficiency and monitoring capabilities of the Lucena Fish Port Complex by developing a progressive web-based up-to-date fish market monitoring system with predictive analytics.

Specific Objectives

This study will aim to:

1. Identify the operational challenges and system requirements of the Lucena Fish Port Complex in terms of:
 - a. Manual recording processes
 - b. Retailer information management
 - c. Supply source Identification
 - d. Report generation and monitoring
2. Design and develop user registration, account management, and role-based access modules within FishLodger, specifically catering to:
 - a. Retailer Account Registration and Management
 - b. Supplier Account Registration and Management

- c. Consumer Access to Statistical Analysis, Predictive Insights, and Monitoring Dashboards through a View-Only Interface
- 3. Design and develop core market monitoring modules to track day-to-day operations, focusing on:
 - a. Fish Arrival Monitoring
 - b. Supply Source Identification
 - c. Automated Report Generation
 - d. Dashboard and Data Visualization
- 4. Design and develop data analytics features to provide insights and foresight for port operations, including:
 - a. Predictive Analytics
 - b. Market Trend Forecasts
- 5. Evaluate the developed system based on the ISO/IEC 25010 Software Quality Standards in terms of:
 - a. Functional Suitability
 - b. Performance Efficiency
 - c. Compatibility
 - d. Usability
 - e. Reliability
 - f. Security

Scope and Limitations

This research is the design and development of FishLodger, a progressive web app fish monitoring system developed for Lucena Fish Port Complex. The system

facilitates fish port boards to track fish market activities and fish port operation information.

The proposed system incorporates retailer data management, fish supply identification, retail supply source tracing, fish report automation and predictive analytics. These functionalities are designed to strengthen monitoring procedures and provide insight information on the trends of fish supplies and retailers in the fish port.

FishLodger is a web-based up-to-date fish monitoring software developed for Lucena Fish Port Complex. portrays the functional core of the system in terms of operational data such as fish supplies, retailer information and market monitoring.

Yet there are certain constraints to the system. The system is tailor-made for the Lucena Fish Port Complex and is not applicable to any other fish market in the country which has a different mode of operations. Since it is a web-based system, its effectiveness depends on the accuracy of data encoded by fish port administrators and the consistent participation of fish vendors in the system. Furthermore, the predicted analytics analysis, which is based on patterns of historical data, does not take into consideration the impact of unexpected events such as extreme weather, sudden interruptions of supply or other external factors that might have an influence on the fish market activities.

Purpose and Description

The purpose of this study will be to design and develop FishLodger, a progressive web-based monitoring system that will enhance the operational efficiency of the Lucena Fish Port Complex. The system will centralize fish market data into a single digital platform that will promote transparency, traceability, and data-driven decision-making.

FishLodger will record fish arrivals and quantities, manage retailer registration and profiles, track supply sources from fishing vessels, and generate daily, weekly, and monthly reports. Through predictive analytics, the system will forecast fish supply and demand patterns to assist administrators and stakeholders in planning operations more effectively.

The system will benefit fish port administrators and officers by providing an up-to-date dashboard of fish volume, supplier activity, and retailer transactions, enabling faster monitoring, accurate reporting, and improved operational planning. It will benefit retailers and vendors by providing structured registration, proper documentation, and organized transaction records that will simplify compliance and daily transactions. Fishermen and suppliers will also benefit from the system through proper identification and traceability of fish supplies delivered to the port, which will improve coordination and record accuracy. Decision-makers and managers will gain predictive insights into seasonality, high-demand species, and supply variations that will support better resource allocation, storage preparation, and workforce planning. Future researchers and system developers will also benefit as the study will serve as a reference model for implementing digital monitoring and predictive analytics systems in similar market environments.

Automated reports will eliminate manual data compilation, reducing errors and saving time for personnel. During peak fishing seasons, FishLodger will predict increased supply volumes and will help managers prepare storage space and workforce allocation. During low-supply periods, the system will assist in adjusting operational strategies.

FishLodger will aim to modernize fish port operations by transforming labor-intensive processes into a structured, intelligent, and data-driven system that will

promote efficiency, accountability, and sustainability for all stakeholders involved in the fish market ecosystem.

The study will benefit the following:

- **Fish Port Administrators and Personnel** – The system will help administrators monitor fish arrivals, retailer activities, and supply movements through an up-to-date dashboard and automated reports. It will improve operational efficiency, reduce manual recording tasks, and support faster and more accurate decision-making.
- **Retailers and Vendors** – FishLodger will provide retailers and vendors with a structured registration and monitoring system that will help organize transaction records, retailer information, and market activities. This will simplify documentation processes and improve transaction management within the fish port.
- **Fishermen and Fish Suppliers** – The system will assist fishermen and suppliers through proper identification and traceability of fish supplies delivered to the fish port. This will improve coordination, supply documentation, and monitoring of fish deliveries.
- **Fish Port Management and Decision-Makers** – The predictive analytics feature of the system will provide insights into fish supply trends, seasonal demand patterns, and market activities. These insights will support better planning, resource allocation, workforce preparation, and storage management.
- **Consumers and Local Markets** – By improving the monitoring and management of fish supplies, the system will contribute to a more organized and efficient

distribution of fish products, which may support consistent market availability and supply transparency.

- **Future Researchers and System Developers** – This study will serve as a reference for future studies related to fish market monitoring systems, predictive analytics, and web-based management systems. Future researchers and developers may use the findings and system design as a basis for improving or developing similar technologies in related industries.

Theoretical Framework


The study is underpinned by related IS, data management, and predictive analytics theories which posit that technology can facilitate enhanced operational monitoring and decision making.

The Information Systems Theory describes the role that computer-based systems play in an organization to efficiently gather, process, store and distribute information. Here, the FishLodger system is treated as the information system of a fish market.

Related to this is Data Analytics Theory that emphasizes the application of data analytical methods to detect patterns and to inform strategic decisions. A branch of data analytics, predictive analytics models historical data to predict what might happen in the future. In this research, predictive analytics is applied to fish supply history records to predict possible supply trends and market activities.

By combining these notions, the FishLodger will focus on delivering a digital product that increases the monitoring process and decisions making within the fish port environment.

Conceptual framework



“The study uses the Input–Process–Output (IPO) model to illustrate how the identified problems and system requirements (input) are processed through system design and development (process) to produce the FishLodger monitoring system with predictive analytics (output).”

The inputs of the study were the operational issues in the monitoring of fish markets at the Lucena Fish Port Complex which were identified during the initial stage of the research. These inputs included data gathered from interviews, observations, and the analysis of various documents related to fish supply monitoring, retailer records, and

existing reporting mechanisms. System requirements and relevant literature were also considered as essential inputs in the design and development of the proposed system.

The processing stage will involve the development of the FishLodger system. This stage will include defining the system features and functionalities, designing the system architecture and database structure, developing the web-based platform, and conducting system testing. The development process will also incorporate predictive analytics capabilities to analyze fish supply trends and support data-driven decision-making.

The output of this study will be the successful design of a web-based up-to-date fish market monitoring system for the Lucena Fish Port Complex called FishLodger. The system will provide features such as automated report, up-to-date monitoring dashboards, supply source identification, and predictive analytics that will help improve operational efficiency and monitoring within the fish port.

Definition of Terms

For this study, certain terms will be defined to convey specific meanings as used in the research. These definitions aim to reduce ambiguity and help readers better understand the concepts and system features presented.

Technical Terms

Automated Report Generation – A system feature that will generate summarized reports of fish market activities using recorded data. In this study, it will produce daily,

weekly, and monthly reports on fish supply transactions, retailer activities, and market operations at the Lucena Fish Port Complex.

Fish Market Monitoring – The process of observing, recording, and tracking fish trading activities, supply movements, and retailer transactions within the fish port. In this study, FishLodger will facilitate this through a centralized digital system.

Predictive Analytics – A branch of data analytics that will use historical data and statistical techniques to forecast future trends or outcomes. In this study, it will be used to predict fish supply and demand patterns.

Retailer Information Management – The process of recording, storing, and maintaining information about fish retailers operating within the fish port, including their profiles, registration details, and transaction records.

Supply Source Identification – The process of identifying and recording the origin of fish supplies delivered to the fish port. The system will track fish supplies from fishing vessels and other sources for proper documentation and traceability.

Up-to-Date Monitoring – The capability of the system to record and display fish arrivals, retailer transactions, and supply movements as they occur.

Dashboard and Data Visualization – A system interface that will present fish market data in graphical and visual formats such as charts and summaries for easier understanding and monitoring.

Operational Terms

Fish Arrival Data – Information recorded in the system regarding the species, volume, and arrival time of fish delivered to the port.

Historical Data – Previously recorded fish supply and market data that will be used by the system for analysis and prediction.

Retailer Transaction Records – Data related to the buying activities of registered retailers within the fish port.

User – Refers to fish port administrators, personnel, and authorized individuals who will encode, manage, and monitor data using the system.

Web-Based System – A software application that will operate through a web browser and require internet connectivity to access its features.

CHAPTER II

REVIEW OF RELATED LITERATURE AND SYSTEMS

This chapter will discuss the related concepts and findings from various literature and studies gathered from books, journals, and online resources to support the necessity of investigating and determining the impact of developing a progressive web application fish market monitoring system for Lucena Fish Port Complex.

Fish Market Monitoring Systems in the Modern Day

Modern fish markets are gradually transitioning from traditional manual processes to digital monitoring systems. According to Cruz (2022), fish market monitoring systems are digital platforms designed to track fish transactions, inventory, and pricing, improving transparency and operational efficiency. In his study on “Digital Transformation in Coastal Market Systems,” it was revealed that manual recording methods in fish ports often lead to data inconsistencies, delays, and lack of transparency.

Similarly, Santos et al. (2023) found that the implementation of digital monitoring systems in fish ports increased operational efficiency by reducing reporting time and improving data accuracy. Their study highlighted that over seventy percent (70%) of fish market stakeholders preferred digital systems due to faster transaction recording and up-to-date monitoring capabilities.

These findings support the goal of the present study, which aims to develop a centralized monitoring system for the Lucena Fish Port Complex. The system is expected to improve transaction identification, enhance transparency, and provide up-to-date data access for stakeholders.

Progressive Web Applications in Information Systems

Progressive Web Applications (PWA) have emerged as a modern solution for delivering reliable, efficient, and accessible web-based systems. According to Sharma (2021), PWAs combine the functionality of both web and mobile applications, enabling users to access systems offline, receive up-to-date updates, and experience improved performance across various devices. This hybrid capability makes PWAs highly suitable for environments where consistent internet connectivity may not always be available.

Garcia and Lee (2022), in their study “Adoption of Progressive Web Applications in Enterprise Systems,” revealed that PWAs significantly reduce development and maintenance costs while maintaining high performance and accessibility. Their findings showed that organizations adopting PWAs experienced improved user engagement, faster loading times, and enhanced system reliability. Additionally, PWAs eliminate the need for separate mobile applications, allowing businesses to streamline their digital infrastructure while still providing a mobile-friendly experience.

Furthermore, a report by Tech Insights (2023) indicated that more than sixty percent (60%) of businesses have shifted toward PWA-based systems due to their scalability, cross-platform compatibility, and ease of deployment. The report also emphasized that PWAs contribute to increased operational efficiency by simplifying updates and reducing dependency on platform-specific development.

These studies collectively justify the use of a Progressive Web Application in the FishLodger system, as it ensures accessibility, flexibility, and efficiency for fish vendors, administrators, and stakeholders. By leveraging PWA technology, the system can

function effectively even in areas with limited internet connectivity, while still providing a responsive and user-friendly experience.

Fish Supply Chain Identification and Traceability Systems

Traceability systems play a critical role in ensuring food safety, quality assurance, and transparency in the fisheries sector. According to Reyes (2024), fish supply chain identification systems enable stakeholders to monitor the movement of fish products from the point of catch to the final market destination, ensuring accountability and reducing the risk of fraud and mislabeling. These systems are essential in maintaining accurate records and promoting trust among consumers, suppliers, and regulatory agencies.

In a related study, Villanueva et al. (2022) developed a traceability system utilizing QR codes and mobile technology, allowing users to access detailed information about fish origin, handling processes, and distribution channels. The study revealed that such systems significantly improved consumer trust, strengthened regulatory compliance, and enhanced transparency within the supply chain. It also highlighted that digital traceability minimizes manual errors and simplifies data verification processes.

Additionally, a global review by Ahmed (2023) emphasized that traceability technologies, including Internet of Things (IoT) devices and digital databases, greatly enhance supply chain visibility and operational efficiency. The study pointed out that integrating these technologies allows up-to-date data collection and monitoring, which supports better decision-making and more efficient resource management within the fisheries sector.

These findings support the inclusion of a supply source identification feature in the FishLodger system, which aims to provide accurate, reliable, and transparent

information about fish products within the Lucena Fish Port Complex. By integrating traceability functionalities, the system can improve accountability, strengthen stakeholder confidence, and ensure better management of fish supply chains.

Automated Report Generation Systems

Automated report generation systems are essential components of modern information systems because they improve efficiency, accuracy, and accessibility of operational data. According to Martinez (2022), automated reporting systems are designed to collect, process, and generate reports without requiring extensive manual intervention. These systems reduce human errors, minimize delays in report preparation, and ensure that stakeholders receive organized and accurate information for decision-making purposes.

In a related study, Torres and Ramirez (2023) emphasized that automated reporting significantly improves operational workflows by allowing organizations to generate daily, weekly, and monthly summaries in real time. Their findings revealed that businesses using automated reporting systems experienced faster report preparation, improved data consistency, and better monitoring of organizational performance. The study also highlighted that automated systems reduce paperwork and simplify record management processes.

Furthermore, Johnson (2024) stated that integrating automated report generation with centralized databases enhances data accessibility and transparency. By automatically consolidating transaction records and operational information, organizations can quickly analyze trends and monitor performance indicators. The study further explained that

automated reporting systems support better strategic planning by providing timely and reliable reports for management and stakeholders.

These studies support the inclusion of automated report generation in the FishLodger system. Through automated reporting, the system can efficiently generate summaries of fish transactions, retailer activities, and supply monitoring records within the Lucena Fish Port Complex. This functionality can help administrators reduce manual workload, improve record accuracy, and enhance operational monitoring.

Philippine Fisheries Digitalization and BFAR Initiatives

The fisheries sector in the Philippines continues to face challenges related to manual monitoring systems, inconsistent data recording, and limited technological integration in municipal fish ports. According to the Bureau of Fisheries and Aquatic Resources (BFAR) (2023), digital transformation initiatives are necessary to improve fisheries management, strengthen data collection, and enhance transparency in fishery operations. BFAR emphasized that accurate and timely fisheries data are essential in supporting sustainable fishery practices and effective resource management.

In a report by the Philippine Fisheries Development Authority (PFDA) (2022), many fish ports in the country still rely on manual processes for recording fish transactions, monitoring supply distribution, and generating operational reports. The report highlighted that manual systems often result in delayed reporting, data inconsistencies, and difficulty in tracking fish supply movement. It further recommended the adoption of digital monitoring systems to improve operational efficiency and data reliability in fish port facilities.

Similarly, Dela Cruz et al. (2024) examined the implementation of digital technologies in selected municipal fish ports in the Philippines. Their study found that the use of web-based monitoring systems improved transaction recording, increased transparency, and enhanced communication among stakeholders. However, the researchers noted that several local fish ports still lack integrated systems capable of combining monitoring, traceability, reporting, and analytics functionalities.

These studies strengthen the relevance of the proposed FishLodger system for the Lucena Fish Port Complex. By incorporating digital monitoring, automated reporting, and predictive analytics, the system aligns with the ongoing digitalization efforts promoted by BFAR and other fisheries-related agencies in the Philippines. The proposed system aims to address the operational gaps in local fish port management by providing a centralized, efficient, and accessible platform for stakeholders.

The Use of Predictive Analytics for Market and Business Optimization

Predictive analytics is widely used to forecast trends and improve decision-making across various industries. According to Kumar (2023), predictive analytics utilizes historical data, statistical techniques, and machine learning algorithms to anticipate future outcomes and optimize business processes. By analyzing past patterns and behaviors, organizations can make informed decisions, reduce uncertainties, and improve overall operational efficiency.

Lee et al. (2022), in their study on decision tree models, revealed that predictive analytics significantly improves forecasting accuracy and supports data-driven decision-making. Their research demonstrated that decision trees are particularly effective in identifying patterns, classifying data, and predicting potential outcomes in

business environments. The study further emphasized that these models are widely adopted due to their simplicity, interpretability, and reliability in handling complex datasets.

Meanwhile, Gonzales et al. (2024) examined the application of machine learning algorithms such as Random Forest and Logistic Regression in predicting market demand. Their findings showed that these models greatly enhance forecasting accuracy by analyzing large volumes of data and identifying hidden trends. As a result, businesses are able to optimize inventory management, improve resource allocation, and respond more effectively to market fluctuations.

These studies collectively prove that predictive analytics can significantly enhance the FishLodger system by enabling accurate demand forecasting, improving supply planning, and supporting data-driven decision-making within the Lucena Fish Port Complex. By incorporating predictive capabilities, the system can assist stakeholders in anticipating market trends, minimizing losses, and maximizing operational efficiency.

Synthesis

The related literature and studies that were reviewed highlighted the growing importance of fish market monitoring systems, the effectiveness of progressive web applications (PWA), the role of supply chain traceability, the efficiency of automated reporting systems, and the increasing significance of predictive analytics in enhancing market operations and decision-making processes.

Fish market monitoring systems play a crucial role in improving transparency, efficiency, and accuracy in market operations by replacing traditional manual processes

with digital solutions. These systems enable up-to-date identification of transactions, pricing, and inventory, which are essential in maintaining reliable market data. However, challenges such as limited technological infrastructure, resistance to digital adoption among stakeholders, inconsistent data recording practices, and lack of centralized systems continue to hinder the full implementation of digital monitoring in fish ports. These issues are further compounded by operational inefficiencies, including delayed reporting, data redundancy, and difficulty in accessing historical records. To address these challenges, the integration of a centralized and user-friendly monitoring system is necessary to streamline operations and ensure data accuracy within fish market environments.

The reviewed literature also supports the use of Progressive Web Applications (PWA) as an effective platform for delivering accessible and scalable information systems. PWAs provide advantages such as offline functionality, cross-platform compatibility, and improved system performance, making them suitable for environments with unstable internet connectivity. Despite these benefits, some limitations remain, including low awareness among users, initial adaptation challenges, and the need for proper system design to ensure usability. Nevertheless, PWAs offer a practical solution for implementing digital systems in fish port operations, as they allow stakeholders to access information anytime and anywhere while maintaining system efficiency and reliability.

Supply chain identification and traceability systems were also identified as essential components in modern fish market operations. These systems enhance transparency by allowing stakeholders to track the origin and movement of fish products

from source to market. They also improve accountability, food safety, and consumer trust. However, challenges such as fragmented data systems, lack of integration among stakeholders, and limited technological resources affect the effectiveness of traceability systems. Addressing these issues requires the development of an integrated platform that combines monitoring and identification functionalities to provide comprehensive and accurate supply chain information.

Predictive analytics was identified as a key driver in optimizing market strategies and improving decision-making. Studies have shown that predictive models using machine learning algorithms such as Decision Tree, Random Forest, and Logistic Regression can effectively forecast demand, identify trends, and optimize resource allocation. These tools enable proactive planning and help organizations respond to potential challenges before they occur. This highlights the need for systems that incorporate predictive capabilities to maximize the value of collected data.

The foreign and local studies gathered by the researchers have been instrumental in building the foundation for the proposed study entitled “FishLodger: A Progressive Web Application Fish Market Monitoring System with Retailer Information, Supply Source Identification , Automated Reports, and Predictive Analytics for Lucena Fish Port Complex.” The proponents utilized the reviewed literature to conceptualize a solution that addresses the existing gaps in fish market operations, particularly the lack of integration among monitoring, identification , reporting, and analytics systems. These insights significantly influenced the design and development of a comprehensive platform that aims to improve efficiency, enhance transparency, and support data-driven decision-making within the Lucena Fish Port Complex.

CHAPTER III

METHODOLOGY

This chapter explains the methods and tools used to conduct the study and collect the necessary data. It also describes the research design applied in developing and evaluating the FishLodger system. The study focuses on creating a system that helps monitor market prices, track supply sources, and generate predictive analytics for the Lucena Fish Port Complex, improving data management, reporting, and operational transparency.

Research Design

The researchers utilized a descriptive and developmental research design. This approach was selected to first accurately describe the existing manual price recording and supply monitoring processes at the Lucena Fish Port Complex (Descriptive), and subsequently design, build, and evaluate a digital solution in the form of a Progressive Web Application.

Software Development Lifecycle




Figure 1. *Agile Scrum Model for Fishlodger*

The study will utilize the Agile Scrum Software Development Life Cycle (SDLC) in developing FishLodger. Agile Scrum is an iterative and incremental software development framework that emphasizes collaboration, adaptability, continuous improvement, and regular feedback from stakeholders throughout the development process.

The Agile Scrum process consists of the following phases:

Requirements. In this phase, the researchers will gather and identify the system requirements for FishLodger. Information will be collected through interviews, observations, and document analysis conducted at the Lucena Fish Port Complex. The gathered requirements will serve as the foundation for the features and functionalities of

the proposed system, including retailer information management, fish arrival monitoring, supply source identification, automated report generation, dashboard visualization, and predictive analytics. The needs of the intended users will be analyzed to ensure that the system effectively addresses existing operational challenges.

Planning. In this phase, the researchers will plan the overall objectives, scope, and major functionalities of the system. Meetings and consultations with fish port administrators, personnel, retailers, and other stakeholders will be conducted to identify operational issues and determine the most appropriate solutions. The system architecture, database structure, user interface design, and sprint schedules will also be prepared during this phase.

Implementation. In this phase, the researchers will develop the FishLodger system based on the identified requirements and project plan. The selected features and modules will be coded, integrated, and developed incrementally throughout the sprint cycles. Core functionalities such as retailer registration, fish arrival monitoring, supply source identification, automated reporting, dashboard visualization, and predictive analytics will be implemented during this stage.

Test. In this phase, the researchers will conduct various testing procedures to evaluate the functionality, reliability, performance, and accuracy of the system. Unit testing, integration testing, and system testing will be performed to identify bugs, errors, or inconsistencies. Any issues discovered during testing will be corrected and improved before proceeding to deployment.

Weekly Scrum. In this phase, the researchers will conduct weekly Scrum meetings to monitor project progress, discuss completed tasks, identify challenges encountered during

development, and plan upcoming activities. These meetings will ensure continuous communication among team members and maintain alignment with the project objectives.

Sprint Review. In this phase, the researchers will evaluate the completed functionalities developed during each sprint. The developed features will be demonstrated to stakeholders to gather feedback and determine whether the sprint goals have been achieved. Suggestions and recommendations obtained during this phase will be considered for future improvements and succeeding sprint cycles.

Sprint Retrospective. In this phase, the researchers will assess the overall performance of the completed sprint. The team will identify successful practices, challenges encountered, and areas requiring improvement. Lessons learned during the sprint will be documented and used to enhance the efficiency and effectiveness of future development activities.

Deployment. Once the system has successfully passed the testing, review, and evaluation phases, it will be deployed for implementation at the Lucena Fish Port Complex. The developed system will be made available to authorized users, including fish port administrators, personnel, and stakeholders. Continuous enhancements, maintenance, and feature improvements may be implemented through future sprint iterations to ensure the system remains effective and responsive to user needs.

Requirements Analysis

Requirements analysis involves identifying and defining the functionalities and quality attributes needed to address the monitoring, reporting, and operational requirements of the Lucena Fish Port Complex. The identified requirements served as the basis for the design and development of FishLodger.

Functional Requirements

The functional requirements describe the specific features and services that FishLodger must provide to its intended users.

Administrator

- Manage user accounts and access permissions.
- Register and manage retailer information.
- Record and monitor fish arrivals, including fish species, volume, and arrival schedules.
- Record and track fish supply sources from fishing vessels and suppliers.
- Monitor fish market activities through the system dashboard.
- Generate daily, weekly, and monthly operational reports.
- View fish supply trends and predictive analytics results.
- Manage and maintain historical fish supply records.
- View data visualizations, charts, and summary reports.

Retailer

- Register and manage personal and business profile information.
- View fish supply availability and market information.
- Access transaction and activity records related to their account.
- Receive notifications and announcements from fish port administrators.

Fish Port Personnel

- Record fish arrival information and supply data.
- Update fish inventory and supply source records.
- Assist in monitoring fish market activities.

- Generate and access operational reports.
- View dashboards and monitoring summaries.

Non-Functional Requirements

The non-functional requirements define the quality standards and performance expectations of FishLodger.

Performance Efficiency

- The system shall provide acceptable response times during data entry, retrieval, and report generation.
- The system shall support multiple users simultaneously without significant performance degradation.

Compatibility

- The system shall be accessible through commonly used web browsers.
- The system shall function properly on desktop computers, tablets, and mobile devices as a Progressive Web Application (PWA).

Usability

- The system shall provide a user-friendly and intuitive interface.
- The system shall be easy to learn and navigate for administrators, fish port personnel and retailers.

Reliability

- The system shall perform its intended functions consistently and accurately.
- The system shall minimize system downtime and ensure continuous access to monitoring records and reports.

Security

- The system shall implement user authentication and role-based access control mechanisms.
- The system shall restrict access to sensitive information based on authorized user roles.
- The system shall protect fish port records and retailer information from unauthorized access or modification.

Data Gathering Procedure

The researchers gathered data through interviews with fish port administrators to understand current workflows and identify existing challenges. Direct observation was also conducted to examine the manual process of recording fish prices and distributing bulletins. In addition, relevant documents, such as historical fish delivery records and price bulletins, were reviewed to support the development of the system database and AI forecasting model.

Respondents of the Study

The respondents of the study consisted of ten (10) market administrators, twenty (20) retailers, and fifteen (15) frequent port consumers. The market administrators evaluated the system's management and reporting features, while the retailers assessed the price entry and inventory management functions. Frequent port consumers were included to evaluate the accuracy, accessibility, and usefulness of the price forecasts and market bulletins.

Statistical Treatment

The collected data will be analyzed using appropriate statistical tools and techniques. The Weighted Mean will be used to determine the overall evaluation and acceptability of the FishLodger system based on the responses gathered from the fish port administrators, fish port personnel, and retailers using the ISO/IEC 25010 Software Quality Evaluation questionnaire.

The weighted mean formula is:

$$\bar{X} = \Sigma fx / N$$

Where:

- $\bar{X}$ = Weighted Mean
- Σfx = Sum of weighted responses
- N = Total number of respondents

Weighted Point	Range Interval	Verbal Interpretation
5	4.20-5.00	Strongly Agree
4	3.40-4.19	Agree
3	2.60 – 3.39	Neutral
2	1.80 – 2.59	Disagree
1	1.00 – 1.79	Strongly Disagree

Ethical Considerations

The researchers observed ethical standards throughout the study in accordance with Republic Act No. 10173, also known as the Data Privacy Act of 2012. All participants were informed about the purpose of the study and voluntarily provided their consent before participating. Personal information collected during the study was kept confidential and protected through appropriate security measures. The researchers also maintained objectivity and impartiality during data collection, analysis, and interpretation of the results.

Design of Software, System, Product, and/or Processes

This section discusses the design of the proposed FishLodger system. It presents the software architecture, product features, and operational processes used to automate fish port activities. The diagrams and models in this section illustrate how the system functions and interacts with its users.




Figure 2. Use Case Diagram for Fishlodger

The diagram will illustrate the four primary actors of the proposed system: the Admin, Staff, Retailer, and Consumer. The Admin will be responsible for managing users, roles, fish catalogs, and configuring system settings. The Staff will record fish prices, track supply and delivery, manage inventory, and assist in generating market reports. The Retailer will access fish price records, inventory information, supply tracking, market bulletins, and analytics to support business decisions. The Consumer will be able to view analytics and AI-generated forecasts, allowing them to monitor fish

market trends, predicted price changes, and supply availability to make informed purchasing decisions.




Figure 3. *Context Diagram*

The diagram illustrates the FishLodger system as the central component that receives data from various external entities, including retailers, suppliers, and a weather API. The system processes the collected information and generates outputs such as price forecasts, PDF market bulletins, and map visualizations. These outputs are then provided to users to support monitoring, decision making,

and access to real-time fish port information.




Figure 4. *Data Flow Diagram*

The Data Flow Diagram illustrates how data moves throughout the FishLodger system. It shows how information entered by users, such as fish prices and inventory records, is processed by the system and stored in the database. The data is then utilized by

the forecasting module to generate price predictions and by the reporting module to produce market bulletins and other reports.




Figure 5. Entity Relationship Diagram

The Entity Relationship Diagram illustrates the relationships among the major entities of the FishLodger system, including Users, Fish, Retailers, Fish Prices, Supply Sources, Fishing Locations, and Predictions. It defines how data is organized and connected within the database, ensuring data integrity, consistency, and efficient data management. The ERD also supports accurate reporting, forecasting, and analytical processes within the system.



Figure 6. Database Schema

This figure illustrates the Database Schema of the FishLodger system. It defines the relationships among the database tables and ensures organized, accurate, and consistent data storage. The schema is designed to support fish price monitoring, vessel tracking, reporting, and AI-based forecasting while remaining scalable for future data growth.

3.1 Table 1: auth_user (User)

The auth_user table stores user credentials, personal details, and roles to manage secure authentication and access permissions within the system.

Field Name	Data Type	Constraints	Description
id	Integer	PK, NOT NULL, Auto-Increment	Unique identifier for each user record (Django default primary key).
username	Varchar(150)	NOT NULL, Unique	Unique username used for authentication and system identification.
password	Varchar(128)	NOT NULL	Hashed password string managed by Django's authentication framework.
email	Varchar(254)	NOT NULL, Unique	User's registered email address used for account verification and communication.
role	Varchar(50)	NOT NULL	Designates the user's role

			within the system (e.g., 'Admin', 'Retailer', 'Viewer').
phone_number	Varchar(20)	Nullable	Contact phone number of the user; optional field for secondary communication.
first_name	Varchar(150)	NOT NULL	User's given name as registered in the system.
last_name	Varchar(150)	NOT NULL	User's family or surname as registered in the system.
is_active	Boolean	NOT NULL, Default: TRUE	Indicates whether the user account is currently active.
is_staff	Boolean	NOT NULL, Default: FALSE	Grants access to the Django administrative interface if set to TRUE.
date_joined	DateTime	NOT NULL, Auto-set on create	Timestamp recording when the user account was initially created.
last_login	DateTime	Nullable	Timestamp of the user's most recent successful login session.

3.2 Table 2: fish(Fish)

The fish table serves as a central catalog that stores detailed profiles, habitat classifications, and baseline pricing information for various fish species managed within the system.

Field Name	Data Type	Constraints	Description
id	Integer	PK, NOT NULL, Auto-Increment	Unique identifier for each fish species record.
fish_name	Varchar(100)	NOT NULL	Common trade name of the fish species as used in local market transactions.
category	Varchar(20)	NOT NULL	Habitat classification of the species; restricted to 'Freshwater' or 'Saltwater'.
scientific_name	Varchar(150)	Nullable, Unique	Binomial scientific nomenclature (genus and species) of the fish.
average_price	Decimal(10,2)	NOT NULL	Baseline reference price per kilogram derived from historical market data.
description	TextField	Nullable	Supplementary narrative information about the fish species, habitat, or usage.
created_at	DateTime	NOT NULL, Auto-set on create	Timestamp indicating when the fish record was first entered into the system.

updated_at	DateTime	NOT NULL, Auto-updated	Timestamp reflecting the most recent modification to the fish record.
-------------------	----------	---------------------------	---

3.3 Table 3: fishdealer (Retailer)

The fish dealer table stores business profiles, stall locations, and verification statuses for retailers, linking each record back to their system user account via a foreign key.

Field Name	Data Type	Constraints	Description
id	Integer	PK, NOT NULL, Auto-Increment	Unique identifier for each retailer record.
user_id	Integer	FK → auth_user(id), NOT NULL	Foreign key linking the retailer profile to the corresponding system user account.
business_name	Varchar(200)	NOT NULL	Registered or operating trade name of the retailer's business or stall.
stall_number	Varchar(20)	NOT NULL, Unique	Unique stall or booth identifier assigned within the fish market.
contact_number	Varchar(20)	NOT NULL	Primary contact telephone number for the retailer's business operations.
address	TextField	Nullable	Physical or mailing

			address of the retailer's place of business.
is_verified	Boolean	NOT NULL, Default: FALSE	Indicates whether the retailer's credentials have been validated by administrators.
created_at	DateTime	NOT NULL, Auto-set on create	Timestamp recording when the retailer profile was first registered in the system.

3.4 Table 4: fishprice(FishPrice)

The fish price table tracks the daily market prices and stock levels of specific fish species offered by individual retailers.

Field Name	Data Type	Constraints	Description
id	Integer	PK, NOT NULL, Auto-Increment	Unique identifier for each fish price entry.
fish_id	Integer	FK → fish_fish(id), NOT NULL	Foreign key referencing the specific fish species associated with this price record.
retailer_id	Integer	FK → fish_retailer(id), NOT NULL	Foreign key referencing the retailer who submitted or owns this price entry.

price_per_kilo	Decimal(10,2)	NOT NULL	Selling price per kilogram of the specified fish species on the given market date.
quantity_available	Decimal(10,2)	NOT NULL	Total stock available in kilograms at the time of price entry submission.
market_date	Date	NOT NULL	The calendar date on which the recorded price and quantity data is applicable.
is_active	Boolean	NOT NULL, Default: TRUE	Flags whether this price listing is currently active and visible to system users.
created_at	DateTime	NOT NULL, Auto-set on create	Timestamp recording when the price entry was first submitted into the system.
updated_at	DateTime	NOT NULL, Auto-updated	Timestamp reflecting the last modification to the price or quantity information.

3.5 Table 5: fishsupplysource (SupplySource)

The fish supply source table identifies the source or origin of the incoming fish supplies by maintaining records of the registered fishing vessels that caught and delivered them.

Field Name	Data Type	Constraints	Description
id	Integer	PK, NOT NULL, Auto-Increment	Unique identifier for each supply source (vessel) record.
boat_name	Varchar(100)	NOT NULL	Registered name or call sign of the fishing vessel.
owner_name	Varchar(150)	Nullable	Name of the registered owner or operator of the fishing vessel.
status	Varchar(20)	NOT NULL	Current operational status; constrained to 'At Sea', 'In Transit', or 'Docked'.
latitude	Decimal(9,6)	Nullable	GPS latitude coordinate of the vessel's current or last known position.
longitude	Decimal(9,6)	Nullable	GPS longitude coordinate of the vessel's current or last known position.
last_updated	DateTime	NOT NULL, Auto-updated	Timestamp of the most recent positional or status update for the vessel.

created_at	DateTime	NOT NULL, Auto-set on create	Timestamp indicating when the vessel record was first registered in the system.
-------------------	----------	------------------------------	---

3.6 Table 6: fishprediction (Prediction)

The fish prediction table stores forecasted prices and market trends generated by machine learning models for specific fish species and dates.

Field Name	Data Type	Constraints	Description
id	Integer	PK, NOT NULL, Auto-Increment	Unique identifier for each prediction record.
fish_id	Integer	FK → fish_fish(id), NOT NULL	Foreign key referencing the fish species for which the prediction is generated.
retailer_id	Integer	FK → fish_retailer(id), Nullable	Optional foreign key associating the prediction with a specific retailer's data.
predicted_price	Decimal(10,2)	NOT NULL	The model-generated forecasted price per kilogram for the target fish species.
confidence_score	Decimal(5,4)	NOT NULL	A normalized probability score (0.0000–1.0000) expressing the model's

			prediction certainty.
trend_status	Varchar(20)	NOT NULL	Qualitative market trend label; one of 'Rising', 'Stable', or 'Declining'.
prediction_date	Date	NOT NULL	The specific future date for which the price prediction is projected.
model_version	Varchar(50)	Nullable	Identifier string for the machine learning model version used to generate the prediction.
created_at	DateTime	NOT NULL, Auto-set on create	Timestamp recording when the prediction record was generated and stored.

3.7 Table 7: fishinglocation (FishingLocation)

The fishing location table catalogs the names, administrative regions, and geographic coordinates of the distinct coastal areas or fishing zones handled by the system.

Field Name	Data Type	Constraints	Description
id	Integer	PK, NOT NULL, Auto-Increment	Unique identifier for each fishing location record.
location_name	Varchar(150)	NOT NULL, Unique	Descriptive name of the fishing zone, bay, or coastal area.

region	Varchar(100)	NOT NULL	Broad regional designation (e.g., MIMAROPA, Calabarzon) containing the location.
province	Varchar(100)	NOT NULL	Province-level administrative division where the fishing location is situated.
municipality	Varchar(100)	Nullable	Municipality or city within the province associated with the fishing location.
latitude	Decimal(9,6)	Nullable	Central GPS latitude coordinate representing the geographic centroid of the location.
longitude	Decimal(9,6)	Nullable	Central GPS longitude coordinate representing the geographic centroid of the location.
is_active	Boolean	NOT NULL, Default: TRUE	Indicates whether the location is currently in use for supply tracking or analysis.
created_at	DateTime	NOT NULL, Auto-set on create	Timestamp recording when the fishing location was first added to the

			system.
--	--	--	---------

The Data Dictionary provides a detailed description of the database tables, including their fields, data types, and purposes within the FishLodger system. It serves as a reference for understanding how data is stored, organized, and managed. This helps ensure consistency, accuracy, and integrity throughout the development and operation of the system. The following tables represent the primary database entities used in the study.

Development and Testing

The FishLodger system will be developed using Django REST Framework for the backend and React for the frontend. APIs will be utilized to facilitate communication between system components and provide real-time data updates. To ensure system quality, Unit Testing, Integration Testing, and User Acceptance Testing (UAT) will be conducted to evaluate functionality, performance, and user satisfaction based on ISO/IEC 25010 standards.

Description of the Prototype

This figure illustrates the proposed prototype of the FishLodger system, a Progressive Web Application (PWA) designed for both mobile and desktop users. The system will feature a centralized dashboard that provides real-time information on fish prices, market trends, and supply monitoring. It will also include an interactive map for tracking fishing vessels and their arrival status. The interface will adapt according to user roles, enabling retailers, administrators, and staff to access functionalities relevant to their

responsibilities. Furthermore, the system will employ a responsive design approach to ensure accessibility and usability across various devices and operating environments.




Figure 7. *Prototype: Landing Page*

The system's public introduction will feature a centralized landing page designed around a "Strategic Monitoring" theme. Serving as the primary entry point for guests and operators, this page will highlight FishLodger's core capabilities, including live telemetry for vessel tracking, AI-driven predictive forecasting models, and automated PDF market bulletins. This interface will ensure a clear, informative onboarding experience before users log into deeper operational layers.

The image shows a web browser window with the title 'FISHLODGER'. In the top right corner, there are links for 'LOGIN' and 'REGISTER'. The main content area features a central white box with a light blue border. Inside this box, the title 'SYSTEM_LOGIN' is displayed in bold, followed by the subtitle 'AUTHORIZED PERSONNEL ACCESS ONLY'. Below the subtitle, there are two input fields: 'USER_IDENTIFIER' with the placeholder text 'Enter username' and 'SECURITY_KEY' with placeholder text '*****'. A button labeled 'INITIATE_SESSION' is positioned below these fields. At the bottom of the box, there is a link that reads 'NEW USER? REGISTER_IDENTITY'. The background of the page is a light gray with a subtle pattern of white stars.

Figure 8. Prototype: Login Page

The login page will provide secure, JWT-based authentication for network entry. It will incorporate an HTTP interceptor that automatically detects expired user sessions and redirects individuals back to this interface with a re-authentication prompt. The page will display a standard credential input form paired with specialized status messages tailored for "Authorized Personnel Access" to guide users through the authentication workflow.

The image shows a web browser window with the title 'FISHLODGER'. In the top right corner, there are links for 'LOGIN' and 'REGISTER'. The main content area features a central white box with a light blue border. Inside this box, the title 'CREATE IDENTITY' is displayed in bold, followed by the subtitle 'JOIN THE LUCENA FISH PORT DIGITAL ECOSYSTEM'. Below the subtitle, there are several input fields and a dropdown menu. The 'FIRST NAME' field contains the text 'John', and the 'LAST NAME' field contains the text 'Dan'. The 'EMAIL ADDRESS' field contains the text 'john@example.com', and the 'CONTACT NUMBER' field contains the text '09XX-XXX-XXXX'. The 'USERNAME' field contains the text 'johndon123', and the 'PASSWORD' field contains the text '*****'. Below these fields is a dropdown menu labeled 'ACCOUNT ROLE' with the selected option 'Port Retailer / Trader'. At the bottom of the box, there is a section titled 'RETAILER STALL INFORMATION'. This section contains two input fields: 'BUSINESS NAME' with the placeholder text 'e.g. Maria's Fresh Fish' and 'BUSINESS ADDRESS' with the placeholder text 'Enter competitor stall or business address'. To the right of the 'BUSINESS NAME' field is a dropdown menu labeled 'CHOOSE STALL UNIT' with the selected option '-- SELECT UNIT --'. The background of the page is a light gray with a subtle pattern of white stars.

Figure 9. Prototype: Register Page

The registration page will handle identity onboarding for the digital network. This interface will collect the user's personal details and require a mandatory role selection categorized into Guest, Retailer, or Administrative Staff which will automatically determine and enforce their specific access permission levels across the application.




Figure 10. Prototype: Dashboard Page

Serving as the central command center, the overview dashboard will use WebSockets to provide real-time data and instant price updates without manual page refreshes. The interface will feature a "Quick Stats" section showing live species counts, active retailers, and an AI-generated market sentiment tracker. It will also integrate the OpenWeather API to display current weather conditions calibrated for Lucena City.

Finally, users will be able to monitor rapid market shifts through a rolling live activity feed of recent changes alongside an inventory snapshot table tracking current fish prices and categories.




Figure 11. *Prototype: Stall Map*

The stall map page will feature an interactive architectural floor plan of the Fish Port Complex. This interface will display over 30 stalls using a color-coded status legend to track inventory availability, categorizing sections by available, low stock, out of stock, or closed indicators. Selecting any specific stall card from the grid will dynamically open a side panel showing the vendor's contact information alongside a detailed inventory log that details fish names, current stock weights in kilograms, and pricing.

FISHLODGER

SYSTEM_ONLINE // ADMIN

LOGOUT

DASHBOARD

STALL MAP

LIVE MONITORING

DATA ENTRY

BULLETINS

FISH PRICES

RETAILERS

SUPPLY SOURCES

REPORTS

ANALYTICS

SETTINGS

BULLETIN_MGMT // ADMIN_PANEL

POST AND EDIT MARKET ADVISORIES

POST NEW BULLETIN

TITLE

e.g., Weather Warning: High Winds

CATEGORY

Information

CONTENT

POST BULLETIN

ACTIVE_BULLETINS

Figure 12. *Prototype: Bulletin*

The bulletins module will serve as an essential administrative tool for the rapid deployment of port-wide advisories. This interface will empower authorized personnel to create, manage, and categorize critical announcements including general Information, Urgent market alerts, or imperative Weather Warnings via a structured input form. Once published, these structured advisories will automatically and instantly synchronize to the central Dashboard's Bulletin Board widget, ensuring that all active port users receive timely updates without manual redistribution.

FISHLODGER

system_online // admin

LOGOUT

Dashboard

Stall Map

Live Monitoring

Data Entry

Bulletins

Fish Prices

Retailers

Supply Source

Reports

Analytics

Settings

DATA_ENTRY // OFFLINE_ENABLED

RECORD DAILY MARKETPRICES

SYNC 1 PENDING

FISH SPECIES

RETAILER/STALL

PRICE

QUANTITY

SUBMIT

Figure 13. *Prototype: Data Entry*

The data entry page will be a specialized tool for field staff that works even without an internet connection. If the network drops, the system will save all data locally on the device using IndexedDB and will show a sync button to upload everything once the connection returns. The interface will feature simple forms so workers can quickly log fish species, retailer names, current prices, and quantities.




Figure 14. *Prototype: Live Monitoring*

The live monitoring page will track the geographic supply chain in real-time using Leaflet Maps to follow the movement of supply vessels. The main map will show fishing grounds using circles sized by volume, alongside active boat icons that show if a vessel is in transit or has arrived. The interface will also feature market alerts to flag unusual data like sudden drops in supply or price spikes. Finally, it will track import volume to display the total kilograms of fish arriving at the port each day.

FISHLODGER

SYSTEM_ONLINE // ADMIN

LOGOUT

DASHBOARD

STALL MAP

LIVE MONITORING

DATA ENTRY

BULLETINS

FISH PRICES

RETAILERS

SUPPLY SOURCES

REPORTS

ANALYTICS

SETTINGS

PRICE_INDEX // MARKET_LOGS

DAILY UPDATED RETAIL PRICES FROM LUCENA FISH PORT COMPLEX

SELECT_SPECIES

MARKET_DATE

PRICE_RANGE (P)

ALL_SPECIES

dd/mm/yyyy

Min

Max

SPECIES	RETAILER	PRICE (P/KG)	STOCK	DATE
▶ Tunsoy	Stall 10 Fresh Fish	P111.91	87 kg	2026-06-07
▶ Tunsoy	Stall 4 Fresh Fish	P117.24	94 kg	2026-06-07
▶ Tunsoy	Stall 8 Fresh Fish	P116.69	56 kg	2026-06-07
▶ Tunsoy	Stall 9 Fresh Fish	P113.56	62 kg	2026-06-07
▶ Pusit	Stall 10 Fresh Fish	P357.62	55 kg	2026-06-07
▶ Pusit	Stall 6 Fresh Fish	P349.00	68 kg	2026-06-07

Figure 15. Prototype: Fish Prices

The price index page will feature a searchable archive of all historical market price logs to help users track long-term pricing trends across different retailers. This interface will include filtering controls so users can quickly sort through records by specific fish species, exact calendar dates, and minimum-to-maximum price ranges. The data will be organized in a main table where rows are expandable, allowing users to click a record to reveal deeper details about the retailer and specific stock remarks.

DASHBOARD

STALL MAP

LIVE MONITORING

DATA ENTRY

BULLETINS

FISH PRICES

RETAILERS

SUPPLY SOURCES

REPORTS

ANALYTICS

SETTINGS

SYSTEM_ONLINE // ADMIN

LOGOUT

Port Retailers

Directory of active stall owners and verified traders

ADD NEW RETAILER

BUSINESS NAME	STALL #	CONTACT	STATUS	ACTIONS
Ocean Fresh	Stall-38	09174523472	Active	EditDelete
Lucena Bay Side	Stall-39	09172771152	Active	EditDelete
Market Master	Stall-1	09174621433	Active	EditDelete
Fisherman's Choice	Stall-10	09177490676	Active	EditDelete
Daily Catch	Stall-9	09174996519	Active	EditDelete
Stall 1 Fresh Fish	A-1	09987654321	Active	EditDelete
Stall 2 Fresh Fish	A-2	09987654321	Active	EditDelete
Stall 3 Fresh Fish	A-3	09987654321	Active	EditDelete

Figure 16. Prototype: Retailers

The prototype will feature a comprehensive port retailers management interface designed to act as a directory of active stall owners and verified traders. It will include an "Add New Retailer" action button at the top right to facilitate administrative onboarding workflows. The primary data table will systematically organize retailer profiles, detailing their official business name, assigned stall number, contact information, and current operational status. Additionally, the interface will provide inline management actions for each entry, allowing administrators to directly edit profile credentials or delete obsolete merchant records from the active system database.




Figure 17. Prototype: Supply Source

The supply sources page will track the geographic origins of all commercial fish entering the port complex. The interface will list primary fishing grounds—such as Ragay Gulf and Tayabas Bay—alongside their respective regions and provinces. This centralized list will help administrators and traders map exactly where incoming supply is being harvested to better understand regional distribution.




Figure 18. *Prototype: Analytics Page*

The analytics page will serve as the system's AI engine, utilizing a $\text{\$LinearRegression\$}$ model to generate predictive market insights. This interface will display a 7-day price forecast visualized through interactive area charts, helping users anticipate short-term market shifts. It will also include a scatter plot to map the correlation between supply volume and market prices, alongside monthly bar charts that highlight seasonal volume trends throughout the year. Finally, a comparison tool will allow users to overlay the price trends of multiple fish species, such as Tuna versus Tilapia, to analyze competing market behaviors on a single graph.

FISHLODGER

 system_online // admin

LOGOUT

Dashboard

Stall Map

Live Monitoring

Data Entry

Bulletins

Fish Prices

Retailers

Supply Source

Reports

Analytics

Settings

Account Settings

Manage your personal profile and system preference

Profile Information

Full name

Email Address

Update Profile

System References

Notification

Receive alerts for price spike

High-Density view

Receive alerts for price spike

SAVE PREferences

Figure 19. *Prototype: Settings Page*

The settings page will handle user profile updates and system preference management. This interface will allow users to customize their application experience through toggles for system notification alerts, such as immediate price changes, and options to adjust the user interface layout density to fit their workflow needs.




Figure 20. *Deployment Diagram*

The Deployment Diagram illustrates how the FishLodger system is implemented and accessed by users. It shows the cloud server, which hosts the application, database, and system services, as the central component of the architecture. Users can access the system through various devices, including smartphones, tablets, and desktop computers, using the Progressive Web Application (PWA). This setup enables real-time data access, efficient communication between system components, and reliable operation across different platforms.

ISO/IEC 25010 Software Quality Evaluation

The developed FishLodger system will be evaluated using the ISO/IEC 25010 Software Quality Model, an internationally recognized standard for assessing software quality. This model provides a comprehensive framework for measuring the quality and effectiveness of software systems based on specific quality characteristics. The evaluation

will be conducted through a survey questionnaire administered to fish port administrators, personnel, and retailers who will use the system.

The evaluation will focus on the following quality characteristics:

1. Functional Suitability

Functional Suitability refers to the degree to which the system provides functions that meet the stated and implied needs of users when used under specified conditions.

- **Functional Completeness** – The system provides all necessary functions required for fish market monitoring, retailer management, supply source identification, automated reporting, and predictive analytics.
- **Functional Correctness** – The system produces accurate and correct results based on user inputs and stored data.
- **Functional Appropriateness** – The functions of the system effectively support users in accomplishing their tasks efficiently.

2. Performance Efficiency

Performance Efficiency refers to the capability of the system to provide appropriate performance relative to the amount of resources used under stated conditions.

- **Time Behavior** – The system responds quickly during data entry, retrieval, report generation, and dashboard loading.
- **Resource Utilization** – The system efficiently uses available resources such as memory, processing power, and network connectivity.
- **Capacity** – The system can handle multiple users and large volumes of fishmarket records without performance degradation.

3. Compatibility

Compatibility refers to the degree to which the system can operate effectively while sharing resources and exchanging information with other systems.

- **Co-existence** – The system can operate alongside other software applications without conflicts.
- **Interoperability** – The system can exchange and utilize information with external services and integrated technologies when necessary.

4. Usability

Usability refers to the degree to which the system can be used by specified users to achieve specified goals effectively, efficiently, and satisfactorily.

- **Appropriateness Recognizability** – Users can easily recognize how the system can help them accomplish their tasks.
- **Learnability** – The system is easy to learn, even for first-time users.
- **Operability** – Users can easily navigate and control the system functions.
- **User Interface Aesthetics** – The interface is visually appealing, organized, and understandable.
- **Accessibility** – The system can be accessed and used across different devices and user environments.

5. Reliability

Reliability refers to the ability of the system to perform specified functions consistently under specified conditions for a specified period.

- **Maturity** – The system performs consistently with minimal failures during operation.

- **Availability** – The system remains accessible whenever needed by users.
- **Fault Tolerance** – The system continues to function properly despite minor errors or unexpected conditions.
- **Recoverability** – The system can restore data and resume operations after interruptions or failures.

6. Security

Security refers to the degree to which the system protects information and data so that users have appropriate access according to their authorization levels.

- **Confidentiality** – Sensitive information is protected from unauthorized access.
- **Integrity** – Data remains accurate, complete, and protected from unauthorized modification.
- **Accountability** – User activities can be traced through system logs and records.
- **Authenticity** – The system verifies the identity of users before granting access.