

The Far Journey

James Blankenship
for Submission
Crockett Mills, US
jamcblan@ut.utm.edu

Andrew Marshall
for Submission
Martin, US
jesamars@ut.utm.edu

ABSTRACT

UPDATED—November 30, 2022. Our project is a 3D real time game in the Unreal engine. The game is a fantasy genre in a medieval setting. The game will have 3 levels in it. It will have a variety of enemies and weapons. There will be magic. The different types of magic for the player to use would include pyromancy and sorcery. There will be a class system that has two classes. The two classes are the Mage and the Warrior. Each level will have a boss enemy in it.

Author Keywords

Authors' choice; of terms; separated; by semicolons; include commas, within terms only; this section is required.

1. INTRODUCTION

To introduce this project we decided to develop a game, and the game will have the title of "The Deep Journey." This game is in the first person. The general setting is that of medieval fantasy, and it will have 3 different levels. The first level will be where the character will start out in, and it will be the castle level. The castle includes two courtyards and middle building. The second level will be the castle's dungeon which will have holding cells for enemies and middle room where the main boss is. The third level will be the fort area which will be a walled structure with small buildings. The main building for the level will be a tavern which will hold the boss. The character player will have different types of weapons to choose from which will include hammer or staffs. The character player will be facing off against different enemies types including orcs, and wolves. The character will also be able to wield different kinds of magic. There will be two different types of magic the character can wield pyromancy and sorcery.




2. TECHNICAL SPECIFICATIONS

We are using Unreal Engine for our project. We will be using C++ and blueprints in Unreal and behavior trees for the AI. Behavior trees are essentially used to create AI by having branches that decide actions. Blueprints will be used in places that require simple execution such as taking the player to a new level. An example would be the AI just searching and then it will execute a different branch when it finds someone. GitHub is being used for collaboration with each other and version control. All the assets that are currently being used is in the unreal store.

3. LEVELS



There are three levels in this game. The first is the castle area and it was the first one made. It is two court yards and a main building; each courtyard will have some smaller enemies for you to deal with. The Middle building will have two stories. The first one is just a way to get to the other court yard, basement level, and upstairs. The second level will hold the boss enemy for the level. The second level is the basement/dungeon. It is a smaller level with just two holding

cells and a backroom for the boss and some enemies. The third level is a bigger level with a bunch of small buildings in an enclosed space. It has wolves and orcs next to the building with a tavern in the back with the boss.



4. CLASSES

We made two classes for the game, the mage and warrior. The warrior was the first class made and is the simpler of the two. Its first ability is just a healing ability, which is useful for staying alive, since you have to be in melee combat. The second ability is a damage buff, which will give double damage on his attacks. The third ability is his ultimate, which gives health regeneration to the player. The mage class is the dps class. The first ability sends out fast moving disks in front of the player. The second ability shoots a fireball, which does a lot of damage, which is useful for the bosses in the game. The ult will regenerate the players' resources to cast more spells.



5. WHAT WE LEARNED


This section will cover what we learned over the course of making our project. Over the semester we learned about game development within unreal engine 5. Unreal engine is made by Epic Games, and is free to use. We also learned how to go about making a game, and all the steps that require it. Making the game involved a whole host of different things like having to plan out the different levels within the game, choosing an overall art direction for the game, deciding on what kind of enemies the player will go up against, and the different abilities the player character will have. Something else we learned how to do was create custom animations within the unreal engine. The enemies and their AI that is used to make them work was

something else we learned. The player characters' different projectiles and weapons that can be used were implemented. An interface for the player character that shows the players' health, magic, and ultimate ability was made.

6. MECHANICS


6.1 blueprints

The major blueprints that were made were dealing with the classes. The projectiles used were changed blueprints of the original projectile. Things that were changed about it were the damage numbers of gravity and speed. The class systems for the warrior used changing of simple variable values to achieve the effect of healing. We did similar effects on other values, such as resources and ultimate bars. We achieved the damage buff ability by having a damage buff variable and having it change from 1 to 2 and having it affect weapon damage. The only problem I had with that was the casting to player character, which took finding more information about casting online. The mage abilities used similar blueprints since it was just spawning the projectile and the only thing that was different was the damage numbers and the cost of using the ability. The ultimates were just having a timer run over a different variable to regenerate that bar.



6.2 AI

AI was a little tricky since at first I just had simple blueprints to do basic tasks such as see, and move towards the player. That later changed when I learned about behavior trees. All a behavior tree does is choose paths and execute commands. Example of a command used is turn to face player. The movement is basically the AI finding a spot nearby and moving towards it until it sees the player. The AI will make the enemy move towards the player. This part of the project was difficult, and we had to use a tutorial made by unreal to get more information about behavior trees and get basic functionality.



7. TRIALS AND TRIBULATIONS

While creating and perfecting the project, we encountered certain issues. Even though we used GitHub for our version control and collaboration, we still ran into problems where we lost work. Another issue encountered was the differences in performance specifically GPU power, between our personal machines complicated development. Some concepts were difficult, such as the AI. There are also a lot of options on the blueprints and objects, so it was easy to get overwhelmed by it. Implementing the classes was tedious since choosing a class and a weapon can not be on the same keybinds. The class ultimates were difficult since loops are awful in the blueprint system, and would throw a no end condition error. We had to use timers which are much better to deal with in blueprints.

8. FUTURE WORK

There are some areas in our project that we weren't able to implement and could be considered future work. The first idea we had was porting the game to mobile. This is possible because unreal engines work cross platform. More levels being added was something else we would like to do in the future. Adding more enemies and weapons to the player character is something we could work on later down the road.

9. PROJECT DEVELOPMENT

The project started with just a map that later became the empty castle. At first, it was just messing with the toolkit to figure things out. I later added enemies that just stood there, and then later they would move randomly. We started working on the second level, which became the basement level, since it seemed to transition well. The levels after the castle stayed stagnant since we focused on the mechanics of the game. It first started with the AI, which was a nightmare to work with, so we switched over to working on the class system since it was easier. We added a warrior class with abilities such as healing, damage buff, and a regeneration ability. The ultimates required us learning about timers since they were required to make it work. The mage was the next class made which had different spells it could use. The spells required us to make more projectiles that have different stats. We then shifted focus back to the AI and got them to move round.

10. OPINIONS ON PROJECT

The project was overall helpful for learning about different software, and it forced us to look for information online for help. Example: the AI was difficult since it required multiple

blueprints and a blackboard. It also required making an AI controller for the enemies to use. We would have never figured that out unless we looked online for help. We also need to look up tutorials for the AI and the UI. Unreal does not really show you how to do things on its service.

11. CONCLUSION

To conclude over the semester with our project, we were able to make a playable first person action game. This game was called the deep journey, and we developed it using unreal engine 5. We used the blueprint system within unreal engine 5 to deal with the different player classes, and connect the levels using trigger boxes. The project development started out with just one level, and by the end we had three distinct levels with different enemies the players could fight using their classes abilities. The project helped us learn game development and the new toolkits we needed to use. We have improvements and additions to the project that could be completed in the future. Overall, this project was a fun way to show our resourcefulness/work ethic as computer science majors, and showcase how we can use the knowledge we've procured over the years to accomplish great things.

Your paper's title, authors and affiliations should run across the full width of the page in a single column 17.8 cm (7 in.) wide. The title should be in Helvetica or Arial 18-point bold. Authors' names should be in Times New Roman or Times Roman 12-point bold, and affiliations in 12-point regular.

See \author section of this template for instructions on how to format the authors. For more than three authors, you may have to place some address information in a footnote, or in a named section at the end of your paper. Names may optionally be placed in a single centered row instead of at the top of each column. Leave one 10-point line of white space below the last line of affiliations.

11.1 Abstract and Keywords

Every submission should begin with an abstract of about 150 words, followed by a set of Author Keywords and ACM Classification Keywords. The abstract and keywords should be placed in the left column of the first page under the left half of the title. The abstract should be a concise statement of the problem, approach, and conclusions of the work described. It should clearly state the paper's contribution to the field of HCI.

11.2 Normal or Body Text

Please use a 10-point Times New Roman or Times Roman font or, if this is unavailable, another proportional font with serifs, as close as possible in appearance to Times Roman 10-point. Other than Helvetica or Arial headings, please use sans-serif or non-proportional fonts only for special purposes, such as source code text.

11.3 First Page Copyright Notice

This template include a sample ACM copyright notice at the bottom of page 1, column 1. Upon acceptance, you will be provided with the appropriate copyright statement and unique DOI string for publication. Accepted papers will be distributed in the conference publications. They will also be placed in the ACM Digital Library, where they will remain accessible to thousands of researchers and practitioners worldwide. See http://acm.org/publications/policies/copyright_policy for the ACM's copyright and permissions policy.

Test Conditions			
Name	First	Second	Final
Marsden	223.0	44	432,321
Nass	22.2	16	234,333
Borriello	22.9	11	93,123
Karat	34.9	2200	103,322

Table 1. Table captions should be placed below the table. We recommend table lines be 1 point, 25% black. Minimize use of table grid lines.

11.4 Subsequent Pages

On pages beyond the first, start at the top of the page and continue in double-column format. The two columns on the last page should be of equal length.

11.5 References and Citations

Use a numbered list of references at the end of the article, ordered alphabetically by last name of first author, and referenced by numbers in brackets. Your references should be published materials accessible to the public. Internal technical reports may be cited only if they are easily accessible (i.e., you provide the address for obtaining the report within your citation) and may be obtained by any reader for a nominal fee. Proprietary information may not be cited. Private communications should be acknowledged in the main text, not referenced (e.g., “[Borriello, personal communication]”).

References should be in ACM citation format: http://acm.org/publications/submissions/latex_style. This includes citations to internet resources according to ACM format, although it is often appropriate to include URLs directly in the text, as above.

12. SECTIONS

The heading of a section should be in Helvetica or Arial 9-point bold, all in capitals. Sections should *not* be numbered.

12.1 Subsections

Headings of subsections should be in Helvetica or Arial 9-point bold with initial letters capitalized. For sub-sections and sub-subsections, a word like *the* or *of* is not capitalized unless it is the first word of the heading.

12.1.1 Sub-subsections

Headings for sub-subsections should be in Helvetica or Arial 9-point italic with initial letters capitalized. Standard \section, \subsection, and \subsubsection commands will work fine in this template.

13. FIGURES/CAPTIONS

Place figures and tables at the top or bottom of the appropriate column or columns, on the same page as the relevant text (see Figure ??). A figure or table may extend across both columns to a maximum width of 17.78 cm (7 in.).

Captions should be Times New Roman or Times Roman 9-point bold. They should be numbered (e.g., “Table ??” or “Figure ??”), centered (if one line) otherwise justified, and placed beneath the figure or table. Please note that the words “Figure” and “Table” should be spelled out (e.g., “Figure” rather than “Fig.”) wherever they occur. Figures, like Figure ??, may span columns and all figures should also include alt text for improved accessibility. Papers and notes may use color figures, which are included in the page limit; the figures must be usable when printed in black-and-white in the proceedings.

The paper may be accompanied by a short video figure (we recommend staying within five minutes in length). However, the paper should stand on its own without the video figure, as the video may not be available to everyone who reads the paper.

13.1 Inserting Images

When possible, include a vector formatted graphic (i.e. PDF or EPS). When including bitmaps, use an image editing tool to resize the image at the appropriate printing resolution (usually 300 dpi).

14. QUOTATIONS

Quotations may be italicized when “placed inline”.

Longer quotes, when placed in their own paragraph, need not be italicized or in quotation marks when indented.

15. LANGUAGE, STYLE, AND CONTENT

The written and spoken language of SIGCHI is English. Spelling and punctuation may use any dialect of English (e.g., British, Canadian, US, etc.) provided this is done consistently. Hyphenation is optional. To ensure suitability for an international audience, please pay attention to the following:

- Write in a straightforward style.
- Try to avoid long or complex sentence structures.
- Use common and basic vocabulary (e.g., use the word “unusual” rather than the word “arcane”).
- Briefly define or explain all technical terms that may be unfamiliar to readers.
- Explain all acronyms the first time they are used in your text—e.g., “Digital Signal Processing (DSP)”.
- Explain local references (e.g., not everyone knows all city names in a particular country).
- Explain “insider” comments. Ensure that your whole audience understands any reference whose meaning you do not describe (e.g., do not assume that everyone has used a Macintosh or a particular application).
- Explain colloquial language and puns. Understanding phrases like “red herring” may require a local knowledge of English. Humor and irony are difficult to translate.
- Use unambiguous forms for culturally localized concepts, such as times, dates, currencies, and numbers (e.g., “1–5–97” or “5/1/97” may mean 5 January or 1 May, and “seven o’clock” may mean 7:00 am or 19:00). For currencies, indicate equivalences: “Participants were paid ₩ 25,000, or roughly US \$22.”
- Be careful with the use of gender-specific pronouns (he, she) and other gendered words (chairman, manpower, man-months). Use inclusive language that is gender-neutral (e.g., she or he, they, s/he, chair, staff, staff-hours, person-years). See the *Guidelines for Bias-Free Writing* for further advice and examples regarding gender and other personal attributes. Be particularly aware of considerations around writing about people with disabilities.

- If possible, use the full (extended) alphabetic character set for names of persons, institutions, and places (e.g., Grønbæk, Lafrenière, Sánchez, Nguyễn, Universität, Weißenbach, Züllighoven, Århus, etc.). These characters are already included in most versions and variants of Times, Helvetica, and Arial fonts.

16. ACCESSIBILITY

The Executive Council of SIGCHI has committed to making SIGCHI conferences more inclusive for researchers, practitioners, and educators with disabilities. As a part of this goal, the all authors are asked to work on improving the accessibility of their submissions. Specifically, we encourage authors to carry out the following five steps:

1. Add alternative text to all figures
2. Mark table headings
3. Add tags to the PDF
4. Verify the default language
5. Set the tab order to “Use Document Structure”

For more information and links to instructions and resources, please see: <http://chi2016.acm.org/accessibility>. The \hyperref package allows you to create well tagged PDF files, please see the preamble of this template for an example.

17. PAGE NUMBERING, HEADERS AND FOOTERS

Your final submission should not contain footer or header information at the top or bottom of each page. Specifically, your final submission should not include page numbers. Initial submissions may include page numbers, but these must be removed for camera-ready. Page numbers will be added to the PDF when the proceedings are assembled.

18. PRODUCING AND TESTING PDF FILES

We recommend that you produce a PDF version of your submission well before the final deadline. Your PDF file must be ACM DL Compliant. The requirements for an ACM Compliant PDF are available at: <http://www.scomminc.com/pp/acmsig/ACM-DL-pdfs-requirements.htm>.

Test your PDF file by viewing or printing it with the same software we will use when we receive it, Adobe Acrobat Reader Version 10. This is widely available at no cost. Note that most reviewers will use a North American/European version of Acrobat reader, so please check your PDF accordingly.

19. CONCLUSION

It is important that you write for the SIGCHI audience. Please read previous years’ proceedings to understand the writing style and conventions that successful authors have used. It is particularly important that you state clearly what you have done, not merely what you plan to do, and explain how your work is different from previously published work, i.e., the unique contribution that your work makes to the field. Please consider what the reader will learn from your submission, and how they will find your work useful. If you write with these questions in mind, your work is more likely to be successful, both in being accepted into the conference, and in influencing the work of our field.

20. ACKNOWLEDGMENTS

Sample text: We thank all the volunteers, and all publications support and staff, who wrote and provided helpful comments on previous versions of this document. Authors 1, 2, and 3 gratefully acknowledge the grant from NSF (#1234–2012–ABC). *This whole paragraph is just an example.*

21. REFERENCES FORMAT

Your references should be published materials accessible to the public. Internal technical reports may be cited only if they are easily accessible and may be obtained by any reader for a nominal fee. Proprietary information may not be cited. Private communications should be acknowledged in the main text, not referenced (e.g., [Golovchinsky, personal communication]). References must be the same font size as other body text. References should be in alphabetical order by last name of first author. Use a numbered list of references at the end of the article, ordered alphabetically by last name of first author, and referenced by numbers in brackets. For papers from conference proceedings, include the title of the paper and the name of the conference. Do not include the location of the conference or the exact date; do include the page numbers if available.

Citing something[?]. [?] [?] [?]