

How Effective can an Adaptive AI Built With Predefined Expert Strategies be Against Competition Grade AIs?

James Hellman

Abstract—The abstract goes here.

I. INTRODUCTION

AI is considered [1] [2] Real-Time Strategy

II. STARCRAFT

STARCRAFT is an RTS game developed by Blizzard Entertainment [3], and released in 1998. Later that year StarCraft: Brood War was released and took hold as one of the greatest RTS games in gaming history, it was and is still large in the e-sports community. StarCraft 2: Wings of Liberty was released much later in 2010, with most of the game mechanics the same other than balance changes, the user interface (UI) was kept the same just with a visual overhaul. The premise of StarCraft is to gather resources, build a base, and build an army to then use to destroy an enemies base and army, during playtime there are also many upgrades available for these units to give them the edge over an enemy who did not spend the time acquiring them. There are many ways of doing this each player with a different order of building their armies/bases commonly referred to as their "Build Order" [4]. Build orders only refer to a players macro-management, whereas in StarCraft Micro-management is a huge part of the game, as those with greater control over individual units can better outmanoeuvre their opponent, and thus defeat them. This paper will be focusing on the macro-management portion of the game with a greater focus on the build order and the choosing of strategies rather than individual control of the units.

III. RELATED WORK

In the StarCraft research community there are many different methods of AI creation. Some focus on micro-management like S. Liu et al [5] that uses a Genetic Algorithm (GA) and others that focus on macro-management looking at the build order like N. Justesen et al [6]. Many of these research methods are cross depended and utilise more than one method for example, D. Churchill et al [7] created the UAlbertaBot, which was intended to automate both build order planning and unit control. Though this paper is focusing on the planning aspect with an implementation of "either a Bayesian or other prediction algorithm" there are many other ways of creating an effective AI.

A. Datasets

A Dataset can be a collection of any data, for game AI a dataset can consist of thousands of replays with millions of game frames, and player actions[8]. This information can then put together to create a full game-state which allows for machine learning tasks [9]. In AI research, datasets can be used in many approaches of development, one such use is to recreate game-states and evaluate them for prediction in realistic conditions [10].

B. Bayesian Approaches

Bayesian approaches are based on Bayes' Theorem, a calculation of probability or also known as a probabilistic model [11]. In papers by G. Synnaeve et al [12][10] they create an AI that controls units individually, they do this by using uncertainty which instead of asking where a unit might be, it makes rough estimations and acts upon that. Another use for the Bayesian approach is to predict strategies, by creating a probabilistic model that after learning from replays can predict an opponents strategy and adapt accordingly [13]. A major downfall of Bayesian Approaches is that it can be computationally intense to calculate.

C. Micro-Management

Micro management is a fundamental side of StarCraft gameplay and many papers have their own approach to this aspect of RTS [14][5][15][16][10][12]. Many of these approaches use either Genetic Algorithms (GA) or Evolutionary Algorithms (EA) [14][5][15], while others observe replays and apply a Monte-Carlo method to create data for practice use [16]. But most of these methods have one thing in common, they all use a version of machine learning [2].

D. Prediction

On a higher strategic level the prediction of the opponents strategy is an prominent approach used in research [17][13][18][19]. This type of research relies on the use of replays and machine learning to help the AI accurately predict a strategy, these do rely on the quantity and quality of replays used for the learning process[17][13][19]. Another method for prediction is scouting alongside machine learning, this eliminates the need for replay observation and allows for a more real-time prediction [18]. Though this method does still require several games to be played before the AI can begin to have an accurate prediction.

E. Full Game Play

Many papers try to create an AI capable of handling all aspects of an RTS [7][20][21][22]. These AI's tend to take several methods that have been created in other research and combining them to form a new AI [7]. Another use for the full game play AI is to try and create a "Human-Like" AI, which can mimic the play-style of an expert human player though the current AI's are limited in this as players reported that the AI's used unusual unit movements or building placement [23].

F. Neural Networks

Neural Networking are computational models loosely based on the functioning of biological brains [24]. Given an input it computes an output by using a large number of neural units, in StarCraft it can be used to predict strategies or in the case of StarCraft 2 with its new architecture it can be used for full game-play. Using a neural network would be impractical for the purpose of this paper as it would take many months to train.

G. Planning

Planning in StarCraft usually deals with the build order that the AI will use, [4] [6] [25] [20] [28] [26] [27]

IV. METHOD

This paper will be focusing on the implementation of an AI with pre-built build orders and their counters taken from Liquipedia [29], a website dedicated to StarCraft, on there they have a collection of strategies that are free to use in any capacity. Building upon these build orders the experiment will also include a method for swapping between the orders at any point, to know when to do this, the AI will scout the map in search of the opponent and compare their current building to its stored build orders and find an appropriate counter. The issue with this method is that in late game the AI will struggle to decide which build order to continue.

A. Tools

There are several tools that will be using in this experiment, these include The Brood War Application Programming Interface (BWAPI), Parallel-rooted Ordered Slip-stack Hierarchical (POSH) reactive plans tools, specifically POSH Sharp which is an interface that uses cSharp instead of C++, and the ABODE editing software which uses POSH plans to create Behaviour Oriented Design's for AI's.

BWAPI [30] is a open source software that creates an interface for a custom AI to use to communicate with the game. BWAPI deliberately does not give access to all the games information [27], limiting the AI to only be able to have information on the enemy if there is no Fog-of-War currently covering them, as well as the size of the map and base locations. This prevents custom AI's from cheating and ensures a fair game, though this could be considered a plus as it means that the developers of these AI's do not need to worry about using information that could cause their AI to cheat. Though this does mean that all the AI's must work in

an imperfect environment which forces the AI to have to scout for information.

The POSH tool, is



Fig. 1. POSH plan for the Three Hatch Hydra build plan inside the ABODE editor.

How to measure?

REFERENCES

- [1] D. M. Bourg and G. Seemann, *AI for Game Developers*. O'Reilly Media, Inc., 2004.
- [2] S. Ontan, G. Synnaeve, A. Uriarte, F. Richoux, D. Churchill, and M. Preuss, "A survey of real-time strategy game ai research and competition in starcraft," *IEEE Transactions on Computational Intelligence and AI in Games*, vol. 5, pp. 293–311, Dec 2013.
- [3] Blizzard Entertainment. Starcraft. [Online]. Available: <http://eu.blizzard.com/en-gb/games/sc/> [Accessed 03-11-2017]
- [4] D. Churchill and M. Buro, "Build order optimization in starcraft," *AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, 2011.
- [5] S. Liu, S. J. Louis, and C. Ballinger, "Evolving effective micro behaviors in rts game," in *2014 IEEE Conference on Computational Intelligence and Games*, Aug 2014, pp. 1–8.
- [6] N. Justesen and S. Risi, "Continual online evolutionary planning for in-game build order adaptation in starcraft," in *Proceedings of the Genetic and Evolutionary Computation Conference*. ACM, 2017, pp. 187–194.
- [7] D. Churchill and M. Buro, "Incorporating search algorithms into rts game agents," *AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, 2012.
- [8] G. Synnaeve and P. Bessire, "A dataset for starcraft ai and an example of armies clustering," *AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, 2012.
- [9] L. Zeming, G. Jonas, I. K. Vasi, and S. Gabriel, "Stardata: A starcraft ai research dataset," *AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, 2017.
- [10] G. Synnaeve and P. Bessire, "Special tactics: A bayesian approach to tactical decision-making," in *2012 IEEE Conference on Computational Intelligence and Games (CIG)*, Sept 2012, pp. 409–416.
- [11] K. B. Korb and A. E. Nicholson, *Bayesian Artificial Intelligence, Second Edition*, 2nd ed. CRC Press, Inc., 2010.
- [12] G. Synnaeve and P. Bessire, "A bayesian model for rts units control applied to starcraft," in *2011 IEEE Conference on Computational Intelligence and Games (CIG'11)*, Aug 2011, pp. 190–196.
- [13] —, "A bayesian model for opening prediction in rts games with application to starcraft," in *2011 IEEE Conference on Computational Intelligence and Games (CIG'11)*, Aug 2011, pp. 281–288.
- [14] I. Zelinka and L. Sikora, "Starcraft: Brood war - strategy powered by the soma swarm algorithm," in *2015 IEEE Conference on Computational Intelligence and Games (CIG)*, Aug 2015, pp. 511–516.
- [15] A. R. Tavares, H. Azprua, and L. Chaimowicz, "Evolving swarm intelligence for task allocation in a real time strategy game," in *2014 Brazilian Symposium on Computer Games and Digital Entertainment*, Nov 2014, pp. 99–108.
- [16] J. Young and N. Hawes, "Learning micro-management skills in rts games by imitating experts," in *AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*. AAAI, 2014.
- [17] B. G. Weber and M. Mateas, "A data mining approach to strategy prediction," in *2009 IEEE Symposium on Computational Intelligence and Games*, Sept 2009, pp. 140–147.
- [18] H. Park, H.-C. Cho, K. Lee, and K.-J. Kim, "Prediction of early stage opponents strategy for starcraft ai using scouting and machine learning," in *Proceedings of the Workshop at SIGGRAPH Asia*. ACM, 2012, pp. 7–12.
- [19] H. C. Cho, K. J. Kim, and S. B. Cho, "Replay-based strategy prediction and build order adaptation for starcraft ai bots," in *2013 IEEE Conference on Computational Intelligence in Games (CIG)*, Aug 2013, pp. 1–7.
- [20] M. Stanescu, N. Barriga, and M. Buro, "Hierarchical adversarial search applied to real-time strategy games," *AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, 2014.
- [21] B. Weber, M. Mateas, and A. Jhala, "Building human-level ai for real-time strategy games," *Advances in Cognitive Systems: Papers from the 2011 AAAI Fall Symposium*, 2011.
- [22] J. Young, F. Smith, C. Atkinson, K. Poyner, and T. Chothia, "Scail: An integrated starcraft ai system," in *2012 IEEE Conference on Computational Intelligence and Games (CIG)*, Sept 2012, pp. 438–445.
- [23] M.-J. Kim, K.-J. Kim, S. Kim, and A. K. Dey, "Evaluation of starcraft artificial intelligence competition bots by experienced human players," in *Proceedings of the 2016 CHI Conference Extended Abstracts on Human Factors in Computing Systems*. ACM, 2016, pp. 1915–1921.
- [24] N. Justesen and S. Risi, "Learning macromanagement in starcraft from replays using deep learning," in *2017 IEEE Conference on Computational Intelligence and Games (CIG)*, Aug 2017, pp. 162–169.
- [25] B. G. Weber, M. Mateas, and A. Jhala, "Applying goal-driven autonomy to starcraft," in *Proceedings of the Sixth AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*. AAAI, 2010.
- [26] S. Gaudl, S. Davies, and J. Bryson, "Behaviour oriented design for real-time-strategy games: An approach on iterative development for sc starcraft ai," *Foundations of Digital Games (FDG)*, pp. 198–205, Jun 2013.
- [27] C. Brom, J. Gemrot, M. B. ida, O. Burkert, S. J. Partington, and J. Bryson, "Posh tools for game agent development by students and non-programmers," in *9th International Conference on Computer Games: AI, Animation, Mobile, Education and Serious Games*, Jan 2006, pp. 126 – 135.
- [28] M. Preuss, D. Kozakowski, J. Hagelbck, and H. Trautmann, "Reactive strategy choice in starcraft by means of fuzzy control," in *2013 IEEE Conference on Computational Intelligence in Games (CIG)*, Aug 2013, pp. 1–8.
- [29] Liquipedia. Protos strategy. [Online]. Available: [http://wiki.teamliquid.net/starcraft/Protoss Strategy](http://wiki.teamliquid.net/starcraft/Protoss%20Strategy) [Accessed 03-11-2017]
- [30] BWAPI Development Team. bwapi - an api for interacting with StarCraft: Broodwar (1.16.1). [Online]. Available: <https://github.com/bwapi/bwapi> [Accessed 04-11-2017]