



FALMOUTH
UNIVERSITY

COMP110: Principles of Computing

Title of lecture

Learning outcomes

By the end of this session you will

- ▶ Understand a thing
- ▶ Understand another thing
- ▶ Be convinced that \LaTeX makes better-looking slides than PowerPoint

Title of slide

- ▶ Point number 1
- ▶ Point number 2
 - ▶ “pause” is optional at the end of items
 - ▶ Or it can be included
 - ▶ Like this

Title of slide

- ▶ Point number 1
- ▶ Point number 2
 - ▶ “pause” is optional at the end of items
 - ▶ Or it can be included
 - ▶ Like this

Title of slide

- ▶ Point number 1
- ▶ Point number 2
 - ▶ “pause” is optional at the end of items
 - ▶ Or it can be included
 - ▶ Like this

Title of slide

- ▶ Point number 1
- ▶ Point number 2
 - ▶ “pause” is optional at the end of items
 - ▶ Or it can be included
 - ▶ Like this

Part heading



Pseudocode

procedure EUCLID(a, b)

$r \leftarrow a \bmod b$

while $r \neq 0$ **do**

$a \leftarrow b$

$b \leftarrow r$

$r \leftarrow a \bmod b$

end while

return b

end procedure

▷ The g.c.d. of a and b

▷ We have the answer if r is 0

▷ The gcd is b

Code listing: Python

```
def factorial(n):  
    if type(n) is not int or n < 0:  
        raise ValueError("n must be a nonnegative ←  
            integer")  
    else if n <= 1:  
        return 1  
    else:  
        # Recursive call  
        return n * factorial(n-1)
```

Code listing: C++

```
// My first C++ program

#include <iostream>

int main(int argc, char** argv)
{
    std::cout << "Hello, world!" << std::endl;
    return 0;
}
```

You can also refer to code in text, as in `this->example()`.