

```
1 // CSmartColour.cpp : implementation file
2 //
3
4 #include "pch.h"
5 #include "DesignArk.h"
6
7 #include "CSmartColour.h"
8
9 // CSmartColour
10
11 IMPLEMENT_DYNAMIC(CSmartColour, CPropertySheet)
12
13 CSmartColour::CSmartColour(std::vector<std::vector<CString>>
    page_strings, std::vector<COLORREF> page_colour,
14                          CString commentType, COLORREF
    commentColour, COLORREF numberColour, COLORREF
15                          highlightColour, CString fonts, CString indents,
    LPCTSTR pszCaption, CWnd* pParentWnd,
16                          UINT iSelectPage)
    :CPropertySheet(pszCaption, pParentWnd, iSelectPage),
17  statements(page_strings[0], page_colour[0], page_strings[1],
    page_colour[1]),
18  types(page_strings[2], page_colour[2]),
19  builtin(page_strings[3], page_colour[3], page_strings[4],
    page_colour[4]),
20  other(commentType, commentColour, numberColour, highlightColour,
    fonts, indents)
21 {
22     this->AddPage(&this->statements);
23     this->AddPage(&this->types);
24     this->AddPage(&this->builtin);
25     this->AddPage(&this->other);
26 }
27
28 CSmartColour::~CSmartColour()
29 {
30 }
31
32
33 BEGIN_MESSAGE_MAP(CSmartColour, CPropertySheet)
34 END_MESSAGE_MAP()
35
36
37 // CSmartColour message handlers
38
```