CASE VAULT

DEVELOPER MANUAL & COMPLETE SOURCE

A file-by-file guide to the FastAPI/MongoDB backend and React frontend. This document prints the full tracked source and explains the purpose of each file before its listing.

DOCUMENT CONTROL	VALUE
Branch and commit	main / 6b23654
Date	20 October 2026 (Asia/Singapore)
Upload size rule	10 MiB = 10 x 1024 x 1024 bytes for initial and replacement PDFs
Tracked file count	89
Original bytes	Embedded ZIP attachment inside this PDF; includes every tracked file

Scope: tracked repository files at this commit. Private .env, installed node_modules/venv, Git history, generated builds, live database contents, and the untracked project PDF are excluded. For UTF-8 characters unsupported by standard PDF fonts, printed listings use reversible backslash escapes; the embedded ZIP preserves exact original bytes.

01 Architecture and data flow

Browser -> React (case-vault-frontend/src) -> /api proxy or configured API URL -> FastAPI routers -> services/models -> MongoDB and GridFS. The UI uses /users/me/access to receive effective permission codes; backend dependencies independently enforce those grants. This is a session-based, role-controlled case archive with versioned PDF evidence and an audit ledger.

LAYER	RESPONSIBILITY	PRIMARY FILES
Frontend shell	Navigation, protected pages, login state, common UI	src/App.jsx; src/layouts; src/auth
Frontend workflows	Case library/detail, upload, admin, settings	src/pages/*
API routers	Validate requests and enforce role permissions	app/routers/*; app/dependencies/auth.py
Models and schemas	Database documents and API contracts	app/models/*; app/schemas/*
Services	Storage, sessions, auditing, migration, seeding	app/services/*
Persistence	MongoDB metadata and GridFS PDF bytes	app/core/database.py

Request flow: create evidence

SecureSubmission builds multipart FormData with case_id, evidence_type, title, optional metadata, and file. POST /evidence checks evidence:upload, active case, field lengths, <=10 MiB, MIME/name, and actual PDF structure through pypdf. storage_service hashes the received bytes and stores them in GridFS. The router commits evidence, version 1, current_version_id, and audit entry in a metadata transaction. A definite metadata failure attempts to remove the new GridFS file.

Request flow: replace and verify

CaseDetail posts a replacement PDF to /evidence/{id}/versions. The backend validates it, stores a new GridFS file, allocates the next version number through a write to the evidence record, and transactionally commits version metadata, pointer, and audit entry. Verification re-reads GridFS bytes and compares SHA-256 with that version's upload baseline. Not checked, Intact, Mismatch detected, and Check failed are historical result labels; is_tamper_flagged is a separate retained boolean.

Permission and session model

Built-in administrator, analyst, and reviewer grants are seeded in seed_service.py and migrated explicitly for existing databases. get_current_user checks the JWT, revocation list, account state, and active session lease. A second active login is rejected. The frontend heartbeat renews the three-minute lease; the JWT maximum lifetime is eight hours.

02 Build, migration, and validation

TASK	COMMAND OR REQUIREMENT
Backend dependencies	python -m pip install -r requirements.txt
Fresh isolated database	python -m app.services.seed_service
Existing database	Stop writes, back up, then python -m app.services.migration_service
Run API	uvicorn app.main:app --reload; inspect /docs

TASK	COMMAND OR REQUIREMENT
Frontend dependencies	cd case-vault-frontend; npm ci
Run frontend	npm run dev (npm.cmd run dev in PowerShell if needed)
Backend tests	python -m pytest -q
Frontend checks	npm run lint; npm run build

The full MongoDB integration test needs TEST_MONGO_URI set to a transaction-capable, isolated test replica set. It creates a random cv_test_* database. When TEST_MONGO_URI is absent, that test is skipped, not passed. The 10 MiB change was checked with 26 passing tests, one skipped integration test, frontend lint, and frontend build before push.

The migration checks duplicate evidence version numbers and case-tag pairs, creates unique compound indexes, backfills version counters, and updates built-in grants. GridFS writes are outside metadata transactions, so a crash or uncertain commit can leave an orphan requiring operator review.

03 Source index and reading guide

The following appendix covers all 89 Git-tracked files in path order. Each file has a ROLE explanation, automatically extracted KEY DECLARATIONS where applicable, an encoding/line count and SHA-256, and its entire text or a Base64 view for binary assets. Line numbers in the PDF correspond to the decoded file content. The embedded ZIP is authoritative for exact bytes and can be extracted with a PDF reader that supports attachments.

PATH GROUP	READ THIS FOR
app/core, dependencies	Configuration, database setup, password/JWT security, and authorization guards
app/models, schemas	Stored fields and API validation contracts
app/routers	HTTP endpoints, permissions, transactions, and audit calls
app/services	Reusable persistence, storage, sessions, migration, and seeding
frontend/src/pages	User-facing workflows and their local state/API calls
frontend/src/layouts, auth, lib	Navigation, authentication context, and API client
frontend CSS and assets	Visual styles, icon assets, and responsive behavior
tests and scripts	Expected behavior, isolated integration exercises, manual connection probes

.env.example

ROLE: Backend environment template. Documents required database and signing settings without storing live secrets.

SOURCE CONTENT | 3 lines | utf-8-sig | SHA-256 acf5a5b8e30c7f0530f2d999ec1e37dbc777353adb9ba02e17e2305880bc6849

```
00001   MONGO_URI=mongodb+srv://<db_username>:<db_password>@<cluster-host>/?appName=<cluster-name>
00002   DB_NAME=case_vault
00003   JWT_SECRET=replace-with-a-long-random-string
```

.gitignore

ROLE: Repository exclusion rules for local configuration, caches, and generated files.

SOURCE CONTENT | 6 lines | utf-8-sig | SHA-256 e3873e34e896e6f1e568652ed8b3f6ad33928bbf4998f92095d4f5a287f29296

```
00001  .env
00002  venv/
00003  __pycache__/
00004  *.pyc
00005  .vscode/
00006  .idea/
```

BACKEND.md

ROLE: Backend operating notes covering migrations, sessions, evidence, tags, and transaction limits.

SOURCE CONTENT | 25 lines | utf-8-sig | SHA-256 85e7158a9f47c2c423c8d83b56a5b4c1e49615ed5c3cbc5dd86e5f15128c7583

```
00001  # Case Vault backend
00002
00003  The backend implements the PDF's case, evidence, role, tag, and audit API requirements. The PDF is a documentation
  ...  snapshot and is not changed by these backend updates.
00004
00005  ## Setup
00006
00007  Use Python 3.12 and a MongoDB replica set (including a single-node replica set for local development). Transactions
  ...  are required for metadata changes. Install dependencies with `python -m pip install -r requirements.txt`; for tests
  ...  also install `requirements-dev.txt`. Configure `MONGO_URI`, `DB_NAME`, and `JWT_SECRET` in `.env` as expected by
  ...  `app/core/config.py`. `CORS_ORIGINS` is an optional comma-separated list of allowed frontend origins; its default
  ...  covers Vite on localhost port 5173.
00008
00009  On an existing database, stop API writes, back up the database, then run `python -m app.services.migration_service`.
  ...   The migration checks for duplicate `(evidence_id, version_no)` and `(case_id, tag_id)` pairs before creating unique
  ...   compound indexes, backfills version counters, grants tag creation to admin/analyst and tag assignment to
  ...  admin/analyst/reviewer, and removes tag creation from the built-in reviewer role. It also removes deletion grants
  ...  from built-in analyst/reviewer roles. It preserves custom roles and prints conflicting custom-role deletion grants
  ...  for manual review. Resolve duplicates manually before rerunning; the migration never rewrites or removes conflicting
  ...   records. It adds a TTL index for active sessions and is idempotent. Startup fails if any required index is absent.
  ...  Fresh installations can run `python -m app.services.seed_service`, which also runs the migration. Change the
  ...  bootstrap admin password immediately.
00010
00011  Start the API with `uvicorn app.main:app --reload`, then open `/docs`. `GET /cases` supports `status`, `case_type`,
  ...  `q` (literal case-number substring), `analyst_id` (the case creator ID), and inclusive `submitted_from` /
  ...  `submitted_to` calendar dates. Case timestamps are stored as naive UTC; date bounds are interpreted as UTC days.
  ...  Evidence is listed by `GET /evidence/by-case/{case_id}`. Admin-only `GET /cases/deleted` and `GET
  ...  /cases/deleted/{case_id}` and `GET /evidence/deleted/{evidence_id}` inspect archived metadata. Normal evidence
  ...  endpoints return 404 when the evidence or parent case has been soft-deleted, even for admins.
00012
00013  `GET /users/me/access` returns the signed-in user's role and current permission codes for navigation. `POST
  ...  /auth/logout` revokes the presented bearer token until its expiry; expired revocation records are removed by a
  ...  MongoDB TTL index. Evidence uploads can also store optional description, source device, and notes fields used by the
  ...   frontend.
00014
00015  Each account has one active login session. A second login with valid credentials returns HTTP 409 while the first
  ...  session is active. A successful logout releases the slot immediately. Authenticated requests renew a three-minute
  ...  server-side lease, and the frontend calls `POST /auth/heartbeat` every minute while open. If the tab closes or loses
  ...   connectivity, another device can sign in once that lease expires; the old token then fails authentication even if
  ...  its eight-hour JWT expiry has not passed. Browser sleep or throttling can also let the lease expire while a tab is
  ...  open, in which case the user must sign in again. Changing an account's active status releases its slot, so a
  ...  reactivated account must sign in again. Session records contain a SHA-256 token hash, never the raw token. The
  ...  `active_sessions` collection uses the unique MongoDB `_id` per user and an `expires_at` TTL index; login also checks
  ...   both JWT expiry and lease freshness directly because TTL cleanup is asynchronous. Existing active sessions without
  ...  `last_seen_at` use `started_at` for the initial lease check; sessions older than three minutes must sign in again
  ...  after deployment. No new database migration is required for this change. A copied bearer token can still be used
  ...  elsewhere while its session is active. Account deletion is unavailable; administrators can deactivate or reactivate
  ...  accounts through `PATCH /users/{user_id}`.
00016
00017  Passwords must contain 8–128 characters. Self-service password changes reject a local list of common passwords and
  ...  obvious sequences. Only the built-in admin role may use a common password when creating an account with a temporary
  ...  password; the temporary password is not automatically expired or forced to change, so the user should replace it in
  ...  Password Settings. This local check is not an exhaustive breached-password screening service. New hashes use
  ...  bcrypt-SHA256 so all 128 characters matter; existing bcrypt hashes still verify and are replaced with the new scheme
  ...   when changed. No database migration is required.
00018
00019  Any authenticated user with `case:view` can remove a tag from an active case. Removal deletes only that case-tag
  ...  association and records `tag_removed`; the tag remains available for other cases. Tag assignment requires
  ...  `tag:assign` and is available to administrators, analysts, and reviewers. `DELETE /tags/{tag_id}` is admin-only and
  ...  permanently removes a tag from the available options and all case associations in one metadata transaction. It
  ...  records `tag_removed` for each affected case and `tag_deleted` for the global deletion.
00020
00021  PDF uploads are limited to 10 MiB (10 × 1024 × 1024 bytes) for both initial evidence and replacement versions, and
  ...  are parsed for structural validity using `pypdf`; this is not malware scanning. SHA-256 verification happens on
  ...  demand. GridFS does not support multi-document transactions, so file bytes are stored before metadata is committed.
  ...  A definite metadata failure triggers GridFS cleanup. A process crash, failed cleanup, or uncertain commit result can
  ...   still leave an orphaned file or uncertain file/metadata state and requires operator reconciliation; do not assume
  ...  file and metadata are fully atomic.
00022
00023  `GET /evidence/{evidence_id}/versions/{version_id}/verification-status` reads the latest recorded check for an
  ...  active evidence version using `evidence:view`. It returns `Not checked`, `Intact`, `Mismatch detected`, or `Check
  ...  failed` with the check time and actor when available. `Intact` means the stored bytes matched the upload hash at the
  ...   displayed check time. This is a historical result, not continuous monitoring; the version's `is_tamper_flagged`
  ...  value remains separate and is not cleared by a later matching check. Existing audit entries supply the status, so no
```

```
  ...    migration is needed.
00024
00025   Tests use `python -m pytest -q`. The integration test requires `TEST_MONGO_URI` pointing to a transaction-capable
  ...   **test** replica set. It creates a random `cv_test_*` database and drops only that database. Never set
  ...   `TEST_MONGO_URI` to production. Without this variable, the integration test is skipped, not passed.
```

README.md

ROLE: Top-level project overview, setup notes, architecture, and API usage instructions.

SOURCE CONTENT | 280 lines | utf-8-sig | SHA-256 73123654fff51008942ef27cab0e56173916751f90a71e87ada852aa6d7b307c

```
00001  \# Case Vault Backend
00002
00003
00004
00005  FastAPI + MongoDB Atlas backend for \*\*Case Vault: A Secure Web-Based Archive for
00006
00007  Analyzed Forensic Case Data\*\* (Group Metaguard, CCSFEN1L / COM243).
00008
00009
00010
00011  It authenticates users, enforces role-based permissions, stores PDF evidence
00012
00013  immutably with full version history and SHA-256 hashes, detects tampering, and
00014
00015  records an audit trail of important actions.
00016
00017
00018
00019  \## Requirements
00020
00021
00022
00023  \- Python \*\*3.12\*\*
00024
00025  \- A MongoDB Atlas cluster (free M0 works; it is a replica set, which the
00026
00027  &#x20; transactions in this project require)
00028
00029  \- Windows PowerShell commands are shown; adjust for other shells
00030
00031
00032
00033  \## Setup
00034
00035
00036
00037  ```powershell
00038
00039  py -3.12 -m venv venv
00040
00041  .\\venv\\Scripts\\Activate.ps1
00042
00043  pip install -r requirements.txt
00044
00045  ```
00046
00047
00048
00049  If script activation is blocked:
00050
00051  `Set-ExecutionPolicy -Scope Process -ExecutionPolicy RemoteSigned`
00052
00053
00054
00055  Create your environment file from the template and fill in real values:
00056
00057
00058
00059  ```powershell
00060
00061  copy .env.example .env
00062
00063  notepad .env
00064
00065  ```
00066
00067
00068
00069  | Key | Meaning |
00070
00071  |---|---|
00072
00073  | `MONGO\_URI` | Atlas connection string with your DB user and password filled in |
00074
```

```
| `DB\_NAME` | Database name (default `case\_vault`) |

| `JWT\_SECRET` | Long random string used to sign login tokens |


Generate a secret with:

`python -c "import secrets; print(secrets.token\_hex(32))"`


\*\*Never commit `.env`.\*\* It is listed in `.gitignore`.


\## Seed the database (once)


Only admins can create accounts, so the first admin is created by script:


```powershell

python -m app.services.seed_service

```


This creates the roles (`admin`, `analyst`, `reviewer`), the permissions, the

role-permission mapping, and one admin account:

\- Email: `admin@casevault.org`

\- Password: `ChangeMe123!`

Change that password after your first login (`PATCH /users/me/password`).

The seed is safe to run again; it skips anything that already exists.

\## Run


```powershell

uvicorn app.main:app --reload

```


Open http://127.0.0.1:8000/docs for the interactive API.

Startup may print `DB connection attempt N/6 failed ... TLSV1\_ALERT\_INTERNAL\_ERROR`

and then succeed. That is the built-in retry handling an intermittent handshake

failure. If all 6 attempts fail, restart the server.

\## Try it

1\. `POST /auth/login` with the admin credentials, copy `access\_token`.

2\. Click **Authorize** in `/docs` and paste the token.

3\. `GET /roles` to find role ids, then `POST /users` to create an analyst.
```

```
00158
00159  4\. `POST /cases`, then `POST /evidence` (upload a PDF), then
00160
00161  &#x20;  `POST /evidence/{id}/versions` to add a replacement version.
00162
00163  5\. `GET /evidence/{id}/versions/{version\_id}/verify` to check integrity.
00164
00165  6\. `GET /audit` to see the chain of custody.
00166
00167
00168  \## Roles and permissions
00169
00170
00171
00172  | Permission | admin | analyst | reviewer |
00173
00174  |---|:-:|:-:|:-:|
00175
00176  | `case:create` | yes | yes | - |
00177
00178  | `case:view` | yes | yes | yes |
00179
00180  | `case:update\_status` | yes | - | yes |
00181
00182  | `case:delete` | yes | - | - |
00183
00184  | `evidence:upload` | yes | yes | - |
00185
00186  | `evidence:view` | yes | yes | yes |
00187
00188  | `user:manage` | yes | - | - |
00189
00190
00191
00192  Routes declare the permission they need with
00193
00194  `Depends(require\_permission("..."))`. What each role may do is defined in
00195
00196  `app/services/seed\_service.py`.
00197
00198
00199
00200  \## Project structure
00201
00202
00203
00204  ```
00205
00206  app/
00207
00208  \u251c\u2500\u2500 main.py            app entry point, router registration
00209
00210  \u251c\u2500\u2500 core/              config (.env), database connection, security (hash + JWT)
00211
00212  \u251c\u2500\u2500 models/            MongoDB collections (Beanie documents)
00213
00214  \u251c\u2500\u2500 schemas/           request/response shapes (Pydantic)
00215
00216  \u251c\u2500\u2500 dependencies/      get\_current\_user, require\_permission
00217
00218  \u251c\u2500\u2500 services/          audit logging, user creation, storage (GridFS), seeding
00219
00220  \u2514\u2500\u2500 routers/           HTTP endpoints
00221
00222  ```
00223
00224
00225
00226  \## Key design points
00227
00228
00229
00230  \- \*\*No public registration.\*\* Admins create accounts.
00231
00232  \- \*\*Immutable evidence.\*\* `Evidence` is the record; each uploaded file is an
00233
00234  &#x20; `EvidenceVersion`. A re-upload adds a version and never overwrites one.
00235
00236  \- \*\*Tamper detection.\*\* Each version stores a SHA-256 hash. `verify` re-hashes
00237
00238  &#x20; the stored file and flags a mismatch.
00239
00240
```

```
\- \*\*Soft delete.\*\* Deleting a case sets `deleted\_at`; the document remains.

\- \*\*Audit trail.\*\* Important actions write an `AuditTransaction`. User creation,

&#x20; case creation, evidence upload and new versions are written in a single

&#x20; MongoDB transaction with their audit entry.



\## Git workflow



Branches: `main` (stable) and `develop` (integration). Create a

`feature/<name>` branch off `develop` for new work. Before every commit, run

`git status` and confirm `.env` is not listed.



\## Common problems



| Problem | Fix |

|---|---|

| `ModuleNotFoundError` | Activate the venv, then `pip install -r requirements.txt` |

| Email rejected as reserved (`.local`, `.test`) | Use a normal domain such as `.com` or `.org` |

| bcrypt "72 bytes" error | `pip install "bcrypt==4.0.1"` |

| 500 `Permission ... is not configured` | Run the seed script |

| 401 on everything | Token expired (8 h) or not authorized; log in again |

```

app/core/config.py

ROLE: Pydantic settings for MongoDB, database name, JWT secret, and allowed frontend origins.

KEY DECLARATIONS: Settings, Settings.MONGO_URI, Settings.DB_NAME, Settings.JWT_SECRET, Settings.CORS_ORIGINS

SOURCE CONTENT | 12 lines | utf-8-sig | SHA-256 f679d2430d51da30f66bd44c710e2e54438d1c60f9a5302ccc4959f5ca36b58a

```
00001  from pydantic_settings import BaseSettings
00002
00003  class Settings(BaseSettings):
00004      MONGO_URI: str
00005      DB_NAME: str
00006      JWT_SECRET: str
00007      CORS_ORIGINS: str = "http://localhost:5173,http://127.0.0.1:5173"
00008
00009      class Config:
00010          env_file = ".env"
00011
00012  settings = Settings()
```

app/core/database.py

ROLE: Motor/Beanie database initialization, connection retries, and required-index migration checks.

KEY DECLARATIONS: get_client, init_db

SOURCE CONTENT | 71 lines | utf-8-sig | SHA-256 525d6b4bfd906c519c65efbfee5f9f914ccc22044926b1a9da762577e364af4c

```
00001  import certifi
00002  from motor.motor_asyncio import AsyncIOMotorClient
00003  from beanie import init_beanie
00004  from app.core.config import settings
00005
00006  from app.models.role import Role
00007  from app.models.permission import Permission
00008  from app.models.role_permission import RolePermission
00009  from app.models.user import User
00010  from app.models.case import Case
00011  from app.models.tag import Tag
00012  from app.models.case_tag import CaseTag
00013  from app.models.evidence import Evidence
00014  from app.models.evidence_version import EvidenceVersion
00015  from app.models.audit_transaction import AuditTransaction
00016  from app.models.revoked_token import RevokedToken
00017
00018  import asyncio
00019
00020  _client: AsyncIOMotorClient | None = None
00021
00022
00023  def get_client() -> AsyncIOMotorClient:
00024      if _client is None:
00025          raise RuntimeError("Database client not initialized yet.")
00026      return _client
00027
00028  async def init_db(retries: int = 6, delay: float = 3.0, require_migration: bool = True):
00029      global _client
00030      options = {} if settings.MONGO_URI.startswith("mongodb://") else {"tlsCAFile": certifi.where()}
00031      _client = AsyncIOMotorClient(settings.MONGO_URI, **options)
00032
00033      last_error = None
00034      for attempt in range(1, retries + 1):
00035          try:
00036              await init_beanie(
00037                  database=_client[settings.DB_NAME],
00038                  document_models=[
00039                      Role,
00040                      Permission,
00041                      RolePermission,
00042                      User,
00043                      Case,
00044                      Tag,
00045                      CaseTag,
00046                      Evidence,
00047                      EvidenceVersion,
00048                      AuditTransaction,
00049                      RevokedToken,
00050                  ],
00051              )
00052              if require_migration:
00053                  indexes = await _client[settings.DB_NAME]["evidence_versions"].list_indexes().to_list(None)
00054                  if not any(list(index["key"].items()) == [("evidence_id", 1), ("version_no", 1)] and
  ...  index.get("unique") for index in indexes):
00055                      raise RuntimeError("Migration required: run python -m app.services.migration_service before
  ...  starting the API")
00056                  tag_indexes = await _client[settings.DB_NAME]["case_tags"].list_indexes().to_list(None)
00057                  if not any(list(index["key"].items()) == [("case_id", 1), ("tag_id", 1)] and index.get("unique") for
  ...   index in tag_indexes):
00058                      raise RuntimeError("Migration required: run python -m app.services.migration_service before
  ...  starting the API")
00059                  session_indexes = (await _client[settings.DB_NAME]["active_sessions"].list_indexes().to_list(None)
00060                                     if "active_sessions" in await _client[settings.DB_NAME].list_collection_names()
  ...  else [])
00061                  if not any(list(index["key"].items()) == [("expires_at", 1)] and index.get("expireAfterSeconds") ==
  ...  0
00062                             for index in session_indexes):
00063                      raise RuntimeError("Migration required: run python -m app.services.migration_service before
  ...  starting the API")
00064              return
00065          except Exception as e:
```

```
00066               last_error = e
00067               print(f"DB connection attempt {attempt}/{retries} failed: {e}")
00068               if attempt < retries:
00069                   await asyncio.sleep(delay)
00070
00071       raise last_error
```

app/core/password_policy.py

ROLE: Local detection of obvious/common passwords used for user-selected passwords.

KEY DECLARATIONS: COMMON_PASSWORDS, COMMON_PREFIXES, SEQUENCES, LEET_CHARS, is_common_password

SOURCE CONTENT | 36 lines | utf-8-sig | SHA-256 d032fb13928302386a65a5c19f1b206ac934579142b251437e91e1e1415545cb

```
00001  """Reject obvious passwords when a user chooses a lasting password."""
00002
00003  import re
00004  import unicodedata
00005
00006
00007  COMMON_PASSWORDS = {
00008      "12345678", "123456789", "1234567890", "11111111", "00000000",
00009      "abcdefgh", "abcdefghi", "qwertyui", "qwertyuiop", "asdfghjk",
00010      "zxcvbnm", "football", "baseball", "sunshine", "princess",
00011      "monkey123", "dragon123", "trustno1", "password1", "password123",
00012  }
00013  COMMON_PREFIXES = (
00014      "password", "admin", "administrator", "qwerty", "welcome",
00015      "letmein", "changeme", "iloveyou", "casevault", "secret", "test123",
00016  )
00017  SEQUENCES = ("0123456789", "123456789", "9876543210", "987654321",
00018               "abcdefghijklmnopqrstuvwxyz", "zyxwvutsrqponmlkjihgfedcba")
00019  LEET_CHARS = str.maketrans({"@": "a", "0": "o", "$": "s", "5": "s"})
00020
00021
00022  def is_common_password(password: str) -> bool:
00023      normalized = unicodedata.normalize("NFKC", password).casefold()
00024      compact = re.sub(r"[^a-z0-9]", "", normalized)
00025      lookalike = re.sub(r"[^a-z0-9]", "", normalized.translate(LEET_CHARS))
00026      if not compact or compact in COMMON_PASSWORDS or lookalike in COMMON_PASSWORDS:
00027          return True
00028      if any(re.fullmatch(rf"{prefix}[0-9]{{0,8}}", candidate)
00029             for prefix in COMMON_PREFIXES for candidate in (compact, lookalike)):
00030          return True
00031      if any(compact in sequence * 3 for sequence in SEQUENCES):
00032          return True
00033      if any(len(compact) % size == 0 and compact == compact[:size] * (len(compact) // size)
00034             for size in range(1, min(4, len(compact) // 2) + 1)):
00035          return True
00036      return len(set(compact)) == 1
```

app/core/security.py

ROLE: Password hashing/verification and HS256 JWT creation/decoding with eight-hour token expiry.

KEY DECLARATIONS: hash_password, verify_password, ALGORITHM, ACCESS_TOKEN_EXPIRE_MINUTES, create_access_token, decode_access_token

SOURCE CONTENT | 29 lines | utf-8-sig | SHA-256 e2ebb0b1bdb4b0f1a977d82adccdb7618a24dc4ad263bf7dad0891c78427ad9f

```
00001  from datetime import datetime, timedelta, timezone
00002  from passlib.context import CryptContext
00003  from jose import jwt, JWTError
00004  from app.core.config import settings
00005
00006  # --- Password hashing ---
00007  pwd_context = CryptContext(schemes=["bcrypt_sha256", "bcrypt"], deprecated=["bcrypt"])
00008
00009  def hash_password(password: str) -> str:
00010      return pwd_context.hash(password)
00011
00012  def verify_password(plain_password: str, hashed_password: str) -> bool:
00013      return pwd_context.verify(plain_password, hashed_password)
00014
00015  # --- JWT ---
00016  ALGORITHM = "HS256"
00017  ACCESS_TOKEN_EXPIRE_MINUTES = 480  # 8 hours
00018
00019  def create_access_token(data: dict) -> str:
00020      to_encode = data.copy()
00021      expire = datetime.now(timezone.utc) + timedelta(minutes=ACCESS_TOKEN_EXPIRE_MINUTES)
00022      to_encode.update({"exp": expire})
00023      return jwt.encode(to_encode, settings.JWT_SECRET, algorithm=ALGORITHM)
00024
00025  def decode_access_token(token: str) -> dict | None:
00026      try:
00027          return jwt.decode(token, settings.JWT_SECRET, algorithms=[ALGORITHM])
00028      except JWTError:
00029          return None
```

app/dependencies/auth.py

ROLE: Reusable bearer authentication and permission guards, including admin-only runtime checks.

KEY DECLARATIONS: get_current_user, require_permission, require_admin_permission

SOURCE CONTENT | 56 lines | utf-8-sig | SHA-256 c43c40b3d249bf62ba433cfe72164d1cc82cd00499961d2b250ed8f8fe7a7cb5

```
00001  from fastapi import Depends, HTTPException, status
00002  from fastapi.security import HTTPAuthorizationCredentials, HTTPBearer
00003  from app.core.security import decode_access_token
00004  from app.models.permission import Permission
00005  from app.models.role_permission import RolePermission
00006  from app.models.user import User
00007  from app.models.role import Role
00008  from app.models.revoked_token import RevokedToken
00009  from app.services.session_service import is_active_session, token_fingerprint
00010
00011  security = HTTPBearer()
00012
00013  async def get_current_user(
00014      credentials: HTTPAuthorizationCredentials = Depends(security),
00015  ) -> User:
00016      payload = decode_access_token(credentials.credentials)
00017      if payload is None:
00018          raise HTTPException(status.HTTP_401_UNAUTHORIZED, "Invalid or expired token")
00019
00020      token_hash = token_fingerprint(credentials.credentials)
00021      if await RevokedToken.find_one(RevokedToken.token_hash == token_hash):
00022          raise HTTPException(status.HTTP_401_UNAUTHORIZED, "Session has ended")
00023
00024      user_id = payload.get("sub")
00025      user = await User.get(user_id)
00026      if user is None:
00027          raise HTTPException(status.HTTP_401_UNAUTHORIZED, "User no longer exists")
00028      if not user.is_active or user.deleted_at is not None:
00029          raise HTTPException(status.HTTP_403_FORBIDDEN, "This account has been deactivated")
00030      if not await is_active_session(str(user.id), credentials.credentials):
00031          raise HTTPException(status.HTTP_401_UNAUTHORIZED, "Session has ended")
00032      return user
00033
00034
00035  def require_permission(code: str):
00036      async def checker(current_user: User = Depends(get_current_user)) -> User:
00037          permission = await Permission.find_one(Permission.code == code)
00038          if permission is None:
00039              raise HTTPException(500, f"Permission '{code}' is not configured.")
00040          link = await RolePermission.find_one(
00041              RolePermission.role_id == current_user.role_id,
00042              RolePermission.permission_id == str(permission.id),
00043          )
00044          if link is None:
00045              raise HTTPException(403, f"You lack permission: {code}")
00046          return current_user
00047      return checker
00048
00049
00050  def require_admin_permission(code: str):
00051      async def checker(user: User = Depends(require_permission(code))) -> User:
00052          role = await Role.get(user.role_id)
00053          if role is None or role.name != "admin":
00054              raise HTTPException(403, "Admin role required")
00055          return user
00056      return checker
```

app/main.py

ROLE: FastAPI entry point. Starts the database, installs validation and CORS behavior, mounts routers, and exposes health.

KEY DECLARATIONS: lifespan, safe_validation_error, health

SOURCE CONTENT | 38 lines | utf-8-sig | SHA-256 23d7e5bdb93ec966013faa369a91ff5ee85661fa309d0a2f1d0540cf3e0b2c07

```
00001  from contextlib import asynccontextmanager
00002  from fastapi import FastAPI
00003  from fastapi.exceptions import RequestValidationError
00004  from fastapi.middleware.cors import CORSMiddleware
00005  from fastapi.responses import JSONResponse
00006  from app.core.config import settings
00007  from app.core.database import init_db
00008  from app.routers import auth, users, cases, evidence, tags, roles, audit
00009
00010  @asynccontextmanager
00011  async def lifespan(app: FastAPI):
00012      await init_db()
00013      yield
00014
00015  app = FastAPI(lifespan=lifespan)
00016
00017
00018  @app.exception_handler(RequestValidationError)
00019  async def safe_validation_error(_, exc: RequestValidationError):
00020      details = [{key: error[key] for key in ("loc", "msg", "type") if key in error}
00021                 for error in exc.errors()]
00022      return JSONResponse(status_code=422, content={"detail": details})
00023
00024
00025  app.add_middleware(CORSMiddleware, allow_origins=[origin.strip() for origin in settings.CORS_ORIGINS.split(",") if
  ...  origin.strip()],
00026                     allow_credentials=False, allow_methods=["GET", "POST", "PATCH", "DELETE"],
00027                     allow_headers=["Authorization", "Content-Type"])
00028  app.include_router(auth.router)
00029  app.include_router(users.router)
00030  app.include_router(cases.router)
00031  app.include_router(evidence.router)
00032  app.include_router(tags.router)
00033  app.include_router(roles.router)
00034  app.include_router(audit.router)
00035
00036  @app.get("/health")
00037  async def health():
00038      return {"status": "ok"}
```

app/models/audit_transaction.py

ROLE: Beanie MongoDB document defining actor, action, target IDs, metadata, and timestamp for the activity ledger.

KEY DECLARATIONS: AuditTransaction, AuditTransaction.actor_user_id, AuditTransaction.case_id, AuditTransaction.evidence_id, AuditTransaction.action, AuditTransaction.metadata, AuditTransaction.occurred_at

SOURCE CONTENT | 14 lines | utf-8-sig | SHA-256 bb2caf405ed2b9be2667387bd9e319b6b832be9f5cd383fe8d780089ed7acabb

```
00001  from datetime import datetime
00002  from beanie import Document
00003  from pydantic import Field
00004
00005  class AuditTransaction(Document):
00006      actor_user_id: str
00007      case_id: str | None = None
00008      evidence_id: str | None = None
00009      action: str = Field(..., min_length=2, max_length=50)
00010      metadata: dict = Field(default_factory=dict)
00011      occurred_at: datetime = Field(default_factory=datetime.utcnow)
00012
00013      class Settings:
00014          name = "audit_transactions"
```

app/models/case.py

ROLE: Beanie MongoDB document defining case identity, type, workflow status, creator, timestamps, and soft deletion.

KEY DECLARATIONS: Case, Case.case_number, Case.case_type, Case.status, Case.created_by, Case.submission_date, Case.deleted_at, Case.created_at, Case.updated_at

SOURCE CONTENT | 16 lines | utf-8-sig | SHA-256 b53d20e186f65d5e1de18f1962075380f9c96861fb5cdfc2c45b2ec2c358d719

```
00001  from datetime import datetime
00002  from beanie import Document, Indexed
00003  from pydantic import Field
00004
00005  class Case(Document):
00006      case_number: Indexed(str, unique=True)
00007      case_type: str = Field(..., min_length=2, max_length=100)
00008      status: str = "open"
00009      created_by: str
00010      submission_date: datetime = Field(default_factory=datetime.utcnow)
00011      deleted_at: datetime | None = None
00012      created_at: datetime = Field(default_factory=datetime.utcnow)
00013      updated_at: datetime = Field(default_factory=datetime.utcnow)
00014
00015      class Settings:
00016          name = "cases"
```

app/models/case_tag.py

ROLE: Beanie MongoDB document defining association of a reusable tag with a case and assignment actor/time.

KEY DECLARATIONS: CaseTag, CaseTag.case_id, CaseTag.tag_id, CaseTag.assigned_by, CaseTag.assigned_at

SOURCE CONTENT | 13 lines | utf-8-sig | SHA-256 0e627b51b2fd0f1d8709fb7b0e61f1e3d53f687d77286e552d581e231652d3cc

```
00001  from datetime import datetime
00002  from beanie import Document
00003  from pydantic import Field
00004
00005  class CaseTag(Document):
00006      case_id: str
00007      tag_id: str
00008      assigned_by: str
00009      assigned_at: datetime = Field(default_factory=datetime.utcnow)
00010
00011      class Settings:
00012          name = "case_tags"
00013          indexes = ["case_id", "tag_id"]
```

app/models/evidence.py

ROLE: Beanie MongoDB document defining case-linked evidence metadata, current version pointer, and next version counter.

KEY DECLARATIONS: Evidence, Evidence.case_id, Evidence.submitted_by, Evidence.evidence_type, Evidence.title, Evidence.description, Evidence.source_device, Evidence.notes, Evidence.current_version_id, Evidence.next_version_no, Evidence.deleted_at, Evidence.created_at

SOURCE CONTENT | 19 lines | utf-8-sig | SHA-256 ae3f019a413c75ebd0e112eb4db132487dd594c94e264395ee78eb769c2b893e

```
00001  from datetime import datetime
00002  from beanie import Document
00003  from pydantic import Field
00004
00005  class Evidence(Document):
00006      case_id: str
00007      submitted_by: str
00008      evidence_type: str = Field(..., min_length=2, max_length=50)
00009      title: str = Field(..., min_length=2, max_length=255)
00010      description: str | None = Field(default=None, max_length=2000)
00011      source_device: str | None = Field(default=None, max_length=200)
00012      notes: str | None = Field(default=None, max_length=2000)
00013      current_version_id: str | None = None
00014      next_version_no: int = 2
00015      deleted_at: datetime | None = None
00016      created_at: datetime = Field(default_factory=datetime.utcnow)
00017
00018      class Settings:
00019          name = "evidence"
```

app/models/evidence_version.py

ROLE: Beanie MongoDB document defining immutable PDF version metadata, hash baseline, GridFS path, and tamper flag.

KEY DECLARATIONS: EvidenceVersion, EvidenceVersion.evidence_id, EvidenceVersion.uploaded_by, EvidenceVersion.version_no, EvidenceVersion.file_name, EvidenceVersion.file_type, EvidenceVersion.file_hash, EvidenceVersion.storage_path, EvidenceVersion.is_tamper_flagged, EvidenceVersion.uploaded_at

SOURCE CONTENT | 18 lines | utf-8-sig | SHA-256 4d249e806ae894bc1d033b5a97bb84bcfa53746afc2061638e777475ed9b3134

```
00001  from datetime import datetime
00002  from beanie import Document
00003  from pydantic import Field
00004
00005  class EvidenceVersion(Document):
00006      evidence_id: str
00007      uploaded_by: str
00008      version_no: int
00009      file_name: str = Field(..., min_length=1, max_length=255)
00010      file_type: str = Field(..., min_length=1, max_length=20)
00011      file_hash: str = Field(..., min_length=8, max_length=128)
00012      storage_path: str = Field(..., min_length=1, max_length=500)
00013      is_tamper_flagged: bool = False
00014      uploaded_at: datetime = Field(default_factory=datetime.utcnow)
00015
00016      class Settings:
00017          name = "evidence_versions"
00018          indexes = ["evidence_id"]
```

app/models/permission.py

ROLE: Beanie MongoDB document defining unique permission code and description.

KEY DECLARATIONS: Permission, Permission.code, Permission.description, Permission.created_at

SOURCE CONTENT | 11 lines | utf-8-sig | SHA-256 b68b3a79218b3f4b1781be871e632b29b87140c61c82baef3c3aba2a0977779f

```
00001  from datetime import datetime
00002  from beanie import Document, Indexed
00003  from pydantic import Field
00004
00005  class Permission(Document):
00006      code: Indexed(str, unique=True)
00007      description: str | None = Field(default=None, max_length=255)
00008      created_at: datetime = Field(default_factory=datetime.utcnow)
00009
00010      class Settings:
00011          name = "permissions"
```

app/models/revoked_token.py

ROLE: Beanie MongoDB document defining revoked bearer-token hash and TTL expiry.

KEY DECLARATIONS: RevokedToken, RevokedToken.token_hash, RevokedToken.expires_at

SOURCE CONTENT | 13 lines | utf-8-sig | SHA-256 efeaa24c924d1a92d841e7d68d62f782f2ec712f46b1cc62f07d46ab8876d013

```
00001  from datetime import datetime
00002  from beanie import Document, Indexed
00003  from pydantic import Field
00004  from pymongo import IndexModel, ASCENDING
00005
00006
00007  class RevokedToken(Document):
00008      token_hash: Indexed(str, unique=True)
00009      expires_at: datetime = Field(...)
00010
00011      class Settings:
00012          name = "revoked_tokens"
00013          indexes = [IndexModel([("expires_at", ASCENDING)], expireAfterSeconds=0)]
```

app/models/role.py

ROLE: Beanie MongoDB document defining role identity and description.

KEY DECLARATIONS: Role, Role.name, Role.description, Role.created_at

SOURCE CONTENT | 11 lines | utf-8-sig | SHA-256 f610c7aebd3702fba41d2b5647be0f7a1ff14da19d74518af09907fbee096f9b

```
00001  from datetime import datetime
00002  from beanie import Document, Indexed
00003  from pydantic import Field
00004
00005  class Role(Document):
00006      name: Indexed(str, unique=True)
00007      description: str | None = Field(default=None, max_length=255)
00008      created_at: datetime = Field(default_factory=datetime.utcnow)
00009
00010      class Settings:
00011          name = "roles"
```

app/models/role_permission.py

ROLE: Beanie MongoDB document defining link between a role and a permission.

KEY DECLARATIONS: RolePermission, RolePermission.role_id, RolePermission.permission_id, RolePermission.granted_at

SOURCE CONTENT | 12 lines | utf-8-sig | SHA-256 dc6f4494da5e591ed49b28d7039ec81b7e39c4f5f418065c534d649661c675f0

```
00001  from datetime import datetime
00002  from beanie import Document
00003  from pydantic import Field
00004
00005  class RolePermission(Document):
00006      role_id: str
00007      permission_id: str
00008      granted_at: datetime = Field(default_factory=datetime.utcnow)
00009
00010      class Settings:
00011          name = "role_permissions"
00012          indexes = ["role_id", "permission_id"]
```

app/models/tag.py

ROLE: Beanie MongoDB document defining unique reusable tag name and assignment revision.

KEY DECLARATIONS: Tag, Tag.name, Tag.assignment_revision

SOURCE CONTENT | 8 lines | utf-8-sig | SHA-256 380a304a231cbc02252da4a931d3863e84e1783c5467b7f86bf8a23c975de95d

```
00001  from beanie import Document, Indexed
00002
00003  class Tag(Document):
00004      name: Indexed(str, unique=True)
00005      assignment_revision: int = 0
00006
00007      class Settings:
00008          name = "tags"
```

app/models/user.py

ROLE: Beanie MongoDB document defining identity, role, password hash, active state, and account timestamps.

KEY DECLARATIONS: User, User.role_id, User.name, User.email, User.hashed_password, User.is_active, User.deleted_at, User.created_at, User.updated_at

SOURCE CONTENT | 16 lines | utf-8-sig | SHA-256 8c8adb606f032b369f59b7eef81ff12e8be0edd6f72ebb35488969da563d156c

```
00001  from datetime import datetime
00002  from beanie import Document, Indexed
00003  from pydantic import EmailStr, Field
00004
00005  class User(Document):
00006      role_id: str
00007      name: str = Field(..., min_length=2, max_length=150)
00008      email: Indexed(EmailStr, unique=True)
00009      hashed_password: str
00010      is_active: bool = True
00011      deleted_at: datetime | None = None
00012      created_at: datetime = Field(default_factory=datetime.utcnow)
00013      updated_at: datetime = Field(default_factory=datetime.utcnow)
00014
00015      class Settings:
00016          name = "users"
```

app/routers/audit.py

ROLE: Audit list, latest integrity event, and live streaming of ledger and presence updates.

KEY DECLARATIONS: serialize_entries, latest_integrity_event, stream_audit, list_audit

SOURCE CONTENT | 85 lines | utf-8-sig | SHA-256 6e8a8d765fb66cee0ad015a72e364753f53af8fc432fa926f75cbe134780a192

```
00001  import asyncio
00002  import json
00003
00004  from fastapi import APIRouter, Depends, HTTPException, Query
00005  from fastapi.encoders import jsonable_encoder
00006  from fastapi import Request
00007  from fastapi.responses import StreamingResponse
00008  from fastapi.security import HTTPAuthorizationCredentials
00009  from app.dependencies.auth import get_current_user, require_permission
00010  from app.models.audit_transaction import AuditTransaction
00011  from app.models.user import User
00012  from app.services.audit_service import log_action
00013  from app.services.session_service import online_user_ids
00014
00015  router = APIRouter(prefix="/audit", tags=["audit"])
00016
00017
00018  def serialize_entries(entries):
00019      return [{"id": str(entry.id), "actor_user_id": entry.actor_user_id,
00020               "case_id": entry.case_id, "evidence_id": entry.evidence_id,
00021               "action": entry.action, "metadata": entry.metadata,
00022               "occurred_at": entry.occurred_at} for entry in entries]
00023
00024
00025  @router.get("/integrity/latest", dependencies=[Depends(require_permission("user:manage"))])
00026  async def latest_integrity_event(user: User = Depends(get_current_user)):
00027      entries = await AuditTransaction.find({"action": {"$in": [
00028          "evidence_verified", "evidence_verification_failed"]}}).sort("-occurred_at", "-_id").limit(1).to_list()
00029      await log_action(str(user.id), "audit_listed", metadata={"integrity_latest": True})
00030      return serialize_entries(entries)[0] if entries else None
00031
00032
00033  @router.get("/stream", dependencies=[Depends(require_permission("user:manage"))])
00034  async def stream_audit(request: Request, limit: int = Query(500, ge=1, le=500),
00035                         user: User = Depends(get_current_user)):
00036      await log_action(str(user.id), "audit_listed", metadata={"stream": True})
00037      token = request.headers["authorization"].partition(" ")[2]
00038      credentials = HTTPAuthorizationCredentials(scheme="Bearer", credentials=token)
00039      check_permission = require_permission("user:manage")
00040
00041      async def events():
00042          last_id = None
00043          last_presence = None
00044          # Check active access every 10 seconds and renew the connection each minute.
00045          for tick in range(30):
00046              if await request.is_disconnected():
00047                  break
00048              if tick and tick % 5 == 0:
00049                  try:
00050                      current_user = await get_current_user(credentials)
00051                      await check_permission(current_user)
00052                  except HTTPException:
00053                      break
00054              latest = await AuditTransaction.find_all().sort("-occurred_at", "-_id").limit(1).to_list()
00055              current_id = str(latest[0].id) if latest else None
00056              sent = False
00057              if current_id != last_id:
00058                  entries = await AuditTransaction.find_all().sort("-occurred_at", "-_id").limit(limit).to_list()
00059                  yield f"event: ledger\ndata: {json.dumps(jsonable_encoder(serialize_entries(entries)))}\n\n"
00060                  last_id = str(entries[0].id) if entries else None
00061                  sent = True
00062              presence = await online_user_ids()
00063              if presence != last_presence:
00064                  yield f"event: presence\ndata: {json.dumps(presence)}\n\n"
00065                  last_presence = presence
00066                  sent = True
00067              if not sent:
00068                  yield ": keep-alive\n\n"
00069              await asyncio.sleep(2)
00070
00071      return StreamingResponse(events(), media_type="text/event-stream",
00072                               headers={"Cache-Control": "no-cache", "X-Accel-Buffering": "no"})
```

```
00073
00074
00075  @router.get("", dependencies=[Depends(require_permission("user:manage"))])
00076  async def list_audit(case_id: str | None = None, evidence_id: str | None = None,
00077                       actor_user_id: str | None = None, limit: int = Query(100, ge=1, le=500),
00078                       user: User = Depends(get_current_user)):
00079      query = {}
00080      for key, value in (("case_id", case_id), ("evidence_id", evidence_id), ("actor_user_id", actor_user_id)):
00081          if value:
00082              query[key] = value
00083      entries = await AuditTransaction.find(query).sort("-occurred_at").limit(limit).to_list()
00084      await log_action(str(user.id), "audit_listed", metadata={"count": len(entries)})
00085      return serialize_entries(entries)
```

app/routers/auth.py

ROLE: Login, heartbeat, and logout endpoints with one active session per account and audit logging.

KEY DECLARATIONS: login, heartbeat, logout

SOURCE CONTENT | 80 lines | utf-8-sig | SHA-256 b8b400f2b28840d3de93370a4783d31edeae0183c313e5089279db9acf77e24a

```
00001  from fastapi import APIRouter, Depends, HTTPException, status
00002  from fastapi.security import HTTPAuthorizationCredentials
00003  from datetime import datetime, timezone
00004  from uuid import uuid4
00005  import asyncio
00006  from pymongo.errors import DuplicateKeyError, OperationFailure
00007  from app.core.security import create_access_token, verify_password, decode_access_token
00008  from app.core.database import get_client
00009  from app.dependencies.auth import get_current_user, security
00010  from app.models.revoked_token import RevokedToken
00011  from app.models.user import User
00012  from app.schemas.auth import LoginRequest, TokenResponse
00013  from app.services.audit_service import log_action
00014  from app.services.session_service import claim_session, has_active_session, is_active_session, release_session,
  ...  token_fingerprint
00015
00016  router = APIRouter(prefix="/auth", tags=["auth"])
00017
00018  @router.post("/login", response_model=TokenResponse)
00019  async def login(data: LoginRequest):
00020      user = await User.find_one(User.email == data.email)
00021
00022      if not user or not verify_password(data.password, user.hashed_password):
00023          raise HTTPException(
00024              status_code=status.HTTP_401_UNAUTHORIZED,
00025              detail="Invalid email or password",
00026          )
00027
00028      if not user.is_active or user.deleted_at is not None:
00029          raise HTTPException(
00030              status_code=status.HTTP_403_FORBIDDEN,
00031              detail="This account has been deactivated",
00032          )
00033
00034      token = create_access_token({"sub": str(user.id), "role_id": user.role_id,
00035                                   "jti": uuid4().hex})
00036      payload = decode_access_token(token)
00037      expiry = datetime.fromtimestamp(payload["exp"], timezone.utc).replace(tzinfo=None)
00038      user_id = str(user.id)
00039      for attempt in range(5):
00040          try:
00041              async with await get_client().start_session() as session:
00042                  async with session.start_transaction():
00043                      await claim_session(user_id, token, expiry, session)
00044                      await log_action(user_id, "login_succeeded", session=session)
00045              return TokenResponse(access_token=token)
00046          except DuplicateKeyError:
00047              raise HTTPException(status.HTTP_409_CONFLICT,
00048                                  "This account is already signed in. Sign out there or retry in up to three
  ...  minutes.")
00049          except OperationFailure as error:
00050              if error.has_error_label("UnknownTransactionCommitResult") and await is_active_session(user_id, token):
00051                  return TokenResponse(access_token=token)
00052              if error.has_error_label("TransientTransactionError"):
00053                  if await has_active_session(user_id):
00054                      raise HTTPException(status.HTTP_409_CONFLICT,
00055                                          "This account is already signed in. Sign out there or retry in up to three
  ...  minutes.")
00056                  if attempt < 4:
00057                      await asyncio.sleep(0.05 * (attempt + 1))
00058                      continue
00059              raise
00060
00061
00062  @router.post("/heartbeat", status_code=204)
00063  async def heartbeat(current_user: User = Depends(get_current_user)):
00064      """Authenticated requests renew the lease; this endpoint lets idle open tabs do so."""
00065
00066
00067  @router.post("/logout", status_code=204)
00068  async def logout(current_user: User = Depends(get_current_user),
00069                   credentials: HTTPAuthorizationCredentials = Depends(security)):
```

```
    payload = decode_access_token(credentials.credentials)
    expiry = datetime.fromtimestamp(payload["exp"], timezone.utc).replace(tzinfo=None)
    token_hash = token_fingerprint(credentials.credentials)
    try:
        async with await get_client().start_session() as session:
            async with session.start_transaction():
                await RevokedToken(token_hash=token_hash, expires_at=expiry).insert(session=session)
                await release_session(str(current_user.id), credentials.credentials, session)
                await log_action(str(current_user.id), "logout_succeeded", session=session)
    except DuplicateKeyError:
        pass
```

app/routers/cases.py

ROLE: Case creation, active search/detail, reviewer status updates, and admin soft deletion.

KEY DECLARATIONS: _out, active_case, create_case, list_cases, list_deleted_cases, get_deleted_case, get_case, update_case, delete_case

SOURCE CONTENT | 131 lines | utf-8-sig | SHA-256 722765b5c5da963a2f3f7aef89d17a161cdf1c5d4235067ef84459c77f9dcd32

```
00001  """Case endpoints. Date filters cover whole UTC calendar days; stored dates are naive UTC."""
00002  import re
00003  from datetime import date, datetime, time, timedelta
00004
00005  from fastapi import APIRouter, Depends, HTTPException
00006  from bson.errors import InvalidId
00007  from pymongo.errors import DuplicateKeyError
00008
00009  from app.core.database import get_client
00010  from app.dependencies.auth import get_current_user, require_admin_permission, require_permission
00011  from app.models.case import Case
00012  from app.models.user import User
00013  from app.schemas.case import CaseCreate, CaseResponse, CaseUpdate
00014  from app.services.audit_service import log_action
00015
00016  router = APIRouter(prefix="/cases", tags=["cases"])
00017
00018
00019  def _out(c: Case) -> CaseResponse:
00020      return CaseResponse(id=str(c.id), case_number=c.case_number, case_type=c.case_type,
00021                          status=c.status, created_by=c.created_by, submission_date=c.submission_date,
00022                          created_at=c.created_at, updated_at=c.updated_at)
00023
00024
00025  async def active_case(case_id: str) -> Case:
00026      try:
00027          case = await Case.get(case_id)
00028      except (InvalidId, ValueError):
00029          case = None
00030      if case is None or case.deleted_at is not None:
00031          raise HTTPException(404, "Case not found")
00032      return case
00033
00034
00035  @router.post("", response_model=CaseResponse, status_code=201,
00036               dependencies=[Depends(require_permission("case:create"))])
00037  async def create_case(data: CaseCreate, current_user: User = Depends(get_current_user)):
00038      case = Case(case_number=data.case_number, case_type=data.case_type, created_by=str(current_user.id))
00039      try:
00040          async with await get_client().start_session() as session:
00041              async with session.start_transaction():
00042                  await case.insert(session=session)
00043                  await log_action(str(current_user.id), "case_created", case_id=str(case.id), session=session)
00044      except DuplicateKeyError:
00045          raise HTTPException(409, "A case with this number already exists")
00046      return _out(case)
00047
00048
00049  @router.get("", response_model=list[CaseResponse],
00050              dependencies=[Depends(require_permission("case:view"))])
00051  async def list_cases(status: str | None = None, case_type: str | None = None,
00052                       q: str | None = None, analyst_id: str | None = None,
00053                       submitted_from: date | None = None, submitted_to: date | None = None,
00054                       current_user: User = Depends(get_current_user)):
00055      """analyst_id matches case.created_by; submitted dates match case.submission_date in UTC."""
00056      if submitted_from and submitted_to and submitted_from > submitted_to:
00057          raise HTTPException(422, "submitted_from must be on or before submitted_to")
00058      query = {"deleted_at": None}
00059      if status is not None:
00060          query["status"] = status
00061      if case_type is not None:
00062          query["case_type"] = case_type
00063      if q:
00064          query["case_number"] = {"$regex": re.escape(q), "$options": "i"}
00065      if analyst_id:
00066          query["created_by"] = analyst_id
00067      if submitted_from or submitted_to:
00068          bounds = {}
00069          if submitted_from:
00070              bounds["$gte"] = datetime.combine(submitted_from, time.min)
00071          if submitted_to:
```

```
            if submitted_to == date.max:
                bounds["$lte"] = datetime.max
            else:
                bounds["$lt"] = datetime.combine(submitted_to + timedelta(days=1), time.min)
        query["submission_date"] = bounds
    cases = await Case.find(query).to_list()
    await log_action(str(current_user.id), "cases_listed", metadata={"count": len(cases)})
    return [_out(c) for c in cases]


@router.get("/deleted", response_model=list[CaseResponse],
            dependencies=[Depends(require_admin_permission("case:delete"))])
async def list_deleted_cases(current_user: User = Depends(get_current_user)):
    cases = await Case.find({"deleted_at": {"$ne": None}}).to_list()
    await log_action(str(current_user.id), "deleted_cases_listed", metadata={"count": len(cases)})
    return [_out(c) for c in cases]


@router.get("/deleted/{case_id}", response_model=CaseResponse,
            dependencies=[Depends(require_admin_permission("case:delete"))])
async def get_deleted_case(case_id: str, current_user: User = Depends(get_current_user)):
    case = await Case.get(case_id)
    if case is None or case.deleted_at is None:
        raise HTTPException(404, "Deleted case not found")
    await log_action(str(current_user.id), "deleted_case_viewed", case_id=case_id)
    return _out(case)


@router.get("/{case_id}", response_model=CaseResponse,
            dependencies=[Depends(require_permission("case:view"))])
async def get_case(case_id: str, current_user: User = Depends(get_current_user)):
    case = await active_case(case_id)
    await log_action(str(current_user.id), "case_viewed", case_id=case_id)
    return _out(case)


@router.patch("/{case_id}", response_model=CaseResponse,
              dependencies=[Depends(require_permission("case:update_status"))])
async def update_case(case_id: str, data: CaseUpdate, current_user: User = Depends(get_current_user)):
    case = await active_case(case_id)
    if data.status is not None:
        async with await get_client().start_session() as session:
            async with session.start_transaction():
                case.status = data.status
                case.updated_at = datetime.utcnow()
                await case.save(session=session)
                await log_action(str(current_user.id), "case_status_updated", case_id=case_id,
                                 metadata={"new_status": data.status}, session=session)
    return _out(case)


@router.delete("/{case_id}", status_code=204,
               dependencies=[Depends(require_admin_permission("case:delete"))])
async def delete_case(case_id: str, current_user: User = Depends(get_current_user)):
    case = await active_case(case_id)
    async with await get_client().start_session() as session:
        async with session.start_transaction():
            case.deleted_at = datetime.utcnow()
            await case.save(session=session)
            await log_action(str(current_user.id), "case_deleted", case_id=case_id, session=session)
```

app/routers/evidence.py

ROLE: PDF content and 10 MiB size validation, evidence upload/versioning, download, verification, and soft deletion.

KEY DECLARATIONS: MAX_FILE_SIZE, _evidence_out, _version_out, _validate_pdf, _active_evidence, _version, _cleanup, upload_evidence, list_evidence, inspect_deleted_evidence, list_deleted_evidence, get_evidence, upload_new_version, list_versions, get_version, download_version, verification_status, verify_version, delete_evidence

SOURCE CONTENT | 306 lines | utf-8-sig | SHA-256 3a765b8ff9aec69c10d7191881e3ef12274a08fde9a836c86c757bf91e3004a5

```
00001   """Evidence metadata is transactional; GridFS bytes are stored before the transaction."""
00002   import asyncio
00003   import io
00004   from datetime import datetime
00005
00006   from bson import ObjectId
00007   from bson.errors import InvalidId
00008   from fastapi import APIRouter, Depends, File, Form, HTTPException, UploadFile
00009   from fastapi.responses import Response
00010   from gridfs.errors import NoFile
00011   from pypdf import PdfReader
00012   from pymongo import ReturnDocument
00013   from pymongo.errors import OperationFailure, PyMongoError
00014
00015   from app.core.database import get_client
00016   from app.dependencies.auth import get_current_user, require_admin_permission, require_permission
00017   from app.models.case import Case
00018   from app.models.evidence import Evidence
00019   from app.models.evidence_version import EvidenceVersion
00020   from app.models.audit_transaction import AuditTransaction
00021   from app.models.user import User
00022   from app.routers.cases import active_case
00023   from app.schemas.evidence import EvidenceResponse, EvidenceVersionResponse
00024   from app.services.audit_service import log_action
00025   from app.services.storage_service import delete_file, fetch_file, store_file, verify_integrity
00026
00027   router = APIRouter(prefix="/evidence", tags=["evidence"])
00028   MAX_FILE_SIZE = 10 * 1024 * 1024
00029
00030
00031   def _evidence_out(e: Evidence) -> EvidenceResponse:
00032       return EvidenceResponse(id=str(e.id), case_id=e.case_id, submitted_by=e.submitted_by,
00033                               evidence_type=e.evidence_type, title=e.title,
00034                               description=e.description, source_device=e.source_device, notes=e.notes,
00035                               current_version_id=e.current_version_id, created_at=e.created_at)
00036
00037
00038   def _version_out(v: EvidenceVersion) -> EvidenceVersionResponse:
00039       return EvidenceVersionResponse(id=str(v.id), evidence_id=v.evidence_id,
00040                                      uploaded_by=v.uploaded_by, version_no=v.version_no,
00041                                      file_name=v.file_name, file_type=v.file_type,
00042                                      file_hash=v.file_hash, is_tamper_flagged=v.is_tamper_flagged,
00043                                      uploaded_at=v.uploaded_at)
00044
00045
00046   def _validate_pdf(file: UploadFile, data: bytes) -> None:
00047       if len(data) > MAX_FILE_SIZE:
00048           raise HTTPException(413, "PDF exceeds the 10 MB limit")
00049       if (file.content_type != "application/pdf" or not file.filename or
00050               len(file.filename) > 255 or not file.filename.lower().endswith(".pdf")):
00051           raise HTTPException(400, "Only PDF files are accepted")
00052       try:
00053           reader = PdfReader(io.BytesIO(data), strict=True)
00054           if not reader.pages:
00055               raise ValueError("No pages")
00056           for page in reader.pages:
00057               _ = page.mediabox
00058       except Exception as exc:
00059           raise HTTPException(400, "Invalid PDF content") from exc
00060
00061
00062   async def _active_evidence(evidence_id: str) -> Evidence:
00063       try:
00064           item = await Evidence.get(evidence_id)
00065       except (InvalidId, ValueError):
00066           item = None
00067       if item is None or item.deleted_at is not None:
00068           raise HTTPException(404, "Evidence not found")
```

```
00069      await active_case(item.case_id)
00070      return item
00071
00072
00073  async def _version(evidence_id: str, version_id: str) -> EvidenceVersion:
00074      try:
00075          version = await EvidenceVersion.get(version_id)
00076      except (InvalidId, ValueError):
00077          version = None
00078      if version is None or version.evidence_id != evidence_id:
00079          raise HTTPException(404, "Version not found")
00080      return version
00081
00082
00083  async def _cleanup(path: str) -> None:
00084      try:
00085          await delete_file(path)
00086      except Exception as exc:
00087          raise RuntimeError(f"Metadata write failed and GridFS cleanup also failed for {path}") from exc
00088
00089
00090  @router.post("", response_model=EvidenceResponse, status_code=201,
00091               dependencies=[Depends(require_permission("evidence:upload"))])
00092  async def upload_evidence(case_id: str = Form(...), evidence_type: str = Form(..., min_length=2, max_length=50),
00093                            title: str = Form(..., min_length=2, max_length=255),
00094                            description: str | None = Form(None, max_length=2000),
00095                            source_device: str | None = Form(None, max_length=200),
00096                            notes: str | None = Form(None, max_length=2000),
00097                            file: UploadFile = File(...),
00098                            current_user: User = Depends(get_current_user)):
00099      await active_case(case_id)
00100      data = await file.read()
00101      _validate_pdf(file, data)
00102      path, digest = await store_file(data, file.filename)
00103      item = Evidence(case_id=case_id, submitted_by=str(current_user.id),
00104                      evidence_type=evidence_type, title=title, description=description,
00105                      source_device=source_device, notes=notes)
00106      try:
00107          async with await get_client().start_session() as session:
00108              async with session.start_transaction():
00109                  # Touch the parent so a concurrent soft deletion conflicts with this transaction.
00110                  parent = await Case.get_motor_collection().update_one(
00111                      {"_id": ObjectId(case_id), "deleted_at": None},
00112                      {"$set": {"updated_at": datetime.utcnow()}}, session=session)
00113                  if parent.matched_count != 1:
00114                      raise HTTPException(404, "Case not found")
00115                  await item.insert(session=session)
00116                  version = EvidenceVersion(evidence_id=str(item.id), uploaded_by=str(current_user.id),
00117                                            version_no=1, file_name=file.filename,
00118                                            file_type="application/pdf", file_hash=digest, storage_path=path)
00119                  await version.insert(session=session)
00120                  item.current_version_id = str(version.id)
00121                  await item.save(session=session)
00122                  await log_action(str(current_user.id), "evidence_uploaded", case_id=case_id,
00123                                   evidence_id=str(item.id), metadata={"version_no": 1, "file_hash": digest},
  ...   session=session)
00124      except Exception as exc:
00125          if not (isinstance(exc, PyMongoError) and exc.has_error_label("UnknownTransactionCommitResult")):
00126              await _cleanup(path)
00127          raise
00128      return _evidence_out(item)
00129
00130
00131  @router.get("/by-case/{case_id}", response_model=list[EvidenceResponse],
00132              dependencies=[Depends(require_permission("evidence:view"))])
00133  async def list_evidence(case_id: str, current_user: User = Depends(get_current_user)):
00134      await active_case(case_id)
00135      items = await Evidence.find({"case_id": case_id, "deleted_at": None}).to_list()
00136      await log_action(str(current_user.id), "evidence_listed", case_id=case_id, metadata={"count": len(items)})
00137      return [_evidence_out(item) for item in items]
00138
00139
00140  @router.get("/deleted/{evidence_id}", response_model=EvidenceResponse,
00141              dependencies=[Depends(require_admin_permission("evidence:delete"))])
00142  async def inspect_deleted_evidence(evidence_id: str, current_user: User = Depends(get_current_user)):
00143      item = await Evidence.get(evidence_id)
00144      if item is None:
00145          raise HTTPException(404, "Evidence not found")
00146      parent = await Case.get(item.case_id)
00147      if item.deleted_at is None and (parent is None or parent.deleted_at is None):
00148          raise HTTPException(404, "Deleted evidence not found")
00149      await log_action(str(current_user.id), "deleted_evidence_viewed", case_id=item.case_id, evidence_id=evidence_id)
00150      return _evidence_out(item)
```

```
00151
00152
00153  @router.get("/deleted", response_model=list[EvidenceResponse],
00154              dependencies=[Depends(require_admin_permission("evidence:delete"))])
00155  async def list_deleted_evidence(current_user: User = Depends(get_current_user)):
00156      items = await Evidence.find_all().to_list()
00157      parents = {item.case_id: await Case.get(item.case_id) for item in items}
00158      deleted = [item for item in items if item.deleted_at is not None or
00159                 parents[item.case_id] is None or parents[item.case_id].deleted_at is not None]
00160      await log_action(str(current_user.id), "deleted_evidence_listed", metadata={"count": len(deleted)})
00161      return [_evidence_out(item) for item in deleted]
00162
00163
00164  @router.get("/{evidence_id}", response_model=EvidenceResponse,
00165              dependencies=[Depends(require_permission("evidence:view"))])
00166  async def get_evidence(evidence_id: str, current_user: User = Depends(get_current_user)):
00167      item = await _active_evidence(evidence_id)
00168      await log_action(str(current_user.id), "evidence_viewed", case_id=item.case_id, evidence_id=evidence_id)
00169      return _evidence_out(item)
00170
00171
00172  @router.post("/{evidence_id}/versions", response_model=EvidenceVersionResponse, status_code=201,
00173               dependencies=[Depends(require_permission("evidence:upload"))])
00174  async def upload_new_version(evidence_id: str, file: UploadFile = File(...),
00175                               current_user: User = Depends(get_current_user)):
00176      item = await _active_evidence(evidence_id)
00177      data = await file.read()
00178      _validate_pdf(file, data)
00179      path, digest = await store_file(data, file.filename)
00180      try:
00181          for attempt in range(8):
00182              try:
00183                  async with await get_client().start_session() as session:
00184                      async with session.start_transaction():
00185                          # A write to the evidence document serializes concurrent version allocations.
00186                          updated = await Evidence.get_motor_collection().find_one_and_update(
00187                              {"_id": ObjectId(evidence_id), "deleted_at": None},
00188                              {"$inc": {"next_version_no": 1}},
00189                              return_document=ReturnDocument.BEFORE, session=session)
00190                          if updated is None:
00191                              raise HTTPException(404, "Evidence not found")
00192                          parent = await Case.get_motor_collection().update_one(
00193                              {"_id": ObjectId(item.case_id), "deleted_at": None},
00194                              {"$set": {"updated_at": datetime.utcnow()}}, session=session)
00195                          if parent.matched_count != 1:
00196                              raise HTTPException(404, "Case not found")
00197                          number = updated["next_version_no"]
00198                          version = EvidenceVersion(evidence_id=evidence_id, uploaded_by=str(current_user.id),
00199                                                    version_no=number, file_name=file.filename,
00200                                                    file_type="application/pdf", file_hash=digest, storage_path=path)
00201                          await version.insert(session=session)
00202                          await Evidence.get_motor_collection().update_one(
00203                              {"_id": ObjectId(evidence_id)}, {"$set": {"current_version_id": str(version.id)}},
  ...   session=session)
00204                          await log_action(str(current_user.id), "evidence_version_added", case_id=item.case_id,
00205                                           evidence_id=evidence_id, metadata={"version_no": number, "file_hash":
  ...   digest},
00206                                           session=session)
00207                  return _version_out(version)
00208              except PyMongoError as exc:
00209                  if exc.has_error_label("TransientTransactionError") and attempt < 7:
00210                      await asyncio.sleep(0.02 * (attempt + 1))
00211                      continue
00212                  raise
00213      except Exception as exc:
00214          if not (isinstance(exc, PyMongoError) and exc.has_error_label("UnknownTransactionCommitResult")):
00215              await _cleanup(path)
00216          raise
00217
00218
00219  @router.get("/{evidence_id}/versions", response_model=list[EvidenceVersionResponse],
00220              dependencies=[Depends(require_permission("evidence:view"))])
00221  async def list_versions(evidence_id: str, current_user: User = Depends(get_current_user)):
00222      item = await _active_evidence(evidence_id)
00223      versions = await EvidenceVersion.find(EvidenceVersion.evidence_id == evidence_id).sort("version_no").to_list()
00224      await log_action(str(current_user.id), "versions_listed", case_id=item.case_id, evidence_id=evidence_id)
00225      return [_version_out(v) for v in versions]
00226
00227
00228  @router.get("/{evidence_id}/versions/{version_id}", response_model=EvidenceVersionResponse,
00229              dependencies=[Depends(require_permission("evidence:view"))])
00230  async def get_version(evidence_id: str, version_id: str, current_user: User = Depends(get_current_user)):
00231      item = await _active_evidence(evidence_id)
```

```
    version = await _version(evidence_id, version_id)
    await log_action(str(current_user.id), "version_viewed", case_id=item.case_id, evidence_id=evidence_id,
                     metadata={"version_id": version_id})
    return _version_out(version)


@router.get("/{evidence_id}/versions/{version_id}/download",
            dependencies=[Depends(require_permission("evidence:view"))])
async def download_version(evidence_id: str, version_id: str, current_user: User = Depends(get_current_user)):
    item = await _active_evidence(evidence_id)
    version = await _version(evidence_id, version_id)
    data = await fetch_file(version.storage_path)
    await log_action(str(current_user.id), "evidence_downloaded", case_id=item.case_id, evidence_id=evidence_id,
                     metadata={"version_id": version_id})
    safe_name = version.file_name.replace("\\", "/").split("/")[-1].replace('"', '').replace("\r", "").replace("\n",
 ...  "")
    return Response(data, media_type="application/pdf", headers={"Content-Disposition": f'attachment;
 ...  filename="{safe_name}"'})


@router.get("/{evidence_id}/versions/{version_id}/verification-status",
            dependencies=[Depends(require_permission("evidence:view"))])
async def verification_status(evidence_id: str, version_id: str, current_user: User = Depends(get_current_user)):
    item = await _active_evidence(evidence_id)
    await _version(evidence_id, version_id)
    entries = await AuditTransaction.find({
        "evidence_id": evidence_id,
        "metadata.version_id": version_id,
        "action": {"$in": ["evidence_verified", "evidence_verification_failed"]},
    }).sort("-occurred_at", "-_id").limit(1).to_list()
    await log_action(str(current_user.id), "verification_status_viewed", case_id=item.case_id,
                     evidence_id=evidence_id, metadata={"version_id": version_id})
    if not entries:
        return {"version_id": version_id, "status": "Not checked", "checked_at": None,
                "actor_user_id": None, "intact": None}
    entry = entries[0]
    intact = entry.metadata.get("intact") if entry.action == "evidence_verified" else None
    status = ("Check failed" if entry.action == "evidence_verification_failed" else
              "Intact" if intact is True else "Mismatch detected" if intact is False else "Result unavailable")
    return {"version_id": version_id, "status": status, "checked_at": entry.occurred_at,
            "actor_user_id": entry.actor_user_id, "intact": intact}


@router.get("/{evidence_id}/versions/{version_id}/verify",
            dependencies=[Depends(require_permission("evidence:view"))])
async def verify_version(evidence_id: str, version_id: str, current_user: User = Depends(get_current_user)):
    item = await _active_evidence(evidence_id)
    version = await _version(evidence_id, version_id)
    try:
        intact = await verify_integrity(version.storage_path, version.file_hash)
    except (NoFile, OSError, PyMongoError, InvalidId) as exc:
        await log_action(str(current_user.id), "evidence_verification_failed", case_id=item.case_id,
                         evidence_id=evidence_id, metadata={"version_id": version_id, "reason":
 ...  "stored_file_unavailable"})
        raise HTTPException(503, "Stored evidence could not be read; verification was not completed") from exc
    if not intact and not version.is_tamper_flagged:
        async with await get_client().start_session() as session:
            async with session.start_transaction():
                version.is_tamper_flagged = True
                await version.save(session=session)
                await log_action(str(current_user.id), "tamper_flagged", case_id=item.case_id,
                                 evidence_id=evidence_id, metadata={"version_id": version_id}, session=session)
    check = await log_action(str(current_user.id), "evidence_verified", case_id=item.case_id,
                             evidence_id=evidence_id, metadata={"version_id": version_id, "intact": intact})
    return {"version_id": version_id, "intact": intact, "is_tamper_flagged": version.is_tamper_flagged,
            "checked_at": check.occurred_at, "actor_user_id": str(current_user.id)}


@router.delete("/{evidence_id}", status_code=204,
               dependencies=[Depends(require_admin_permission("evidence:delete"))])
async def delete_evidence(evidence_id: str, current_user: User = Depends(get_current_user)):
    item = await _active_evidence(evidence_id)
    async with await get_client().start_session() as session:
        async with session.start_transaction():
            item.deleted_at = datetime.utcnow()
            await item.save(session=session)
            await log_action(str(current_user.id), "evidence_deleted", case_id=item.case_id,
                             evidence_id=evidence_id, session=session)
```

app/routers/roles.py

ROLE: Reads roles and their current permission grants for the administrator matrix.

KEY DECLARATIONS: list_roles

SOURCE CONTENT | 22 lines | utf-8-sig | SHA-256 4ffaf7d19076620064cbbff957e17633bc714954c51c44acd91304b654be38c1

```
00001  from fastapi import APIRouter, Depends
00002  from app.dependencies.auth import get_current_user, require_permission
00003  from app.models.role import Role
00004  from app.models.role_permission import RolePermission
00005  from app.models.permission import Permission
00006  from app.models.user import User
00007  from app.services.audit_service import log_action
00008
00009  router = APIRouter(prefix="/roles", tags=["roles"])
00010
00011
00012  @router.get("", dependencies=[Depends(require_permission("user:manage"))])
00013  async def list_roles(user: User = Depends(get_current_user)):
00014      roles = await Role.find_all().to_list()
00015      await log_action(str(user.id), "roles_listed")
00016      result = []
00017      for role in roles:
00018          links = await RolePermission.find(RolePermission.role_id == str(role.id)).to_list()
00019          permissions = [await Permission.get(link.permission_id) for link in links]
00020          result.append({"id": str(role.id), "name": role.name, "description": role.description,
00021                         "permissions": sorted(permission.code for permission in permissions if permission)})
00022      return result
```

app/routers/tags.py

ROLE: Create/list/delete reusable tags and assign/remove their case associations.

KEY DECLARATIONS: require_tag_permission, TagCreate, TagCreate.name, TagAssignment, TagAssignment.tag_id, out, create_tag, list_tags, delete_tag, case_tags, assign_tag, remove_tag

SOURCE CONTENT | 139 lines | utf-8-sig | SHA-256 c134e4a899ef491c9a48b9866864121246b0eb760401895bb30ff3c47d117246

```
00001  from fastapi import APIRouter, Depends, HTTPException
00002  from bson.errors import InvalidId
00003  from pydantic import BaseModel, Field
00004  from pymongo.errors import DuplicateKeyError
00005  from app.core.database import get_client
00006
00007  from app.dependencies.auth import get_current_user, require_admin_permission, require_permission
00008  from app.models.case_tag import CaseTag
00009  from app.models.role import Role
00010  from app.models.tag import Tag
00011  from app.models.user import User
00012  from app.routers.cases import active_case
00013  from app.services.audit_service import log_action
00014
00015  router = APIRouter(tags=["tags"])
00016
00017
00018  def require_tag_permission(code: str, forbidden_builtin_role: str):
00019      async def checker(user: User = Depends(require_permission(code))):
00020          role = await Role.get(user.role_id)
00021          if role and role.name == forbidden_builtin_role:
00022              raise HTTPException(403, f"You lack permission: {code}")
00023          return user
00024      return checker
00025
00026
00027  class TagCreate(BaseModel):
00028      name: str = Field(min_length=2, max_length=50)
00029
00030
00031  class TagAssignment(BaseModel):
00032      tag_id: str
00033
00034
00035  def out(tag: Tag):
00036      return {"id": str(tag.id), "name": tag.name}
00037
00038
00039  @router.post("/tags", status_code=201,
00040               dependencies=[Depends(require_tag_permission("tag:create", "reviewer"))])
00041  async def create_tag(data: TagCreate, user: User = Depends(get_current_user)):
00042      name = data.name.strip()
00043      if len(name) < 2:
00044          raise HTTPException(422, "Tag name must be 2 to 50 characters")
00045      try:
00046          tag = Tag(name=name)
00047          async with await get_client().start_session() as session:
00048              async with session.start_transaction():
00049                  await tag.insert(session=session)
00050                  await log_action(str(user.id), "tag_created", metadata={"tag_id": str(tag.id)}, session=session)
00051      except DuplicateKeyError:
00052          raise HTTPException(409, "A tag with this name already exists")
00053      return out(tag)
00054
00055
00056  @router.get("/tags", dependencies=[Depends(require_permission("case:view"))])
00057  async def list_tags(user: User = Depends(get_current_user)):
00058      tags = await Tag.find_all().to_list()
00059      await log_action(str(user.id), "tags_listed", metadata={"count": len(tags)})
00060      return [out(t) for t in tags]
00061
00062
00063  @router.delete("/tags/{tag_id}", status_code=204,
00064                 dependencies=[Depends(require_admin_permission("tag:create"))])
00065  async def delete_tag(tag_id: str, user: User = Depends(get_current_user)):
00066      try:
00067          async with await get_client().start_session() as session:
00068              async with session.start_transaction():
00069                  tag = await Tag.get(tag_id, session=session)
00070                  if tag is None:
00071                      raise HTTPException(404, "Tag not found")
```

```
                links = await CaseTag.get_motor_collection().find(
                    {"tag_id": tag_id}, session=session).to_list(None)
                await CaseTag.get_motor_collection().delete_many(
                    {"tag_id": tag_id}, session=session)
                await Tag.get_motor_collection().delete_one(
                    {"_id": tag.id}, session=session)
                for link in links:
                    await log_action(str(user.id), "tag_removed", case_id=link["case_id"],
                                     metadata={"tag_id": tag_id}, session=session)
                await log_action(str(user.id), "tag_deleted",
                                 metadata={"tag_id": tag_id, "tag_name": tag.name,
                                           "removed_assignments": len(links)}, session=session)
    except InvalidId:
        raise HTTPException(404, "Tag not found")


@router.get("/cases/{case_id}/tags", dependencies=[Depends(require_permission("case:view"))])
async def case_tags(case_id: str, user: User = Depends(get_current_user)):
    await active_case(case_id)
    links = await CaseTag.find(CaseTag.case_id == case_id).to_list()
    tags = [await Tag.get(link.tag_id) for link in links]
    await log_action(str(user.id), "case_tags_listed", case_id=case_id)
    return [out(t) for t in tags if t is not None]


@router.post("/cases/{case_id}/tags", status_code=201,
             dependencies=[Depends(require_permission("tag:assign"))])
async def assign_tag(case_id: str, data: TagAssignment, user: User = Depends(get_current_user)):
    await active_case(case_id)
    try:
        tag = await Tag.get(data.tag_id)
    except InvalidId:
        tag = None
    if tag is None:
        raise HTTPException(404, "Tag not found")
    if await CaseTag.find_one(CaseTag.case_id == case_id, CaseTag.tag_id == data.tag_id):
        raise HTTPException(409, "This tag is already assigned to the case")
    link = CaseTag(case_id=case_id, tag_id=data.tag_id, assigned_by=str(user.id))
    try:
        async with await get_client().start_session() as session:
            async with session.start_transaction():
                touched = await Tag.get_motor_collection().update_one(
                    {"_id": tag.id}, {"$inc": {"assignment_revision": 1}}, session=session)
                if touched.matched_count != 1:
                    raise HTTPException(404, "Tag not found")
                await link.insert(session=session)
                await log_action(str(user.id), "tag_assigned", case_id=case_id,
                                 metadata={"tag_id": data.tag_id}, session=session)
    except DuplicateKeyError:
        raise HTTPException(409, "This tag is already assigned to the case")
    return out(tag)


@router.delete("/cases/{case_id}/tags/{tag_id}", status_code=204,
               dependencies=[Depends(require_permission("case:view"))])
async def remove_tag(case_id: str, tag_id: str, user: User = Depends(get_current_user)):
    await active_case(case_id)
    link = await CaseTag.find_one(CaseTag.case_id == case_id, CaseTag.tag_id == tag_id)
    if link is None:
        raise HTTPException(404, "Tag assignment not found")
    async with await get_client().start_session() as session:
        async with session.start_transaction():
            removed = await CaseTag.get_motor_collection().delete_one(
                {"_id": link.id}, session=session)
            if removed.deleted_count != 1:
                raise HTTPException(404, "Tag assignment not found")
            await log_action(str(user.id), "tag_removed", case_id=case_id,
                             metadata={"tag_id": tag_id}, session=session)
```

app/routers/users.py

ROLE: Own profile/password endpoints and administrator user creation, listing, and updates.

KEY DECLARATIONS: _out, get_me, get_my_access, change_password, create_user, list_users, update_user

SOURCE CONTENT | 97 lines | utf-8-sig | SHA-256 68c90792169bcd2ec755e0417f27a707e3769febf74eb1fb0c2e2d62de92cd98

```
00001  from bson.errors import InvalidId
00002  from fastapi import APIRouter, Depends, HTTPException, status
00003  from app.core.security import hash_password, verify_password
00004  from app.core.password_policy import is_common_password
00005  from app.core.database import get_client
00006  from app.dependencies.auth import get_current_user, require_permission
00007  from app.models.user import User
00008  from app.models.role import Role
00009  from app.models.permission import Permission
00010  from app.models.role_permission import RolePermission
00011  from app.schemas.user import ChangePasswordRequest, UserCreate, UserResponse, UserUpdate
00012  from app.services.audit_service import log_action
00013  from app.services.user_service import create_user_account
00014  from app.services.session_service import release_user_sessions
00015
00016  router = APIRouter(prefix="/users", tags=["users"])
00017
00018  def _out(u: User) -> UserResponse:
00019      return UserResponse(
00020          id=str(u.id), name=u.name, email=u.email, role_id=u.role_id,
00021          is_active=u.is_active, created_at=u.created_at, updated_at=u.updated_at,
00022      )
00023
00024  @router.get("/me", response_model=UserResponse)
00025  async def get_me(current_user: User = Depends(get_current_user)):
00026      await log_action(str(current_user.id), "profile_viewed")
00027      return _out(current_user)
00028
00029
00030  @router.get("/me/access")
00031  async def get_my_access(current_user: User = Depends(get_current_user)):
00032      role = await Role.get(current_user.role_id)
00033      links = await RolePermission.find(RolePermission.role_id == current_user.role_id).to_list()
00034      permissions = [await Permission.get(link.permission_id) for link in links]
00035      await log_action(str(current_user.id), "access_viewed")
00036      return {**_out(current_user).model_dump(mode="json"),
00037              "role_name": role.name if role else "unknown",
00038              "permissions": sorted(permission.code for permission in permissions if permission)}
00039
00040  @router.patch("/me/password", status_code=204)
00041  async def change_password(data: ChangePasswordRequest, current_user: User = Depends(get_current_user)):
00042      if not verify_password(data.current_password, current_user.hashed_password):
00043          raise HTTPException(400, "Current password is incorrect")
00044      current_user.hashed_password = hash_password(data.new_password)
00045      async with await get_client().start_session() as session:
00046          async with session.start_transaction():
00047              await current_user.save(session=session)
00048              await log_action(str(current_user.id), "password_changed", session=session)
00049
00050  @router.post("", response_model=UserResponse, status_code=201,
00051               dependencies=[Depends(require_permission("user:manage"))])
00052  async def create_user(data: UserCreate, current_user: User = Depends(get_current_user)):
00053      if is_common_password(data.password):
00054          actor_role = await Role.get(current_user.role_id)
00055          if actor_role is None or actor_role.name != "admin":
00056              raise HTTPException(422, "Common passwords are allowed only as administrator-set temporary passwords")
00057      if await User.find_one(User.email == data.email):
00058          raise HTTPException(409, "A user with this email already exists")
00059      if await Role.get(data.role_id) is None:
00060          raise HTTPException(422, "Unknown role")
00061      return _out(await create_user_account(data, current_user))
00062
00063  @router.get("", response_model=list[UserResponse],
00064              dependencies=[Depends(require_permission("user:manage"))])
00065  async def list_users(current_user: User = Depends(get_current_user)):
00066      users = await User.find({"deleted_at": None}).to_list()
00067      await log_action(str(current_user.id), "users_listed", metadata={"count": len(users)})
00068      return [_out(u) for u in users]
00069
00070  @router.patch("/{user_id}", response_model=UserResponse,
00071                dependencies=[Depends(require_permission("user:manage"))])
00072  async def update_user(user_id: str, data: UserUpdate, current_user: User = Depends(get_current_user)):
```

```
    try:
        user = await User.get(user_id)
    except InvalidId:
        user = None
    if user is None or user.deleted_at is not None:
        raise HTTPException(404, "User not found")
    changes = {}
    if data.role_id is not None:
        if await Role.get(data.role_id) is None:
            raise HTTPException(422, "Unknown role")
        user.role_id = data.role_id
        changes["role_id"] = data.role_id
    status_changed = data.is_active is not None and data.is_active != user.is_active
    if data.is_active is not None:
        user.is_active = data.is_active
        changes["is_active"] = data.is_active
    if changes:
        async with await get_client().start_session() as session:
            async with session.start_transaction():
                await user.save(session=session)
                if status_changed:
                    await release_user_sessions(user_id, session)
                await log_action(str(current_user.id), "user_updated",
                                 metadata={"target": user_id, **changes}, session=session)
    return _out(user)
```

app/schemas/audit.py

ROLE: Pydantic request/response contracts and field validation for audit API data.

KEY DECLARATIONS: AuditResponse, AuditResponse.id, AuditResponse.actor_user_id, AuditResponse.case_id, AuditResponse.evidence_id, AuditResponse.action, AuditResponse.metadata, AuditResponse.occurred_at

SOURCE CONTENT | 11 lines | utf-8-sig | SHA-256 3dc8959419b0185d1985ed307c31bf0f73c96e3d7e1865713999875550083 9fc

```
00001  from datetime import datetime
00002  from pydantic import BaseModel
00003
00004  class AuditResponse(BaseModel):
00005      id: str
00006      actor_user_id: str
00007      case_id: str | None
00008      evidence_id: str | None
00009      action: str
00010      metadata: dict
00011      occurred_at: datetime
```

app/schemas/auth.py

ROLE: Pydantic request/response contracts and field validation for auth API data.

KEY DECLARATIONS: LoginRequest, LoginRequest.email, LoginRequest.password, TokenResponse, TokenResponse.access_token, TokenResponse.token_type

SOURCE CONTENT | 9 lines | utf-8-sig | SHA-256 049ed06cc8182a64e42b179e71cfa666dab4263b7a31765f0cefb680db0e065c

```
00001   from pydantic import BaseModel, EmailStr
00002
00003   class LoginRequest(BaseModel):
00004       email: EmailStr
00005       password: str
00006
00007   class TokenResponse(BaseModel):
00008       access_token: str
00009       token_type: str = "bearer"
```

app/schemas/case.py

ROLE: Pydantic request/response contracts and field validation for case API data.

KEY DECLARATIONS: CaseCreate, CaseCreate.case_number, CaseCreate.case_type, CaseUpdate, CaseUpdate.status, CaseResponse, CaseResponse.id, CaseResponse.case_number, CaseResponse.case_type, CaseResponse.status, CaseResponse.created_by, CaseResponse.submission_date, CaseResponse.created_at, CaseResponse.updated_at

SOURCE CONTENT | 19 lines | utf-8-sig | SHA-256 a0f21044c227aa7173fbb849660e1d510a166b663351082b05465a57528228ff

```
00001   from datetime import datetime
00002   from pydantic import BaseModel, Field
00003
00004   class CaseCreate(BaseModel):
00005       case_number: str = Field(..., min_length=2, max_length=50)
00006       case_type: str = Field(..., min_length=2, max_length=100)
00007
00008   class CaseUpdate(BaseModel):
00009       status: str | None = None
00010
00011   class CaseResponse(BaseModel):
00012       id: str
00013       case_number: str
00014       case_type: str
00015       status: str
00016       created_by: str
00017       submission_date: datetime
00018       created_at: datetime
00019       updated_at: datetime
```

app/schemas/evidence.py

ROLE: Pydantic request/response contracts and field validation for evidence API data.

KEY DECLARATIONS: EvidenceCreate, EvidenceCreate.case_id, EvidenceCreate.evidence_type, EvidenceCreate.title, EvidenceVersionResponse, EvidenceVersionResponse.id, EvidenceVersionResponse.evidence_id, EvidenceVersionResponse.uploaded_by, EvidenceVersionResponse.version_no, EvidenceVersionResponse.file_name, EvidenceVersionResponse.file_type, EvidenceVersionResponse.file_hash, EvidenceVersionResponse.is_tamper_flagged, EvidenceVersionResponse.uploaded_at, EvidenceResponse, EvidenceResponse.id, EvidenceResponse.case_id, EvidenceResponse.submitted_by, EvidenceResponse.evidence_type, EvidenceResponse.title; ...

SOURCE CONTENT | 30 lines | utf-8-sig | SHA-256 1ca75eaf3cc82ff018787cc6c5796f9e7e64712d7cc4737299828be728adc6d6

```
00001  from datetime import datetime
00002  from pydantic import BaseModel, Field
00003
00004  class EvidenceCreate(BaseModel):
00005      case_id: str
00006      evidence_type: str = Field(..., min_length=2, max_length=50)
00007      title: str = Field(..., min_length=2, max_length=255)
00008
00009  class EvidenceVersionResponse(BaseModel):
00010      id: str
00011      evidence_id: str
00012      uploaded_by: str
00013      version_no: int
00014      file_name: str
00015      file_type: str
00016      file_hash: str
00017      is_tamper_flagged: bool
00018      uploaded_at: datetime
00019
00020  class EvidenceResponse(BaseModel):
00021      id: str
00022      case_id: str
00023      submitted_by: str
00024      evidence_type: str
00025      title: str
00026      description: str | None = None
00027      source_device: str | None = None
00028      notes: str | None = None
00029      current_version_id: str | None
00030      created_at: datetime
```

app/schemas/role.py

ROLE: Pydantic request/response contracts and field validation for role API data.

KEY DECLARATIONS: RoleResponse, RoleResponse.id, RoleResponse.name, RoleResponse.description

SOURCE CONTENT | 7 lines | utf-8-sig | SHA-256 3d6ed6b702141499c57906f00c283d99bc05b57f906aaaefc6e3325e1f19c223

```
00001  from pydantic import BaseModel
00002
00003
00004  class RoleResponse(BaseModel):
00005      id: str
00006      name: str
00007      description: str | None = None
```

app/schemas/tag.py

ROLE: Pydantic request/response contracts and field validation for tag API data.

KEY DECLARATIONS: TagCreate, TagCreate.name, TagResponse, TagResponse.id, TagResponse.name, CaseTagCreate, CaseTagCreate.tag_id, CaseTagResponse, CaseTagResponse.id, CaseTagResponse.case_id, CaseTagResponse.tag_id, CaseTagResponse.assigned_by, CaseTagResponse.assigned_at

SOURCE CONTENT | 19 lines | utf-8-sig | SHA-256 f57ff4099946b0fdc4590e2ae4f1e7a0726d856ca4eb34ef52ef98fa3cebd552

```
00001  from datetime import datetime
00002  from pydantic import BaseModel, Field
00003
00004  class TagCreate(BaseModel):
00005      name: str = Field(..., min_length=1, max_length=50)
00006
00007  class TagResponse(BaseModel):
00008      id: str
00009      name: str
00010
00011  class CaseTagCreate(BaseModel):
00012      tag_id: str
00013
00014  class CaseTagResponse(BaseModel):
00015      id: str
00016      case_id: str
00017      tag_id: str
00018      assigned_by: str
00019      assigned_at: datetime
```

app/schemas/user.py

ROLE: Pydantic request/response contracts and field validation for user API data.

KEY DECLARATIONS: UserCreate, UserCreate.name, UserCreate.email, UserCreate.password, UserCreate.role_id, UserUpdate, UserUpdate.role_id, UserUpdate.is_active, ChangePasswordRequest, ChangePasswordRequest.current_password, ChangePasswordRequest.new_password, UserResponse, UserResponse.id, UserResponse.name, UserResponse.email, UserResponse.role_id, UserResponse.is_active, UserResponse.created_at, UserResponse.updated_at

SOURCE CONTENT | 45 lines | utf-8-sig | SHA-256 a29d2d83d18e425dab3cc7fa5d684e3b32d2c75295267cbc175ec330dcfd32ad

```
00001  from datetime import datetime
00002  from pydantic import BaseModel, EmailStr, Field, field_validator
00003  from app.core.password_policy import is_common_password
00004
00005  class UserCreate(BaseModel):
00006      name: str = Field(..., min_length=2, max_length=150)
00007      email: EmailStr
00008      password: str = Field(..., min_length=8, max_length=128)
00009      role_id: str = Field(..., min_length=1)
00010
00011      @field_validator("name", "role_id", mode="before")
00012      @classmethod
00013      def strip_required_text(cls, value):
00014          return value.strip() if isinstance(value, str) else value
00015
00016      @field_validator("password")
00017      @classmethod
00018      def require_nonblank_password(cls, value: str) -> str:
00019          if not value.strip():
00020              raise ValueError("Password cannot be blank")
00021          return value
00022
00023  class UserUpdate(BaseModel):
00024      role_id: str | None = None
00025      is_active: bool | None = None
00026
00027  class ChangePasswordRequest(BaseModel):
00028      current_password: str
00029      new_password: str = Field(..., min_length=8, max_length=128)
00030
00031      @field_validator("new_password")
00032      @classmethod
00033      def reject_common_password(cls, value: str) -> str:
00034          if is_common_password(value):
00035              raise ValueError("Choose a less common password; avoid familiar words and simple sequences")
00036          return value
00037
00038  class UserResponse(BaseModel):
00039      id: str
00040      name: str
00041      email: EmailStr
00042      role_id: str
00043      is_active: bool
00044      created_at: datetime
00045      updated_at: datetime
```

app/services/audit_service.py

ROLE: Creates structured audit transactions without storing passwords, tokens, or PDF contents.

KEY DECLARATIONS: log_action

SOURCE CONTENT | 9 lines | utf-8-sig | SHA-256 3c57c5d2dde85eaa2b83d30b4699238aabebd5b0840215702fc7fcb8f5aba5ec

```
00001  from app.models.audit_transaction import AuditTransaction
00002
00003  async def log_action(actor_user_id, action, case_id=None, evidence_id=None, metadata=None, session=None):
00004      entry = AuditTransaction(
00005          actor_user_id=actor_user_id, action=action,
00006          case_id=case_id, evidence_id=evidence_id, metadata=metadata or {},
00007      )
00008      await entry.insert(session=session)
00009      return entry
```

app/services/migration_service.py

ROLE: Explicit idempotent permission/index migration, duplicate checks, and version counter backfill.

KEY DECLARATIONS: run_migration, main

SOURCE CONTENT | 111 lines | utf-8-sig | SHA-256 a1337b720a068812941c2b1b0a1d763692a10fa2f332ef179dc186c0213849b4

```
00001  """Explicit, idempotent migration. Run with application writes stopped."""
00002  import asyncio
00003
00004  from pymongo import ASCENDING
00005
00006  from app.core.config import settings
00007  from app.core.database import get_client, init_db
00008  from app.models.permission import Permission
00009  from app.models.role import Role
00010  from app.models.role_permission import RolePermission
00011
00012
00013  async def run_migration() -> None:
00014      db = get_client()[settings.DB_NAME]
00015      versions = db["evidence_versions"]
00016      duplicates = await versions.aggregate([
00017          {"$group": {"_id": {"evidence_id": "$evidence_id", "version_no": "$version_no"}, "count": {"$sum": 1}}},
00018          {"$match": {"count": {"$gt": 1}}},
00019          {"$limit": 10},
00020      ]).to_list(None)
00021      if duplicates:
00022          raise RuntimeError(f"Duplicate evidence version numbers found; resolve manually before migration:
  ...  {duplicates}")
00023
00024      for code in ("tag:assign", "tag:create", "evidence:delete"):
00025          permission = await Permission.find_one(Permission.code == code)
00026          if permission is None:
00027              await Permission(code=code, description=code.replace(":", " ")).insert()
00028
00029      roles = {role.name: role for role in await Role.find_all().to_list()}
00030      for code, role_names in {"tag:assign": ("admin", "analyst", "reviewer"),
00031                               "tag:create": ("admin", "analyst"),
00032                               "evidence:delete": ("admin",)}.items():
00033          permission = await Permission.find_one(Permission.code == code)
00034          for name in role_names:
00035              role = roles.get(name)
00036              if role and not await RolePermission.find_one(RolePermission.role_id == str(role.id),
  ...  RolePermission.permission_id == str(permission.id)):
00037                  await RolePermission(role_id=str(role.id), permission_id=str(permission.id)).insert()
00038
00039      for code, role_name in (("tag:create", "reviewer"),):
00040          permission = await Permission.find_one(Permission.code == code)
00041          role = roles.get(role_name)
00042          if permission and role:
00043              links = await RolePermission.find(RolePermission.role_id == str(role.id),
00044                                                RolePermission.permission_id == str(permission.id)).to_list()
00045              for link in links:
00046                  await link.delete()
00047                  print(f"Removed unintended {code} grant from built-in {role_name} role")
00048
00049      for code in ("case:delete", "evidence:delete"):
00050          permission = await Permission.find_one(Permission.code == code)
00051          if permission is None:
00052              continue
00053          links = await RolePermission.find(RolePermission.permission_id == str(permission.id)).to_list()
00054          for link in links:
00055              role = await Role.get(link.role_id)
00056              if role and role.name in ("analyst", "reviewer"):
00057                  await link.delete()
00058                  print(f"Removed unintended {code} grant from built-in {role.name} role")
00059              elif role and role.name != "admin":
00060                  print(f"CONFLICT: custom role {role.name!r} has {code}; runtime still denies deletion. Review this
  ...  grant manually.")
00061
00062      evidence_collection = db["evidence"]
00063      async for evidence in evidence_collection.find({}, {"_id": 1, "next_version_no": 1}):
00064          latest = await versions.find({"evidence_id": str(evidence["_id"])}).sort("version_no",
  ...  -1).limit(1).to_list(1)
00065          next_number = latest[0]["version_no"] + 1 if latest else 1
00066          if evidence.get("next_version_no", 0) < next_number:
00067              await evidence_collection.update_one({"_id": evidence["_id"]}, {"$set": {"next_version_no":
  ...  next_number}})
```

```
00068
00069       index_keys = [("evidence_id", ASCENDING), ("version_no", ASCENDING)]
00070       same_keys = [index for index in await versions.list_indexes().to_list(None)
00071                    if list(index["key"].items()) == index_keys]
00072       if same_keys and not any(index.get("unique") for index in same_keys):
00073           raise RuntimeError("A non-unique (evidence_id, version_no) index exists. Review and remove it manually
  ...   before migration.")
00074       if not same_keys:
00075           await versions.create_index(index_keys, unique=True, name="unique_evidence_version_no")
00076
00077       assignments = db["case_tags"]
00078       duplicate_assignments = await assignments.aggregate([
00079           {"$group": {"_id": {"case_id": "$case_id", "tag_id": "$tag_id"}, "count": {"$sum": 1}}},
00080           {"$match": {"count": {"$gt": 1}}},
00081           {"$limit": 10},
00082       ]).to_list(None)
00083       if duplicate_assignments:
00084           raise RuntimeError(f"Duplicate case/tag assignments found; resolve manually before migration:
  ...   {duplicate_assignments}")
00085       assignment_keys = [("case_id", ASCENDING), ("tag_id", ASCENDING)]
00086       assignment_indexes = [index for index in await assignments.list_indexes().to_list(None)
00087                             if list(index["key"].items()) == assignment_keys]
00088       if assignment_indexes and not any(index.get("unique") for index in assignment_indexes):
00089           raise RuntimeError("A non-unique (case_id, tag_id) index exists. Review it manually before migration.")
00090       if not assignment_indexes:
00091           await assignments.create_index(assignment_keys, unique=True, name="unique_case_tag")
00092
00093       session_indexes = (await db["active_sessions"].list_indexes().to_list(None)
00094                          if "active_sessions" in await db.list_collection_names() else [])
00095       expiry_indexes = [index for index in session_indexes
00096                         if list(index["key"].items()) == [("expires_at", ASCENDING)]]
00097       if expiry_indexes and not any(index.get("expireAfterSeconds") == 0 for index in expiry_indexes):
00098           raise RuntimeError("A non-TTL active_sessions.expires_at index exists. Review it manually before
  ...   migration.")
00099       if not expiry_indexes:
00100           await db["active_sessions"].create_index(
00101               [("expires_at", ASCENDING)], expireAfterSeconds=0, name="active_session_expiry")
00102       print("Migration complete: permissions, version counters, and unique indexes verified")
00103
00104
00105   async def main() -> None:
00106       await init_db(require_migration=False)
00107       await run_migration()
00108
00109
00110   if __name__ == "__main__":
00111       asyncio.run(main())
```

app/services/seed_service.py

ROLE: Seeds built-in roles, grants, and first administrator account on a fresh database.

KEY DECLARATIONS: ROLES, PERMISSIONS, ROLE_PERMISSION_MAP, FIRST_ADMIN_EMAIL, FIRST_ADMIN_PASSWORD, seed_roles, seed_permissions, seed_role_permissions, seed_first_admin, run_seed

SOURCE CONTENT | 103 lines | utf-8-sig | SHA-256 1ce544de4743bd8305ad16fd06d19d6dba86f6e83b76dae3bf63b72d198e30b5

```
00001  import asyncio
00002  from app.core.database import init_db
00003  from app.core.security import hash_password
00004  from app.models.role import Role
00005  from app.models.permission import Permission
00006  from app.models.role_permission import RolePermission
00007  from app.models.user import User
00008
00009  ROLES = ["admin", "analyst", "reviewer"]
00010
00011  PERMISSIONS = [
00012      "case:create",
00013      "case:view",
00014      "case:update_status",
00015      "case:delete",
00016      "evidence:upload",
00017      "evidence:view",
00018      "evidence:delete",
00019      "tag:assign",
00020      "tag:create",
00021      "user:manage",
00022  ]
00023
00024  ROLE_PERMISSION_MAP = {
00025      "admin": PERMISSIONS,
00026      "analyst": ["case:create", "case:view", "evidence:upload", "evidence:view", "tag:create", "tag:assign"],
00027      "reviewer": ["case:view", "case:update_status", "evidence:view", "tag:assign"],
00028  }
00029
00030  FIRST_ADMIN_EMAIL = "admin@casevault.org"
00031  FIRST_ADMIN_PASSWORD = "ChangeMe123!"
00032
00033
00034  async def seed_roles() -> dict[str, Role]:
00035      roles = {}
00036      for role_name in ROLES:
00037          role = await Role.find_one(Role.name == role_name)
00038          if role is None:
00039              role = Role(name=role_name, description=f"{role_name.capitalize()} role")
00040              await role.insert()
00041              print(f"Created role: {role_name}")
00042          roles[role_name] = role
00043      return roles
00044
00045
00046  async def seed_permissions() -> dict[str, Permission]:
00047      permissions = {}
00048      for code in PERMISSIONS:
00049          permission = await Permission.find_one(Permission.code == code)
00050          if permission is None:
00051              permission = Permission(code=code, description=code.replace(":", " "))
00052              await permission.insert()
00053              print(f"Created permission: {code}")
00054          permissions[code] = permission
00055      return permissions
00056
00057
00058  async def seed_role_permissions(roles, permissions) -> None:
00059      for role_name, codes in ROLE_PERMISSION_MAP.items():
00060          role = roles[role_name]
00061          for code in codes:
00062              permission = permissions[code]
00063              existing = await RolePermission.find_one(
00064                  RolePermission.role_id == str(role.id),
00065                  RolePermission.permission_id == str(permission.id),
00066              )
00067              if existing is None:
00068                  await RolePermission(
00069                      role_id=str(role.id), permission_id=str(permission.id)
00070                  ).insert()
00071                  print(f"Linked role '{role_name}' -> permission '{code}'")
```

```
00072
00073
00074  async def seed_first_admin(roles) -> None:
00075      existing = await User.find_one(User.email == FIRST_ADMIN_EMAIL)
00076      if existing is not None:
00077          print("Admin account already exists, skipping.")
00078          return
00079
00080      admin_role = roles["admin"]
00081      await User(
00082          role_id=str(admin_role.id),
00083          name="System Admin",
00084          email=FIRST_ADMIN_EMAIL,
00085          hashed_password=hash_password(FIRST_ADMIN_PASSWORD),
00086          is_active=True,
00087      ).insert()
00088      print(f"Created first admin: {FIRST_ADMIN_EMAIL}; change the bootstrap password immediately")
00089
00090
00091  async def run_seed():
00092      await init_db(require_migration=False)
00093      roles = await seed_roles()
00094      permissions = await seed_permissions()
00095      await seed_role_permissions(roles, permissions)
00096      await seed_first_admin(roles)
00097      from app.services.migration_service import run_migration
00098      await run_migration()
00099      print("Seeding complete.")
00100
00101
00102  if __name__ == "__main__":
00103      asyncio.run(run_seed())
```

app/services/session_service.py

ROLE: Token fingerprints and server-side session lease claim, renewal, presence, and release.

KEY DECLARATIONS: SESSION_LEASE, active_sessions, token_fingerprint, live_session_filter, has_active_session, online_user_ids, claim_session, is_active_session, release_session, release_user_sessions

SOURCE CONTENT | 73 lines | utf-8-sig | SHA-256 4c8f4c30ca3d6b72e97614daaa5d5eea95063e067998bf4c85332a9c95300778

```
00001  """One active bearer-token slot per user, keyed by MongoDB's unique _id."""
00002  import hashlib
00003  from datetime import datetime, timedelta
00004
00005  from app.core.config import settings
00006  from app.core.database import get_client
00007
00008  SESSION_LEASE = timedelta(minutes=3)
00009
00010
00011  def active_sessions():
00012      return get_client()[settings.DB_NAME]["active_sessions"]
00013
00014
00015  def token_fingerprint(token: str) -> str:
00016      return hashlib.sha256(token.encode()).hexdigest()
00017
00018
00019  def live_session_filter(now: datetime) -> dict:
00020      cutoff = now - SESSION_LEASE
00021      return {
00022          "expires_at": {"$gt": now},
00023          "$or": [
00024              {"last_seen_at": {"$gt": cutoff}},
00025              {"last_seen_at": {"$exists": False}, "started_at": {"$gt": cutoff}},
00026          ],
00027      }
00028
00029
00030  async def has_active_session(user_id: str) -> bool:
00031      return await active_sessions().find_one({"_id": user_id, **live_session_filter(datetime.utcnow())}) is not None
00032
00033
00034  async def online_user_ids() -> list[str]:
00035      cursor = active_sessions().find(live_session_filter(datetime.utcnow()), {"_id": 1})
00036      return sorted(str(session["_id"]) for session in await cursor.to_list(None))
00037
00038
00039  async def claim_session(user_id: str, token: str, expires_at: datetime, session):
00040      """Insert a slot or replace an expired lease; a live slot causes a duplicate _id error."""
00041      now = datetime.utcnow()
00042      cutoff = now - SESSION_LEASE
00043      await active_sessions().update_one(
00044          {"_id": user_id, "$or": [
00045              {"expires_at": {"$lte": now}},
00046              {"last_seen_at": {"$lte": cutoff}},
00047              {"last_seen_at": {"$exists": False}, "started_at": {"$lte": cutoff}},
00048              {"last_seen_at": {"$exists": False}, "started_at": {"$exists": False}},
00049          ]},
00050          {"$set": {"token_hash": token_fingerprint(token),
00051                    "expires_at": expires_at, "started_at": now, "last_seen_at": now}},
00052          upsert=True,
00053          session=session,
00054      )
00055
00056
00057  async def is_active_session(user_id: str, token: str) -> bool:
00058      now = datetime.utcnow()
00059      result = await active_sessions().update_one({
00060          "_id": user_id,
00061          "token_hash": token_fingerprint(token),
00062          **live_session_filter(now),
00063      }, {"$set": {"last_seen_at": now}})
00064      return result.matched_count == 1
00065
00066
00067  async def release_session(user_id: str, token: str, session):
00068      return await active_sessions().delete_one(
00069          {"_id": user_id, "token_hash": token_fingerprint(token)}, session=session)
00070
00071
```

```
00072   async def release_user_sessions(user_id: str, session):
00073       return await active_sessions().delete_one({"_id": user_id}, session=session)
```

app/services/storage_service.py

ROLE: GridFS file storage/read/delete and SHA-256 calculation/comparison.

KEY DECLARATIONS: get_bucket, store_file, fetch_file, delete_file, verify_integrity

SOURCE CONTENT | 30 lines | utf-8-sig | SHA-256 331280110096c979253c1afac00207aca6e5329d82cf1150c19303f6239bc48d

```
00001  import hashlib
00002  from bson import ObjectId
00003  from motor.motor_asyncio import AsyncIOMotorGridFSBucket
00004  from app.core.database import get_client
00005  from app.core.config import settings
00006
00007  def get_bucket() -> AsyncIOMotorGridFSBucket:
00008      client = get_client()
00009      return AsyncIOMotorGridFSBucket(client[settings.DB_NAME])
00010
00011  async def store_file(file_bytes: bytes, filename: str) -> tuple[str, str]:
00012      """Stores file bytes in GridFS. Returns (storage_path, file_hash)."""
00013      file_hash = hashlib.sha256(file_bytes).hexdigest()
00014      bucket = get_bucket()
00015      file_id = await bucket.upload_from_stream(filename, file_bytes)
00016      return str(file_id), file_hash
00017
00018  async def fetch_file(storage_path: str) -> bytes:
00019      bucket = get_bucket()
00020      stream = await bucket.open_download_stream(ObjectId(storage_path))
00021      return await stream.read()
00022
00023  async def delete_file(storage_path: str) -> None:
00024      await get_bucket().delete(ObjectId(storage_path))
00025
00026  async def verify_integrity(storage_path: str, expected_hash: str) -> bool:
00027      """Re-hashes the stored file and compares against the recorded hash."""
00028      file_bytes = await fetch_file(storage_path)
00029      actual_hash = hashlib.sha256(file_bytes).hexdigest()
00030      return actual_hash == expected_hash
```

app/services/user_service.py

ROLE: Transactional creation of an account together with its audit event.

KEY DECLARATIONS: create_user_account

SOURCE CONTENT | 19 lines | utf-8-sig | SHA-256 05bcf31be406b270ce196c9282d59a4d8def2d3fc42adc7c53b01e31f8b23095

```
00001  from app.core.security import hash_password
00002  from app.core.database import get_client
00003  from app.models.user import User
00004  from app.schemas.user import UserCreate
00005  from app.services.audit_service import log_action
00006
00007  async def create_user_account(data: UserCreate, actor: User) -> User:
00008      user = User(
00009          role_id=data.role_id, name=data.name, email=data.email,
00010          hashed_password=hash_password(data.password), is_active=True,
00011      )
00012      async with await get_client().start_session() as session:
00013          async with session.start_transaction():
00014              await user.insert(session=session)
00015              await log_action(
00016                  actor_user_id=str(actor.id), action="user_created",
00017                  metadata={"new_user_id": str(user.id), "role_id": data.role_id}, session=session,
00018              )
00019      return user
```

case-vault-frontend/.env.example

ROLE: Optional frontend API base URL template for non-proxied deployment.

SOURCE CONTENT | 2 lines | utf-8-sig | SHA-256 8f98848bab84fcef2a33105a258a65e5edcd462c9163aa1fdb04ed4c6e6854d1

```
00001   # Use /api with the Vite development proxy. Set an absolute URL when hosting separately.
00002   VITE_API_BASE_URL=/api
```

case-vault-frontend/.gitignore

ROLE: Excludes frontend dependencies, build output, and local settings.

SOURCE CONTENT | 24 lines | utf-8-sig | SHA-256 d50ab07e11fa4bf3b1c7c3312e1d7baeab56cca756832ccf40476823ad2a38b7

```
00001  # Logs
00002  logs
00003  *.log
00004  npm-debug.log*
00005  yarn-debug.log*
00006  yarn-error.log*
00007  pnpm-debug.log*
00008  lerna-debug.log*
00009
00010  node_modules
00011  dist
00012  dist-ssr
00013  *.local
00014
00015  # Editor directories and files
00016  .vscode/*
00017  !.vscode/extensions.json
00018  .idea
00019  .DS_Store
00020  *.suo
00021  *.ntvs*
00022  *.njsproj
00023  *.sln
00024  *.sw?
```

case-vault-frontend/README.md

ROLE: Frontend setup, routing, authentication, and integration notes.

SOURCE CONTENT | 24 lines | utf-8-sig | SHA-256 36a700778d242a898165e130ede43eed0a9d0473299fa03dd271b3e7e66bf5e0

```
00001  # Case Vault frontend
00002
00003  This React app reads and writes Case Vault data through the FastAPI backend. It uses the backend's JWT login, role
  ...  permissions, case and evidence routes, audit records, and user administration routes.
00004
00005  ## Run locally
00006
00007  1. Set up MongoDB and the backend as described in `../BACKEND.md`. Run the explicit migration before starting an
  ...  existing database. Start the API with `uvicorn app.main:app --reload` on port 8000.
00008  2. In this directory, run `npm ci`, then `npm run dev` (or `npm.cmd run dev` in PowerShell when script execution is
  ...  disabled).
00009  3. Open the Vite URL, usually `http://localhost:5173`. The development server proxies `/api` to
  ...  `http://127.0.0.1:8000`.
00010  4. Sign in with a backend account. Fresh database seeding creates `admin@casevault.org`; change its bootstrap
  ...  password immediately.
00011
00012  Page changes happen inside the app without adding page names to the browser URL. Opening a page path directly resets
  ...   the address to the app base and starts at the login or overview page. Refreshing also starts there, so return to a
  ...  case through the Case Library after a refresh. Backend permissions still control which data and actions each account
  ...   can access.
00013
00014  For a separately hosted frontend, set `VITE_API_BASE_URL` to the backend's absolute URL before building. Set backend
  ...   `CORS_ORIGINS` to the exact frontend origin. A same-origin reverse proxy can instead route `/api/*` to the backend
  ...  after removing the `/api` prefix.
00015
00016  The bearer token is kept in tab session storage and sent with API requests. Log out calls `/auth/logout`, which
  ...  revokes that token in MongoDB, and then clears the tab's token. Closing the tab clears the browser copy, but does
  ...  not call the logout endpoint.
00017
00018  An account can have one active login at a time. A second sign-in displays the API's 409 message until the first
  ...  session logs out or its three-minute lease expires. The app renews that lease every minute while open, and normal
  ...  authenticated requests renew it too. If logout cannot reach the API, the frontend keeps the token so the user can
  ...  retry. Closing the tab stops renewals; it does not reliably send an immediate logout request. A sleeping or
  ...  throttled tab may also lose its lease and require a fresh sign-in. The JWT's maximum lifetime remains eight hours.
00019
00020  ## Current backend fields
00021
00022  Cases store a number, type, status, creator, and dates. Evidence stores title, type, description, source device,
  ...  notes, and PDF versions. The interface shows only values returned by the API; it does not invent reviewer
  ...  assignments, HSM status, file size, or continuously verified integrity. Verification runs only when a user selects
  ...  **Verify**.
00023
00024  Run `npm run lint` and `npm run build` for frontend checks. The backend's integration test needs a separate
  ...  transaction-capable `TEST_MONGO_URI` test replica set.
```

case-vault-frontend/eslint.config.js

ROLE: ESLint setup for JavaScript/React and hook correctness checks.

SOURCE CONTENT | 21 lines | utf-8-sig | SHA-256 9f9b44b8e55768eaf86e417b96919510b12055d87806e0e2f0703c5a0eb64817

```
00001  import js from '@eslint/js'
00002  import globals from 'globals'
00003  import reactHooks from 'eslint-plugin-react-hooks'
00004  import reactRefresh from 'eslint-plugin-react-refresh'
00005  import { defineConfig, globalIgnores } from 'eslint/config'
00006
00007  export default defineConfig([
00008    globalIgnores(['dist']),
00009    {
00010      files: ['**/*.{js,jsx}'],
00011      extends: [
00012        js.configs.recommended,
00013        reactHooks.configs.flat.recommended,
00014        reactRefresh.configs.vite,
00015      ],
00016      languageOptions: {
00017        globals: globals.browser,
00018        parserOptions: { ecmaFeatures: { jsx: true } },
00019      },
00020    },
00021  ])
```

case-vault-frontend/index.html

ROLE: Vite HTML host document containing the React mount point.

SOURCE CONTENT | 16 lines | utf-8-sig | SHA-256 b7df47c1c2deb21b34e2925217f7aa9e02703c92bdeb8cfac005d1812442c16c

```
00001  <!doctype html>
00002  <html lang="en">
00003    <head>
00004      <meta charset="UTF-8" />
00005      <link rel="icon" type="image/svg+xml" href="/favicon.svg" />
00006      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
00007      <title>case-vault-frontend</title>
00008      <link rel="preconnect" href="https://fonts.googleapis.com" />
00009  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
00010  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&family=JetBrains+Mono:wght@400;5
  ...  00;600;700&family=Playfair+Display:ital,wght@0,400;0,500;0,600;0,700;1,400&family=Newsreader:opsz,wght@6..72,400;6..
  ...  72,500;6..72,600&display=swap" rel="stylesheet" />
00011    </head>
00012    <body>
00013      <div id="root"></div>
00014      <script type="module" src="/src/main.jsx"></script>
00015    </body>
00016  </html>
```

case-vault-frontend/package-lock.json

ROLE: Exact npm dependency tree and versions for repeatable installs; generated dependency metadata.

SOURCE CONTENT | 3040 lines | utf-8-sig | SHA-256 79142aad2868b934252f2a9ba27bbe6ec2bcad8ea09b779bae0ab44bf025b387

```
00001  {
00002    "name": "case-vault-frontend",
00003    "version": "0.0.0",
00004    "lockfileVersion": 3,
00005    "requires": true,
00006    "packages": {
00007      "": {
00008        "name": "case-vault-frontend",
00009        "version": "0.0.0",
00010        "dependencies": {
00011          "@tailwindcss/vite": "^4.3.3",
00012          "lucide-react": "^1.52.0",
00013          "react": "^19.2.8",
00014          "react-dom": "^19.2.8",
00015          "react-router-dom": "^7.18.4",
00016          "tailwindcss": "^4.3.3"
00017        },
00018        "devDependencies": {
00019          "@eslint/js": "^10.0.1",
00020          "@types/react": "^19.2.18",
00021          "@types/react-dom": "^19.2.7",
00022          "@vitejs/plugin-react": "^6.1.1",
00023          "eslint": "^10.10.0",
00024          "eslint-plugin-react-hooks": "^7.1.1",
00025          "eslint-plugin-react-refresh": "^0.5.6",
00026          "globals": "^17.12.0",
00027          "vite": "^8.3.0"
00028        }
00029      },
00030      "node_modules/@babel/code-frame": {
00031        "version": "7.29.7",
00032        "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.7.tgz",
00033        "integrity":
  ...    "sha512-Aup7aUOfpbAUg2ROOJN6Iw5f9DMBlzu0mIkm/malLQFN/YQgO48wCj0Kxa3sEHJvPVFg7siR+qRInwXd2qhQKw==",
00034        "dev": true,
00035        "license": "MIT",
00036        "dependencies": {
00037          "@babel/helper-validator-identifier": "^7.29.7",
00038          "js-tokens": "^4.0.0",
00039          "picocolors": "^1.1.1"
00040        },
00041        "engines": {
00042          "node": ">=6.9.0"
00043        }
00044      },
00045      "node_modules/@babel/compat-data": {
00046        "version": "7.29.7",
00047        "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.7.tgz",
00048        "integrity":
  ...    "sha512-locTkQyKvwIEgBzVrn8693ebc97F2U8ZHjbXwDXJ5Fn2TCpNwTlKcaKLkdHop5c/icOFE7qt7Q9JC5hnKNa6Gg==",
00049        "dev": true,
00050        "license": "MIT",
00051        "engines": {
00052          "node": ">=6.9.0"
00053        }
00054      },
00055      "node_modules/@babel/core": {
00056        "version": "7.29.7",
00057        "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.7.tgz",
00058        "integrity":
  ...    "sha512-RgHBCvtjbOK2gXSNBNIkNoEc9qoVEtau3hj8gEqKQuL3HZAibKarWFEI3Lfm6EYKkLalOh8eSrj9b+ch9H/VBA==",
00059        "dev": true,
00060        "license": "MIT",
00061        "dependencies": {
00062          "@babel/code-frame": "^7.29.7",
00063          "@babel/generator": "^7.29.7",
00064          "@babel/helper-compilation-targets": "^7.29.7",
00065          "@babel/helper-module-transforms": "^7.29.7",
00066          "@babel/helpers": "^7.29.7",
00067          "@babel/parser": "^7.29.7",
00068          "@babel/template": "^7.29.7",
00069          "@babel/traverse": "^7.29.7",
00070          "@babel/types": "^7.29.7",
00071          "@jridgewell/remapping": "^2.3.5",
```

```
00072          "convert-source-map": "^2.0.0",
00073          "debug": "^4.1.0",
00074          "gensync": "^1.0.0-beta.2",
00075          "json5": "^2.2.3",
00076          "semver": "^6.3.1"
00077        },
00078        "engines": {
00079          "node": ">=6.9.0"
00080        },
00081        "funding": {
00082          "type": "opencollective",
00083          "url": "https://opencollective.com/babel"
00084        }
00085      },
00086      "node_modules/@babel/generator": {
00087        "version": "7.29.8",
00088        "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.8.tgz",
00089        "integrity":
  ...    "sha512-gZbepsdh3WDtgZKWL+vTPh71LSBrm/Y4/QDZBVCcYfmeTEEuoOYwlSy+G1StfJg+/Zy550u/3TATbm7qDbbMtg==",
00090        "dev": true,
00091        "license": "MIT",
00092        "dependencies": {
00093          "@babel/parser": "^7.29.8",
00094          "@babel/types": "^7.29.8",
00095          "@jridgewell/gen-mapping": "^0.3.12",
00096          "@jridgewell/trace-mapping": "^0.3.28",
00097          "jsesc": "^3.0.2"
00098        },
00099        "engines": {
00100          "node": ">=6.9.0"
00101        }
00102      },
00103      "node_modules/@babel/helper-compilation-targets": {
00104        "version": "7.29.7",
00105        "resolved":
  ...    "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.29.7.tgz",
00106        "integrity":
  ...    "sha512-wem6WaBj4NaVYVdNhLPPVacES6ZJ+KBBfSkTMD3YZxbP3rm3Di85tJU5ljaUNhaOynt+Aj0xruhYuzQBt8n71g==",
00107        "dev": true,
00108        "license": "MIT",
00109        "dependencies": {
00110          "@babel/compat-data": "^7.29.7",
00111          "@babel/helper-validator-option": "^7.29.7",
00112          "browserslist": "^4.24.0",
00113          "lru-cache": "^5.1.1",
00114          "semver": "^6.3.1"
00115        },
00116        "engines": {
00117          "node": ">=6.9.0"
00118        }
00119      },
00120      "node_modules/@babel/helper-globals": {
00121        "version": "7.29.7",
00122        "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.29.7.tgz",
00123        "integrity":
  ...    "sha512-3nQVUAtvkKH9zahfWgw96Jc/uFOmjACE1kQz82E2lqWmHBgjzbNlsC22nuQTfahmWeQtTq5nQ/4Nnd2A1wj4zA==",
00124        "dev": true,
00125        "license": "MIT",
00126        "engines": {
00127          "node": ">=6.9.0"
00128        }
00129      },
00130      "node_modules/@babel/helper-module-imports": {
00131        "version": "7.29.7",
00132        "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.29.7.tgz",
00133        "integrity":
  ...    "sha512-ejHwrQQYcm9xnTivShn2IDOlIzInN34AXskvq9QicvCtEzq1Vzclu/tKF8Jq1Cg8JG2GL6/EmjgsCT7lXepE3g==",
00134        "dev": true,
00135        "license": "MIT",
00136        "dependencies": {
00137          "@babel/traverse": "^7.29.7",
00138          "@babel/types": "^7.29.7"
00139        },
00140        "engines": {
00141          "node": ">=6.9.0"
00142        }
00143      },
00144      "node_modules/@babel/helper-module-transforms": {
00145        "version": "7.29.7",
00146        "resolved":
  ...    "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.29.7.tgz",
00147        "integrity":
  ...    "sha512-UPUVSyXbOh627KiCIGQSgwWzGeBKLkaJ9PJEdrngIwMSzxLR4jS4+f1f1jb7VzBbg8nFLaYotvVPFCTqdrmTAg==",
```

```
00148         "dev": true,
00149         "license": "MIT",
00150         "dependencies": {
00151           "@babel/helper-module-imports": "^7.29.7",
00152           "@babel/helper-validator-identifier": "^7.29.7",
00153           "@babel/traverse": "^7.29.7"
00154         },
00155         "engines": {
00156           "node": ">=6.9.0"
00157         },
00158         "peerDependencies": {
00159           "@babel/core": "^7.0.0"
00160         }
00161       },
00162       "node_modules/@babel/helper-string-parser": {
00163         "version": "7.29.7",
00164         "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.29.7.tgz",
00165         "integrity":
  ...   "sha512-Pb5ijPrZ89GDH8223L4UP8i6QApWxs04RbPQJTeWDV0/keR2E36MeKnyr6LYmUUvqRRI+Iv87SuF1W6ErINzYw==",
00166         "dev": true,
00167         "license": "MIT",
00168         "engines": {
00169           "node": ">=6.9.0"
00170         }
00171       },
00172       "node_modules/@babel/helper-validator-identifier": {
00173         "version": "7.29.7",
00174         "resolved":
  ...   "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.29.7.tgz",
00175         "integrity":
  ...   "sha512-qehxGkRj55h/ff8EMaJ+cYhyaKlHIxqYDn682wQD7RNp9UujOQsHog2uS0r2vzr4pW+sXf90NeeayjcNaX3fFg==",
00176         "dev": true,
00177         "license": "MIT",
00178         "engines": {
00179           "node": ">=6.9.0"
00180         }
00181       },
00182       "node_modules/@babel/helper-validator-option": {
00183         "version": "7.29.7",
00184         "resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.29.7.tgz",
00185         "integrity":
  ...   "sha512-N9ZErrD+yW5geCDtBqnOoxmR8+tNKiGuxKlDpuJxfsqpa2dFcexaziGAE/qoHLiDDreVNMupxGmSoNlyvsA3gw==",
00186         "dev": true,
00187         "license": "MIT",
00188         "engines": {
00189           "node": ">=6.9.0"
00190         }
00191       },
00192       "node_modules/@babel/helpers": {
00193         "version": "7.29.7",
00194         "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.7.tgz",
00195         "integrity":
  ...   "sha512-1k2lAGRMfHTcwuNYcCNUmaUffmQv8KWMfh2iJUUeRlwlwH4FdNG7mfPI10NPfLHJFThE4Tyr4mv7kTNZOiPuBg==",
00196         "dev": true,
00197         "license": "MIT",
00198         "dependencies": {
00199           "@babel/template": "^7.29.7",
00200           "@babel/types": "^7.29.7"
00201         },
00202         "engines": {
00203           "node": ">=6.9.0"
00204         }
00205       },
00206       "node_modules/@babel/parser": {
00207         "version": "7.29.9",
00208         "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.9.tgz",
00209         "integrity":
  ...   "sha512-CjXrNHTnvqBVqHgdBysY3vk2T8tpJHb5/RMeHJBTyVa9xgugCB0CJTx/3oO8RV2QRQP391RWpB7D6hLjm8V9uA==",
00210         "dev": true,
00211         "license": "MIT",
00212         "dependencies": {
00213           "@babel/types": "^7.29.8"
00214         },
00215         "bin": {
00216           "parser": "bin/babel-parser.js"
00217         },
00218         "engines": {
00219           "node": ">=6.0.0"
00220         }
00221       },
00222       "node_modules/@babel/template": {
00223         "version": "7.29.7",
00224         "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.29.7.tgz",
```

```
00225         "integrity":
  ...     "sha512-puq+Gf35oI24FeN11LkoUQFqv9uwNeWpxXZi/Ji3rRIoKAzKnxRaZ+Gkj0vKS9ZCiTESfng1N9LyOyXvo+m+Gg==",
00226         "dev": true,
00227         "license": "MIT",
00228         "dependencies": {
00229           "@babel/code-frame": "^7.29.7",
00230           "@babel/parser": "^7.29.7",
00231           "@babel/types": "^7.29.7"
00232         },
00233         "engines": {
00234           "node": ">=6.9.0"
00235         }
00236       },
00237       "node_modules/@babel/traverse": {
00238         "version": "7.29.8",
00239         "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.8.tgz",
00240         "integrity":
  ...     "sha512-I5z7H3bf/41ktsNVLtpN0wAa336HkqIHQ5BuPLEhTkt1jVSyZpeNKIzTgEWmlxjdg81R0IgUCcaE+Ok3NvrfZg==",
00241         "dev": true,
00242         "license": "MIT",
00243         "dependencies": {
00244           "@babel/code-frame": "^7.29.7",
00245           "@babel/generator": "^7.29.8",
00246           "@babel/helper-globals": "^7.29.7",
00247           "@babel/parser": "^7.29.8",
00248           "@babel/template": "^7.29.7",
00249           "@babel/types": "^7.29.8",
00250           "debug": "^4.3.1"
00251         },
00252         "engines": {
00253           "node": ">=6.9.0"
00254         }
00255       },
00256       "node_modules/@babel/types": {
00257         "version": "7.29.8",
00258         "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.8.tgz",
00259         "integrity":
  ...     "sha512-Vj1jF3cPfxg7OAfoI7QnVKLoILlm2JF9pnVHrX8qx7AHMiYWT+NDAA7jChlNgRS4WTLc/fD1lXLmPixluj+3Gg==",
00260         "dev": true,
00261         "license": "MIT",
00262         "dependencies": {
00263           "@babel/helper-string-parser": "^7.29.7",
00264           "@babel/helper-validator-identifier": "^7.29.7"
00265         },
00266         "engines": {
00267           "node": ">=6.9.0"
00268         }
00269       },
00270       "node_modules/@cacheable/memory": {
00271         "version": "2.2.0",
00272         "resolved": "https://registry.npmjs.org/@cacheable/memory/-/memory-2.2.0.tgz",
00273         "integrity":
  ...     "sha512-CTLKqLItRCEixEAewD3/j9DB3/o96gpTPD4eJ1v+DGOlxZRZncRQkGYqqnAGCscYd6RNeXfGeiuCphsPtqyIfQ==",
00274         "dev": true,
00275         "license": "MIT",
00276         "dependencies": {
00277           "@cacheable/utils": "^2.5.0",
00278           "@keyv/bigmap": "^1.3.1",
00279           "hookified": "^1.15.1",
00280           "keyv": "^5.6.0"
00281         }
00282       },
00283       "node_modules/@cacheable/utils": {
00284         "version": "2.5.0",
00285         "resolved": "https://registry.npmjs.org/@cacheable/utils/-/utils-2.5.0.tgz",
00286         "integrity":
  ...     "sha512-buipgOVDkkPXNR5+xBpDw7Zk2n1EvU7qBJCNUcL7rhQ//kfpOXPAvQ511Os0vpLYJ1pZnvudNytkQt2hst3wqA==",
00287         "dev": true,
00288         "license": "MIT",
00289         "dependencies": {
00290           "hashery": "^1.5.1",
00291           "keyv": "^5.6.0"
00292         }
00293       },
00294       "node_modules/@eslint-community/eslint-utils": {
00295         "version": "4.10.1",
00296         "resolved": "https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-utils-4.10.1.tgz",
00297         "integrity":
  ...     "sha512-cuadcxVFE8sDK6iWJbs8Sn0av2Nrh2QSGQhVlBW9AaAHqHwjWsZHT8LJ4hFGPh7ASBV2deFdM7H/DPjulmh8rg==",
00298         "dev": true,
00299         "license": "MIT",
00300         "dependencies": {
00301           "eslint-visitor-keys": "^3.4.3"
```

```
00302         },
00303         "engines": {
00304           "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
00305         },
00306         "funding": {
00307           "url": "https://opencollective.com/eslint"
00308         },
00309         "peerDependencies": {
00310           "eslint": "^6.0.0 || ^7.0.0 || >=8.0.0"
00311         }
00312       },
00313       "node_modules/@eslint-community/eslint-utils/node_modules/eslint-visitor-keys": {
00314         "version": "3.4.3",
00315         "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-3.4.3.tgz",
00316         "integrity":
  ...   "sha512-wpc+LXeiyiisxPlEkUzU6svyS1frIO3Mgxj1fdy7Pm8Ygzguax2N3Fa/D/ag1WqbOprdI+uY6wMUl8/a2G+iag==",
00317         "dev": true,
00318         "license": "Apache-2.0",
00319         "engines": {
00320           "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
00321         },
00322         "funding": {
00323           "url": "https://opencollective.com/eslint"
00324         }
00325       },
00326       "node_modules/@eslint-community/regexpp": {
00327         "version": "4.12.2",
00328         "resolved": "https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.2.tgz",
00329         "integrity":
  ...   "sha512-EriSTlt5OC9/7SXkRSCAhfSxxoSUgBm33OH+IkwbdpgoqsSsUg7y3uh+IICI/Qg4BBWr3U2i39RpmycbxMq4ew==",
00330         "dev": true,
00331         "license": "MIT",
00332         "engines": {
00333           "node": "^12.0.0 || ^14.0.0 || >=16.0.0"
00334         }
00335       },
00336       "node_modules/@eslint/config-array": {
00337         "version": "0.23.5",
00338         "resolved": "https://registry.npmjs.org/@eslint/config-array/-/config-array-0.23.5.tgz",
00339         "integrity":
  ...   "sha512-Y3kKLvC1dvTOT+oGlqNQ1XLqK6D1HU2YXPc52NmAlJZbMMWDzGYXMiPRJ8TYD39muD/OTjlZmNJ4ib7dvSrMBA==",
00340         "dev": true,
00341         "license": "Apache-2.0",
00342         "dependencies": {
00343           "@eslint/object-schema": "^3.0.5",
00344           "debug": "^4.3.1",
00345           "minimatch": "^10.2.4"
00346         },
00347         "engines": {
00348           "node": "^20.19.0 || ^22.13.0 || >=24"
00349         }
00350       },
00351       "node_modules/@eslint/config-helpers": {
00352         "version": "0.7.0",
00353         "resolved": "https://registry.npmjs.org/@eslint/config-helpers/-/config-helpers-0.7.0.tgz",
00354         "integrity":
  ...   "sha512-DObd/KKUsU+FaFv4PLxSRenpXfQWmPXXP3pPZ6/K1PCrMu2vQpMDMuQe/BqYeoLcz8ro0bVDF1RxOJgfVEdhUw==",
00355         "dev": true,
00356         "license": "Apache-2.0",
00357         "dependencies": {
00358           "@eslint/core": "^1.2.1"
00359         },
00360         "engines": {
00361           "node": "^20.19.0 || ^22.13.0 || >=24"
00362         }
00363       },
00364       "node_modules/@eslint/core": {
00365         "version": "1.2.1",
00366         "resolved": "https://registry.npmjs.org/@eslint/core/-/core-1.2.1.tgz",
00367         "integrity":
  ...   "sha512-MwcE1P+AZ4C6DWlpin/OmOA54mmIZ/+xZuJiQd4SyB29oAJjN30UW9wkKNptW2ctp4cEsvhlLY/CsQ1uoHDloQ==",
00368         "dev": true,
00369         "license": "Apache-2.0",
00370         "dependencies": {
00371           "@types/json-schema": "^7.0.15"
00372         },
00373         "engines": {
00374           "node": "^20.19.0 || ^22.13.0 || >=24"
00375         }
00376       },
00377       "node_modules/@eslint/js": {
00378         "version": "10.0.1",
00379         "resolved": "https://registry.npmjs.org/@eslint/js/-/js-10.0.1.tgz",
```

```
00380         "integrity":
  ...   "sha512-zeR9k5pd4gxjZ0abRoIaxdc7I3nDktoXZk2qOv9gCNWx3mVwEn32VRhyLaRsDiJjTs0xq/T8mfPtyuXu7GWBcA==",
00381         "dev": true,
00382         "license": "MIT",
00383         "engines": {
00384           "node": "^20.19.0 || ^22.13.0 || >=24"
00385         },
00386         "funding": {
00387           "url": "https://eslint.org/donate"
00388         },
00389         "peerDependencies": {
00390           "eslint": "^10.0.0"
00391         },
00392         "peerDependenciesMeta": {
00393           "eslint": {
00394             "optional": true
00395           }
00396         }
00397       },
00398       "node_modules/@eslint/object-schema": {
00399         "version": "3.0.5",
00400         "resolved": "https://registry.npmjs.org/@eslint/object-schema/-/object-schema-3.0.5.tgz",
00401         "integrity":
  ...   "sha512-vqTaUEgxzm+YDSdElad6PiRoX4t8VGDjCtt05zn4nU810UIx/uNEV7/lZJ6KwFThKZOzOxzXy48da+No7HZaMw==",
00402         "dev": true,
00403         "license": "Apache-2.0",
00404         "engines": {
00405           "node": "^20.19.0 || ^22.13.0 || >=24"
00406         }
00407       },
00408       "node_modules/@eslint/plugin-kit": {
00409         "version": "0.7.3",
00410         "resolved": "https://registry.npmjs.org/@eslint/plugin-kit/-/plugin-kit-0.7.3.tgz",
00411         "integrity":
  ...   "sha512-IkO+/KEUvwbVpiURZg+P7zF74z5Jxe0UgJxVni+RtoHQ6IZieXaO02kmadomap/q+l6bc/jdPGGqTjhuZnuz1Q==",
00412         "dev": true,
00413         "license": "Apache-2.0",
00414         "dependencies": {
00415           "@eslint/core": "^1.2.1",
00416           "levn": "^0.4.1"
00417         },
00418         "engines": {
00419           "node": "^20.19.0 || ^22.13.0 || >=24"
00420         }
00421       },
00422       "node_modules/@humanfs/core": {
00423         "version": "0.19.2",
00424         "resolved": "https://registry.npmjs.org/@humanfs/core/-/core-0.19.2.tgz",
00425         "integrity":
  ...   "sha512-UhXNm+CFMWcbChXywFwkmhqjs3PRCmcSa/hfBgLIb7oQ5HNb1wS0icWsGtSAUNgefHeI+eBrA8I1fxmbHsGdvA==",
00426         "dev": true,
00427         "license": "Apache-2.0",
00428         "dependencies": {
00429           "@humanfs/types": "^0.15.0"
00430         },
00431         "engines": {
00432           "node": ">=18.18.0"
00433         }
00434       },
00435       "node_modules/@humanfs/node": {
00436         "version": "0.16.8",
00437         "resolved": "https://registry.npmjs.org/@humanfs/node/-/node-0.16.8.tgz",
00438         "integrity":
  ...   "sha512-gE1eQNZ3R++kTzFUpdGlpmy8kDZD/MLyHqDwqjkVQI0JMdI1D51sy1H958PNXYkM2rAac7e5/CnIKZrHtPh3BQ==",
00439         "dev": true,
00440         "license": "Apache-2.0",
00441         "dependencies": {
00442           "@humanfs/core": "^0.19.2",
00443           "@humanfs/types": "^0.15.0",
00444           "@humanwhocodes/retry": "^0.4.0"
00445         },
00446         "engines": {
00447           "node": ">=18.18.0"
00448         }
00449       },
00450       "node_modules/@humanfs/types": {
00451         "version": "0.15.0",
00452         "resolved": "https://registry.npmjs.org/@humanfs/types/-/types-0.15.0.tgz",
00453         "integrity":
  ...   "sha512-ZZ1w0aoQkwuUuC7Yf+7sdeaNfqQiiLcSRbfI08oAxqLtpXQr9AIVX7Ay7HLDuiLYAaFPu8oBYNq/QIi9URHJ3Q==",
00454         "dev": true,
00455         "license": "Apache-2.0",
00456         "engines": {
```

```
00457           "node": ">=18.18.0"
00458         }
00459       },
00460       "node_modules/@humanwhocodes/module-importer": {
00461         "version": "1.0.1",
00462         "resolved": "https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-importer-1.0.1.tgz",
00463         "integrity":
  ...   "sha512-bxveV4V8v5Yb4ncFTT3rPSgZBOpCkjfK0y4oVVVJwIuDVBRMDXrPyXRL988i5ap9m9bnyEEjWfm5WkBmtffLfA==",
00464         "dev": true,
00465         "license": "Apache-2.0",
00466         "engines": {
00467           "node": ">=12.22"
00468         },
00469         "funding": {
00470           "type": "github",
00471           "url": "https://github.com/sponsors/nzakas"
00472         }
00473       },
00474       "node_modules/@humanwhocodes/retry": {
00475         "version": "0.4.3",
00476         "resolved": "https://registry.npmjs.org/@humanwhocodes/retry/-/retry-0.4.3.tgz",
00477         "integrity":
  ...   "sha512-bV0Tgo9K4hfPCek+aMAn81RppFKv2ySDQeMoSZuvTASywNTnVJCArCZE2FWqpvIatKu7VMRLWlR1EazvVhDyhQ==",
00478         "dev": true,
00479         "license": "Apache-2.0",
00480         "engines": {
00481           "node": ">=18.18"
00482         },
00483         "funding": {
00484           "type": "github",
00485           "url": "https://github.com/sponsors/nzakas"
00486         }
00487       },
00488       "node_modules/@jridgewell/gen-mapping": {
00489         "version": "0.3.13",
00490         "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
00491         "integrity":
  ...   "sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKCBbA==",
00492         "license": "MIT",
00493         "dependencies": {
00494           "@jridgewell/sourcemap-codec": "^1.5.0",
00495           "@jridgewell/trace-mapping": "^0.3.24"
00496         }
00497       },
00498       "node_modules/@jridgewell/remapping": {
00499         "version": "2.3.5",
00500         "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
00501         "integrity":
  ...   "sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97T4IKHbhyHEQ==",
00502         "license": "MIT",
00503         "dependencies": {
00504           "@jridgewell/gen-mapping": "^0.3.5",
00505           "@jridgewell/trace-mapping": "^0.3.24"
00506         }
00507       },
00508       "node_modules/@jridgewell/resolve-uri": {
00509         "version": "3.1.2",
00510         "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
00511         "integrity":
  ...   "sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9QvmKWdopKw==",
00512         "license": "MIT",
00513         "engines": {
00514           "node": ">=6.0.0"
00515         }
00516       },
00517       "node_modules/@jridgewell/sourcemap-codec": {
00518         "version": "1.6.0",
00519         "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.6.0.tgz",
00520         "integrity":
  ...   "sha512-T7jf+5zgsZHwNJ4lvQ7/aezbyk0nNX+zJVWpmHA7VYsEx7a7qr5Rg5IbtJFqkgze5Y2sruq1RUY8Q837Od7iFw==",
00521         "license": "MIT"
00522       },
00523       "node_modules/@jridgewell/trace-mapping": {
00524         "version": "0.3.31",
00525         "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
00526         "integrity":
  ...   "sha512-zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCMtmfV8Nu1twOLAw==",
00527         "license": "MIT",
00528         "dependencies": {
00529           "@jridgewell/resolve-uri": "^3.1.0",
00530           "@jridgewell/sourcemap-codec": "^1.4.14"
00531         }
00532       },
```

```
00533      "node_modules/@keyv/bigmap": {
00534        "version": "1.3.1",
00535        "resolved": "https://registry.npmjs.org/@keyv/bigmap/-/bigmap-1.3.1.tgz",
00536        "integrity":
  ...    "sha512-WbzE9sdmQtKy8vrNPa9BRnwZh5UF4s1KTmSK0KUVLo3eff5BlQNNWDnFOouNpKfPKDnms9xynJjsMYjMaT/aFQ==",
00537        "dev": true,
00538        "license": "MIT",
00539        "dependencies": {
00540          "hashery": "^1.4.0",
00541          "hookified": "^1.15.0"
00542        },
00543        "engines": {
00544          "node": ">= 18"
00545        },
00546        "peerDependencies": {
00547          "keyv": "^5.6.0"
00548        }
00549      },
00550      "node_modules/@keyv/serialize": {
00551        "version": "1.1.1",
00552        "resolved": "https://registry.npmjs.org/@keyv/serialize/-/serialize-1.1.1.tgz",
00553        "integrity":
  ...    "sha512-dXn3FZhPv0US+7dtJsIi2R+c7qWYiReoEh5zUntWCf4oSpMNib8FDhSoed6m3QyZdx5hK7iLFkYk3rNxwt8vTA==",
00554        "dev": true,
00555        "license": "MIT"
00556      },
00557      "node_modules/@oxc-project/types": {
00558        "version": "0.152.0",
00559        "resolved": "https://registry.npmjs.org/@oxc-project/types/-/types-0.152.0.tgz",
00560        "integrity":
  ...    "sha512-oM/5rLBm2tPkg0iBgkH/FOeR3PCDpY19GTgAZjMFM8h9WI9VW7cLgzp6nwtarYKmovavIQZ+Fe/RKX/8C8O/Rw==",
00561        "license": "MIT",
00562        "funding": {
00563          "url": "https://github.com/sponsors/oxc-project"
00564        }
00565      },
00566      "node_modules/@rolldown/binding-android-arm-eabi": {
00567        "version": "1.2.12",
00568        "resolved":
  ...    "https://registry.npmjs.org/@rolldown/binding-android-arm-eabi/-/binding-android-arm-eabi-1.2.12.tgz",
00569        "integrity":
  ...    "sha512-dB/a1214qKfHMXCpgqR4OZT+jS4kTyEXbQGJPqzobt5EwH5rX080pxE37alt3RzvR1bf1Yz/yGqRfrYAxuPw0A==",
00570        "cpu": [
00571          "arm"
00572        ],
00573        "license": "MIT",
00574        "optional": true,
00575        "os": [
00576          "android"
00577        ],
00578        "engines": {
00579          "node": "^20.19.0 || >=22.12.0"
00580        }
00581      },
00582      "node_modules/@rolldown/binding-android-arm64": {
00583        "version": "1.2.12",
00584        "resolved": "https://registry.npmjs.org/@rolldown/binding-android-arm64/-/binding-android-arm64-1.2.12.tgz",
00585        "integrity":
  ...    "sha512-7KHFgQ5VJxIHcLlrwrc3Xbds7oTNQT7Pgi9gQCJKrd2VGab/UksIOYp6VD8MzCstGxOKMgNamPwUCfxPdP1OHg==",
00586        "cpu": [
00587          "arm64"
00588        ],
00589        "license": "MIT",
00590        "optional": true,
00591        "os": [
00592          "android"
00593        ],
00594        "engines": {
00595          "node": "^20.19.0 || >=22.12.0"
00596        }
00597      },
00598      "node_modules/@rolldown/binding-darwin-arm64": {
00599        "version": "1.2.12",
00600        "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-arm64/-/binding-darwin-arm64-1.2.12.tgz",
00601        "integrity":
  ...    "sha512-3YIhqHD96nA5SaYNRBR16HnGv4oavZvXfD/ayHM+oYZ0WD/8lBAtf6zQua4kEyAvpqrluKXl0lnOBoiNby7x9w==",
00602        "cpu": [
00603          "arm64"
00604        ],
00605        "license": "MIT",
00606        "optional": true,
00607        "os": [
00608          "darwin"
```

```
00609         ],
00610         "engines": {
00611           "node": "^20.19.0 || >=22.12.0"
00612         }
00613       },
00614       "node_modules/@rolldown/binding-darwin-x64": {
00615         "version": "1.2.12",
00616         "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-x64/-/binding-darwin-x64-1.2.12.tgz",
00617         "integrity":
  ...   "sha512-UuuJ35MFw4gmFOrE9pEqIV+K3syIKveph+Qc1/ljHZVdoDW4pz/JHR/eMVom+TZGl/5OOvGJOWaOCVt3ZfqhxA==",
00618         "cpu": [
00619           "x64"
00620         ],
00621         "license": "MIT",
00622         "optional": true,
00623         "os": [
00624           "darwin"
00625         ],
00626         "engines": {
00627           "node": "^20.19.0 || >=22.12.0"
00628         }
00629       },
00630       "node_modules/@rolldown/binding-freebsd-x64": {
00631         "version": "1.2.12",
00632         "resolved": "https://registry.npmjs.org/@rolldown/binding-freebsd-x64/-/binding-freebsd-x64-1.2.12.tgz",
00633         "integrity":
  ...   "sha512-uMvssit0a4W+/7D8CbHUvG719mH3R2jwXAlh/XcPvuHTE0g++LymF88DCGNX0HM2rBOn0xrzgXktIB6fLSJBTQ==",
00634         "cpu": [
00635           "x64"
00636         ],
00637         "license": "MIT",
00638         "optional": true,
00639         "os": [
00640           "freebsd"
00641         ],
00642         "engines": {
00643           "node": "^20.19.0 || >=22.12.0"
00644         }
00645       },
00646       "node_modules/@rolldown/binding-linux-arm-gnueabihf": {
00647         "version": "1.2.12",
00648         "resolved":
  ...   "https://registry.npmjs.org/@rolldown/binding-linux-arm-gnueabihf/-/binding-linux-arm-gnueabihf-1.2.12.tgz",
00649         "integrity":
  ...   "sha512-XcFu0R0xWnwzSf4IQgFH1rJIckPN1pLy2R+4r9IDB7Yfu/ys9cVqfa4pBrMHj7a3gl8mIR4nRNPg0e5IvEVs6g==",
00650         "cpu": [
00651           "arm"
00652         ],
00653         "license": "MIT",
00654         "optional": true,
00655         "os": [
00656           "linux"
00657         ],
00658         "engines": {
00659           "node": "^20.19.0 || >=22.12.0"
00660         }
00661       },
00662       "node_modules/@rolldown/binding-linux-arm64-gnu": {
00663         "version": "1.2.12",
00664         "resolved":
  ...   "https://registry.npmjs.org/@rolldown/binding-linux-arm64-gnu/-/binding-linux-arm64-gnu-1.2.12.tgz",
00665         "integrity":
  ...   "sha512-260UrKgn8tz39ak+SMDOirKzr7V04M9dWPw5llW00SwBivCZoWcRBKV1d8cXnRkUmSZA3BdiUmBHWk7734Ulpw==",
00666         "cpu": [
00667           "arm64"
00668         ],
00669         "license": "MIT",
00670         "optional": true,
00671         "os": [
00672           "linux"
00673         ],
00674         "engines": {
00675           "node": "^20.19.0 || >=22.12.0"
00676         }
00677       },
00678       "node_modules/@rolldown/binding-linux-arm64-musl": {
00679         "version": "1.2.12",
00680         "resolved":
  ...   "https://registry.npmjs.org/@rolldown/binding-linux-arm64-musl/-/binding-linux-arm64-musl-1.2.12.tgz",
00681         "integrity":
  ...   "sha512-5YK1I9SqDkbPgc1IA8BgDl34suqUS2q0KWnBrirm0E51YjOs6eo6dV6jbQfNE/argHRSvd0QUGgtpIoYx+WWpw==",
00682         "cpu": [
00683           "arm64"
```

```
00684         ],
00685         "license": "MIT",
00686         "optional": true,
00687         "os": [
00688           "linux"
00689         ],
00690         "engines": {
00691           "node": "^20.19.0 || >=22.12.0"
00692         }
00693       },
00694       "node_modules/@rolldown/binding-linux-ppc64-gnu": {
00695         "version": "1.2.12",
00696         "resolved":
  ...   "https://registry.npmjs.org/@rolldown/binding-linux-ppc64-gnu/-/binding-linux-ppc64-gnu-1.2.12.tgz",
00697         "integrity":
  ...   "sha512-Rkcrmp7eFRg74yL5fXEU91JEWbdEPLevWwGtXpmhbjlD1StScbWTmO94Bhly+Mo+ketKYkdmM1vNUKeWSlx8cQ==",
00698         "cpu": [
00699           "ppc64"
00700         ],
00701         "license": "MIT",
00702         "optional": true,
00703         "os": [
00704           "linux"
00705         ],
00706         "engines": {
00707           "node": "^20.19.0 || >=22.12.0"
00708         }
00709       },
00710       "node_modules/@rolldown/binding-linux-s390x-gnu": {
00711         "version": "1.2.12",
00712         "resolved":
  ...   "https://registry.npmjs.org/@rolldown/binding-linux-s390x-gnu/-/binding-linux-s390x-gnu-1.2.12.tgz",
00713         "integrity":
  ...   "sha512-qvK4DuAsQc2BSjlx+Xr+IzOIvvxbGZqxFwdWfG6F518Erj0GGISyQbJ6pIappnOxlNPzNHvo/L0BwB30GZ+zVw==",
00714         "cpu": [
00715           "s390x"
00716         ],
00717         "license": "MIT",
00718         "optional": true,
00719         "os": [
00720           "linux"
00721         ],
00722         "engines": {
00723           "node": "^20.19.0 || >=22.12.0"
00724         }
00725       },
00726       "node_modules/@rolldown/binding-linux-x64-gnu": {
00727         "version": "1.2.12",
00728         "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-gnu/-/binding-linux-x64-gnu-1.2.12.tgz",
00729         "integrity":
  ...   "sha512-Q9uLBO53Xd4QIq1WOycVQyPP1O4HhraEV2qqb3uTrnVw6QZih9duY4vNXOivL1xoUS1/z+W8eF4NMfl2a8Sdjw==",
00730         "cpu": [
00731           "x64"
00732         ],
00733         "license": "MIT",
00734         "optional": true,
00735         "os": [
00736           "linux"
00737         ],
00738         "engines": {
00739           "node": "^20.19.0 || >=22.12.0"
00740         }
00741       },
00742       "node_modules/@rolldown/binding-linux-x64-musl": {
00743         "version": "1.2.12",
00744         "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-musl/-/binding-linux-x64-musl-1.2.12.tgz",
00745         "integrity":
  ...   "sha512-3IBxWFMjbOZskDPKv8Lf9BCnahlKuHthWkYnyIxOH/QcJrFcS4EmcenthApkwr/5+nEqZlLzeYbxeMaX7A5u4g==",
00746         "cpu": [
00747           "x64"
00748         ],
00749         "license": "MIT",
00750         "optional": true,
00751         "os": [
00752           "linux"
00753         ],
00754         "engines": {
00755           "node": "^20.19.0 || >=22.12.0"
00756         }
00757       },
00758       "node_modules/@rolldown/binding-openharmony-arm64": {
00759         "version": "1.2.12",
00760         "resolved":
```

```
  ...   "https://registry.npmjs.org/@rolldown/binding-openharmony-arm64/-/binding-openharmony-arm64-1.2.12.tgz",
00761         "integrity":
  ...   "sha512-xtX61xg4LKPkPWilZU1ynKClz5Gj4bf74LML4r3eVLWumKnGjoEr1OSHQhMdbBDoYTi+yjrujvpZe2pUnqCrrA==",
00762         "cpu": [
00763           "arm64"
00764         ],
00765         "license": "MIT",
00766         "optional": true,
00767         "os": [
00768           "openharmony"
00769         ],
00770         "engines": {
00771           "node": "^20.19.0 || >=22.12.0"
00772         }
00773       },
00774       "node_modules/@rolldown/binding-win32-arm64-msvc": {
00775         "version": "1.2.12",
00776         "resolved":
  ...   "https://registry.npmjs.org/@rolldown/binding-win32-arm64-msvc/-/binding-win32-arm64-msvc-1.2.12.tgz",
00777         "integrity":
  ...   "sha512-At7fPB6PCaIjzgIhEZFxuT+BBFqiQibJDT4d3PhiR3f4E7bbMZF4aKblbFfEM3sETRDd1YiQx/+U/g/B/ou5Ew==",
00778         "cpu": [
00779           "arm64"
00780         ],
00781         "license": "MIT",
00782         "optional": true,
00783         "os": [
00784           "win32"
00785         ],
00786         "engines": {
00787           "node": "^20.19.0 || >=22.12.0"
00788         }
00789       },
00790       "node_modules/@rolldown/binding-win32-x64-msvc": {
00791         "version": "1.2.12",
00792         "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-x64-msvc/-/binding-win32-x64-msvc-1.2.12.tgz",
00793         "integrity":
  ...   "sha512-WIw2haVKwjuYdXkHaoC0mF8Le71TuCBxjrdKqLbJGctbBABj+ClfmNvtbOnzpq3RokNo5+V1qhtSzJyXorsklQ==",
00794         "cpu": [
00795           "x64"
00796         ],
00797         "license": "MIT",
00798         "optional": true,
00799         "os": [
00800           "win32"
00801         ],
00802         "engines": {
00803           "node": "^20.19.0 || >=22.12.0"
00804         }
00805       },
00806       "node_modules/@rolldown/pluginutils": {
00807         "version": "1.0.1",
00808         "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.1.tgz",
00809         "integrity":
  ...   "sha512-2j9bGt5Jh8hj+vPtgzPtl72j0yRxHAyumoo6TNfAjsLB04UtpSvPbPcDcBMxz7n+9CYB0c1GxQFxYRg2jimqGw==",
00810         "license": "MIT"
00811       },
00812       "node_modules/@tailwindcss/node": {
00813         "version": "4.3.3",
00814         "resolved": "https://registry.npmjs.org/@tailwindcss/node/-/node-4.3.3.tgz",
00815         "integrity":
  ...   "sha512-/T8IKEsf9VTU6tLjgC7+sv2mOPtQxzE2jMw7u4Tt40Tx+QSZxpzh95/H6cMKoja9XuW7iMdLJYBB0o9G1CaAgg==",
00816         "license": "MIT",
00817         "dependencies": {
00818           "@jridgewell/remapping": "^2.3.5",
00819           "enhanced-resolve": "^5.24.1",
00820           "jiti": "^2.7.0",
00821           "lightningcss": "1.32.0",
00822           "magic-string": "^0.30.21",
00823           "source-map-js": "^1.2.1",
00824           "tailwindcss": "4.3.3"
00825         }
00826       },
00827       "node_modules/@tailwindcss/node/node_modules/lightningcss": {
00828         "version": "1.32.0",
00829         "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.32.0.tgz",
00830         "integrity":
  ...   "sha512-NXYBzinNrblfraPGyrbPoD19C1h9lfI/1mzgWYvXUTe414Gz/X1FD2XBZSZM7rRTrMA8JL3OtAaGifrIKhQ5yQ==",
00831         "license": "MPL-2.0",
00832         "dependencies": {
00833           "detect-libc": "^2.0.3"
00834         },
00835         "engines": {
```

```
00836         "node": ">= 12.0.0"
00837       },
00838       "funding": {
00839         "type": "opencollective",
00840         "url": "https://opencollective.com/parcel"
00841       },
00842       "optionalDependencies": {
00843         "lightningcss-android-arm64": "1.32.0",
00844         "lightningcss-darwin-arm64": "1.32.0",
00845         "lightningcss-darwin-x64": "1.32.0",
00846         "lightningcss-freebsd-x64": "1.32.0",
00847         "lightningcss-linux-arm-gnueabihf": "1.32.0",
00848         "lightningcss-linux-arm64-gnu": "1.32.0",
00849         "lightningcss-linux-arm64-musl": "1.32.0",
00850         "lightningcss-linux-x64-gnu": "1.32.0",
00851         "lightningcss-linux-x64-musl": "1.32.0",
00852         "lightningcss-win32-arm64-msvc": "1.32.0",
00853         "lightningcss-win32-x64-msvc": "1.32.0"
00854       }
00855     },
00856     "node_modules/@tailwindcss/node/node_modules/lightningcss-android-arm64": {
00857       "version": "1.32.0",
00858       "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.32.0.tgz",
00859       "integrity":
  ...   "sha512-YK7/ClTt4kAK0vo6w3X+Pnm0D2cf2vPHbhOXdoNti1Ga0al1P4TBZhwjATvjNwLEBCnKvjJc2jQgHXH0NEwlAg==",
00860       "cpu": [
00861         "arm64"
00862       ],
00863       "license": "MPL-2.0",
00864       "optional": true,
00865       "os": [
00866         "android"
00867       ],
00868       "engines": {
00869         "node": ">= 12.0.0"
00870       },
00871       "funding": {
00872         "type": "opencollective",
00873         "url": "https://opencollective.com/parcel"
00874       }
00875     },
00876     "node_modules/@tailwindcss/node/node_modules/lightningcss-darwin-arm64": {
00877       "version": "1.32.0",
00878       "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.32.0.tgz",
00879       "integrity":
  ...   "sha512-RzeG9Ju5bag2Bv1/lwlVJvBE3q6TtXskdZLLCyfg5pt+HLz9BqlICO7LZM7VHNTTn/5PRhHFBSjk5lc4cmscPQ==",
00880       "cpu": [
00881         "arm64"
00882       ],
00883       "license": "MPL-2.0",
00884       "optional": true,
00885       "os": [
00886         "darwin"
00887       ],
00888       "engines": {
00889         "node": ">= 12.0.0"
00890       },
00891       "funding": {
00892         "type": "opencollective",
00893         "url": "https://opencollective.com/parcel"
00894       }
00895     },
00896     "node_modules/@tailwindcss/node/node_modules/lightningcss-darwin-x64": {
00897       "version": "1.32.0",
00898       "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.32.0.tgz",
00899       "integrity":
  ...   "sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJqlCcMLTWp5muCrID+K5UJ6jqD2BFshejCYXniPDbNh73V8w==",
00900       "cpu": [
00901         "x64"
00902       ],
00903       "license": "MPL-2.0",
00904       "optional": true,
00905       "os": [
00906         "darwin"
00907       ],
00908       "engines": {
00909         "node": ">= 12.0.0"
00910       },
00911       "funding": {
00912         "type": "opencollective",
00913         "url": "https://opencollective.com/parcel"
00914       }
00915     },
```

```
00916       "node_modules/@tailwindcss/node/node_modules/lightningcss-freebsd-x64": {
00917         "version": "1.32.0",
00918         "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.32.0.tgz",
00919         "integrity":
  ...   "sha512-JCTigedEksZk3tHTTthnMdVfGf61Fky8Ji2E4YjUTEQX14xiy/lTzXnu1vwiZe3bYe0q+SpsSH/CTeDXK6WHig==",
00920         "cpu": [
00921           "x64"
00922         ],
00923         "license": "MPL-2.0",
00924         "optional": true,
00925         "os": [
00926           "freebsd"
00927         ],
00928         "engines": {
00929           "node": ">= 12.0.0"
00930         },
00931         "funding": {
00932           "type": "opencollective",
00933           "url": "https://opencollective.com/parcel"
00934         }
00935       },
00936       "node_modules/@tailwindcss/node/node_modules/lightningcss-linux-arm-gnueabihf": {
00937         "version": "1.32.0",
00938         "resolved":
  ...   "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-linux-arm-gnueabihf-1.32.0.tgz",
00939         "integrity":
  ...   "sha512-x6rnnpRa2GL0zQOkt6rts3YDPzduLpWvwAF6EMhXFVZXD4tPrBkEFqzGowzCsIWsPjqSK+tyNEODUBXeeVHSkw==",
00940         "cpu": [
00941           "arm"
00942         ],
00943         "license": "MPL-2.0",
00944         "optional": true,
00945         "os": [
00946           "linux"
00947         ],
00948         "engines": {
00949           "node": ">= 12.0.0"
00950         },
00951         "funding": {
00952           "type": "opencollective",
00953           "url": "https://opencollective.com/parcel"
00954         }
00955       },
00956       "node_modules/@tailwindcss/node/node_modules/lightningcss-linux-arm64-gnu": {
00957         "version": "1.32.0",
00958         "resolved":
  ...   "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.32.0.tgz",
00959         "integrity":
  ...   "sha512-0nnMyoyOLRJXfbMOilaSRcLH3Jw5z9HDNGfT/gwCPgaDjnx0i8w7vBzFLFR1f6CMLKF8gVbebmkUN3fa/kQJpQ==",
00960         "cpu": [
00961           "arm64"
00962         ],
00963         "license": "MPL-2.0",
00964         "optional": true,
00965         "os": [
00966           "linux"
00967         ],
00968         "engines": {
00969           "node": ">= 12.0.0"
00970         },
00971         "funding": {
00972           "type": "opencollective",
00973           "url": "https://opencollective.com/parcel"
00974         }
00975       },
00976       "node_modules/@tailwindcss/node/node_modules/lightningcss-linux-arm64-musl": {
00977         "version": "1.32.0",
00978         "resolved":
  ...   "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.32.0.tgz",
00979         "integrity":
  ...   "sha512-UpQkoenr4UJEzgVIYpI80lDFvRmPVg6oqboNHfoH4CQIfNA+HOrZ7Mo7KZP02dC6LjghPQJeBsvXhJod/wnIBg==",
00980         "cpu": [
00981           "arm64"
00982         ],
00983         "license": "MPL-2.0",
00984         "optional": true,
00985         "os": [
00986           "linux"
00987         ],
00988         "engines": {
00989           "node": ">= 12.0.0"
00990         },
00991         "funding": {
```

```
00992           "type": "opencollective",
00993           "url": "https://opencollective.com/parcel"
00994         }
00995       },
00996       "node_modules/@tailwindcss/node/node_modules/lightningcss-linux-x64-gnu": {
00997         "version": "1.32.0",
00998         "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.32.0.tgz",
00999         "integrity":
  ...   "sha512-V7Qr52IhZmdKPVr+Vtw8o+WLsQJYCTd8loIfpDaMRWGUZfBOYEJeyJIkqGIDMZPwPx24pUMfwSxxI8phr/MbOA==",
01000         "cpu": [
01001           "x64"
01002         ],
01003         "license": "MPL-2.0",
01004         "optional": true,
01005         "os": [
01006           "linux"
01007         ],
01008         "engines": {
01009           "node": ">= 12.0.0"
01010         },
01011         "funding": {
01012           "type": "opencollective",
01013           "url": "https://opencollective.com/parcel"
01014         }
01015       },
01016       "node_modules/@tailwindcss/node/node_modules/lightningcss-linux-x64-musl": {
01017         "version": "1.32.0",
01018         "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.32.0.tgz",
01019         "integrity":
  ...   "sha512-bYcLp+Vb0awsiXg/80uCRezCYHNg1/l3mt0gzHnWV9XP1W5sKa5/TCdGWaR/zBM2PeF/HbsQv/j2URNOiVuxWg==",
01020         "cpu": [
01021           "x64"
01022         ],
01023         "license": "MPL-2.0",
01024         "optional": true,
01025         "os": [
01026           "linux"
01027         ],
01028         "engines": {
01029           "node": ">= 12.0.0"
01030         },
01031         "funding": {
01032           "type": "opencollective",
01033           "url": "https://opencollective.com/parcel"
01034         }
01035       },
01036       "node_modules/@tailwindcss/node/node_modules/lightningcss-win32-arm64-msvc": {
01037         "version": "1.32.0",
01038         "resolved":
  ...   "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.32.0.tgz",
01039         "integrity":
  ...   "sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4JlFTOlaD3gWGHfThTcABnNDBda6eTZeqbofalIJhFx0qKzgHJmcPTnGdw==",
01040         "cpu": [
01041           "arm64"
01042         ],
01043         "license": "MPL-2.0",
01044         "optional": true,
01045         "os": [
01046           "win32"
01047         ],
01048         "engines": {
01049           "node": ">= 12.0.0"
01050         },
01051         "funding": {
01052           "type": "opencollective",
01053           "url": "https://opencollective.com/parcel"
01054         }
01055       },
01056       "node_modules/@tailwindcss/node/node_modules/lightningcss-win32-x64-msvc": {
01057         "version": "1.32.0",
01058         "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.32.0.tgz",
01059         "integrity":
  ...   "sha512-Amq9B/SoZYdDi1kFrojnoqPLxYhQ4Wo5XiL8EVJrVsB8ARoC1PWW6VGtT0WKCemjy8aC+louJnjS7U18x3b06Q==",
01060         "cpu": [
01061           "x64"
01062         ],
01063         "license": "MPL-2.0",
01064         "optional": true,
01065         "os": [
01066           "win32"
01067         ],
01068         "engines": {
01069           "node": ">= 12.0.0"
```

```
01070         },
01071         "funding": {
01072           "type": "opencollective",
01073           "url": "https://opencollective.com/parcel"
01074         }
01075       },
01076       "node_modules/@tailwindcss/oxide": {
01077         "version": "4.3.3",
01078         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide/-/oxide-4.3.3.tgz",
01079         "integrity":
  ...   "sha512-krXjAikiaFSPaK/FkAQT5UTx3VormQaiZ5hBFlJZ9UFQGB/rwg1MZIhHAG9smMQRTdyJxP6Qt5MwMtdyU5FWrA==",
01080         "license": "MIT",
01081         "engines": {
01082           "node": ">= 20"
01083         },
01084         "optionalDependencies": {
01085           "@tailwindcss/oxide-android-arm64": "4.3.3",
01086           "@tailwindcss/oxide-darwin-arm64": "4.3.3",
01087           "@tailwindcss/oxide-darwin-x64": "4.3.3",
01088           "@tailwindcss/oxide-freebsd-x64": "4.3.3",
01089           "@tailwindcss/oxide-linux-arm-gnueabihf": "4.3.3",
01090           "@tailwindcss/oxide-linux-arm64-gnu": "4.3.3",
01091           "@tailwindcss/oxide-linux-arm64-musl": "4.3.3",
01092           "@tailwindcss/oxide-linux-x64-gnu": "4.3.3",
01093           "@tailwindcss/oxide-linux-x64-musl": "4.3.3",
01094           "@tailwindcss/oxide-wasm32-wasi": "4.3.3",
01095           "@tailwindcss/oxide-win32-arm64-msvc": "4.3.3",
01096           "@tailwindcss/oxide-win32-x64-msvc": "4.3.3"
01097         }
01098       },
01099       "node_modules/@tailwindcss/oxide-android-arm64": {
01100         "version": "4.3.3",
01101         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-android-arm64/-/oxide-android-arm64-4.3.3.tgz",
01102         "integrity":
  ...   "sha512-Y85A2gmPSkl5Ve5qR86GL4HT509cFqQh1aes9p3sSkyTPwt0Pppf3GkwGe4JPACcRYjgJIEhQgM6dBClnr0NYw==",
01103         "cpu": [
01104           "arm64"
01105         ],
01106         "license": "MIT",
01107         "optional": true,
01108         "os": [
01109           "android"
01110         ],
01111         "engines": {
01112           "node": ">= 20"
01113         }
01114       },
01115       "node_modules/@tailwindcss/oxide-darwin-arm64": {
01116         "version": "4.3.3",
01117         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-arm64/-/oxide-darwin-arm64-4.3.3.tgz",
01118         "integrity":
  ...   "sha512-BiaWatpBcERQFDlOjRDpIVXuFK5PJez5SA4JMg6VYZdBYU+qKfV/vqjcIs+IYmtitf1xYQZTwXvU/8y4lfZUGw==",
01119         "cpu": [
01120           "arm64"
01121         ],
01122         "license": "MIT",
01123         "optional": true,
01124         "os": [
01125           "darwin"
01126         ],
01127         "engines": {
01128           "node": ">= 20"
01129         }
01130       },
01131       "node_modules/@tailwindcss/oxide-darwin-x64": {
01132         "version": "4.3.3",
01133         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-x64/-/oxide-darwin-x64-4.3.3.tgz",
01134         "integrity":
  ...   "sha512-fAeUqfV5ndhxRwai8cXGzdLvul9utWOmeTkv69unv4ZXixjn61Z+p9lCWdwOwA3TYboG3BwdVuN/RDjhBRl0mw==",
01135         "cpu": [
01136           "x64"
01137         ],
01138         "license": "MIT",
01139         "optional": true,
01140         "os": [
01141           "darwin"
01142         ],
01143         "engines": {
01144           "node": ">= 20"
01145         }
01146       },
01147       "node_modules/@tailwindcss/oxide-freebsd-x64": {
01148         "version": "4.3.3",
```

```
01149         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-freebsd-x64/-/oxide-freebsd-x64-4.3.3.tgz",
01150         "integrity":
  ...   "sha512-iyf5bV6+wnAlflVeEy7R25dupxTNECZN5QMI0qNT6eT+EgaGdZcKhGkr5SdoaWiLJ3spLqIY9VCeSGrwmtg4kw==",
01151         "cpu": [
01152           "x64"
01153         ],
01154         "license": "MIT",
01155         "optional": true,
01156         "os": [
01157           "freebsd"
01158         ],
01159         "engines": {
01160           "node": ">= 20"
01161         }
01162       },
01163       "node_modules/@tailwindcss/oxide-linux-arm-gnueabihf": {
01164         "version": "4.3.3",
01165         "resolved":
  ...   "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm-gnueabihf/-/oxide-linux-arm-gnueabihf-4.3.3.tgz",
01166         "integrity":
  ...   "sha512-aAYUprJAJQWWbRrPvtjdroZ56Md+JM8pMiopS6xGEwDfLhqj+2ver2p4nU4Mb3CRqcMmNBjo8KkUgcxhkzVQGQ==",
01167         "cpu": [
01168           "arm"
01169         ],
01170         "license": "MIT",
01171         "optional": true,
01172         "os": [
01173           "linux"
01174         ],
01175         "engines": {
01176           "node": ">= 20"
01177         }
01178       },
01179       "node_modules/@tailwindcss/oxide-linux-arm64-gnu": {
01180         "version": "4.3.3",
01181         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-gnu/-/oxide-linux-arm64-gnu-4.3.3.tgz",
01182         "integrity":
  ...   "sha512-nDxldcEENOxZRzC2uu9jrutZdAAQtb+8WWDCSnWL1zvBk1+FN+x6MtDViPB5AJMfttVCUhehGWus3XBPgatM/w==",
01183         "cpu": [
01184           "arm64"
01185         ],
01186         "license": "MIT",
01187         "optional": true,
01188         "os": [
01189           "linux"
01190         ],
01191         "engines": {
01192           "node": ">= 20"
01193         }
01194       },
01195       "node_modules/@tailwindcss/oxide-linux-arm64-musl": {
01196         "version": "4.3.3",
01197         "resolved":
  ...   "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-musl/-/oxide-linux-arm64-musl-4.3.3.tgz",
01198         "integrity":
  ...   "sha512-Md44bD6veX/PC5iyF8cDVnw4HBIANZepRZZ7a8DQOvkfo5WUBwcp6iAuCUz23u+4SUkhJlD3eL7hNdW8ezd/kA==",
01199         "cpu": [
01200           "arm64"
01201         ],
01202         "license": "MIT",
01203         "optional": true,
01204         "os": [
01205           "linux"
01206         ],
01207         "engines": {
01208           "node": ">= 20"
01209         }
01210       },
01211       "node_modules/@tailwindcss/oxide-linux-x64-gnu": {
01212         "version": "4.3.3",
01213         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-gnu/-/oxide-linux-x64-gnu-4.3.3.tgz",
01214         "integrity":
  ...   "sha512-tx7us1muwOKAKWao2v/GaafFeQboE6aj88vC6ziN2NCGcRm8gWUhwjzg+YdVB1e4boAtdtma4L43onunI6NS4w==",
01215         "cpu": [
01216           "x64"
01217         ],
01218         "license": "MIT",
01219         "optional": true,
01220         "os": [
01221           "linux"
01222         ],
01223         "engines": {
01224           "node": ">= 20"
```

```
01225         }
01226       },
01227       "node_modules/@tailwindcss/oxide-linux-x64-musl": {
01228         "version": "4.3.3",
01229         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-musl/-/oxide-linux-x64-musl-4.3.3.tgz",
01230         "integrity":
  ...   "sha512-SJxX60smvHgasZoBy11dX6YRjXJFovwWBoedhbQPOBzgFWBHGB+TVPWB9BxzR7TTxU8FQZAI2AyiNCMzFm8Img==",
01231         "cpu": [
01232           "x64"
01233         ],
01234         "license": "MIT",
01235         "optional": true,
01236         "os": [
01237           "linux"
01238         ],
01239         "engines": {
01240           "node": ">= 20"
01241         }
01242       },
01243       "node_modules/@tailwindcss/oxide-wasm32-wasi": {
01244         "version": "4.3.3",
01245         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-wasm32-wasi/-/oxide-wasm32-wasi-4.3.3.tgz",
01246         "integrity":
  ...   "sha512-jx1+rPhY/5Ympkktd656HBWEBLxP7dH06losBLjjf5vgCODXvi9KhtftWcMIwTFIDqBr7cRnQkdLnAG+IOlGvQ==",
01247         "bundleDependencies": [
01248           "@napi-rs/wasm-runtime",
01249           "@emnapi/core",
01250           "@emnapi/runtime",
01251           "@tybys/wasm-util",
01252           "@emnapi/wasi-threads",
01253           "tslib"
01254         ],
01255         "cpu": [
01256           "wasm32"
01257         ],
01258         "license": "MIT",
01259         "optional": true,
01260         "dependencies": {
01261           "@emnapi/core": "^1.11.1",
01262           "@emnapi/runtime": "^1.11.1",
01263           "@emnapi/wasi-threads": "^1.2.2",
01264           "@napi-rs/wasm-runtime": "^1.1.4",
01265           "@tybys/wasm-util": "^0.10.2",
01266           "tslib": "^2.8.1"
01267         },
01268         "engines": {
01269           "node": ">=14.0.0"
01270         }
01271       },
01272       "node_modules/@tailwindcss/oxide-win32-arm64-msvc": {
01273         "version": "4.3.3",
01274         "resolved":
  ...   "https://registry.npmjs.org/@tailwindcss/oxide-win32-arm64-msvc/-/oxide-win32-arm64-msvc-4.3.3.tgz",
01275         "integrity":
  ...   "sha512-3rc292Ca2ceK6Ulcc/bAVnTs/3nDtoPhyEKlgPv+yQJQi/JS/AMJlqzxvlDacL1nekbrcf6bTqp/jV4qgnPxNQ==",
01276         "cpu": [
01277           "arm64"
01278         ],
01279         "license": "MIT",
01280         "optional": true,
01281         "os": [
01282           "win32"
01283         ],
01284         "engines": {
01285           "node": ">= 20"
01286         }
01287       },
01288       "node_modules/@tailwindcss/oxide-win32-x64-msvc": {
01289         "version": "4.3.3",
01290         "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-x64-msvc/-/oxide-win32-x64-msvc-4.3.3.tgz",
01291         "integrity":
  ...   "sha512-yJ0pwIVc/nYeGoV02WtsN8KYyLQv7kyI2wDnkezyJlGGjkd4QLwDGAwl47YpPJeuI0M0ObaXGSPjvWDPeTPggw==",
01292         "cpu": [
01293           "x64"
01294         ],
01295         "license": "MIT",
01296         "optional": true,
01297         "os": [
01298           "win32"
01299         ],
01300         "engines": {
01301           "node": ">= 20"
01302         }
```

```
01303      },
01304      "node_modules/@tailwindcss/vite": {
01305        "version": "4.3.3",
01306        "resolved": "https://registry.npmjs.org/@tailwindcss/vite/-/vite-4.3.3.tgz",
01307        "integrity":
  ...    "sha512-yYU8cogLeSh/ms2jh8Fj7jaba/EWa7Ja6GoUqYZaraEuCI5YS6ms6ObZgjjedm+jm6XZjdNRWBpPP6Z86oOxcw==",
01308        "license": "MIT",
01309        "dependencies": {
01310          "@tailwindcss/node": "4.3.3",
01311          "@tailwindcss/oxide": "4.3.3",
01312          "tailwindcss": "4.3.3"
01313        },
01314        "peerDependencies": {
01315          "vite": "^5.2.0 || ^6 || ^7 || ^8"
01316        }
01317      },
01318      "node_modules/@types/esrecurse": {
01319        "version": "4.3.1",
01320        "resolved": "https://registry.npmjs.org/@types/esrecurse/-/esrecurse-4.3.1.tgz",
01321        "integrity":
  ...    "sha512-xJBAbDifo5hpffDBuHl0Y8ywswbiAp/Wi7Y/GtAgSlZyIABppyurxVueOPE8LUQOxdlgi6Zqce7uoEpqNTeiUw==",
01322        "dev": true,
01323        "license": "MIT"
01324      },
01325      "node_modules/@types/estree": {
01326        "version": "1.0.9",
01327        "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.9.tgz",
01328        "integrity":
  ...    "sha512-GhdPgy1el4/ImP05X05Uw4cw2/M93BCUmnEvWZNStlCzEKME4Fkk+YpoA5OiHNQmoS7Cafb8Xa3Pya8m1Qrzeg==",
01329        "dev": true,
01330        "license": "MIT"
01331      },
01332      "node_modules/@types/json-schema": {
01333        "version": "7.0.15",
01334        "resolved": "https://registry.npmjs.org/@types/json-schema/-/json-schema-7.0.15.tgz",
01335        "integrity":
  ...    "sha512-5+fP8P8MFNC+AyZCDxrB2pkZFPGzqQWUzpSeuuVLvm8VMcorNYavBqoFcxK8bQz4Qsbn4oUEEem4wDLfcysGHA==",
01336        "dev": true,
01337        "license": "MIT"
01338      },
01339      "node_modules/@types/react": {
01340        "version": "19.3.0",
01341        "resolved": "https://registry.npmjs.org/@types/react/-/react-19.3.0.tgz",
01342        "integrity":
  ...    "sha512-N0rFCuH9YoxG9/m61l9MfpJKfmLOVU0em7ipIz6TRgSSkvReLB9vL85GB+yr8Bs5leqpvg96JSwF4ZS1s4viQg==",
01343        "devOptional": true,
01344        "license": "MIT",
01345        "dependencies": {
01346          "csstype": "^3.2.2"
01347        }
01348      },
01349      "node_modules/@types/react-dom": {
01350        "version": "19.3.0",
01351        "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-19.3.0.tgz",
01352        "integrity":
  ...    "sha512-ZI7bU42mZXXKHn/qNLEw2IrbiINU7X5+vfgdixBHkCNpYWXjKgfQ/P+uyGb5CjOLB9UcnTeg3rylQtV2hym44Q==",
01353        "dev": true,
01354        "license": "MIT",
01355        "peerDependencies": {
01356          "@types/react": "^19.3.0"
01357        }
01358      },
01359      "node_modules/@vitejs/plugin-react": {
01360        "version": "6.1.2",
01361        "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-6.1.2.tgz",
01362        "integrity":
  ...    "sha512-fhJNGUdscQa4HkI0xFxwonWyhnVReCPDbXI7FH7jmzpnVCrFQI7PRrhWecO263610vOrs9tr2Y4xcf8uAdFxbw==",
01363        "dev": true,
01364        "license": "MIT",
01365        "dependencies": {
01366          "@rolldown/pluginutils": "^1.0.1"
01367        },
01368        "engines": {
01369          "node": "^20.19.0 || >=22.12.0"
01370        },
01371        "peerDependencies": {
01372          "@rolldown/plugin-babel": "^0.1.7 || ^0.2.0",
01373          "babel-plugin-react-compiler": "^1.0.0",
01374          "oxc-transform-react": "^0.152.0",
01375          "vite": "^8.0.0"
01376        },
01377        "peerDependenciesMeta": {
01378          "@rolldown/plugin-babel": {
```

```
01379           "optional": true
01380         },
01381         "babel-plugin-react-compiler": {
01382           "optional": true
01383         },
01384         "oxc-transform-react": {
01385           "optional": true
01386         }
01387       }
01388     },
01389     "node_modules/acorn": {
01390       "version": "8.19.0",
01391       "resolved": "https://registry.npmjs.org/acorn/-/acorn-8.19.0.tgz",
01392       "integrity":
  ...   "sha512-oJlA3XiRm7Cyk6qFD2Jn8ak9B7jSy0qy00ADO3+8dpT0LSjFihQYv4C02LFCSYJV3Q37xYwwRy5m+IpIiUzqWw==",
01393       "dev": true,
01394       "license": "MIT",
01395       "bin": {
01396         "acorn": "bin/acorn"
01397       },
01398       "engines": {
01399         "node": ">=0.4.0"
01400       }
01401     },
01402     "node_modules/acorn-jsx": {
01403       "version": "5.3.2",
01404       "resolved": "https://registry.npmjs.org/acorn-jsx/-/acorn-jsx-5.3.2.tgz",
01405       "integrity":
  ...   "sha512-rq9s+JNhf0IChjtDXxllJ7g41oZk5SlXtp0LHwyA5cejwn7vKmKp4pPri6YEePv2PU65sAsegbXtIinmDFDXgQ==",
01406       "dev": true,
01407       "license": "MIT",
01408       "peerDependencies": {
01409         "acorn": "^6.0.0 || ^7.0.0 || ^8.0.0"
01410       }
01411     },
01412     "node_modules/ajv": {
01413       "version": "6.15.0",
01414       "resolved": "https://registry.npmjs.org/ajv/-/ajv-6.15.0.tgz",
01415       "integrity":
  ...   "sha512-fgFx7Hfoq60ytK2c7DhnF8jIvzYgOMxfugjLOSMHjLIPgenqa7S7oaagATUq99mV6IYvN2tRmC0wnTYX6iPbMw==",
01416       "dev": true,
01417       "license": "MIT",
01418       "dependencies": {
01419         "fast-deep-equal": "^3.1.1",
01420         "fast-json-stable-stringify": "^2.0.0",
01421         "json-schema-traverse": "^0.4.1",
01422         "uri-js": "^4.2.2"
01423       },
01424       "funding": {
01425         "type": "github",
01426         "url": "https://github.com/sponsors/epoberezkin"
01427       }
01428     },
01429     "node_modules/balanced-match": {
01430       "version": "4.0.4",
01431       "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-4.0.4.tgz",
01432       "integrity":
  ...   "sha512-BLrgEcRTwX2o6gGxGOCNyMvGSp35YofuYzw9h1IMTRmKqttAZZVU67bdb9Pr2vUHA8+j3i2tJfjO6C6+4myGTA==",
01433       "dev": true,
01434       "license": "MIT",
01435       "engines": {
01436         "node": "18 || 20 || >=22"
01437       }
01438     },
01439     "node_modules/baseline-browser-mapping": {
01440       "version": "2.11.27",
01441       "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.11.27.tgz",
01442       "integrity":
  ...   "sha512-ElY12DaROGuan+lMmZ8Cvo/ZUbXPe7Enc/9VU/b1T3Kp4dwytRcNdR8DoSJN5SNJT/CuvcCA0DHDVmMOCePdRQ==",
01443       "dev": true,
01444       "license": "Apache-2.0",
01445       "bin": {
01446         "baseline-browser-mapping": "dist/cli.cjs"
01447       },
01448       "engines": {
01449         "node": ">=6.0.0"
01450       }
01451     },
01452     "node_modules/brace-expansion": {
01453       "version": "5.0.12",
01454       "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-5.0.12.tgz",
01455       "integrity":
  ...   "sha512-YovQ3rzhaLMIrDjNDMkNS01tea93qhEhG5xy8f6+R0l+dw3Ki+5sCoIoI942iuLZTHWogWktgwVDhU09iNEimQ==",
```

```
01456         "dev": true,
01457         "license": "MIT",
01458         "dependencies": {
01459           "balanced-match": "^4.0.2"
01460         },
01461         "engines": {
01462           "node": "20 || >=22"
01463         }
01464       },
01465       "node_modules/browserslist": {
01466         "version": "4.29.3",
01467         "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.29.3.tgz",
01468         "integrity":
  ...   "sha512-1R4kiYKXGViqEN0CnoDrXc1StD9niAwu+j2dukWzrD4bJgsD4lDmEp0CRbc6E/vYJIfTHwPmwyaKtVSudICdPA==",
01469         "dev": true,
01470         "funding": [
01471           {
01472             "type": "opencollective",
01473             "url": "https://opencollective.com/browserslist"
01474           },
01475           {
01476             "type": "tidelift",
01477             "url": "https://tidelift.com/funding/github/npm/browserslist"
01478           },
01479           {
01480             "type": "github",
01481             "url": "https://github.com/sponsors/ai"
01482           }
01483         ],
01484         "license": "MIT",
01485         "dependencies": {
01486           "baseline-browser-mapping": "^2.11.26",
01487           "caniuse-lite": "^1.0.30001813",
01488           "electron-to-chromium": "^1.5.439",
01489           "node-releases": "^2.0.57",
01490           "update-browserslist-db": "^1.3.3"
01491         },
01492         "bin": {
01493           "browserslist": "cli.js"
01494         },
01495         "engines": {
01496           "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
01497         }
01498       },
01499       "node_modules/cacheable": {
01500         "version": "2.5.0",
01501         "resolved": "https://registry.npmjs.org/cacheable/-/cacheable-2.5.0.tgz",
01502         "integrity":
  ...   "sha512-60cyAOytib/OzBw1JNSoSV/boK1AtHryDIjvVBk7XbN4ugfkM3+Sry7fEjNgPMGgOjuaZPAp8ruZ0Cxafwyq9g==",
01503         "dev": true,
01504         "license": "MIT",
01505         "dependencies": {
01506           "@cacheable/memory": "^2.2.0",
01507           "@cacheable/utils": "^2.5.0",
01508           "hookified": "^1.15.0",
01509           "keyv": "^5.6.0",
01510           "qified": "^0.10.1"
01511         }
01512       },
01513       "node_modules/caniuse-lite": {
01514         "version": "1.0.30001814",
01515         "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001814.tgz",
01516         "integrity":
  ...   "sha512-/Uaf1lAzr59XcMpW0o96WoEfr+VXK2OX4U9AgFoiSHsVJ4HppnIFUjtYzsyDH2+tgANaQb2/oxYGwCPapN1FpA==",
01517         "dev": true,
01518         "funding": [
01519           {
01520             "type": "opencollective",
01521             "url": "https://opencollective.com/browserslist"
01522           },
01523           {
01524             "type": "tidelift",
01525             "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
01526           },
01527           {
01528             "type": "github",
01529             "url": "https://github.com/sponsors/ai"
01530           }
01531         ],
01532         "license": "CC-BY-4.0"
01533       },
01534       "node_modules/convert-source-map": {
01535         "version": "2.0.0",
```

```
01536         "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
01537         "integrity":
  ...   "sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsTms3aRJg==",
01538         "dev": true,
01539         "license": "MIT"
01540       },
01541       "node_modules/cookie": {
01542         "version": "1.1.1",
01543         "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
01544         "integrity":
  ...   "sha512-ei8Aos7ja0weRpFzJnEA9UHJ/7XQmqglbRwnf2ATjcB9Wq874VKH9kfjjirM6UhU2/E5fFYadylyhFldcqSidQ==",
01545         "license": "MIT",
01546         "engines": {
01547           "node": ">=18"
01548         },
01549         "funding": {
01550           "type": "opencollective",
01551           "url": "https://opencollective.com/express"
01552         }
01553       },
01554       "node_modules/cross-spawn": {
01555         "version": "7.0.6",
01556         "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
01557         "integrity":
  ...   "sha512-uV2QOWP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB9OiTGEyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca3OzKUd3vA==",
01558         "dev": true,
01559         "license": "MIT",
01560         "dependencies": {
01561           "path-key": "^3.1.0",
01562           "shebang-command": "^2.0.0",
01563           "which": "^2.0.1"
01564         },
01565         "engines": {
01566           "node": ">= 8"
01567         }
01568       },
01569       "node_modules/csstype": {
01570         "version": "3.2.3",
01571         "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
01572         "integrity":
  ...   "sha512-z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLFC8KusUX8T/0kCiOYpAIQ==",
01573         "devOptional": true,
01574         "license": "MIT"
01575       },
01576       "node_modules/debug": {
01577         "version": "4.4.3",
01578         "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
01579         "integrity":
  ...   "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3kO4stgYryrTlLpuvgI9GiijltAjNbcqA==",
01580         "dev": true,
01581         "license": "MIT",
01582         "dependencies": {
01583           "ms": "^2.1.3"
01584         },
01585         "engines": {
01586           "node": ">=6.0"
01587         },
01588         "peerDependenciesMeta": {
01589           "supports-color": {
01590             "optional": true
01591           }
01592         }
01593       },
01594       "node_modules/deep-is": {
01595         "version": "0.1.4",
01596         "resolved": "https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz",
01597         "integrity":
  ...   "sha512-oIPzksmTg4/MriiaYGO+okXDT7ztn/w3Eptv/+gSIdMdKsJo0u4CfYNFJPy+4SKMuCqGw2wxnA+URMg3t8a/bQ==",
01598         "dev": true,
01599         "license": "MIT"
01600       },
01601       "node_modules/detect-libc": {
01602         "version": "2.1.2",
01603         "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
01604         "integrity":
  ...   "sha512-Btj2BOOO83o3WyH59e8MgXsxEQVcarkUOpEYrubB0urwnN10yQ364rsiByU11nZlqWYZm05i/of7io4mzihBtQ==",
01605         "license": "Apache-2.0",
01606         "engines": {
01607           "node": ">=8"
01608         }
01609       },
01610       "node_modules/electron-to-chromium": {
01611         "version": "1.5.444",
```

```
01612         "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.444.tgz",
01613         "integrity":
  ...   "sha512-5ss/uJfoDYDHT0lfJzT6FbcskIzROIOPf0BbbFkGcvDzoJU7i//9GDrwwIHQVmIsrAGiF3ihpADBRIsrEFt1rQ==",
01614         "dev": true,
01615         "license": "ISC"
01616       },
01617       "node_modules/enhanced-resolve": {
01618         "version": "5.26.0",
01619         "resolved": "https://registry.npmjs.org/enhanced-resolve/-/enhanced-resolve-5.26.0.tgz",
01620         "integrity":
  ...   "sha512-9vhedylFonb2YGogzUKX6+Ja72gOJbN1QHAqdrvqLwhdl/QWbKopzoUC9EbQNVsAns/bx/4uyqalrQAoy1IByw==",
01621         "license": "MIT",
01622         "dependencies": {
01623           "graceful-fs": "^4.2.4",
01624           "tapable": "^2.3.3"
01625         },
01626         "engines": {
01627           "node": ">=10.13.0"
01628         }
01629       },
01630       "node_modules/escalade": {
01631         "version": "3.2.0",
01632         "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
01633         "integrity":
  ...   "sha512-WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
01634         "dev": true,
01635         "license": "MIT",
01636         "engines": {
01637           "node": ">=6"
01638         }
01639       },
01640       "node_modules/escape-string-regexp": {
01641         "version": "4.0.0",
01642         "resolved": "https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-4.0.0.tgz",
01643         "integrity":
  ...   "sha512-TtpcNJ3XAzx3Gq8sWRzJaVajRs0uVxA2YAkdb1jm2YkPz4G6egUFAyA3n5vtEIZefPk5Wa4UXbKuS5fKkJWdgA==",
01644         "dev": true,
01645         "license": "MIT",
01646         "engines": {
01647           "node": ">=10"
01648         },
01649         "funding": {
01650           "url": "https://github.com/sponsors/sindresorhus"
01651         }
01652       },
01653       "node_modules/eslint": {
01654         "version": "10.12.0",
01655         "resolved": "https://registry.npmjs.org/eslint/-/eslint-10.12.0.tgz",
01656         "integrity":
  ...   "sha512-npHjrHb2o4ehH3mE+YuxABR+0gyb0aVWCIolgJDArwCiHEIsonBm3ZKjel5b0U5+a+MbEvIyRCGCzD3eKKK2NA==",
01657         "dev": true,
01658         "license": "MIT",
01659         "workspaces": [
01660           "packages/*"
01661         ],
01662         "dependencies": {
01663           "@eslint-community/eslint-utils": "^4.8.0",
01664           "@eslint-community/regexpp": "^4.12.2",
01665           "@eslint/config-array": "^0.23.5",
01666           "@eslint/config-helpers": "^0.7.0",
01667           "@eslint/core": "^1.2.1",
01668           "@eslint/plugin-kit": "^0.7.3",
01669           "@humanfs/node": "^0.16.6",
01670           "@humanwhocodes/module-importer": "^1.0.1",
01671           "@humanwhocodes/retry": "^0.4.2",
01672           "@types/estree": "^1.0.6",
01673           "ajv": "^6.14.0",
01674           "cross-spawn": "^7.0.6",
01675           "debug": "^4.3.2",
01676           "escape-string-regexp": "^4.0.0",
01677           "eslint-scope": "^9.1.2",
01678           "eslint-visitor-keys": "^5.0.1",
01679           "espree": "^11.2.0",
01680           "esquery": "^1.7.0",
01681           "esutils": "^2.0.2",
01682           "fast-deep-equal": "^3.1.3",
01683           "file-entry-cache": "11.1.5 || >11.1.6 <12",
01684           "find-up": "^5.0.0",
01685           "glob-parent": "^6.0.2",
01686           "ignore": "^5.2.0",
01687           "imurmurhash": "^0.1.4",
01688           "is-glob": "^4.0.0",
01689           "json-stable-stringify-without-jsonify": "^1.0.1",
```

```
01690          "minimatch": "^10.2.5",
01691          "natural-compare": "^1.4.0",
01692          "optionator": "^0.9.3"
01693        },
01694        "bin": {
01695          "eslint": "bin/eslint.js"
01696        },
01697        "engines": {
01698          "node": "^20.19.0 || ^22.13.0 || >=24"
01699        },
01700        "funding": {
01701          "url": "https://eslint.org/donate"
01702        },
01703        "peerDependencies": {
01704          "jiti": "*"
01705        },
01706        "peerDependenciesMeta": {
01707          "jiti": {
01708            "optional": true
01709          }
01710        }
01711      },
01712      "node_modules/eslint-plugin-react-hooks": {
01713        "version": "7.1.1",
01714        "resolved": "https://registry.npmjs.org/eslint-plugin-react-hooks/-/eslint-plugin-react-hooks-7.1.1.tgz",
01715        "integrity":
  ...   "sha512-f2I7Gw6JbvCexzIInuSbZpfdQ44D7iqdWX01FKLvrPgqxoE7oMj8clOfto8U6vYiz4yd5oKu39rRSVOe1zRu0g==",
01716        "dev": true,
01717        "license": "MIT",
01718        "dependencies": {
01719          "@babel/core": "^7.24.4",
01720          "@babel/parser": "^7.24.4",
01721          "hermes-parser": "^0.25.1",
01722          "zod": "^3.25.0 || ^4.0.0",
01723          "zod-validation-error": "^3.5.0 || ^4.0.0"
01724        },
01725        "engines": {
01726          "node": ">=18"
01727        },
01728        "peerDependencies": {
01729          "eslint": "^3.0.0 || ^4.0.0 || ^5.0.0 || ^6.0.0 || ^7.0.0 || ^8.0.0-0 || ^9.0.0 || ^10.0.0"
01730        }
01731      },
01732      "node_modules/eslint-plugin-react-refresh": {
01733        "version": "0.5.7",
01734        "resolved": "https://registry.npmjs.org/eslint-plugin-react-refresh/-/eslint-plugin-react-refresh-0.5.7.tgz",
01735        "integrity":
  ...   "sha512-XhJSzLljuYD4UjNuFGJu2v7aD3sqNVK12w5/DCUfrNfHWegZo2+TsavNx8MuxMwEquuFAzNbNfXKU0WoZ+YUIg==",
01736        "dev": true,
01737        "license": "MIT",
01738        "peerDependencies": {
01739          "eslint": "^9 || ^10"
01740        }
01741      },
01742      "node_modules/eslint-scope": {
01743        "version": "9.1.2",
01744        "resolved": "https://registry.npmjs.org/eslint-scope/-/eslint-scope-9.1.2.tgz",
01745        "integrity":
  ...   "sha512-xS90H51cKw0jltxmvmHy2Iai1LIqrfbw57b79w/J7MfvDfkIkFZ+kj6zC3BjtUwh150HsSSdxXZcsuv72miDFQ==",
01746        "dev": true,
01747        "license": "BSD-2-Clause",
01748        "dependencies": {
01749          "@types/esrecurse": "^4.3.1",
01750          "@types/estree": "^1.0.8",
01751          "esrecurse": "^4.3.0",
01752          "estraverse": "^5.2.0"
01753        },
01754        "engines": {
01755          "node": "^20.19.0 || ^22.13.0 || >=24"
01756        },
01757        "funding": {
01758          "url": "https://opencollective.com/eslint"
01759        }
01760      },
01761      "node_modules/eslint-visitor-keys": {
01762        "version": "5.0.1",
01763        "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-5.0.1.tgz",
01764        "integrity":
  ...   "sha512-tD40eHxA35h0PEIZNeIjkHoDR4YjjJp34biM0mDvplBe//mB+IHCqHDGV7pxF+7MklTvighcCPPZC7ynWyjdTA==",
01765        "dev": true,
01766        "license": "Apache-2.0",
01767        "engines": {
01768          "node": "^20.19.0 || ^22.13.0 || >=24"
```

```
01769         },
01770         "funding": {
01771           "url": "https://opencollective.com/eslint"
01772         }
01773       },
01774       "node_modules/espree": {
01775         "version": "11.2.0",
01776         "resolved": "https://registry.npmjs.org/espree/-/espree-11.2.0.tgz",
01777         "integrity":
  ...   "sha512-7p3DrVEIopW1B1avAGLuCSh1jubc01H2JHc8B4qqGblmg5gI9yumBgACjWo4JlIc04ufug4xJ3SQI8HkS/Rgzw==",
01778         "dev": true,
01779         "license": "BSD-2-Clause",
01780         "dependencies": {
01781           "acorn": "^8.16.0",
01782           "acorn-jsx": "^5.3.2",
01783           "eslint-visitor-keys": "^5.0.1"
01784         },
01785         "engines": {
01786           "node": "^20.19.0 || ^22.13.0 || >=24"
01787         },
01788         "funding": {
01789           "url": "https://opencollective.com/eslint"
01790         }
01791       },
01792       "node_modules/esquery": {
01793         "version": "1.7.0",
01794         "resolved": "https://registry.npmjs.org/esquery/-/esquery-1.7.0.tgz",
01795         "integrity":
  ...   "sha512-Ap6G0WQwcU/LHsvLwON1fAQX9Zp0A2Y6Y/cJBl9r/JbW90Zyg4/zbG6zzKa2OTALELarYHmKu0GhpM5EO+7T0g==",
01796         "dev": true,
01797         "license": "BSD-3-Clause",
01798         "dependencies": {
01799           "estraverse": "^5.1.0"
01800         },
01801         "engines": {
01802           "node": ">=0.10"
01803         }
01804       },
01805       "node_modules/esrecurse": {
01806         "version": "4.3.0",
01807         "resolved": "https://registry.npmjs.org/esrecurse/-/esrecurse-4.3.0.tgz",
01808         "integrity":
  ...   "sha512-KmfKL3b6G+RXvP8N1vr3Tq1kL/oCFgn2NYXEtqP8/L3pKapUA4G8cFVaoF3SU323CD4XypR/ffioHmkti6/Tag==",
01809         "dev": true,
01810         "license": "BSD-2-Clause",
01811         "dependencies": {
01812           "estraverse": "^5.2.0"
01813         },
01814         "engines": {
01815           "node": ">=4.0"
01816         }
01817       },
01818       "node_modules/estraverse": {
01819         "version": "5.3.0",
01820         "resolved": "https://registry.npmjs.org/estraverse/-/estraverse-5.3.0.tgz",
01821         "integrity":
  ...   "sha512-MMdARuVEQziNTeJD8DgMqmhwR11BRQ/cBP+pLtYdSTnf3MIO8fFeiINEbX36ZdNlfU/7A9f3gUw49B3oQsvwBA==",
01822         "dev": true,
01823         "license": "BSD-2-Clause",
01824         "engines": {
01825           "node": ">=4.0"
01826         }
01827       },
01828       "node_modules/esutils": {
01829         "version": "2.0.3",
01830         "resolved": "https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz",
01831         "integrity":
  ...   "sha512-kVscqXk4OCp68SZ0dkgEKVi6/8ij300KBWTJq32P/dYeWTSwK41WyTxalN1eRmA5Z9UU/LX9D7FWSmV9SAYx6g==",
01832         "dev": true,
01833         "license": "BSD-2-Clause",
01834         "engines": {
01835           "node": ">=0.10.0"
01836         }
01837       },
01838       "node_modules/fast-deep-equal": {
01839         "version": "3.1.3",
01840         "resolved": "https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz",
01841         "integrity":
  ...   "sha512-f3qQ9oQy9j2AhBe/H9VC91wLmKBCCU/gDOnKNAYG5hswO7BLKj09Hc5HYNz9cGI++xlpDCIgDaitVs03ATR84Q==",
01842         "dev": true,
01843         "license": "MIT"
01844       },
01845       "node_modules/fast-json-stable-stringify": {
```

```
01846         "version": "2.1.0",
01847         "resolved": "https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-stringify-2.1.0.tgz",
01848         "integrity":
  ...   "sha512-lhd/wF+Lk98HZoTCtlVraHtfh5XYijIjalXck7saUtuanSDyLMxnHhSXEDJqHxD7msR8D0uCmqlkwjCV8xvwHw==",
01849         "dev": true,
01850         "license": "MIT"
01851       },
01852       "node_modules/fast-levenshtein": {
01853         "version": "2.0.6",
01854         "resolved": "https://registry.npmjs.org/fast-levenshtein/-/fast-levenshtein-2.0.6.tgz",
01855         "integrity":
  ...   "sha512-DCXu6Ifhqcks7TZKY3Hxp3y6qphY5SJZmrWMDrKcERSOXWQdMhU9Ig/PYrzyw/ul9jOIyh0N4M0tbC5hodg8dw==",
01856         "dev": true,
01857         "license": "MIT"
01858       },
01859       "node_modules/fdir": {
01860         "version": "6.5.0",
01861         "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
01862         "integrity":
  ...   "sha512-tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg==",
01863         "license": "MIT",
01864         "engines": {
01865           "node": ">=12.0.0"
01866         },
01867         "peerDependencies": {
01868           "picomatch": "^3 || ^4"
01869         },
01870         "peerDependenciesMeta": {
01871           "picomatch": {
01872             "optional": true
01873           }
01874         }
01875       },
01876       "node_modules/file-entry-cache": {
01877         "version": "11.1.5",
01878         "resolved": "https://registry.npmjs.org/file-entry-cache/-/file-entry-cache-11.1.5.tgz",
01879         "integrity":
  ...   "sha512-+PFTHITI08JIGhnNpGNI8T8inUpgZfk3GNEqfT9R2zZV2iFXg3CvqzSl/uEhs7TSGujYRELEANyDvS8Fj7+S7Q==",
01880         "dev": true,
01881         "license": "MIT",
01882         "dependencies": {
01883           "flat-cache": "^6.1.23"
01884         }
01885       },
01886       "node_modules/find-up": {
01887         "version": "5.0.0",
01888         "resolved": "https://registry.npmjs.org/find-up/-/find-up-5.0.0.tgz",
01889         "integrity":
  ...   "sha512-78/PXT1wlLLDgTzDs7sjq9hzz0vXD+zn+7wypEe4fXQxCmdmqfGsEPQxmiCSQI3ajFV91bVSsvNtrJRiW6nGng==",
01890         "dev": true,
01891         "license": "MIT",
01892         "dependencies": {
01893           "locate-path": "^6.0.0",
01894           "path-exists": "^4.0.0"
01895         },
01896         "engines": {
01897           "node": ">=10"
01898         },
01899         "funding": {
01900           "url": "https://github.com/sponsors/sindresorhus"
01901         }
01902       },
01903       "node_modules/flat-cache": {
01904         "version": "6.1.23",
01905         "resolved": "https://registry.npmjs.org/flat-cache/-/flat-cache-6.1.23.tgz",
01906         "integrity":
  ...   "sha512-f++BY9pTk+983xK1FLzlLpmM0i0z+jHmx3QESGkURMXujQZz1k5wzwX6hjnQ8goaD0B+sYnDK1yZ6MTyZfUaqA==",
01907         "dev": true,
01908         "license": "MIT",
01909         "dependencies": {
01910           "cacheable": "^2.5.0",
01911           "flatted": "^3.4.2",
01912           "hookified": "^1.15.0"
01913         }
01914       },
01915       "node_modules/flatted": {
01916         "version": "3.4.4",
01917         "resolved": "https://registry.npmjs.org/flatted/-/flatted-3.4.4.tgz",
01918         "integrity":
  ...   "sha512-5+ybhBZANEJxaH3X5evAFatUxLfEHSr7n6kYJ+1Qd0mUqr4eu9gIf6GDbWHf8RJijHrjjO8G+la14SlL2SeS1Q==",
01919         "dev": true,
01920         "license": "ISC"
01921       },
```

```
01922      "node_modules/fsevents": {
01923        "version": "2.3.3",
01924        "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
01925        "integrity":
  ...    "sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
01926        "hasInstallScript": true,
01927        "license": "MIT",
01928        "optional": true,
01929        "os": [
01930          "darwin"
01931        ],
01932        "engines": {
01933          "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
01934        }
01935      },
01936      "node_modules/gensync": {
01937        "version": "1.0.0-beta.2",
01938        "resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
01939        "integrity":
  ...    "sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYYeqFo/TlYz6eQiFcp1HcsCZO+nGgS8zg==",
01940        "dev": true,
01941        "license": "MIT",
01942        "engines": {
01943          "node": ">=6.9.0"
01944        }
01945      },
01946      "node_modules/glob-parent": {
01947        "version": "6.0.2",
01948        "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
01949        "integrity":
  ...    "sha512-XxwI8EOhVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS4TEju/11rt4KJPTMgbfmv4A==",
01950        "dev": true,
01951        "license": "ISC",
01952        "dependencies": {
01953          "is-glob": "^4.0.3"
01954        },
01955        "engines": {
01956          "node": ">=10.13.0"
01957        }
01958      },
01959      "node_modules/globals": {
01960        "version": "17.13.0",
01961        "resolved": "https://registry.npmjs.org/globals/-/globals-17.13.0.tgz",
01962        "integrity":
  ...    "sha512-RwMTC61u7hrG3ZJMkZQOK4JLJrKS8QtoTii63EmWvFXHqycY9FObBJQCbsLxSO8kjKhWE5kV1GC+Vb1g3RI0Zg==",
01963        "dev": true,
01964        "license": "MIT",
01965        "engines": {
01966          "node": ">=18"
01967        },
01968        "funding": {
01969          "url": "https://github.com/sponsors/sindresorhus"
01970        }
01971      },
01972      "node_modules/graceful-fs": {
01973        "version": "4.2.11",
01974        "resolved": "https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz",
01975        "integrity":
  ...    "sha512-RbJ5/jmFcNNCcDV5o9eTnBLJ/HszWV0P73bc+Ff4nS/rJj+YaS6IGyiOL0VoBYX+l1Wrl3k63h/KrH+nhJ0XvQ==",
01976        "license": "ISC"
01977      },
01978      "node_modules/hashery": {
01979        "version": "1.5.1",
01980        "resolved": "https://registry.npmjs.org/hashery/-/hashery-1.5.1.tgz",
01981        "integrity":
  ...    "sha512-iZyKG96/JwPz1N55vj2Ie2vXbhu440zfUfJvSwEqEbeLluk7NnapfGqa7LH0mOsnDxTF85Mx8/dyR6HfqcbmbQ==",
01982        "dev": true,
01983        "license": "MIT",
01984        "dependencies": {
01985          "hookified": "^1.15.0"
01986        },
01987        "engines": {
01988          "node": ">=20"
01989        }
01990      },
01991      "node_modules/hermes-estree": {
01992        "version": "0.25.1",
01993        "resolved": "https://registry.npmjs.org/hermes-estree/-/hermes-estree-0.25.1.tgz",
01994        "integrity":
  ...    "sha512-0wUoCcLp+5Ev5pDW2OriHC2MJCbwLwuRx+gAqMTOkGKJJiBCLjtrvy4PWUGn6MIVefecRpzoOZ/UV6iGdOr+Cw==",
01995        "dev": true,
01996        "license": "MIT"
01997      },
```

```
01998      "node_modules/hermes-parser": {
01999        "version": "0.25.1",
02000        "resolved": "https://registry.npmjs.org/hermes-parser/-/hermes-parser-0.25.1.tgz",
02001        "integrity":
  ...    "sha512-6pEjquH3rqaI6cYAXYPcz9MS4rY6R4ngRgrgfDshRptUZIc3lw0MCIJIGDj9++mfySOuPTHB4nrSW99BCvOPIA==",
02002        "dev": true,
02003        "license": "MIT",
02004        "dependencies": {
02005          "hermes-estree": "0.25.1"
02006        }
02007      },
02008      "node_modules/hookified": {
02009        "version": "1.15.1",
02010        "resolved": "https://registry.npmjs.org/hookified/-/hookified-1.15.1.tgz",
02011        "integrity":
  ...    "sha512-MvG/clsADq1GPM2KGo2nyfaWVyn9naPiXrqIe4jYjXNZQt238kWyOGrsyc/DmRAQ+Re6yeo6yX/yoNCG5KAEVg==",
02012        "dev": true,
02013        "license": "MIT"
02014      },
02015      "node_modules/ignore": {
02016        "version": "5.3.2",
02017        "resolved": "https://registry.npmjs.org/ignore/-/ignore-5.3.2.tgz",
02018        "integrity":
  ...    "sha512-hsBTNUqQTDwkWtcdYI2i06Y/nUBEsNEDJKjWdigLvegy8kDuJAS8uRlpkkcQpyEXL0Z/pjDy5HBmMjRCJ2gq+g==",
02019        "dev": true,
02020        "license": "MIT",
02021        "engines": {
02022          "node": ">= 4"
02023        }
02024      },
02025      "node_modules/imurmurhash": {
02026        "version": "0.1.4",
02027        "resolved": "https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz",
02028        "integrity":
  ...    "sha512-JmXMZ6wuvDmLiHEml9ykzqO6lwFbof0GG4IkcGaENdCRDDmMVnny7s5HsIgHCbaq0w2MyPhDqkhTUgS2LU2PHA==",
02029        "dev": true,
02030        "license": "MIT",
02031        "engines": {
02032          "node": ">=0.8.19"
02033        }
02034      },
02035      "node_modules/is-extglob": {
02036        "version": "2.1.1",
02037        "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
02038        "integrity":
  ...    "sha512-SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdbO36zfhGJ6QEDpOZIFkDtnq5JRxmvl3jsoQ==",
02039        "dev": true,
02040        "license": "MIT",
02041        "engines": {
02042          "node": ">=0.10.0"
02043        }
02044      },
02045      "node_modules/is-glob": {
02046        "version": "4.0.3",
02047        "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
02048        "integrity":
  ...    "sha512-xelSayHH36ZgE7ZWhli7pW34hNbNl8Ojv5KVmkJD4hBdD3th8Tfk9vYasLM+mXWOZhFkgZfxhLSnrwRr4elSSg==",
02049        "dev": true,
02050        "license": "MIT",
02051        "dependencies": {
02052          "is-extglob": "^2.1.1"
02053        },
02054        "engines": {
02055          "node": ">=0.10.0"
02056        }
02057      },
02058      "node_modules/isexe": {
02059        "version": "2.0.0",
02060        "resolved": "https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz",
02061        "integrity":
  ...    "sha512-RHxMLp9lnKHGHRng9QFhRCMbYAcVpn69smSGcq3f36xjgVVWThj4qqLbTLlq7Ssj8B+fIQ1EuCEGI2lKsyQeIw==",
02062        "dev": true,
02063        "license": "ISC"
02064      },
02065      "node_modules/jiti": {
02066        "version": "2.7.0",
02067        "resolved": "https://registry.npmjs.org/jiti/-/jiti-2.7.0.tgz",
02068        "integrity":
  ...    "sha512-AC/7JofJvZGrrneWNaEnJeOLUx+JlGt7tNa0wZiRPT4MY1wmfKjt2+6O2p2uz2+skll8OZZmJMNqeke7kKbNgQ==",
02069        "license": "MIT",
02070        "bin": {
02071          "jiti": "lib/jiti-cli.mjs"
02072        }
```

```
02073      },
02074      "node_modules/js-tokens": {
02075        "version": "4.0.0",
02076        "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
02077        "integrity":
  ...    "sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbzg4CausW/PKQ==",
02078        "dev": true,
02079        "license": "MIT"
02080      },
02081      "node_modules/jsesc": {
02082        "version": "3.1.0",
02083        "resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
02084        "integrity":
  ...    "sha512-/sM3dO2FOzXjKQhJuo0Q173wf2KOo8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnykfqnC2xRxOnVw5XuGIaA==",
02085        "dev": true,
02086        "license": "MIT",
02087        "bin": {
02088          "jsesc": "bin/jsesc"
02089        },
02090        "engines": {
02091          "node": ">=6"
02092        }
02093      },
02094      "node_modules/json-schema-traverse": {
02095        "version": "0.4.1",
02096        "resolved": "https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-0.4.1.tgz",
02097        "integrity":
  ...    "sha512-xbbCH5dCYU5T8LcEhhuh7HJ88HXuW3qsI3Y0zOZFKfZEHcpWiHU/Jxzk629Brsab/mMiHQti9wMP+845RPe3Vg==",
02098        "dev": true,
02099        "license": "MIT"
02100      },
02101      "node_modules/json-stable-stringify-without-jsonify": {
02102        "version": "1.0.1",
02103        "resolved": "https://registry.npmjs.org/json-stable-stringify-without-jsonify/-/json-stable-stringify-without-
  ...    jsonify-1.0.1.tgz",
02104        "integrity":
  ...    "sha512-Bdboy+l7tA3OGW6FjyFHWkP5LuByj1Tk33Ljyq0axyzdk9//JSi2u3fP1QSmd1KNwq6VOKYGlAu87CisVir6Pw==",
02105        "dev": true,
02106        "license": "MIT"
02107      },
02108      "node_modules/json5": {
02109        "version": "2.2.3",
02110        "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
02111        "integrity":
  ...    "sha512-XmOWe7eyHYH14cLdVPoyg+GOH3rYX++KpzrylJwSW98t3Nk+U8XOl8FWKOgwtzdb8lXGf6zYwDUzeHMWfxasyg==",
02112        "dev": true,
02113        "license": "MIT",
02114        "bin": {
02115          "json5": "lib/cli.js"
02116        },
02117        "engines": {
02118          "node": ">=6"
02119        }
02120      },
02121      "node_modules/keyv": {
02122        "version": "5.6.0",
02123        "resolved": "https://registry.npmjs.org/keyv/-/keyv-5.6.0.tgz",
02124        "integrity":
  ...    "sha512-CYDD3SOtsHtyXeEORYRx2qBtpDJFjRTGXUtmNEMGyzYOKj1TE3tycdlho7kA1Ufx9OYWZzg52QFBGALTirzDSw==",
02125        "dev": true,
02126        "license": "MIT",
02127        "dependencies": {
02128          "@keyv/serialize": "^1.1.1"
02129        }
02130      },
02131      "node_modules/levn": {
02132        "version": "0.4.1",
02133        "resolved": "https://registry.npmjs.org/levn/-/levn-0.4.1.tgz",
02134        "integrity":
  ...    "sha512-+bT2uH4E5LGE7h/n3evcS/sQlJXCpIp6ym8OWJ5eV6+67Dsql/LaaT7qJBAt2rzfoa/5QBGBhxDix1dMt2kQKQ==",
02135        "dev": true,
02136        "license": "MIT",
02137        "dependencies": {
02138          "prelude-ls": "^1.2.1",
02139          "type-check": "~0.4.0"
02140        },
02141        "engines": {
02142          "node": ">= 0.8.0"
02143        }
02144      },
02145      "node_modules/lightningcss": {
02146        "version": "1.33.0",
02147        "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.33.0.tgz",
```

```
02148         "integrity":
  ...   "sha512-WkUDrojuJs0xkgGf2udWxa3yGBRxPtxUkB79i6aCZLRgc7PM8fZe9TosfPDcvEpQZbuFASnHYmRLBLUbmLOIIA==",
02149         "license": "MPL-2.0",
02150         "dependencies": {
02151           "detect-libc": "^2.0.3"
02152         },
02153         "engines": {
02154           "node": ">= 12.0.0"
02155         },
02156         "funding": {
02157           "type": "opencollective",
02158           "url": "https://opencollective.com/parcel"
02159         },
02160         "optionalDependencies": {
02161           "lightningcss-android-arm64": "1.33.0",
02162           "lightningcss-darwin-arm64": "1.33.0",
02163           "lightningcss-darwin-x64": "1.33.0",
02164           "lightningcss-freebsd-x64": "1.33.0",
02165           "lightningcss-linux-arm-gnueabihf": "1.33.0",
02166           "lightningcss-linux-arm64-gnu": "1.33.0",
02167           "lightningcss-linux-arm64-musl": "1.33.0",
02168           "lightningcss-linux-x64-gnu": "1.33.0",
02169           "lightningcss-linux-x64-musl": "1.33.0",
02170           "lightningcss-win32-arm64-msvc": "1.33.0",
02171           "lightningcss-win32-x64-msvc": "1.33.0"
02172         }
02173       },
02174       "node_modules/lightningcss-android-arm64": {
02175         "version": "1.33.0",
02176         "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.33.0.tgz",
02177         "integrity":
  ...   "sha512-gEpRTalKdosp4Bb8qWtc2iOgE5SeIHlpS1up9bFq2wAyYhl1UdTObYiHe98zEM9SQvSoqQZ1IQD0JNpg3Ml5pg==",
02178         "cpu": [
02179           "arm64"
02180         ],
02181         "license": "MPL-2.0",
02182         "optional": true,
02183         "os": [
02184           "android"
02185         ],
02186         "engines": {
02187           "node": ">= 12.0.0"
02188         },
02189         "funding": {
02190           "type": "opencollective",
02191           "url": "https://opencollective.com/parcel"
02192         }
02193       },
02194       "node_modules/lightningcss-darwin-arm64": {
02195         "version": "1.33.0",
02196         "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.33.0.tgz",
02197         "integrity":
  ...   "sha512-Sciaz8eenNTKn9b3t7+xr0ipTp9YxKQY4npwQ3mrRuL0BAVHBLyZxofhaKBAVtzmtRZ/zTyo0/to4B1uWG/Djg==",
02198         "cpu": [
02199           "arm64"
02200         ],
02201         "license": "MPL-2.0",
02202         "optional": true,
02203         "os": [
02204           "darwin"
02205         ],
02206         "engines": {
02207           "node": ">= 12.0.0"
02208         },
02209         "funding": {
02210           "type": "opencollective",
02211           "url": "https://opencollective.com/parcel"
02212         }
02213       },
02214       "node_modules/lightningcss-darwin-x64": {
02215         "version": "1.33.0",
02216         "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.33.0.tgz",
02217         "integrity":
  ...   "sha512-Z5UPAxzrjlWNNyGy6i65cJzzvgJ5D3T6wMvs+gWpY9d7qRhANrxqAp6LhxIgZhWEw18RfJTGcRxjuLIBr+m8XQ==",
02218         "cpu": [
02219           "x64"
02220         ],
02221         "license": "MPL-2.0",
02222         "optional": true,
02223         "os": [
02224           "darwin"
02225         ],
02226         "engines": {
```

```
02227         "node": ">= 12.0.0"
02228       },
02229       "funding": {
02230         "type": "opencollective",
02231         "url": "https://opencollective.com/parcel"
02232       }
02233     },
02234     "node_modules/lightningcss-freebsd-x64": {
02235       "version": "1.33.0",
02236       "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.33.0.tgz",
02237       "integrity":
  ...   "sha512-QQM/Ti/hQajJwCY+RiWuCZ9sdtI/XQk7nDK5vC8kkdwixezOlDgvDx7+RT+QjK6FcFT4MpsuoBnHIo/O3StRRg==",
02238       "cpu": [
02239         "x64"
02240       ],
02241       "license": "MPL-2.0",
02242       "optional": true,
02243       "os": [
02244         "freebsd"
02245       ],
02246       "engines": {
02247         "node": ">= 12.0.0"
02248       },
02249       "funding": {
02250         "type": "opencollective",
02251         "url": "https://opencollective.com/parcel"
02252       }
02253     },
02254     "node_modules/lightningcss-linux-arm-gnueabihf": {
02255       "version": "1.33.0",
02256       "resolved":
  ...   "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-linux-arm-gnueabihf-1.33.0.tgz",
02257       "integrity":
  ...   "sha512-N7FVBe6iS24MlM6R/4RBTxGhQheZGs7tiQ9U32UtF75NzP5Q7xWPRqLBCKxlRQRk3rY1jCIPLzx7WzOhuUIRLQ==",
02258       "cpu": [
02259         "arm"
02260       ],
02261       "license": "MPL-2.0",
02262       "optional": true,
02263       "os": [
02264         "linux"
02265       ],
02266       "engines": {
02267         "node": ">= 12.0.0"
02268       },
02269       "funding": {
02270         "type": "opencollective",
02271         "url": "https://opencollective.com/parcel"
02272       }
02273     },
02274     "node_modules/lightningcss-linux-arm64-gnu": {
02275       "version": "1.33.0",
02276       "resolved":
  ...   "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.33.0.tgz",
02277       "integrity":
  ...   "sha512-j2v/itmy4HlNxlc6voKXYgBqNi0Ng2LShg4z7GufpEgs05P+2suBVyi9I6YHq5uoVFx9ETin3eCEhLVyXGQnKg==",
02278       "cpu": [
02279         "arm64"
02280       ],
02281       "license": "MPL-2.0",
02282       "optional": true,
02283       "os": [
02284         "linux"
02285       ],
02286       "engines": {
02287         "node": ">= 12.0.0"
02288       },
02289       "funding": {
02290         "type": "opencollective",
02291         "url": "https://opencollective.com/parcel"
02292       }
02293     },
02294     "node_modules/lightningcss-linux-arm64-musl": {
02295       "version": "1.33.0",
02296       "resolved":
  ...   "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.33.0.tgz",
02297       "integrity":
  ...   "sha512-yiO5ROMuYQgXbC60yjZU5CYSFZGKXL0HFATXt9mHJn1+zW55oCtMI9NfcVhYLMFDL7gV7oBPon/EmMMGg2OvtQ==",
02298       "cpu": [
02299         "arm64"
02300       ],
02301       "license": "MPL-2.0",
02302       "optional": true,
```

```
02303         "os": [
02304           "linux"
02305         ],
02306         "engines": {
02307           "node": ">= 12.0.0"
02308         },
02309         "funding": {
02310           "type": "opencollective",
02311           "url": "https://opencollective.com/parcel"
02312         }
02313       },
02314       "node_modules/lightningcss-linux-x64-gnu": {
02315         "version": "1.33.0",
02316         "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.33.0.tgz",
02317         "integrity":
  ...   "sha512-ar+Ju7LmcN0Jo4FpL4hpFybwNG9/3A/Br5KW2n2jyODg3MEZXaDYADdemoNS+BDNfMgKvylJLj4S5tyRActuAg==",
02318         "cpu": [
02319           "x64"
02320         ],
02321         "license": "MPL-2.0",
02322         "optional": true,
02323         "os": [
02324           "linux"
02325         ],
02326         "engines": {
02327           "node": ">= 12.0.0"
02328         },
02329         "funding": {
02330           "type": "opencollective",
02331           "url": "https://opencollective.com/parcel"
02332         }
02333       },
02334       "node_modules/lightningcss-linux-x64-musl": {
02335         "version": "1.33.0",
02336         "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.33.0.tgz",
02337         "integrity":
  ...   "sha512-RYiYbkokw0trfKqqzfF55lginwEPrD3OJDfTuJzFs1MK6iFnDenaz1fqLLtX4ITG3OktJQXOeTaw1awrBAlZPw==",
02338         "cpu": [
02339           "x64"
02340         ],
02341         "license": "MPL-2.0",
02342         "optional": true,
02343         "os": [
02344           "linux"
02345         ],
02346         "engines": {
02347           "node": ">= 12.0.0"
02348         },
02349         "funding": {
02350           "type": "opencollective",
02351           "url": "https://opencollective.com/parcel"
02352         }
02353       },
02354       "node_modules/lightningcss-win32-arm64-msvc": {
02355         "version": "1.33.0",
02356         "resolved":
  ...   "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.33.0.tgz",
02357         "integrity":
  ...   "sha512-1K+MPfLSFVpphzpdbfkhlWk6wBrTObBzS2T6db10PNOZgR9GoVsAWzwNyuhUYYbTp23j+4RrncfujZ4uAzXvwA==",
02358         "cpu": [
02359           "arm64"
02360         ],
02361         "license": "MPL-2.0",
02362         "optional": true,
02363         "os": [
02364           "win32"
02365         ],
02366         "engines": {
02367           "node": ">= 12.0.0"
02368         },
02369         "funding": {
02370           "type": "opencollective",
02371           "url": "https://opencollective.com/parcel"
02372         }
02373       },
02374       "node_modules/lightningcss-win32-x64-msvc": {
02375         "version": "1.33.0",
02376         "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.33.0.tgz",
02377         "integrity":
  ...   "sha512-OlEICDx/Xl0FqSp4bry8zFnCvGpig3Gl4gCquvYwHuqJKEC1+n9NgDniFvqHGmMv1ZkqDJrDqKKSykTDX+ehuA==",
02378         "cpu": [
02379           "x64"
02380         ],
```

```
02381        "license": "MPL-2.0",
02382        "optional": true,
02383        "os": [
02384          "win32"
02385        ],
02386        "engines": {
02387          "node": ">= 12.0.0"
02388        },
02389        "funding": {
02390          "type": "opencollective",
02391          "url": "https://opencollective.com/parcel"
02392        }
02393      },
02394      "node_modules/locate-path": {
02395        "version": "6.0.0",
02396        "resolved": "https://registry.npmjs.org/locate-path/-/locate-path-6.0.0.tgz",
02397        "integrity":
  ...   "sha512-iPZK6eYjbxRu3uB4/WZ3EsEIMJFMqAoopl3R+zuq0UjcAm/MO6KCweDgPfP3elTztoKP3KtnVHxTn2NHBSDVUw==",
02398        "dev": true,
02399        "license": "MIT",
02400        "dependencies": {
02401          "p-locate": "^5.0.0"
02402        },
02403        "engines": {
02404          "node": ">=10"
02405        },
02406        "funding": {
02407          "url": "https://github.com/sponsors/sindresorhus"
02408        }
02409      },
02410      "node_modules/lru-cache": {
02411        "version": "5.1.1",
02412        "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
02413        "integrity":
  ...   "sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAFOXN7dk/FviaDW8LHmK52DlcH4WP2n6gI8vN1aesBFgo9w==",
02414        "dev": true,
02415        "license": "ISC",
02416        "dependencies": {
02417          "yallist": "^3.0.2"
02418        }
02419      },
02420      "node_modules/lucide-react": {
02421        "version": "1.52.0",
02422        "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-1.52.0.tgz",
02423        "integrity":
  ...   "sha512-TUgPtl5ZI9WgxOcbu4ckaC5B3l1qxPQrCMgb6OfUB9owx/OvSJfcf93SMgUWAxRw5/1XDfh9uI5F5iNGXCcGDQ==",
02424        "license": "ISC",
02425        "peerDependencies": {
02426          "@types/react": "*",
02427          "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0"
02428        },
02429        "peerDependenciesMeta": {
02430          "@types/react": {
02431            "optional": true
02432          }
02433        }
02434      },
02435      "node_modules/magic-string": {
02436        "version": "0.30.21",
02437        "resolved": "https://registry.npmjs.org/magic-string/-/magic-string-0.30.21.tgz",
02438        "integrity":
  ...   "sha512-vd2F4YUyEXKGcLHoq+TEyCjxueSeHnFxyyjNp80yg0XV4vUhnDer/lvvlqM/arB5bXQN5K2/3oinyCRyx8T2CQ==",
02439        "license": "MIT",
02440        "dependencies": {
02441          "@jridgewell/sourcemap-codec": "^1.5.5"
02442        }
02443      },
02444      "node_modules/minimatch": {
02445        "version": "10.2.6",
02446        "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-10.2.6.tgz",
02447        "integrity":
  ...   "sha512-vpLQEs+VLCr1nU0BXS07maYoFwlDAH0gngQuuttxIwutDFEMHq2blX+8vpgxDdK3J1PwjCJiep77OitTZ4Ll1A==",
02448        "dev": true,
02449        "license": "BlueOak-1.0.0",
02450        "dependencies": {
02451          "brace-expansion": "^5.0.8"
02452        },
02453        "engines": {
02454          "node": "18 || 20 || >=22"
02455        },
02456        "funding": {
02457          "url": "https://github.com/sponsors/isaacs"
02458        }
```

```
02459      },
02460      "node_modules/ms": {
02461        "version": "2.1.3",
02462        "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
02463        "integrity":
  ...    "sha512-6FlzubTLZG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xAOtHnSO/tXtF3WRTlA==",
02464        "dev": true,
02465        "license": "MIT"
02466      },
02467      "node_modules/nanoid": {
02468        "version": "3.3.20",
02469        "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.20.tgz",
02470        "integrity":
  ...    "sha512-uKdg2G3GNCKQn9byYOpxbGqrT2fGO5KRt5J/8b3pok8rT6qxGWF6hxMyJiEYtAf+FVyYuD9hRaDqX5uPFYJ4ZQ==",
02471        "funding": [
02472          {
02473            "type": "github",
02474            "url": "https://github.com/sponsors/ai"
02475          }
02476        ],
02477        "license": "MIT",
02478        "bin": {
02479          "nanoid": "bin/nanoid.cjs"
02480        },
02481        "engines": {
02482          "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
02483        }
02484      },
02485      "node_modules/natural-compare": {
02486        "version": "1.4.0",
02487        "resolved": "https://registry.npmjs.org/natural-compare/-/natural-compare-1.4.0.tgz",
02488        "integrity":
  ...    "sha512-OWND8ei3VtNC9h7V60qff3SVobHr996CTwgxubgyQYEpg290h9J0buyECNNJexkFm5sOajh5G116RYA1c8ZMSw==",
02489        "dev": true,
02490        "license": "MIT"
02491      },
02492      "node_modules/node-releases": {
02493        "version": "2.0.57",
02494        "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.57.tgz",
02495        "integrity":
  ...    "sha512-kQK9LGGFiHtrWiNhZtA7Qbw17AQz+dmsEKODRIVTXA9+e5MS/2gZEBhYJt13GrAz5/IOZKddH/0Z3TP/Zgo+yw==",
02496        "dev": true,
02497        "license": "MIT",
02498        "engines": {
02499          "node": ">=18"
02500        }
02501      },
02502      "node_modules/optionator": {
02503        "version": "0.9.4",
02504        "resolved": "https://registry.npmjs.org/optionator/-/optionator-0.9.4.tgz",
02505        "integrity":
  ...    "sha512-6IpQ7mKUxRcZNLIObR0hz7lxsapSSIYNZJwXPGeF0mTVqGKFIXj1DQcMoT22S3ROcLyY/rz0PWaWZ9ayWmad9g==",
02506        "dev": true,
02507        "license": "MIT",
02508        "dependencies": {
02509          "deep-is": "^0.1.3",
02510          "fast-levenshtein": "^2.0.6",
02511          "levn": "^0.4.1",
02512          "prelude-ls": "^1.2.1",
02513          "type-check": "^0.4.0",
02514          "word-wrap": "^1.2.5"
02515        },
02516        "engines": {
02517          "node": ">= 0.8.0"
02518        }
02519      },
02520      "node_modules/p-limit": {
02521        "version": "3.1.0",
02522        "resolved": "https://registry.npmjs.org/p-limit/-/p-limit-3.1.0.tgz",
02523        "integrity":
  ...    "sha512-TYOanM3wGwNGsZN2cVTYPArw454xnXj5qmWF1bEoAc4+cU/ol7GVh7odevjp1FNHduHc3KZMcFduxU5Xc6uJRQ==",
02524        "dev": true,
02525        "license": "MIT",
02526        "dependencies": {
02527          "yocto-queue": "^0.1.0"
02528        },
02529        "engines": {
02530          "node": ">=10"
02531        },
02532        "funding": {
02533          "url": "https://github.com/sponsors/sindresorhus"
02534        }
02535      },
```

```
02536      "node_modules/p-locate": {
02537        "version": "5.0.0",
02538        "resolved": "https://registry.npmjs.org/p-locate/-/p-locate-5.0.0.tgz",
02539        "integrity":
  ...    "sha512-LaNjtRWUBY++zB5nE/NwcaoMylSPk+S+ZHNB1TzdbMJMny6dynpAGt7X/tl/QYq3TIeE6nxHppbo2LGymrG5Pw==",
02540        "dev": true,
02541        "license": "MIT",
02542        "dependencies": {
02543          "p-limit": "^3.0.2"
02544        },
02545        "engines": {
02546          "node": ">=10"
02547        },
02548        "funding": {
02549          "url": "https://github.com/sponsors/sindresorhus"
02550        }
02551      },
02552      "node_modules/path-exists": {
02553        "version": "4.0.0",
02554        "resolved": "https://registry.npmjs.org/path-exists/-/path-exists-4.0.0.tgz",
02555        "integrity":
  ...    "sha512-ak9Qy5Q7jYb2Wwcey5Fpvg2KoAc/ZIhLSLOSBmRmygPsGwkVVt0fZa0qrtMz+m6tJTAHfZQ8FnmB4MG4LWy7/w==",
02556        "dev": true,
02557        "license": "MIT",
02558        "engines": {
02559          "node": ">=8"
02560        }
02561      },
02562      "node_modules/path-key": {
02563        "version": "3.1.1",
02564        "resolved": "https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz",
02565        "integrity":
  ...    "sha512-ojmeN0qd+y0jszEtoY48r0Peq5dwMEkIlCOu6Q5f41lfkswXuKtYrhgoTpLnyIcHm24Uhqx+5Tqm2InSwLhE6Q==",
02566        "dev": true,
02567        "license": "MIT",
02568        "engines": {
02569          "node": ">=8"
02570        }
02571      },
02572      "node_modules/picocolors": {
02573        "version": "1.1.1",
02574        "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
02575        "integrity":
  ...    "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
02576        "license": "ISC"
02577      },
02578      "node_modules/picomatch": {
02579        "version": "4.0.7",
02580        "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.7.tgz",
02581        "integrity":
  ...    "sha512-qcJu88Q2IWqJsDD529JKMdwGm/dvInW4HvQnRwiH9JtihJvzGOscDtHE3x1pBKeUOTysQ8kVmLnJ2kJu7yhcGA==",
02582        "license": "MIT",
02583        "engines": {
02584          "node": ">=12"
02585        },
02586        "funding": {
02587          "url": "https://github.com/sponsors/jonschlinkert"
02588        }
02589      },
02590      "node_modules/postcss": {
02591        "version": "8.5.29",
02592        "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.29.tgz",
02593        "integrity":
  ...    "sha512-49cGhUbXj8Qenv0iTMxA1cFBzxXoctpC9Ujd77t1WcbJIr6nF/eI7g/8MgxrYldFRuAXvja7xQRwavoW7kgrxQ==",
02594        "funding": [
02595          {
02596            "type": "opencollective",
02597            "url": "https://opencollective.com/postcss/"
02598          },
02599          {
02600            "type": "tidelift",
02601            "url": "https://tidelift.com/funding/github/npm/postcss"
02602          },
02603          {
02604            "type": "github",
02605            "url": "https://github.com/sponsors/ai"
02606          }
02607        ],
02608        "license": "MIT",
02609        "dependencies": {
02610          "nanoid": "^3.3.19",
02611          "picocolors": "^1.1.1",
02612          "source-map-js": "^1.2.2"
```

```
02613         },
02614         "engines": {
02615           "node": "^10 || ^12 || >=14"
02616         }
02617       },
02618       "node_modules/prelude-ls": {
02619         "version": "1.2.1",
02620         "resolved": "https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.2.1.tgz",
02621         "integrity":
  ...   "sha512-vkcDPrRZo1QZLbn5RLGPpg/WmIQ65qoWWhcGKf/b5eplkkarX0m9z8ppCat4mlOqUsWpyNuYgO3VRyrYHSzX5g==",
02622         "dev": true,
02623         "license": "MIT",
02624         "engines": {
02625           "node": ">= 0.8.0"
02626         }
02627       },
02628       "node_modules/punycode": {
02629         "version": "2.3.1",
02630         "resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",
02631         "integrity":
  ...   "sha512-vYt7UD1U9Wg6138shLtLOvdAu+8DsC/ilFtEVHcH+wydcSpNE20AfSOduf6MkRFahL5FY7X1oU7nKVZFtfq8Fg==",
02632         "dev": true,
02633         "license": "MIT",
02634         "engines": {
02635           "node": ">=6"
02636         }
02637       },
02638       "node_modules/qified": {
02639         "version": "0.10.1",
02640         "resolved": "https://registry.npmjs.org/qified/-/qified-0.10.1.tgz",
02641         "integrity":
  ...   "sha512-+Owyggi9IxT1ePKGafcI87ubSmxol6smwJ+RAHDQlx9+9cPwFWDiKFFCPuWhr9ignlGpZ9vDQLw67N4dcTVFEA==",
02642         "dev": true,
02643         "license": "MIT",
02644         "dependencies": {
02645           "hookified": "^2.1.1"
02646         },
02647         "engines": {
02648           "node": ">=20"
02649         }
02650       },
02651       "node_modules/qified/node_modules/hookified": {
02652         "version": "2.2.0",
02653         "resolved": "https://registry.npmjs.org/hookified/-/hookified-2.2.0.tgz",
02654         "integrity":
  ...   "sha512-p/LgFzRN5FeoD3DLS6bkUapeye6E4SI6yJs6KetENd18S+FBthqYq2amJUWpt5z0EQwwHemidjY5OqJGEKm5uA==",
02655         "dev": true,
02656         "license": "MIT"
02657       },
02658       "node_modules/react": {
02659         "version": "19.3.0",
02660         "resolved": "https://registry.npmjs.org/react/-/react-19.3.0.tgz",
02661         "integrity":
  ...   "sha512-E8LUcbtBWt20bbl2YoHfx4ZDBdxVTfOKtCZn9cDSJ4l6/nuoApcpIBcj47t2wZoVX8g2ZHuMHbiShgCR1T5Sog==",
02662         "license": "MIT",
02663         "engines": {
02664           "node": ">=0.10.0"
02665         }
02666       },
02667       "node_modules/react-dom": {
02668         "version": "19.3.0",
02669         "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.3.0.tgz",
02670         "integrity":
  ...   "sha512-JDk8dgif51OjFoDE70+OT9ICyYr+69HlmihNwp1+Nsfbna3t5sIiCa9ZJktDmQ4/1b/rn26hIAR2uYXDMr5r0Q==",
02671         "license": "MIT",
02672         "dependencies": {
02673           "scheduler": "^0.28.0"
02674         },
02675         "peerDependencies": {
02676           "react": "^19.3.0"
02677         }
02678       },
02679       "node_modules/react-router": {
02680         "version": "7.18.4",
02681         "resolved": "https://registry.npmjs.org/react-router/-/react-router-7.18.4.tgz",
02682         "integrity":
  ...   "sha512-PUPQcMhMGRAslLcvtlPz/kmzBEWPhLdgLFrL7pLNepBL6dX0lWj4WD2cUYVgYCuT3jxvghYFg81cDTj44DhetQ==",
02683         "license": "MIT",
02684         "dependencies": {
02685           "cookie": "^1.0.1",
02686           "set-cookie-parser": "^2.6.0"
02687         },
02688         "engines": {
```

```
02689           "node": ">=20.0.0"
02690         },
02691         "peerDependencies": {
02692           "react": ">=18",
02693           "react-dom": ">=18"
02694         },
02695         "peerDependenciesMeta": {
02696           "react-dom": {
02697             "optional": true
02698           }
02699         }
02700       },
02701       "node_modules/react-router-dom": {
02702         "version": "7.18.4",
02703         "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.18.4.tgz",
02704         "integrity":
  ...   "sha512-yrfmJHIpDG7taCpqKjT1G5B6q3O2K+RN8/fgNf0lTjCwiPbQ0ei6vXX9ZjQR+7ld8Tr7Z5xmyMnZ8YJrphWQUw==",
02705         "license": "MIT",
02706         "dependencies": {
02707           "react-router": "7.18.4"
02708         },
02709         "engines": {
02710           "node": ">=20.0.0"
02711         },
02712         "peerDependencies": {
02713           "react": ">=18",
02714           "react-dom": ">=18"
02715         }
02716       },
02717       "node_modules/rolldown": {
02718         "version": "1.2.12",
02719         "resolved": "https://registry.npmjs.org/rolldown/-/rolldown-1.2.12.tgz",
02720         "integrity":
  ...   "sha512-8wafseiaG80xmXSfqidUNqZcylTlhmPZZt+za2m+js2sFZ8dTNlhIOV2WcbIPx2hgwPBJpEUGFAMZ9bgBBLTSQ==",
02721         "license": "MIT",
02722         "dependencies": {
02723           "@oxc-project/types": "=0.152.0",
02724           "@rolldown/pluginutils": "^1.0.0"
02725         },
02726         "bin": {
02727           "rolldown": "bin/cli.mjs"
02728         },
02729         "engines": {
02730           "node": "^20.19.0 || >=22.12.0"
02731         },
02732         "optionalDependencies": {
02733           "@rolldown/binding-android-arm-eabi": "1.2.12",
02734           "@rolldown/binding-android-arm64": "1.2.12",
02735           "@rolldown/binding-darwin-arm64": "1.2.12",
02736           "@rolldown/binding-darwin-x64": "1.2.12",
02737           "@rolldown/binding-freebsd-x64": "1.2.12",
02738           "@rolldown/binding-linux-arm-gnueabihf": "1.2.12",
02739           "@rolldown/binding-linux-arm64-gnu": "1.2.12",
02740           "@rolldown/binding-linux-arm64-musl": "1.2.12",
02741           "@rolldown/binding-linux-ppc64-gnu": "1.2.12",
02742           "@rolldown/binding-linux-s390x-gnu": "1.2.12",
02743           "@rolldown/binding-linux-x64-gnu": "1.2.12",
02744           "@rolldown/binding-linux-x64-musl": "1.2.12",
02745           "@rolldown/binding-openharmony-arm64": "1.2.12",
02746           "@rolldown/binding-win32-arm64-msvc": "1.2.12",
02747           "@rolldown/binding-win32-x64-msvc": "1.2.12"
02748         }
02749       },
02750       "node_modules/scheduler": {
02751         "version": "0.28.0",
02752         "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.28.0.tgz",
02753         "integrity":
  ...   "sha512-juorfCmIkIw8tT+p5BXSm6PJjQF/ycEYmKyzURCIt/RaZIhL+PulbQ9Yu2z1HdOJDdqDTlxA1+xKBmHXJsczAw==",
02754         "license": "MIT"
02755       },
02756       "node_modules/semver": {
02757         "version": "6.3.1",
02758         "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
02759         "integrity":
  ...   "sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
02760         "dev": true,
02761         "license": "ISC",
02762         "bin": {
02763           "semver": "bin/semver.js"
02764         }
02765       },
02766       "node_modules/set-cookie-parser": {
02767         "version": "2.7.2",
```

```
02768       "resolved": "https://registry.npmjs.org/set-cookie-parser/-/set-cookie-parser-2.7.2.tgz",
02769       "integrity":
  ...   "sha512-oeM1lpU/UvhTxw+g3cIfxXHyJRc/uidd3yK1P242gzHds0udQBYzs3y8j4gCCW+ZJ7ad0yctld8RYO+bdurlvw==",
02770       "license": "MIT"
02771     },
02772     "node_modules/shebang-command": {
02773       "version": "2.0.0",
02774       "resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
02775       "integrity":
  ...   "sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWYUzlraYw1/yZp6YuDY77YtvbN0dmDA==",
02776       "dev": true,
02777       "license": "MIT",
02778       "dependencies": {
02779         "shebang-regex": "^3.0.0"
02780       },
02781       "engines": {
02782         "node": ">=8"
02783       }
02784     },
02785     "node_modules/shebang-regex": {
02786       "version": "3.0.0",
02787       "resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
02788       "integrity":
  ...   "sha512-7++dFhtcx3353uBaq8DDR4NuxBetBzC7ZQOhmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/yhz8ekcb1A==",
02789       "dev": true,
02790       "license": "MIT",
02791       "engines": {
02792         "node": ">=8"
02793       }
02794     },
02795     "node_modules/source-map-js": {
02796       "version": "1.2.2",
02797       "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.2.tgz",
02798       "integrity":
  ...   "sha512-KGj/8Y43x35aZVDtt+J4mK1hoLGHULMYfSkODJNQjNDC3oW1PqPoxMwo0pLUsWM/UEGzON/NxeHywEfNXNP3Vw==",
02799       "license": "BSD-3-Clause",
02800       "engines": {
02801         "node": ">=0.10.0"
02802       }
02803     },
02804     "node_modules/tailwindcss": {
02805       "version": "4.3.3",
02806       "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-4.3.3.tgz",
02807       "integrity":
  ...   "sha512-gOhV3P7ufE62QDGg1zVaTgCR+EtPv92k2nIhVcVKcLmxT1sUBsQGhnZj175j+MqRt4zLF7ic+sCYjfhxMxj7YQ==",
02808       "license": "MIT"
02809     },
02810     "node_modules/tapable": {
02811       "version": "2.3.3",
02812       "resolved": "https://registry.npmjs.org/tapable/-/tapable-2.3.3.tgz",
02813       "integrity":
  ...   "sha512-uxc/zpqFg6x7C8vOE7lh6Lbda8eEL9zmVm/PLeTPBRhh1xCgdWaQ+J1CUieGpIfm2HdtsUpRv+HshiasBMcc6A==",
02814       "license": "MIT",
02815       "engines": {
02816         "node": ">=6"
02817       },
02818       "funding": {
02819         "type": "opencollective",
02820         "url": "https://opencollective.com/webpack"
02821       }
02822     },
02823     "node_modules/tinyglobby": {
02824       "version": "0.2.17",
02825       "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.17.tgz",
02826       "integrity":
  ...   "sha512-wXR/dYpcqKmfWpEdZjiKJOwCNFndD0DMnrW/cYjVGttEkBfVgcLFHoNrlj47mjOVic9yyNu65alsgF4NQyTa2g==",
02827       "license": "MIT",
02828       "dependencies": {
02829         "fdir": "^6.5.0",
02830         "picomatch": "^4.0.4"
02831       },
02832       "engines": {
02833         "node": ">=12.0.0"
02834       },
02835       "funding": {
02836         "url": "https://github.com/sponsors/SuperchupuDev"
02837       }
02838     },
02839     "node_modules/type-check": {
02840       "version": "0.4.0",
02841       "resolved": "https://registry.npmjs.org/type-check/-/type-check-0.4.0.tgz",
02842       "integrity":
  ...   "sha512-XleUoc9uwGXqjWwXaUTZAmzMcFZ5858QA2vvx1Ur5xIcixXIP+8LnFDgRplU30us6teqdlskFfu+ae4K79Ooew==",
```

```
02843         "dev": true,
02844         "license": "MIT",
02845         "dependencies": {
02846           "prelude-ls": "^1.2.1"
02847         },
02848         "engines": {
02849           "node": ">= 0.8.0"
02850         }
02851       },
02852       "node_modules/update-browserslist-db": {
02853         "version": "1.3.3",
02854         "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.3.3.tgz",
02855         "integrity":
  ...     "sha512-pJ2sYawQS0R/WI928Gj5GlPhTGzbMelq0+4INtSYNDV9ErKJcX6xjGWkoG/VnB3dpUm00zALaqkrUD77pO5TDQ==",
02856         "dev": true,
02857         "funding": [
02858           {
02859             "type": "opencollective",
02860             "url": "https://opencollective.com/browserslist"
02861           },
02862           {
02863             "type": "tidelift",
02864             "url": "https://tidelift.com/funding/github/npm/browserslist"
02865           },
02866           {
02867             "type": "github",
02868             "url": "https://github.com/sponsors/ai"
02869           }
02870         ],
02871         "license": "MIT",
02872         "dependencies": {
02873           "escalade": "^3.2.0",
02874           "picocolors": "^1.1.1"
02875         },
02876         "bin": {
02877           "update-browserslist-db": "cli.js"
02878         },
02879         "peerDependencies": {
02880           "browserslist": ">= 4.21.0"
02881         }
02882       },
02883       "node_modules/uri-js": {
02884         "version": "4.4.1",
02885         "resolved": "https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz",
02886         "integrity":
  ...     "sha512-7rKUyy33Q1yc98pQ1DAmLtwX109F7TIfWlW1Ydo8Wl1ii1SeHieeh0HHfPeL2fMXK6z0s8ecKs9frCuLJvndBg==",
02887         "dev": true,
02888         "license": "BSD-2-Clause",
02889         "dependencies": {
02890           "punycode": "^2.1.0"
02891         }
02892       },
02893       "node_modules/vite": {
02894         "version": "8.3.2",
02895         "resolved": "https://registry.npmjs.org/vite/-/vite-8.3.2.tgz",
02896         "integrity":
  ...     "sha512-SQr1x6W5vVSbROg7vsyXIaxK9b0G7zsT68acdWWRmnBUsgDieLCRG+Rep9WdZgcposvv/GSnr4GUUBqB3vXq6w==",
02897         "license": "MIT",
02898         "dependencies": {
02899           "lightningcss": "^1.33.0",
02900           "picomatch": "^4.0.7",
02901           "postcss": "^8.5.28",
02902           "rolldown": "~1.2.11",
02903           "tinyglobby": "^0.2.17"
02904         },
02905         "bin": {
02906           "vite": "bin/vite.js"
02907         },
02908         "engines": {
02909           "node": "^20.19.0 || >=22.12.0"
02910         },
02911         "funding": {
02912           "url": "https://github.com/vitejs/vite?sponsor=1"
02913         },
02914         "optionalDependencies": {
02915           "fsevents": "~2.3.3"
02916         },
02917         "peerDependencies": {
02918           "@types/node": "^20.19.0 || >=22.12.0",
02919           "@vitejs/devtools": "^0.7.1",
02920           "esbuild": "^0.27.0 || ^0.28.0",
02921           "jiti": ">=1.21.0",
02922           "less": "^4.0.0",
```

```
02923           "sass": "^1.70.0",
02924           "sass-embedded": "^1.70.0",
02925           "stylus": ">=0.54.8",
02926           "sugarss": "^5.0.0",
02927           "terser": "^5.16.0",
02928           "tsx": "^4.8.1",
02929           "yaml": "^2.4.2"
02930         },
02931         "peerDependenciesMeta": {
02932           "@types/node": {
02933             "optional": true
02934           },
02935           "@vitejs/devtools": {
02936             "optional": true
02937           },
02938           "esbuild": {
02939             "optional": true
02940           },
02941           "jiti": {
02942             "optional": true
02943           },
02944           "less": {
02945             "optional": true
02946           },
02947           "sass": {
02948             "optional": true
02949           },
02950           "sass-embedded": {
02951             "optional": true
02952           },
02953           "stylus": {
02954             "optional": true
02955           },
02956           "sugarss": {
02957             "optional": true
02958           },
02959           "terser": {
02960             "optional": true
02961           },
02962           "tsx": {
02963             "optional": true
02964           },
02965           "yaml": {
02966             "optional": true
02967           }
02968         }
02969       },
02970       "node_modules/which": {
02971         "version": "2.0.2",
02972         "resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
02973         "integrity":
  ...   "sha512-BLI3Tl1TW3Pvl70l3yq3Y64i+awpwXqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNMEKNMjibA==",
02974         "dev": true,
02975         "license": "ISC",
02976         "dependencies": {
02977           "isexe": "^2.0.0"
02978         },
02979         "bin": {
02980           "node-which": "bin/node-which"
02981         },
02982         "engines": {
02983           "node": ">= 8"
02984         }
02985       },
02986       "node_modules/word-wrap": {
02987         "version": "1.2.5",
02988         "resolved": "https://registry.npmjs.org/word-wrap/-/word-wrap-1.2.5.tgz",
02989         "integrity":
  ...   "sha512-BN22B5eaMMI9UMtjrGd5g5eCYPpCPDUy0FJXbYsaT5zYxjFOckS53SQDE3pWkVoWpHXVb3BrYcEN4Twa55B5cA==",
02990         "dev": true,
02991         "license": "MIT",
02992         "engines": {
02993           "node": ">=0.10.0"
02994         }
02995       },
02996       "node_modules/yallist": {
02997         "version": "3.1.1",
02998         "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
02999         "integrity":
  ...   "sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPksFT7h3K6TOoUNn2pb7RoXx4g==",
03000         "dev": true,
03001         "license": "ISC"
03002       },
```

```
      "node_modules/yocto-queue": {
        "version": "0.1.0",
        "resolved": "https://registry.npmjs.org/yocto-queue/-/yocto-queue-0.1.0.tgz",
        "integrity":
  ... "sha512-rVksvsnNCdJ/ohGc6xgPwyN8eheCxsiLM8mxuE/t/mOVqJewPuO1miLpTHQiRgTKCLexL4MeAFVagts7HmNZ2Q==",
        "dev": true,
        "license": "MIT",
        "engines": {
          "node": ">=10"
        },
        "funding": {
          "url": "https://github.com/sponsors/sindresorhus"
        }
      },
      "node_modules/zod": {
        "version": "4.6.5",
        "resolved": "https://registry.npmjs.org/zod/-/zod-4.6.5.tgz",
        "integrity":
  ... "sha512-v5l/aFXZQeai4awLbOpSoHecE9UiMrnfx75tEXLjNonXVARxQ5mOeipTjROUchszUNCqnE+hqAMujRsRHsut2Q==",
        "dev": true,
        "license": "MIT",
        "funding": {
          "url": "https://github.com/sponsors/colinhacks"
        }
      },
      "node_modules/zod-validation-error": {
        "version": "4.0.2",
        "resolved": "https://registry.npmjs.org/zod-validation-error/-/zod-validation-error-4.0.2.tgz",
        "integrity":
  ... "sha512-Q6/nZLe6jxuU80qb/4uJ4t5v2VEZ44lzQjPDhYJNztRQ4wyWc6VF3D3Kb/fAuPetZQnhS3hnajCf9CsWesghLQ==",
        "dev": true,
        "license": "MIT",
        "engines": {
          "node": ">=18.0.0"
        },
        "peerDependencies": {
          "zod": "^3.25.0 || ^4.0.0"
        }
      }
    }
  }
```

case-vault-frontend/package.json

ROLE: Frontend scripts and direct dependency declarations.

SOURCE CONTENT | 31 lines | utf-8-sig | SHA-256 c9127e76c32b6df98124eba8c7f4abff22701d4ab5d91c24f52a7844f6fd5f85

```
00001  {
00002    "name": "case-vault-frontend",
00003    "private": true,
00004    "version": "0.0.0",
00005    "type": "module",
00006    "scripts": {
00007      "dev": "vite",
00008      "build": "vite build",
00009      "lint": "eslint .",
00010      "preview": "vite preview"
00011    },
00012    "dependencies": {
00013      "@tailwindcss/vite": "^4.3.3",
00014      "lucide-react": "^1.52.0",
00015      "react": "^19.2.8",
00016      "react-dom": "^19.2.8",
00017      "react-router-dom": "^7.18.4",
00018      "tailwindcss": "^4.3.3"
00019    },
00020    "devDependencies": {
00021      "@eslint/js": "^10.0.1",
00022      "@types/react": "^19.2.18",
00023      "@types/react-dom": "^19.2.7",
00024      "@vitejs/plugin-react": "^6.1.1",
00025      "eslint": "^10.10.0",
00026      "eslint-plugin-react-hooks": "^7.1.1",
00027      "eslint-plugin-react-refresh": "^0.5.6",
00028      "globals": "^17.12.0",
00029      "vite": "^8.3.0"
00030    }
00031  }
```

case-vault-frontend/public/favicon.svg

ROLE: Vector favicon used by the frontend HTML document.

SOURCE CONTENT | 1 lines | utf-8-sig | SHA-256 61bc9a161de58248288e6905425d7180f0624c2865007b97d763fdac12043a66

```
00001   <svg xmlns="http://www.w3.org/2000/svg" width="48" height="46" fill="none" viewBox="0 0 48 46"><path fill="#863bff"
  ...   d="M25.946 44.938c-.664.845-2.021.375-2.021-.698V33.937a2.26 2.26 0 0 0-2.262-2.262H10.287c-.92
  ...   0-1.456-1.04-.92-1.788l7.48-10.471c1.07-1.497 0-3.578-1.842-3.578H1.237c-.92
  ...   0-1.456-1.04-.92-1.788L10.013.474c.214-.297.556-.474.92-.474h28.894c.92 0 1.456 1.04.92 1.788l-7.48 10.471c-1.07
  ...   1.498 0 3.579 1.842 3.579h11.377c.943 0 1.473 1.088.89 1.83L25.947 44.94z" style="fill:#863bff;fill:color(display-p3
  ...    .5252 .23 1);fill-opacity:1"/><mask id="a" width="48" height="46" x="0" y="0" maskUnits="userSpaceOnUse"
  ...   style="mask-type:alpha"><path fill="#000" d="M25.842 44.938c-.664.844-2.021.375-2.021-.698V33.937a2.26 2.26 0 0
  ...   0-2.262-2.262H10.183c-.92 0-1.456-1.04-.92-1.788l7.48-10.471c1.07-1.498 0-3.579-1.842-3.579H1.133c-.92
  ...   0-1.456-1.04-.92-1.787L9.91.473c.214-.297.556-.474.92-.474h28.894c.92 0 1.456 1.04.92 1.788l-7.48 10.471c-1.07 1.498
  ...    0 3.578 1.842 3.578h11.377c.943 0 1.473 1.088.89 1.832L25.843 44.94z" style="fill:#000;fill-opacity:1"/></mask><g
  ...   mask="url(#a)"><g filter="url(#b)"><ellipse cx="5.508" cy="14.704" fill="#ede6ff" rx="5.508" ry="14.704"
  ...   style="fill:#ede6ff;fill:color(display-p3 .9275 .9033 1);fill-opacity:1" transform="matrix(.00324 1 1 -.00324 -4.47
  ...   31.516)"/></g><g filter="url(#c)"><ellipse cx="10.399" cy="29.851" fill="#ede6ff" rx="10.399" ry="29.851"
  ...   style="fill:#ede6ff;fill:color(display-p3 .9275 .9033 1);fill-opacity:1" transform="matrix(.00324 1 1 -.00324
  ...   -39.328 7.883)"/></g><g filter="url(#d)"><ellipse cx="5.508" cy="30.487" fill="#7e14ff" rx="5.508" ry="30.487"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="rotate(89.814 -25.913
  ...   -14.639)scale(1 -1)"/></g><g filter="url(#e)"><ellipse cx="5.508" cy="30.599" fill="#7e14ff" rx="5.508" ry="30.599"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="rotate(89.814 -32.644
  ...   -3.334)scale(1 -1)"/></g><g filter="url(#f)"><ellipse cx="5.508" cy="30.599" fill="#7e14ff" rx="5.508" ry="30.599"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="matrix(.00324 1 1 -.00324 -34.34
  ...    30.47)"/></g><g filter="url(#g)"><ellipse cx="14.072" cy="22.078" fill="#ede6ff" rx="14.072" ry="22.078"
  ...   style="fill:#ede6ff;fill:color(display-p3 .9275 .9033 1);fill-opacity:1" transform="rotate(93.35 24.506
  ...   48.493)scale(-1 1)"/></g><g filter="url(#h)"><ellipse cx="3.47" cy="21.501" fill="#7e14ff" rx="3.47" ry="21.501"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="rotate(89.009 28.708
  ...   47.59)scale(-1 1)"/></g><g filter="url(#i)"><ellipse cx="3.47" cy="21.501" fill="#7e14ff" rx="3.47" ry="21.501"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="rotate(89.009 28.708
  ...   47.59)scale(-1 1)"/></g><g filter="url(#j)"><ellipse cx=".387" cy="8.972" fill="#7e14ff" rx="4.407" ry="29.108"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="rotate(39.51 .387
  ...   8.972)"/></g><g filter="url(#k)"><ellipse cx="47.523" cy="-6.092" fill="#7e14ff" rx="4.407" ry="29.108"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="rotate(37.892 47.523
  ...   -6.092)"/></g><g filter="url(#l)"><ellipse cx="41.412" cy="6.333" fill="#47bfff" rx="5.971" ry="9.665"
  ...   style="fill:#47bfff;fill:color(display-p3 .2799 .748 1);fill-opacity:1" transform="rotate(37.892 41.412
  ...   6.333)"/></g><g filter="url(#m)"><ellipse cx="-1.879" cy="38.332" fill="#7e14ff" rx="4.407" ry="29.108"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="rotate(37.892 -1.88
  ...   38.332)"/></g><g filter="url(#n)"><ellipse cx="-1.879" cy="38.332" fill="#7e14ff" rx="4.407" ry="29.108"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="rotate(37.892 -1.88
  ...   38.332)"/></g><g filter="url(#o)"><ellipse cx="35.651" cy="29.907" fill="#7e14ff" rx="4.407" ry="29.108"
  ...   style="fill:#7e14ff;fill:color(display-p3 .4922 .0767 1);fill-opacity:1" transform="rotate(37.892 35.651
  ...   29.907)"/></g><g filter="url(#p)"><ellipse cx="38.418" cy="32.4" fill="#47bfff" rx="5.971" ry="15.297"
  ...   style="fill:#47bfff;fill:color(display-p3 .2799 .748 1);fill-opacity:1" transform="rotate(37.892 38.418
  ...   32.4)"/></g></g><defs><filter id="b" width="60.045" height="41.654" x="-19.77" y="16.149"
  ...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
  ...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
  ...   result="effect1_foregroundBlur_2002_17158" stdDeviation="7.659"/></filter><filter id="c" width="90.34"
  ...   height="51.437" x="-54.613" y="-7.533" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
  ...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
  ...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158" stdDeviation="7.659"/></filter><filter
  ...   id="d" width="79.355" height="29.4" x="-49.64" y="2.03" color-interpolation-filters="sRGB"
  ...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
  ...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158"
  ...   stdDeviation="4.596"/></filter><filter id="e" width="79.579" height="29.4" x="-45.045" y="20.029"
  ...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
  ...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
  ...   result="effect1_foregroundBlur_2002_17158" stdDeviation="4.596"/></filter><filter id="f" width="79.579"
  ...   height="29.4" x="-43.513" y="21.178" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
  ...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
  ...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158" stdDeviation="4.596"/></filter><filter
  ...   id="g" width="74.749" height="58.852" x="15.756" y="-17.901" color-interpolation-filters="sRGB"
  ...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
  ...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158"
  ...   stdDeviation="7.659"/></filter><filter id="h" width="61.377" height="25.362" x="23.548" y="2.284"
  ...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
  ...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
  ...   result="effect1_foregroundBlur_2002_17158" stdDeviation="4.596"/></filter><filter id="i" width="61.377"
  ...   height="25.362" x="23.548" y="2.284" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
  ...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
  ...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158" stdDeviation="4.596"/></filter><filter
  ...   id="j" width="56.045" height="63.649" x="-27.636" y="-22.853" color-interpolation-filters="sRGB"
  ...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
  ...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158"
  ...   stdDeviation="4.596"/></filter><filter id="k" width="54.814" height="64.646" x="20.116" y="-38.415"
  ...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
  ...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
  ...   result="effect1_foregroundBlur_2002_17158" stdDeviation="4.596"/></filter><filter id="l" width="33.541"
```

```
...   height="35.313" x="24.641" y="-11.323" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158" stdDeviation="4.596"/></filter><filter
...   id="m" width="54.814" height="64.646" x="-29.286" y="6.009" color-interpolation-filters="sRGB"
...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158"
...   stdDeviation="4.596"/></filter><filter id="n" width="54.814" height="64.646" x="-29.286" y="6.009"
...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
...   result="effect1_foregroundBlur_2002_17158" stdDeviation="4.596"/></filter><filter id="o" width="54.814"
...   height="64.646" x="8.244" y="-2.416" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158" stdDeviation="4.596"/></filter><filter
...   id="p" width="39.409" height="43.623" x="18.713" y="10.588" color-interpolation-filters="sRGB"
...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17158"
...   stdDeviation="4.596"/></filter></defs></svg>
```

case-vault-frontend/public/icons.svg

ROLE: Reusable vector icon symbols for the frontend.

SOURCE CONTENT | 24 lines | utf-8-sig | SHA-256 7ca2d67c9c3aebf50cdc8709ee8aacf8cdb8cc7ea6325ea94939caef5da1c53d

```
00001  <svg xmlns="http://www.w3.org/2000/svg">
00002    <symbol id="bluesky-icon" viewBox="0 0 16 17">
00003      <g clip-path="url(#bluesky-clip)"><path fill="#08060d" d="M7.75
  ...  7.735c-.693-1.348-2.58-3.86-4.334-5.097-1.68-1.187-2.32-.981-2.74-.79C.188 2.065.1 2.812.1 3.251s.241 3.602.398
  ...  4.13c.52 1.744 2.367 2.333 4.07 2.145-2.495.37-4.71 1.278-1.805 4.512 3.196 3.309 4.38-.71 4.987-2.746.608 2.036
  ...  1.307 5.91 4.93 2.746 2.72-2.746.747-4.143-1.747-4.512 1.702.189 3.55-.4
  ...  4.07-2.145.156-.528.397-3.691.397-4.13s-.088-1.186-.575-1.406c-.42-.19-1.06-.395-2.741.79-1.755 1.24-3.64
  ...  3.752-4.334 5.099"/></g>
00004      <defs><clipPath id="bluesky-clip"><path fill="#fff" d="M.1.85h15.3v15.3H.1z"/></clipPath></defs>
00005    </symbol>
00006    <symbol id="discord-icon" viewBox="0 0 20 19">
00007      <path fill="#08060d" d="M16.224 3.768a14.5 14.5 0 0 0-3.67-1.153c-.158.286-.343.67-.47.976a13.5 13.5 0 0 0-4.067
  ...   0c-.128-.306-.317-.69-.476-.976A14.4 14.4 0 0 0 3.868 3.77C1.546 7.28.916 10.703 1.231 14.077a14.7 14.7 0 0 0 4.5
  ...  2.306q.545-.748.965-1.587a9.5 9.5 0 0 1-1.518-.74q.191-.14.372-.293c2.927 1.369 6.107 1.369 8.999
  ...  0q.183.152.372.294-.723.437-1.52.74.418.838.963 1.588a14.6 14.6 0 0 0
  ...  4.504-2.308c.37-3.911-.63-7.302-2.644-10.309m-9.13 8.234c-.878 0-1.599-.82-1.599-1.82 0-.998.705-1.82 1.6-1.82.894 0
  ...   1.614.82 1.599 1.82.001 1-.705 1.82-1.6 1.82m5.91 0c-.878 0-1.599-.82-1.599-1.82 0-.998.705-1.82 1.6-1.82.893 0
  ...  1.614.82 1.599 1.82 0 1-.706 1.82-1.6 1.82"/>
00008    </symbol>
00009    <symbol id="documentation-icon" viewBox="0 0 21 20">
00010      <path fill="none" stroke="#aa3bff" stroke-linecap="round" stroke-linejoin="round" stroke-width="1.35" d="m15.5
  ...  13.333 1.533 1.322c.645.555.967.833.967 1.178s-.322.623-.967 1.179L15.5 18.333m-3.333-5-1.534
  ...  1.322c-.644.555-.966.833-.966 1.178s.322.623.966 1.179l1.534 1.321"/>
00011      <path fill="none" stroke="#aa3bff" stroke-linecap="round" stroke-linejoin="round" stroke-width="1.35" d="M17.167
  ...   10.836v-4.32c0-1.41 0-2.117-.224-2.68-.359-.906-1.118-1.621-2.08-1.96-.599-.21-1.349-.21-2.848-.21-2.623 0-3.935
  ...  0-4.983.369-1.684.591-3.013 1.842-3.641 3.428C3 6.449 3 7.684 3 10.154v2.122c0 2.558 0 3.838.706
  ...  4.726q.306.383.713.671c.76.536 1.79.64 3.581.66"/>
00012      <path fill="none" stroke="#aa3bff" stroke-linecap="round" stroke-linejoin="round" stroke-width="1.35" d="M3
  ...  10a2.78 2.78 0 0 1 2.778-2.778c.555 0 1.209.097
  ...  1.748-.047.48-.129.854-.503.982-.982.145-.54.048-1.194.048-1.749a2.78 2.78 0 0 1 2.777-2.777"/>
00013    </symbol>
00014    <symbol id="github-icon" viewBox="0 0 19 19">
00015      <path fill="#08060d" fill-rule="evenodd" d="M9.356 1.85C5.05 1.85 1.57 5.356 1.57 9.694a7.84 7.84 0 0 0 5.324
  ...  7.44c.387.079.528-.168.528-.376 0-.182-.013-.805-.013-1.454-2.165.467-2.616-.935-2.616-.935-.349-.91-.864-1.143-.864
  ...  -1.143-.71-.48.051-.48.051-.48.787.051 1.2.805 1.2.805.695 1.194 1.817.857
  ...  2.268.649.064-.507.27-.857.49-1.052-1.728-.182-3.545-.857-3.545-3.87 0-.857.31-1.558.8-2.104-.078-.195-.349-1
  ...  .077-2.078 0 0 .657-.208 2.14.805a7.5 7.5 0 0 1 1.946-.26c.657 0 1.328.092 1.946.26 1.483-1.013 2.14-.805
  ...  2.14-.805.426 1.078.155 1.883.078 2.078.502.546.799 1.247.799 2.104 0 3.013-1.818 3.675-3.558
  ...  3.87.284.247.528.714.528 1.454 0 1.052-.012 1.896-.012 2.156 0 .208.142.455.528.377a7.84 7.84 0 0 0
  ...  5.324-7.441c.013-4.338-3.48-7.844-7.773-7.844" clip-rule="evenodd"/>
00016    </symbol>
00017    <symbol id="social-icon" viewBox="0 0 20 20">
00018      <path fill="none" stroke="#aa3bff" stroke-linecap="round" stroke-linejoin="round" stroke-width="1.35" d="M12.5
  ...  6.667a4.167 4.167 0 1 0-8.334 0 4.167 4.167 0 0 0 8.334 0"/>
00019      <path fill="none" stroke="#aa3bff" stroke-linecap="round" stroke-linejoin="round" stroke-width="1.35" d="M2.5
  ...  16.667a5.833 5.833 0 0 1 8.75-5.053m3.837.474.513
  ...  1.035c.07.144.257.282.414.309l.93.155c.596.1.736.536.307.965l-.723.73a.64.64 0 0
  ...  0-.152.531l.207.903c.164.715-.213.991-.84.618l-.872-.52a.63.63 0 0 0-.577
  ...  0l-.872.52c-.624.373-1.003.094-.84-.618l.207-.903a.64.64 0 0
  ...  0-.152-.532l-.723-.729c-.426-.43-.289-.864.306-.964l.93-.156a.64.64 0 0 0 .412-.31l.513-1.034c.28-.562.735-.562
  ...  1.012 0"/>
00020    </symbol>
00021    <symbol id="x-icon" viewBox="0 0 19 19">
00022      <path fill="#08060d" fill-rule="evenodd" d="M1.893 1.98c.052.072 1.245 1.769 2.653 3.77l2.892
  ...  4.114c.183.261.333.48.333.486s-.068.089-.152.183l-.522.593-.765.867-3.597 4.087c-.375.426-.734.834-.798.905a1 1 0 0
  ...  0-.118.148c0 .01.236.017.664.017h.663l.729-.83c.4-.457.796-.906.879-.999a692 692 0 0 0
  ...  1.794-2.038c.034-.037.301-.34.594-.675l.551-.624.345-.392a7 7 0 0 1 .34-.374c.006 0 .93 1.306 2.052 2.903l2.084
  ...  2.965.045.063h2.275c1.87 0 2.273-.003
  ...  2.266-.021-.008-.02-1.098-1.572-3.894-5.547-2.013-2.862-2.28-3.246-2.273-3.266.008-.019.282-.332 2.085-2.38l2-2.274
  ...  1.567-1.782c.022-.028-.016-.03-.065-.03h-.674l-.3.342a871 871 0 0 1-1.782 2.025c-.067.075-.405.458-.75.852a100 100 0
  ...  0 1-.803.91c-.148.172-.299.344-.99 1.127-.304.343-.32.358-.345.327-.015-.019-.904-1.282-1.976-2.808L6.365
  ...  1.85H1.8zm1.782.91 8.078 11.294c.772 1.08 1.413 1.973 1.425 1.984.016.017.241.02
  ...  1.05.017l1.03-.004-2.694-3.766L7.796 5.75 5.722 2.852l-1.039-.004-1.039-.004z" clip-rule="evenodd"/>
00023    </symbol>
00024  </svg>
```

case-vault-frontend/src/App.css

ROLE: Stylesheet for App UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 182 lines | utf-8-sig | SHA-256 1176a2dee12e07bb5ad424c134d6ef88f44bd31974a91f731f85031366b88b01

```
00001  .counter {
00002    font-size: 16px;
00003    padding: 5px 10px;
00004    border-radius: 5px;
00005    color: var(--accent);
00006    background: var(--accent-bg);
00007    border: 2px solid transparent;
00008    margin-bottom: 24px;
00009
00010    &:hover {
00011      border-color: var(--accent-border);
00012    }
00013    &:focus-visible {
00014      outline: 2px solid var(--accent);
00015      outline-offset: 2px;
00016    }
00017  }
00018
00019  .hero {
00020    position: relative;
00021
00022    .base,
00023    .framework,
00024    .vite {
00025      inset-inline: 0;
00026      margin: 0 auto;
00027    }
00028
00029    .base {
00030      width: 170px;
00031      position: relative;
00032      z-index: 0;
00033    }
00034
00035    .framework,
00036    .vite {
00037      position: absolute;
00038    }
00039
00040    .framework {
00041      z-index: 1;
00042      top: 34px;
00043      height: 28px;
00044      transform: perspective(2000px) rotateZ(300deg) rotateX(44deg) rotateY(39deg)
00045        scale(1.4);
00046    }
00047
00048    .vite {
00049      z-index: 0;
00050      top: 107px;
00051      height: 26px;
00052      width: auto;
00053      transform: perspective(2000px) rotateZ(300deg) rotateX(40deg) rotateY(39deg)
00054        scale(0.8);
00055    }
00056  }
00057
00058  #center {
00059    display: flex;
00060    flex-direction: column;
00061    gap: 25px;
00062    place-content: center;
00063    place-items: center;
00064    flex-grow: 1;
00065
00066    @media (max-width: 1024px) {
00067      padding: 32px 20px 24px;
00068      gap: 18px;
00069    }
00070  }
00071
00072  #next-steps {
00073    display: flex;
00074    border-top: 1px solid var(--border);
```

```
00075     text-align: left;
00076
00077     & > div {
00078       flex: 1 1 0;
00079       padding: 32px;
00080       @media (max-width: 1024px) {
00081         padding: 24px 20px;
00082       }
00083     }
00084
00085     .icon {
00086       margin-bottom: 16px;
00087       width: 22px;
00088       height: 22px;
00089     }
00090
00091     @media (max-width: 1024px) {
00092       flex-direction: column;
00093       text-align: center;
00094     }
00095   }
00096
00097   #docs {
00098     border-right: 1px solid var(--border);
00099
00100     @media (max-width: 1024px) {
00101       border-right: none;
00102       border-bottom: 1px solid var(--border);
00103     }
00104   }
00105
00106   #next-steps ul {
00107     list-style: none;
00108     padding: 0;
00109     display: flex;
00110     gap: 8px;
00111     margin: 32px 0 0;
00112
00113     .logo {
00114       height: 18px;
00115     }
00116
00117     a {
00118       color: var(--text-h);
00119       font-size: 16px;
00120       border-radius: 6px;
00121       background: var(--social-bg);
00122       display: flex;
00123       padding: 6px 12px;
00124       align-items: center;
00125       gap: 8px;
00126       text-decoration: none;
00127
00128       &:hover {
00129         box-shadow: var(--shadow);
00130       }
00131       .button-icon {
00132         height: 18px;
00133         width: 18px;
00134       }
00135     }
00136
00137     @media (max-width: 1024px) {
00138       margin-top: 20px;
00139       flex-wrap: wrap;
00140       justify-content: center;
00141
00142       li {
00143         flex: 1 1 calc(50% - 8px);
00144       }
00145
00146       a {
00147         width: 100%;
00148         justify-content: center;
00149         box-sizing: border-box;
00150       }
00151     }
00152   }
00153
00154   #spacer {
00155     height: 88px;
00156     border-top: 1px solid var(--border);
00157     @media (max-width: 1024px) {
```

```
      height: 48px;
    }
  }

  .ticks {
    position: relative;
    width: 100%;

    &::before,
    &::after {
      content: '';
      position: absolute;
      top: -4.5px;
      border: 5px solid transparent;
    }

    &::before {
      left: 0;
      border-left-color: var(--border);
    }
    &::after {
      right: 0;
      border-right-color: var(--border);
    }
  }
```

case-vault-frontend/src/App.jsx

ROLE: MemoryRouter route tree and Protected permission checks for each page.

KEY DECLARATIONS: Protected, AppRoutes, location, backgroundLocation, App

SOURCE CONTENT | 66 lines | utf-8-sig | SHA-256 04da6916a6e4ac821a683c378219d6575368bca8b04ded2677c3be5795bcd0cd

```
00001  import { MemoryRouter, Routes, Route, Navigate, Link, useLocation } from "react-router-dom";
00002  import Login from "./pages/Login";
00003  import Welcome from "./pages/Welcome";
00004  import CaseLibrary from "./pages/CaseLibrary";
00005  import CreateCase from "./pages/CreateCase";
00006  import CaseDetail from "./pages/CaseDetail";
00007  import SecureSubmission from "./pages/SecureSubmission";
00008  import AccessControl from "./pages/AccessControl";
00009  import PasswordSettings from "./pages/PasswordSettings";
00010  import { AuthProvider } from "./auth/AuthContext";
00011  import { useAuth } from "./auth/context";
00012
00013  function Protected({ permission, children, deniedMessage }) {
00014    const { user, loading } = useAuth();
00015    if (loading) return <p role="status" style={{ padding: 24 }}>Checking session…</p>;
00016    if (!user) return <Navigate to="/login" replace />;
00017    if (permission && !user.permissions.includes(permission)) {
00018      if (deniedMessage) return <main role="alert" style={{ padding: 24 }}>
00019        <p>{deniedMessage}</p>
00020        <Link to="/welcome">Return to Overview</Link>
00021      </main>;
00022      return <Navigate to="/welcome" replace />;
00023    }
00024    return children;
00025  }
00026
00027  function AppRoutes() {
00028    const location = useLocation();
00029    const backgroundLocation = location.state?.backgroundLocation;
00030    const { user, loading, accessError, retryAccess } = useAuth();
00031    if (loading) {
00032      return <p role="status" style={{ padding: 24 }}>Checking session…</p>;
00033    }
00034    if (accessError) return <main role="alert" style={{ padding: 24 }}>
00035      <p>Could not verify your access: {accessError}</p>
00036      <button type="button" onClick={retryAccess}>Retry</button>
00037    </main>;
00038    return <><Routes location={backgroundLocation || location}>
00039      <Route path="/" element={<Navigate to={user ? "/welcome" : "/login"} replace />} />
00040      <Route path="/login" element={user ? <Navigate to="/welcome" replace /> : <Login />} />
00041      <Route path="/welcome" element={<Protected>{user?.role_name === "admin" ? <AccessControl asOverview /> :
  ...   <Welcome />}</Protected>} />
00042      <Route path="/cases" element={<Protected permission="case:view"><CaseLibrary /></Protected>} />
00043      <Route path="/cases/new" element={<Protected permission="case:create"
00044        deniedMessage="Your account does not have permission to create cases."><CreateCase /></Protected>} />
00045      <Route path="/cases/detail" element={<Protected permission="case:view"><CaseDetail /></Protected>} />
00046      <Route path="/submission" element={<Protected permission="evidence:upload"><SecureSubmission /></Protected>} />
00047      <Route path="/audit" element={<Protected permission="user:manage"><Navigate to="/access-control" replace
  ...   /></Protected>} />
00048      <Route path="/access-control" element={<Protected>{user?.role_name === "admin" ? <Navigate to="/welcome" replace
  ...    /> : <AccessControl />}</Protected>} />
00049      <Route path="/settings/password" element={<Protected><PasswordSettings /></Protected>} />
00050      <Route path="*" element={<Navigate to="/" replace />} />
00051    </Routes>
00052      {backgroundLocation && <Routes>
00053        <Route path="/settings/password" element={<Protected><PasswordSettings /></Protected>} />
00054      </Routes>}
00055    </>;
00056  }
00057
00058  function App() {
00059    return (
00060      <MemoryRouter>
00061        <AuthProvider><AppRoutes /></AuthProvider>
00062      </MemoryRouter>
00063    );
00064  }
00065
00066  export default App;
```

case-vault-frontend/src/assets/hero.png

ROLE: Binary raster artwork asset. Base64 listing below and original bytes embedded in PDF.

BINARY CONTENT | 13057 bytes | SHA-256 881ffbcaafc212e49addad08846a5b82761355fa20624253af3477ba33262c5c

```
[Binary asset; original bytes are in the embedded source attachment.]
Base64 representation follows:
iVBORw0KGgoAAAANSUhEUgAAAVcAAAFpCAMAAAAfn5v3AAAC+lBMVEUAAADp6Ox+doZ+doZwZHWtqLHZ1t3m5Otk
Wmydl6J9dYOOh5V+doW9ucHi3eqGf43Jxs1+doWNhpN/d4ZcEs2AeIfUztp+d4W6tr67tsDIxsxRELp9doR+doa0
sLhWEMV+doWPiZV/eIeORubc1uSFUru/oeJUTlqFfozRwuRnXnB8dYRPSFWAeIdJE51ZUV6Vj5umoau3j+V8doXL
seh9doVaHLV8HO+AeId4Q7GfmaSAeIiXYdSwgelcLY9nE+KqbeudfMSKg5FmNJt9dYVCEJBMRVGcl6JxNbyNYb1o
FOBpHdeBSMefY+Kna+pWKI+TWNJyIdyvb/V9LuVtN7COTeVPFaqeX+ajdNu0ffGWW9RvM7ipi8dxF+lWEsNZJalv
GONRGp5RE7FzMNJmE+GMhZJFEZZAOUZYFsBKG4doLMOkaORwRZ+ESL86CYdCDJpPELKKPOU9DYecX9qLNfKrcuiM
T8jChvlkXGp+OslnYG3Di/U4CYGDSL06CYd/d4c0B3uMT8d+RranbeeKUMI+CpE9CoySVM+PU8hAEoSXW+aJTMSH
Tb6CSbh9doWPUcw0CnWobe2xd/GZXdB4Prd7RbGVWc6TV+F3P7GIS9yYW9V2QKs7D3xxN7WgZ+WcYeWkad6EQttH
E5dBC5aNTuKUVdMwB3B9P9SFSsJ+Qr2dX9dbKJqYX9+udOh2OruNUtyhZuuTWcmhZdhkLahqNaJEEo5wPKVMGpOt
cvCMSeiOVMNwOax2MdphLZ+9hfKdXuyZWttTIJpVJZBLHYmVROyRUeZtFeRmFNxMFZ2nZfJDDJuPP+WgYt6MT9Rf
EdRUGa1YIqPDjPV8PsWdY9FlNJmSVtprMrBrNalKD6eqb+KFROKERM6BRMaUVemFTrp0G+h/OuBdJa5QGaOra/O5
ffZ2Oc6ESdVGDKGbUO62fetMDbAsB2dHHH6HSslfIbyhW/NnLLrJlPexcvaMTcymY+dwL899K+loJ8l1N8N7GvNu
McNpINSwq7Xk5OasMKFCAAAAfHRSTlMACL2BD3AjDgeNIKWRVBSwO8Opw/7AKmBZSkH+Q99k/u+huCAdqFMjtzIw
wD6fIBiYfGOfQcoQ49+7h4yNc/7vjHx1yW9eWV9dloThtD/e2aQ/EMzHrp2chH1kg2tlY9uiOOfFwqyBc+Pc18C4
4bvewL7l3dCiwNj45cOQsn0ONAAALzpJREFUeNrs3FuumzAQBuBhuAkIIYpESJCJwDoPbaxIVFEllL5mX94Ba27d
mxq1hxIgxDb+dFZgRf/xjGcAwzAMwzAMY7GcU5bZq/P5cr7Y9o0QB4yRwmz1ueSIyTa4Bt/+rnWCrC3TVXYCYxgn
u5Sc1m780YI/rb38GCCWNAvBePhQU4710YP3eMcaW5aB8QDHLmkdW9DN2kRYnM2P9oFTxcCDPt5c5OZke5/q1YO+
LBe5bW4I/0UavO7gEesKC5Oz3UiKyQEelVfYmDB4n/OFJ3sYYo+tidn3iH9XFgzju1jaYPwzWOs3GO4tMjH7t5CJ
YB0nj9rUhMH93aqlRxjNPyK/mJP97VayYA2TcE0Y/EIQIw+msomoOdnvwUqTPUzpsDWlrShaXZiYKG1Xiz7ZrMRg
B9Pzr0uOWZLSagPPsYmwWeaTgnPhSQzPs0+WGLMiWD/58FQu40srbUmBgQdPF2GzpJg9pfxDDnPYRPh5KWHgrDju
YS4xW0jM3koMYEa+i4X+MUsKWu1gXl6le8yGKU8OML9821J9w8CxWzxa8ArWUd+HmluJ1zW8iqVpB5GkdHQ3cHxp
S0AvYYJJDK92iPS6c/3oBkpgLYZjtDnZrMHgDeTg17rELEkx2YA8Nlss1O8gOhf+4fXBei9WfgbRsUsWgHR8F5Xu
IJKGXT2QkVWp+2p7+j7CIqt8q2YH0VlxegSZKRmzomi1QG6WS4sbqIR8xkiWG2uXnVKj3j9GWNSQKzMcI4pWuYP1
ju+qMYMoRljkvFu9x/8k/52LMBp9BNWI0lbmDmJ4bpUJ1nuxxB3E791A2e9WHTHbyrleRxoqadGqcgeRpDTJQW0i
ZuUKA2fFJXhmGW9PpXq1FZvCPuhApvU6UtB6B7pYV0yKmA1TJnE3cIhN9fr1OmfFVSpa+7FevsV8K2mg6o21i+Vi
c4NXEd1AlW+sXXZb9qIZxDDV427VMYP4QJ9rod3AIXyXtV9CmFVWUsW6gYN8orOGgZgN1OfG2iWv5usghpdW62D9
a72uO2YVWmiTijVLB5EU8swGzsXaPnvvg0g9wvIvKnQQRdGq5jPLeHvEZ8WsnLOBs3lSB5EU+hat/XhPGI4JU1T+
mWWKmOWTrtc5dqt70dqP9fMDXTostMnFd6cqbQlj1bKD9V4eTVHahpQuqGjt5xC1l3D098OlWGiTiz9yvS4rVJsN
nIt/pUU2vBu4lWmhTS4iZk+DFtpUnQ2cSzzkA12iG6jjS+vkMfto0VqbYP0/P2LNCXq7tcxEQD8x7f+TPfPKlFd9
+VFLHejBYTwyyfqVvbPZbRqIovB14p84HtcZj+w4qFh1FKmhASUWshTFW8SbRLwCYjNvME8MEjJEQICOT5y0jRN/
my5g06vp8bnnzs9B+5ELpLDvZXZN46sTsFIRYARU1q3Ww3AyyWqdgOxd21jweGYLdUt6XqsuDzgcv7cmLWO56FSg
AYEck46oW66N8NWCNJidujbDnkpT/9WijtMLwQfpUUcTVrKvNa8hdTRhI99r69qt12a4SltXGVBHE4Ka9drrYtcm
3Cxq6qq6oXYTfCnf6evaCUETMlWjr0p2k4LDGU1ljQ58lUGXvh6K4amvNXW182hFHYc2BV+/qZq6ktdFLwdiTUOD
lPa7JWdkhOdxx3hrsFjokKGvq4qJjC1bdSEsjFtuicip8Vl29cMS3cYsEDtjefXTUEBd6VWnBRgpm0+owpB6/2rv
nEPOw67zqmMSlC7tqFmvM9phb1nWiYEOO2RhTETIelXxn6dqruuA8WE4brl7mAHXgR1GKtp7keMTk/R4SjuA75a0
/zojLrxODP7FD5h7s18pWdcX7DPyWNa+i3KfFnvDQpvooLra9DeTLbM6mf2NkbM/hBXX13+xip7fyewvCeAW/YuD
rdd9DJd3nmt3Coa5Me2B+Sz7sZPMZbeHm2yXPdbgGwL2r/sk86v3XFY5T+gxuE4Hxkrz557z3jW3tn4gcs1ANmL0
OA8q1bUYIcuu9XIHO2PaI62x0t2/ad65pKGS2auMZm/cKrfSkctb0vDls0Na/GtsbdOe8EmP9/nTPT3Ox89p7fVn
PLuuUXiVBhqkZxR90daVFnxWKzXeNSWItse2M6pjezesOw+zAtzx9loSRMNlyKl2i/epBlZYyF2IxVXIbDIVKWLB
RER6zPvBgieEVDa6eDGYzIVrI2Xlr4dV5XTfrU+mWUQ5AYy2ZXbJl+vam9KzCS0rvdV8t6p/NckMitDAbvaeXq4Y
5GyeYP9RrIe0q6tuvf6ItbhPmBhc6EUFSZUGIrzxeGAS1a7Xj4Of92VEXowdEr9EzxV7zJ1hdoHf7frXh49L7KpX
YYFiwC7sXL29YQG2VlKhFsPDbyfn2JQg4YtLktl0MfexjHsuittGt5IpD4uvrOhiroRKfjStAPZKVBIAcr/nwj6s
RegQwCxkF7FTzs5K8I5LVyhm0h8s7wc1Pmv/4VLwuzgK2/+ykbGp0kCEZC73n+hC/Osew4gLnzCZ7bV7Hp72ohQU
Vr53Uyla133Ga47JrGMVWXsv4feD0nUIIHbFXf9/lVvq9PXt4H936vEVZpJbmyDGK+bZWCskJDP/W7llk/ehRW5A
Muu1UQwMtwx8UFhVdEunY7iWHtjail7asg9YEoDCGofi5K8bjdcRJrNGHrXKc70KGHZ5sF0Jq0kAmL7uMPsyAsUg
ZK15QsLeMO8NIaRce93r8q2pzV1MbWtbYB2r77XjWm7Hms59NOCKbklbuWXTulY5lwoxMbB4CxLEKg00MGGN7sak
5QGoqzY04GEMVXZ17ptj4gxNAzXCCq7X+4cB6RmWeGtbnvEVkrbL5mAaGCFp4PLBPPp9Q1H41PIEMe3NkyPTQBw8
QZSYlXIscZavdfgBA9PA3UDgmagSROxS45vw/FrbmVeubExYo3+a1sb+FRUDfFAzdc+ptTVcNoeb1sUDAWD+FWRY
KE2CeLbH69IeTwlhNI/WiLDiPgtvbQXmZimPzuR4XdW03oDCCjateF1x+oqv0Kmt9/JuNnarvYEI+W7MckxdsSnN
8TL70p7L2TDQnPhzvjjUW5n3Jp2S4WvlTTDPxV80QUwCkYLDQ76+pZdn/BpNEN3oxVrbUVBiaeDNT2E9B8y+AvOL
0ZZlM3p+7A06h0+5gp8ybe5f8UGN5KmBeUL2/DJr4U0rj26bVs7UftUGTZ9DlujmGP7Mj3wnAcPy+NkW2MIC+AGs
rrjMihDrDsPyGVtbOxPw3kB1hLDeo3VtMrWNQJkNyxU9Czf4Fha+28LyJHU1l8c9Nit5Av4Wz9LaJj2BOlZxpLca
LAd0JPpxgocOaoDB+fEH2hx00vqBzpv+68IjhFlWPmloYHvlFtJ7J+eSnYdjrfNcuYPJ7NO9+WlsSlRYA4mmgc15
APwrkiAGYIL4VDKbwHsDPaBpBf0rXtfmMlvA8/AnEINJAE5aY7do1LRi+97wuuL0ZeRiOde29GI6JbYLHmgjS6h3
VVVbs153W70x9ZyEpxQDI2dBAnqrAkwDj6/rYHBCrV5LbwKKwdR3TjVpjSxweMjXYzodg1OUDm9tMfV03OIk44RR
xtwYSwOjc0kDv5N3Nr1JRFEYPuUyfLTO7cCUodMmuIAgbHAg4iRVMjqpQYsLCbHaGCkiGsJGTVjLyq0r/4H/hRoX
Xbtj6U8wxI13NGr9YDzMnTst8qyakrbpu3g4950zjBdWySiBvZxwZY36sBu4hd0NZG3gIuNcqME2iCEpmDZQL6SQ
bWAw/av3BlFB3l4XksW3gREDscLC9b6Fz5VfsxT3PBCvO4g57G9glK2wfBPr4ufqHG1V9O11RnT+VNmVVh05LoxQ
dwrz54rf0+RrEF+7NIicH9CVCVWxdwpz3HeB2dMMnuabkctVW54P6GK7gdg2kG2xwX/F5c6RWVMI20FEfmTVmryC
v/8aeWitklum+RD+Hy7vWZ/uUoAVnSAPQ1qcFV05+BcRNgQgU5XXSZ1CfmiaWTgFRBzGmg3rbhG+YZOkjLxThS3O
Sppb9pn1c4UMLlUtuWtTcKiZ046QZFlygb5vPeqNG5UT/6GdxhaDWjmphgxJ1/5QAtUzRujcEydU5GUWW/nxs9fM
yR4g4HjfEp4rU8CRVYNfYJrdQZdTWiauqqF1Y0eSNuVNWZak8tp66FzByCiAJaMSfeVkzMOJ+XCxc31oWUysv6MT
dZ5Rimq6LJXjcSNpxOPlsrxVnK/gStcp/Ep+OG1lA8314gU/xdqzWn/NgDLNbkEQRNZ2be0v9j7g0Cxiw1Ukpd7U
rM10p51KaiAatsJiz/AF06x5ExYPNltZB27/sk6qojczMlVSn/0n8i2zsXDTrCNWRwHuyaqywGT172J1SXbSKUEg
xML+iHXauoSQn0DNRozUSbHOlMF0LxtEcqs+zAPZjiNWFEVbTUZBADsJogMCepcdbYOYB1iuvGKdWNcoYHE0C34j
r+/+LlY3zZrNs5/rze+HVjR1kpDBT5RC2qaApzacdLKCcw1f5BTrUSMPc8KOtknFP7HG0/acvy3qaBY4CQvb02QK
GDdq4AHF9u1h65Ij1rmhwzPcIO795dCK12zaj2lWLjhtoBfyL8atLJxBmqb1oggeQDSISIrJtJ0Dr1TMMWKaDXh+
zfbGZoVTjPYu12qhFq/aXJqm1xqNB1zJ4dsDfBt4ANwoxGVTDtMGAifFQbfvVbNhlhwiVw9tID/OhRpvmt0sOIdW
fvIt1nOJyHU1xtEG8kNt4mEBLsLEqoEv0ION4/0Sb678fs32jnCzFV6z6px7xtGTbSA/0avb/bYXv8b8nFit4/uA
BX+0jUcAC5VUUgdfyQ/Od0+1m21bxy6HVh7NVpGjgRZnqebAbyqD7f0snBLN3pi1gWLQSaIgFcGdSKbAUqUgAHp1
g6NB5PFrtjNhYhWHVidqakeeJQSqlwsJYitREITTILZ982t4NYa+zHKPglBWWLQkoRo78paW+/nd3NamZKgpQuo6
BZHkW9v9R4CFJYd4FdcGiocqdZuQ0eh1NZFQqyk1lWJfE2LX9QiIp9bd3i/h+yzXV1FiPW5UIDhopKjo9a/ouq5o
```

```
UQgKenX7/FM/co3FEAr4bNZgWaCHH7o3gthse/Cpe2epniyfH3x8VgLBNPuNx0VYLlauv/2wLzTZ0vONQQWWD3rr
1bOnwubXyw82uvdhObl0+PJZm2PyD89+tW32by/KUwkEkD/8uF/CngvwqT96/m7pxPq7DN6zZDHJ4V8tdbqHyyjW
L+zdv2tTURQH8OvkVhyCIG94gz6hSwYRIaCVEDpoClEaapXW1EQkhuIvxKk4CO3mFiEiDpcEHiK4vBC49GRQaSMB
Y5FHI7ct3gyXQofS5fHauIiTldaTvKeD0vP5E75cvjnn3jb51YDVvDscMDl8Ys3mzzLyowyaD4bZXzKZTFoHuwJ2
iWfKf2fmujy6M3qSkZ81+3j21pk//4e2nQO0tPbncHoWmbmQLXdXsUbOXzlQS2t/Tqaa2SiWHJ7r5XxkhIp1X3Gz
MRXdkxwW7K6J1UzSbPX7G0QzeyvEeT0zZmzEGfm9E5n1/OTeE4m7bpgjVKw9H2oauWiweyujQMXa28CpxLsAC9N1
wzio91ZBHR7JJY+z/lw08nRY+3ZuNBntL9adAjVrAKcKQzf6eb9qPaRYA24J56O9u9XMU6wBnVvMnmG4aNagXSCo
Q7n1MYabMtKMBDU4V8Yr9vhmhEaBEKZn7jHM2IcYI8ENlg20YW936Ao7lKw5id1iv906ykgIl1pT2HddbXX+pV96
/Y+Mt25ib1kdyjWccy3sg2v47RLlGsp48w72Z9idZRqzQrFm0PPqLNG2FUp2Hc213bnASHBH5oxRrAfmnQwVQQgX
vjRyaK6v31uMBDVQNr/hudaXU7RxBZaKRDws12ulV+16+gQjgcSNRgTQ81odKr52YjTDBhJvtkDBfeyxoO3WXi7X
pynYAOLlFoDvY+d1sutW5x2nHjvNSJ/Olg1QChSaq++6dUd066kJRvoxWChvAPge+PexXBedYtvZhs1qyjrGSE9X
zXKHS+X54KWxfl3ccofaNihvu5qK07tsD6eS5qYtte15APYjLNeW6RZLqxXNle24iQn6/EIMjkS++VpIJRUo2Y1h
9wMbjRduaVVLTwlPl2rWEUb2N2DlG+CvAXAQygNYQXNttjy3OL/SFRx84HYtMU3vMvuayHzaBK4WhAJPavDsEprr
nAlPqqXPSnCPg1SVV88ScSqDPU6mM0tdKXVXg7IFV6Jruwks11nza9V13zyXnCutlJC6WIvRzPWro1amoxe0Lfga
l77UEkCuPkmjuW40tt2h9kftcU9yXpGisvIiZtGasMt4YUlraQtbgBS8yytKSll8mkP7dcaEanX+pZRigQvN11bs
NbFdS1lUBt/ZO5dYF6I4jLNhZ9XYdGHhkdhYiI0EqVhJkBshXomVSEQQYiOZTupWWw7CcDhzXDNjOEyHY86gGs2Q
uR7TetxpqNbltqOeQ4qQoF4bx2PdeKzc65800y6aSX758p3vf87MOT9rysKHF4nBY8D7gq6H+OmDwgNSMD5nrRWd
uArpVrM/L5uGjge+/UEnXuhiL5wx9X/m+lYjliwy6vgp1gu6917n6jO8AeOp7kHnfUeuR1LXI0/vmzsrBWOAPPWM
ICAuCDlYCOf8n5cdF1u05xX0PT3gYLmv6kZgcEfgrUG+50un9a2VonCkeD5vQssAA9ggAwEphCRgmAR039TZQ3yJ
ZvL65xkzm6khVDCw5+GnhcAwQp3/YNAas7bjuJU4Em2acnXzU2xwZyUPcAGAwsFAIAai9kqdOGz5syNbE6evriux0
v/JDHeF6gLhXcsBcfMZAKJ9vdeZ6XXxWflqt7jQYwYS7h254mCFUYKjW1yPDOUM1zY6KLfH8ndWcDN+GnvEa6QEh
mA0YpFDg41A2Xkp04jrpiCjy1qBqbql7ngcIH71CRAjAPrb9U3FHrjeGZOYaPnnJtdM9JjyTOxHfRTDALuG68zAx
uPKwx7LWmHTH7R7WCgkxWlRmxE2GPRJ6oeER4DIcaizM7sxdyCn1OYuHXGs7JXbL31ytysqZ3Oa3NRwiQPDAANJx
aOghJqHZ8yaa6PjqxsqUkEqVPzpwe4C5Xg2EggBQhEiINLoVnoD5vLM3NmVI2eyUJbHXN4xqd/7tmQu5jMYwsRmH
wxjiTuAZXHROfyS9tvM2Doe/GUFbhk7NQ7iAXUxczAICNA1o92B/vwK772dOLp4wZMiOm9yltktf/Bn5as6542y1
ke15BFEGdA95QYgx9p3PEZHbQEfBXk+lnzWzspMNAWI6cYHtaohRzBDoi1umVc1n9DY4vWRoZK7hk2MHjFLz04Oj
O3vkGdB6tV9jhCGsuyCshEAn2MDkFTz/jMu1c60VxbtFY2d/3MeAyxx5NYCQxlzmu8mjvqI4PTvYl08P1NiiIfCY
wZRpp+vlUrHY1LdmZ8im0h/vQ4yGLkEMAeDxKwYBzcqRDdxdO9ekDenUmC/d2XgjZIhiars1V5U03/Vp7+1+S7H6
88fffyqXCu8WDvYGbPS0LnjxeiRSbDb9fTAnWxecvUdZyELgAsAYd0oQBBjU5I8t7gK/APZuGVbfQo0B9k2orn1O
CxBwKb2dqZgwlz9gNIvF8pewKzaYM9eImV23bwrXW6Vysdlu9PA0oFSc7pOqCpCt1QJP95lLvICAbM+H5b+0+cC6
VMTYAbfXKPBpgJhGuRVovGqbe8zGUdO5T9rNYiQSfdQXmz5oyU4Yv+NMOp1KtSLlYvFKBsI7sKG8Ok19gALE6xpj
EnZ9LrdsjmP9JbCrou1uywQooLZtI+1xjfXaFNjg5FFo9SvmFtT+VCqXo3evP9Rig3MGccL4Lnnb7pQgHimVuQ8E
8fwMpwHv7EpSylVmq9QGgGFMEUPJNXN//YSyYkO2MrXAtqlvqwD02pKtIvXcXtOyGo7pP2gWy+XI3ZQgfDzXNfjW
w8fNnrr5ciIlJBJia0yp1GyzLbBq3THN44doUlWRqwHKAAXA1QhYPel3Tn3Z6MAd9BoBoCbZFB2we4GkSfTQq0bd
MuVTpF0qjxlz95kgCGcbmUG2UDNy8vitl8TdCeFYInUkGi2Vm+1stwzvKPXNe3u5UDVNZUgDSQ2AwD2w9HfP1dwE
t2o2d1UJaVLymqru0VTptG9ZdypwFzfYcinSigpCOpG+iWcNpkmDCV2nctt2H3shcrkmjrS+xazCaRnGFeVM5jT3
AMlGEtM0zsZG6rT5v7+D3rK3KtBUQIEk9dEk/6rR5KlXPBHAuHu+WCyVos+ElJgQ0rsfVhbMHCQN2JSpU+VticQL
Ltfd/PNszJhisR3sNx2lUbnT10dVVU3aqq1KEnW11WP/7Gy9RTUu+nM2J/vkpL3H3iOd7HurVCzTPPr8m8GOuZv6
TlbcffVSfs7kQTCAjZvWZb489uJYgpcoiseEVqvcLLZRrwNNRWkc77OptOcAtSUVqNK8uX98n7nztN4DkqTWaFJK
nlP30HtHrY9WHd72eIKNRO+m02nhSCIhiOLBC5nF/7oZDF/cZV5KcKjHjokvONl0Kn038s0GDsDcGUupmIeSKlU1
1bY5EvR3u2EunUc51ENq8txJyZb2nOy987EOna34W9KKtHgQSac5WDG9W7jZvWjxP93aThjffeEHVUHgl4SQElLP
ymXOVZXNel2pxG/vVyXb1mgvTcbm/+0h5l+pO7MfFoI4jvPCm6eNlz70wZF48SAikTgjEkQccd+ECCEE8SAZk401
EyPEWHVPHbOsc+scW7em6Fp0qWCps8hqSyPu48Vv/QESiaO+7Xbat+k3k898f7/ddnscNA4b2x3DzBrVtcaGTOb6
9dTy2x8fFzRYsJaFdEsnus4Rwne2DPt/+1xdh+2769qcI/gutm5TpCOd+IkkpKxLK1KlTKZUOrJj/1rz8LbtF5w5
P0HAL2B248Gs+XbHNRNg4NxO3ymnU9eePNa0omZZFCFq2ZjUEczIXbq/T9f/ErOdegxOxdtVvY5smyN4Yp1gUktq
4Ou2Fan0gzQUW2Z2m2E837boJ67+IgwOG4edHY4BNLhQineuDfc/XtaKycgnGNmUwBwwgoPIvevG/X+nE1r2HJl5
ZdtUtwEAvK7bHN7pVAdfoTlwcsvS08czmfS7HdcM82DWGAcI+F3qOWStsy27w7xX3V/eAzvXrY0fLz/WklFoEUp8
nyNYudTXESVnd/cZ958VYB2738mJ2FKgK/4BV4J0jIgV1QqQsk6uePAgVTpWeu08Nw1nMbj6G9Vu8fNs1jCd6rXX
5c2pu2u2P3n8uJCohRhhBIDHMGIdXi2K01f6/E+Zq1WfwZmGDsI2x6ge+2vHWxcm1K9pBUivW9KH7n6+s/No1TEA
rL9b7ec4524+d6qvy9CDfXDt5JfLl5NJHxPdJxTbFkIoipOBRa1K2ej+v/Rm2/bps/PF7jecg5Vc5zbkKw4cID7X
iVWradrjJwdXQUlQLj/YcW/In/mxe5chO+451euldCaTuvXwYxwIajVfj3C8dWKEfYvoFGaEUfJ8h4H/RZrtMuLS
Cf/hqcCzEZRYlGObkDpHdUjlOLKipBbjdfe+fceOZXbfGwsI+DMaV63e218qpT+XNhy6+q2gQe9FxxT5BGPgvAV4
pTGkUKK4Z2+HsU2fubr2efIhwImDh2q2HYcB8NOu/xjj3QLVQq34+PGlU/selK9/3jP4T973tP1i5+jmcqZc3r3t
6hdYsDUrDgIkhjwh1MJAJWT5NCokgwOnmry0bdt9zAMPasbE8hc1Kmweh1dUhxFhHeuE4DBMFC+fWbklncq8GDm8
xZ9VuyHXPj/Yldm7/2KhCISNaISArfGBKThwsDGKhlvSpd3d1j+aFQZuBC9+kbaJF6MP+F0QwZFs651yPLcWY+piQ
MKEVC0+27009WDK5xZ/X+CUvyqVNR6FFoEEpG/k4rg7iss8n6EfisrGVKGrAfXdZh2Z1tu/sV8ddV4QJPzxpfFJC
cIREBQFg60hiCxHs+7VkovDxpXE7NaFbi7+hbj1Kn9OPtl+9XCx8CwnBcFCLhgjxAGFKPUJp4lsioqEiN1Z3aEYY
dOw3+8C9HU8F9RM4eWhXIFidS6Yw58BWX6d6vGYJpKzCx4e3ugNY/5LadSgtX3v1cTFZTPi+ZSHsgaGQCmCAD7qU
Neh6S59I5d5d13SXeneaO/vua6O6S9qqFlHt9vWEYrEoQ4LrdR0A6yNsWT8wAN3Av6kBiwzowRaSiVCF4KkFaCU+
orIS0k8ekp5W9HwipCW5uLu8qTJX6w6zD6TuPahm30imgjA4Y1zyhGKcKcGEjRhDlCDKEYkSWqH3pBZ/W+OHwIKF
REAs36OhZ0kqEcWSeqGkFSupJUhoeVwyLg5sHdY8l3p3HXlg/dq1zs6qc4zxika8+1vOSFG3BVWcCaEEQijAWOd+
mCwMgsT619VuKiStZBhFkoShjyISUIzCIFAcySD5JYiwoorZwlW5/NImgUHXBYPLO0zzrbHZPPe1zv1EIPdsbzCb
C8FsW3GwFmiAIh8RvzZjWot/o3YLYmMtCc5yhiMsKfWQVanIIAhhS1OhRC7MFx7u3fUd/n1p23bs9F33qlVnbXbH
BWdlhSmvwRvbjUpdgBjjgtVhVBR5hKP54Oo/0+RZiQYi2JMWRRVPIc/DSgdcKTg9HMrQk8KN9wSP5V+d+Oc/r+s7
pXz7nnPThAbS9R03y5J5jaDy6dpLxep18NQWdp0rxSgFnOXg1mX/VBNmERTqMkISSZCFPSABE4GmhYEvlXRZTtwQ
+bzrHujV71/+cczEfmeP3zbPVc+Z2bfmZrO6T3DVoN6T23skY0zlGOeKu0KXKpByNLj6j9V5tKyQCmLIYpISGaiK
9CgEgm8BrgQVF+Z8I+8yl4kce3Xin50P79R96IF02Xl+7tzz52ufmdedc6Xcq+CTDHe+f2GLXDw/5sILVxUk501r
0QzqPNujnhcI7CmlAuJJpYTXuBx4JGiwp66bywmRq7M8f3Xj1avZ/+LimDZjp9+5s7O826jeu2maV56Z28+9b/Bc
ECh5+H2D5YUAdLkul0AtBTfcbBb1n+8xJbguXSBB8NRj3tPG5W8exeoGA0+P5XM32LEbbi6fP5Dv9/f/OabLqPLJ
qzt3rnz//NzNqpm98tbYfu7CUyE+NSrfVm5suILfgHkqIZjILZz57xHwnXrzd3kaiMN4nZxcBScnBRcHcRRBuryC
WBzURRAXQRH/A6dOeac2FERolJZi1aNVuL7cK83F3l2Fhii5Fk3wF3rXCi3ENJa+VuriN07qbKXvA4Ej45MnnycX
7vs7ZgsEPmD9nq4ammhp6N7Hj5AG2HABWwWDC2FGRMRQxP/zFPPxE2fe1SsV78684TjOxBwOZ/dc5wUWhoqrdudl
FUqLkPJ9yCohN49m1ktHL/hbW71qr2r4wAFNFgd/KL+qNRFCYsFZQUZcBIQzHp08mft/43Uw0/rIq3sVr/IBfIXW
Mmeu2SmaNakM32e1R4/LhpCw15KkvHVtPcD6p65cLvSqVV//Cq2Mf9hxz08MA+oKR2leAyQimi4R4uLG//ma3XPs
YqfR8bwK+LqZ2uqMZkN35JpF635ZL7T/ZPMTKwD4oQIIWR+w/o3ZLam1VrESMom/2b6WAFVSxkwQxhANKMeIR+Br
GOVu7MusXIcvvhlPneddMHb8fG46Tt8xh67rvO7nB4JpePCvby8Yg4dfJnK9wPonDK4S6NhYasYS2461ripCGA84
FwJzFMBKhFxQHAJmr636QPLxi2de1r+Br5U0sLXtSb/vOGbRnTbGk5FliGRHLvNFCQQQBsmuG1j/xqxiShNJZM+G
vC40SyIRRYIjxjGOEEUCcosiCpwtrBSzR06cf4/juDt746WqzfMO2DoyXXeYr5mbKmJxwgZ3H4OrguXWEax/auOy
rxNFJFvsxDJWDPyEcFKKkAUAAFvbnD6Ae7T5PYpurGpru/dU1goUvDTd7Rce9JZ3p2hOwNgRxNU1G7MBpnKh4vGd
ulHg/GpmN2jjcm/JhFx8ilUipWIYUyFChMM2avE2vsUpIBZTii3Or2VXcuzocLbVtDBOPttPR/NuWlvjBmAA8Dpz
p+bdN5OmRGRJ1GYnScQag/VvGMilkks7kUoryTDiQbMFWU1Ta9EWpSEseIi/4xKKVoDZA4faJ3GAcD2xPz2bzD2v
2608GzlfgQNpbc2mM+c9RWqHJdv579lzmd2jo2ck+Po5UQorFOA2R8BUVOKUP3zFeas0sFKzLTSwmjzKXfqnPw32
n86+ohjjQLClveM6brcLiZ2b/RQDENfpyDPdhEJtkcr87EZmd2njeuorUxKLwLIgoyXUfkjbPHxVQmH7ixWiFg5h
```

```
CiRoWoL/S8xeyrXCoDmggdWUyVtv6IzBVm+8PfkKHBgNp9PpZD7pBCeRn6gKzF3sOv3k5txdnQbDMO6kk46Cs+jo
fkAD0kVBUOF4Q2cXdXbKkFjoIWkI1qT52hAvYGk+W6Pix0c19EJph4ABG5IGbI4orSVnCLXW4eDkGycRvDvYPv9B
Hp78vieX97386s2nt++H7152myS97bsoqhGi27yPfL4WhuHQAw2fGqOwdjKz5x+5eiDTrFmG5dnN8OnTavWNM0lt
7cVbgznEtQC+Oo0P8w4Uk+rbs/93t/qe9p959/7d9nDYNeCQsglvIwZRn6eEgLOhjYeKYUSW5RmG1+3+k8619wAT
WtPIs0aLEJDjbj/rFbZ698DZGOgKvjYc8PWjM7nTJNvrywTWb98gvt9+WgMA+DbPEIYPKUE6oT5iwVwbKTaOIiN1
dzo1upm/fbTdeTxjW9rIGyWG4mFMDOvem3hS+JJXp5XmteCMZ/G43/hYsp llA+u3mIXANkPfJk3Gxkj1fcX2UaQj
TO0mVnI4nee1hrCcp9pc/7sPNZcyjK2VYCeNZ2AXJTZRrGk1njTA117v4Xw+H0w+FGbxrNCevEAXl6VbfVcXLWT6
kFHKiCrydR35CENqOT1ik4XBmZ6HDeDh5uamZ6+f/2MY7F7L6IlbgmHgkRUlCbKRqVhefzZw0rj2J1uDFvgKeI1b
7QEMtC2/Dp1F2CaiApcKECBE5RDlqeiLZsRHt5QEK9iYQmCf9R950bmDu/6sW61T03o0coXS/VGU4IRXFBRa2jNn
EKf1NR7MAbDgqxPHBfiFZTV0+hpmCEE83dApRFZSdU7KmbpOK6abVOxFlExLgjCLBUFz3SO/j9ldx9cklmMTU3gU
tEujIIk4juVRhO/3x4O4B2p8wcBkPJ49+3hkx+ro2LoOBMhLukh4+hpRv1jB/AZGSBaRkShm5D4GELQF1w3cUwf2
/e7chWqKWBGjeiAEsOIDY1MUsybKjbTNwlac9te0ZYGvgIFzS9hYf6D9F6kqcTrWJU4ilJeyEFpxQ5TzRS5Xljk3
0Nr347Fwe1GpyJXf2j198PCJvP4kayYkGLW1QHsUBKbcETeyyNW02WTQS5W2gTn4emVVEPAVZg9QKrO6T1XEMJRl
OZ7Pinm28oBdmLdciJlwv63dcbVKecHRtaN7f3X48sQTjtNvPSiylYp7ox649aCc7RTVfI6Vk3a7VYiBrrNWyoHC
9dVzNdWxjJSnuiRlVaI+z8uiLBWfb5g5+a4s5nI3H48FJ3hcr3fMoCzx6tpVOMF+vjNsTc3eymefl588yeZeyDDF
3qkHsllkVe55uai1nfnNOP7SXsHXC6uFgM/snLvK1zAYxhW8Ew+goziqKE4Oiosg4h2ogzg4SIYcIIEkhDYkSgo1
S6EGCybIR8mgHVw+rIMUhy5d/i4OIh4uwLqpoIgHPD50aNeH8Ovz5k3eD529vLVlhCT3QIahQcKybCmanL17py4e
bG/jW49DQ51OKVZH7504sm/PFyLAwcN7c7WFuKIsW9u4p8I9vbUSWoU22C0Wg7pRv36y/WjNWdvrcr3+17q6avde
wZaGbVVGNpURMVBKEyXQ1U+L7f7Bg6EZbo2e6cANMhVa/2EnDx76FAk79+8/dOTc4QUaQDmUFg5VDJ7ZW0ON+yG5
t4ESoyXnD7aLJ5sVAw+LV9d+pyO4P0O7Ly2VBIDTXIFsow1tkEKpui83rze37twJQ03fRq2hhsAIKqSp1oH0e48f
uXDwwsGDB48fObn3jNdpmhCQDGQI+YKWPNlO+/X+el1iSwOxnhPhxlt3nzx5+XA19tqvP8v407XCwCjEwSKZYzqm
aXyjqR9w8XqzedDXd2cdIgk5ZwKIfWEEZKBCFgLICMkjIwaMA7oJlGCGk4UDaBcWyeq0q+/cudv3IcUQYtTEd3c3
91+9T1l/4m7gN5W2rgJNZltJMNnpiaTRDndvPdi+u13e8vMQdXzrUqQQCMCrSiAAETRGvWFCqnZLcSJg5TgxAqCl
goaKbH1O1mNc9jVWxE9aTyHgB9tP1t3Xs39D0fq1mCVycJJpSay3YXYJr2N5Xm7W5TbicaTJEq0hNNxWaAsBYxoh
BasUHxSlFawklEA2CCh0kymk2GokXX2sxxkXnZ5l9jrHARebV8+u/J3Z6rPOXtb5bdA5a2qnObmxLPv+wetixj5o
N3mbiXVthkjyVqJGIQFgyygVDaVKWoAYgVC1suHLQHJKVqbY4Q4XBfadt5PPzI948+pvKlq/FrNE2zzNPsUUw1jf
LTabHtdlKrrnOmiYc1QVUJwQJ+ggkGqQREARDgxUhEL0BhCCiAMGRT1PU/TB93WP/TgnL3WeQv3g702sX9Cuwy6Q
oL32Sc+dx3ffrrOkCp/wGJdMHNFSigYZwIWDcGlCA0CzJRZh3IvbyhEjLCeACHPPTWGeok3dXPa4nGc9zXBSY/4r
dgO/bXJMWnT04xjS86IuNtsPOuyxt0nrGLQeEGdcyjAA5ZDhbxb+JjDGmwFyLqmieQHcre+31ei1TaPuCryyYI5v
Zxvd1X8LrB/r1FUd526ax01XblZfy360PdbdNI7Ehq03kBjuQMsEcQsAHA6cO8YBhQRVgtKFc8vfQJisTTp05VoX
4M5OIQd9fse/rfNXtY7aF11/9/Xrouhq70vvk7aars2aDG5KDhmTbVQMOCAk5xxyQhCCVg3wLYLDFuDTNC1zV5Z1
WXTYRa0P//Ftlu+HwfUuRxdwvf16LbiKssN4Xm3KNCgohYCWWTY0vIUVACsLIFw5K5EwDUDECEJVIzTRMXmP15R1
646L6eKBHf/1fibPe1N6vNneFP0K2EaniayOMWFlQ5SsJCJA0VYIQxBjACxv2GAbqwUinEFFvZ6jn1PXF32P7/81
bZYfcdd2LlcIrHzFOHk8Tin4kTVwqRhgrAXGMLd+Qtoqg97QpaEEoUiIgUqYBSUt2DzbrljzAP4ns9UXnC2erW3o
B8XruXPdPNmGEEaVIQAICwDPipFWGNBA0rKlZQCCOJgtcltQ9IbolFMave/7v6zN8iNgUBR3nxW4xn2fYtLBB4tQ
BtxIRWnLbUsgr2xjBYQAMQLYiCAUkkCgpylHP3lf/IVtlh/g7NUHDzZ3x6IYQ5ri+rwnrLzJiWqdku17sjrA2BZH
AiAlpMp0EIgImnVMmaRw+l/PVp/TwWvF6/IOLui02GlhbjBWwcXFrYoswDkXZbWwhsiBW0aAUDzTZYvCZp7eyln/
K7uB36Jj2yWua5+WmMdgkWwkQIjC1cMsoILoBQKGIkg1R28aaWhjCHq7BBb93n+1aP1azHa4vpNiDpMNqiUECDEY
VqkWssbCSjo4sBZJSKVzjCJiWmiD/Q/Wr5g9jWs3vTUxUhjcm5YFQ9BtyW0LIDcAKIoUFZCPhFp2E7CKL/E/WN+1
b8aoDQQxFD2McZMydXIAF25Cqt0qddgy26mQWJiB0aAiKCwzjRvBkG4hpNjKh0i9l/AFskewcWPwvFLlRwj9D/88
a/vNh8/VyQqYySDk1CKcJBVQbwkNPYNjgiHzMULX1sN69jd7WNbI2ywAeSFQQSVDAYTokYYfCR5zDt7lqap6CfuP
OaWIwWkx+RttdqsvmL50gWNMLKixzAD5/bkGLBeyeewTagiFiQrz5DkSuCWexkllHTrrn26/JXiTvLztehIswFE1
KVAQt/AS1PFr29RNvYrNvmn7vsMxO5Lfrttud81D1fRe+QfnbHS9Kg832QAAAABJRU5ErkJggg==
```

case-vault-frontend/src/assets/vite.svg

ROLE: Vite starter vector asset retained in the source tree.

SOURCE CONTENT | 1 lines | utf-8-sig | SHA-256 2f1f6c6f90a0ef7422cbb4cfafcd8ad329c507a18afdc34cc21fa72179b9c54a

```
00001   <svg xmlns="http://www.w3.org/2000/svg" width="77" height="47" fill="none" aria-labelledby="vite-logo-title"
  ...   viewBox="0 0 77 47"><title id="vite-logo-title">Vite</title><style>.parenthesis{fill:#000}@media
  ...   (prefers-color-scheme:dark){.parenthesis{fill:#fff}}</style><path fill="#9135ff" d="M40.151
  ...   45.71c-.663.844-2.02.374-2.02-.699V34.708a2.26 2.26 0 0 0 0-2.262-2.262H24.493c-.92
  ...   0-1.457-1.04-.92-1.788l7.479-10.471c1.07-1.498 0-3.578-1.842-3.578H15.443c-.92
  ...   0-1.456-1.04-.92-1.788l9.696-13.576c.213-.297.556-.474.92-.474h28.894c.92 0 1.456 1.04.92 1.788l-7.48 10.472c-1.07
  ...   1.497 0 3.578 1.842 3.578h11.376c.944 0 1.474 1.087.89 1.83L40.153 45.712z"/><mask id="a" width="48" height="47"
  ...   x="14" y="0" maskUnits="userSpaceOnUse" style="mask-type:alpha"><path fill="#000" d="M40.047
  ...   45.71c-.663.843-2.02.374-2.02-.699V34.708a2.26 2.26 0 0 0 0-2.262-2.262H24.389c-.92
  ...   0-1.457-1.04-.92-1.788l7.479-10.472c1.07-1.497 0-3.578-1.842-3.578H15.34c-.92
  ...   0-1.456-1.04-.92-1.788l9.696-13.575c.213-.297.556-.474.92-.474H53.93c.92 0 1.456 1.04.92 1.788L47.37 13.03c-1.07
  ...   1.498 0 3.578 1.842 3.578h11.376c.944 0 1.474 1.088.89 1.831L40.049 45.712z"/></mask><g mask="url(#a)"><g
  ...   filter="url(#b)"><ellipse cx="5.508" cy="14.704" fill="#eee6ff" rx="5.508" ry="14.704" transform="rotate(269.814
  ...   20.96 11.29)scale(-1 1)"/></g><g filter="url(#c)"><ellipse cx="10.399" cy="29.851" fill="#eee6ff" rx="10.399"
  ...   ry="29.851" transform="rotate(89.814 -16.902 -8.275)scale(1 -1)"/></g><g filter="url(#d)"><ellipse cx="5.508"
  ...   cy="30.487" fill="#8900ff" rx="5.508" ry="30.487" transform="rotate(89.814 -19.197 -7.127)scale(1 -1)"/></g><g
  ...   filter="url(#e)"><ellipse cx="5.508" cy="30.599" fill="#8900ff" rx="5.508" ry="30.599" transform="rotate(89.814
  ...   -25.928 4.177)scale(1 -1)"/></g><g filter="url(#f)"><ellipse cx="5.508" cy="30.599" fill="#8900ff" rx="5.508"
  ...   ry="30.599" transform="rotate(89.814 -25.738 5.52)scale(1 -1)"/></g><g filter="url(#g)"><ellipse cx="14.072"
  ...   cy="22.078" fill="#eee6ff" rx="14.072" ry="22.078" transform="rotate(93.35 31.245 55.578)scale(-1 1)"/></g><g
  ...   filter="url(#h)"><ellipse cx="3.47" cy="21.501" fill="#8900ff" rx="3.47" ry="21.501" transform="rotate(89.009 35.419
  ...    55.202)scale(-1 1)"/></g><g filter="url(#i)"><ellipse cx="3.47" cy="21.501" fill="#8900ff" rx="3.47" ry="21.501"
  ...   transform="rotate(89.009 35.419 55.202)scale(-1 1)"/></g><g filter="url(#j)"><ellipse cx="14.592" cy="9.743"
  ...   fill="#8900ff" rx="4.407" ry="29.108" transform="rotate(39.51 14.592 9.743)"/></g><g filter="url(#k)"><ellipse
  ...   cx="61.728" cy="-5.321" fill="#8900ff" rx="4.407" ry="29.108" transform="rotate(37.892 61.728 -5.32)"/></g><g
  ...   filter="url(#l)"><ellipse cx="55.618" cy="7.104" fill="#00c2ff" rx="5.971" ry="9.665" transform="rotate(37.892
  ...   55.618 7.104)"/></g><g filter="url(#m)"><ellipse cx="12.326" cy="39.103" fill="#8900ff" rx="4.407" ry="29.108"
  ...   transform="rotate(37.892 12.326 39.103)"/></g><g filter="url(#n)"><ellipse cx="12.326" cy="39.103" fill="#8900ff"
  ...   rx="4.407" ry="29.108" transform="rotate(37.892 12.326 39.103)"/></g><g filter="url(#o)"><ellipse cx="49.857"
  ...   cy="30.678" fill="#8900ff" rx="4.407" ry="29.108" transform="rotate(37.892 49.857 30.678)"/></g><g
  ...   filter="url(#p)"><ellipse cx="52.623" cy="33.171" fill="#00c2ff" rx="5.971" ry="15.297" transform="rotate(37.892
  ...   52.623 33.17)"/></g></g><path d="M6.919 0c-9.198 13.166-9.252 33.575 0 46.789h6.215c-9.25-13.214-9.196-33.623
  ...   0-46.789zm62.424 0h-6.215c9.198 13.166 9.252 33.575 0 46.789h6.215c9.25-13.214 9.196-33.623 0-46.789"
  ...   class="parenthesis"/><defs><filter id="b" width="60.045" height="41.654" x="-5.564" y="16.92"
  ...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
  ...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
  ...   result="effect1_foregroundBlur_2002_17286" stdDeviation="7.659"/></filter><filter id="c" width="90.34"
  ...   height="51.437" x="-40.407" y="-6.762" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
  ...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
  ...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286" stdDeviation="7.659"/></filter><filter
  ...   id="d" width="79.355" height="29.4" x="-35.435" y="2.801" color-interpolation-filters="sRGB"
  ...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
  ...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286"
  ...   stdDeviation="4.596"/></filter><filter id="e" width="79.579" height="29.4" x="-30.84" y="20.8"
  ...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
  ...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
  ...   result="effect1_foregroundBlur_2002_17286" stdDeviation="4.596"/></filter><filter id="f" width="79.579"
  ...   height="29.4" x="-29.307" y="21.949" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
  ...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
  ...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286" stdDeviation="4.596"/></filter><filter
  ...   id="g" width="74.749" height="58.852" x="29.961" y="-17.13" color-interpolation-filters="sRGB"
  ...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
  ...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286"
  ...   stdDeviation="7.659"/></filter><filter id="h" width="61.377" height="25.362" x="37.754" y="3.055"
  ...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
  ...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
  ...   result="effect1_foregroundBlur_2002_17286" stdDeviation="4.596"/></filter><filter id="i" width="61.377"
  ...   height="25.362" x="37.754" y="3.055" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
  ...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
  ...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286" stdDeviation="4.596"/></filter><filter
  ...   id="j" width="56.045" height="63.649" x="-13.43" y="-22.082" color-interpolation-filters="sRGB"
  ...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
  ...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286"
  ...   stdDeviation="4.596"/></filter><filter id="k" width="54.814" height="64.646" x="34.321" y="-37.644"
  ...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
  ...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
  ...   result="effect1_foregroundBlur_2002_17286" stdDeviation="4.596"/></filter><filter id="l" width="33.541"
  ...   height="35.313" x="38.847" y="-10.552" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
  ...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
  ...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286" stdDeviation="4.596"/></filter><filter
  ...   id="m" width="54.814" height="64.646" x="-15.081" y="6.78" color-interpolation-filters="sRGB"
  ...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
  ...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286"
  ...   stdDeviation="4.596"/></filter><filter id="n" width="54.814" height="64.646" x="-15.081" y="6.78"
```

```
...   color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood flood-opacity="0"
...   result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix" result="shape"/><feGaussianBlur
...   result="effect1_foregroundBlur_2002_17286" stdDeviation="4.596"/></filter><filter id="o" width="54.814"
...   height="64.646" x="22.45" y="-1.645" color-interpolation-filters="sRGB" filterUnits="userSpaceOnUse"><feFlood
...   flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic" in2="BackgroundImageFix"
...   result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286" stdDeviation="4.596"/></filter><filter
...   id="p" width="39.409" height="43.623" x="32.919" y="11.36" color-interpolation-filters="sRGB"
...   filterUnits="userSpaceOnUse"><feFlood flood-opacity="0" result="BackgroundImageFix"/><feBlend in="SourceGraphic"
...   in2="BackgroundImageFix" result="shape"/><feGaussianBlur result="effect1_foregroundBlur_2002_17286"
...   stdDeviation="4.596"/></filter></defs></svg>
```

case-vault-frontend/src/auth/AuthContext.jsx

ROLE: Session restoration, login/logout, heartbeat, and current-user context provider.

KEY DECLARATIONS: AuthProvider, [user, setUser], [loading, setLoading], [accessError, setAccessError], [retryCount, setRetryCount], retryAccess, expired, renewSession, onVisible, timer, login, result, profile, logout

SOURCE CONTENT | 93 lines | utf-8-sig | SHA-256 02ee1e68b9602d36861b6d45372b3da1a457b437b6e0a0c8add94f4da7b644da

```
00001  import { useEffect, useState } from "react";
00002  import { api, clearToken, getToken, setToken } from "../lib/api";
00003  import { AuthContext } from "./context";
00004
00005  export function AuthProvider({ children }) {
00006    const [user, setUser] = useState(null);
00007    const [loading, setLoading] = useState(true);
00008    const [accessError, setAccessError] = useState("");
00009    const [retryCount, setRetryCount] = useState(0);
00010
00011    useEffect(() => {
00012      let active = true;
00013      Promise.resolve()
00014        .then(() => getToken() ? api("/users/me/access") : null)
00015        .then((profile) => {
00016          if (active) {
00017            setUser(profile);
00018            setAccessError("");
00019          }
00020        })
00021        .catch((error) => {
00022          if (!active) return;
00023          if (error.status === 401 || error.status === 403) {
00024            clearToken();
00025            setUser(null);
00026            setAccessError("");
00027          } else {
00028            setAccessError(error.message);
00029          }
00030        })
00031        .finally(() => {
00032          if (active) {
00033            setLoading(false);
00034          }
00035        });
00036      return () => { active = false; };
00037    }, [retryCount]);
00038
00039    const retryAccess = () => {
00040      setLoading(true);
00041      setRetryCount((current) => current + 1);
00042    };
00043
00044    useEffect(() => {
00045      const expired = () => setUser(null);
00046      window.addEventListener("case-vault-session-expired", expired);
00047      return () => window.removeEventListener("case-vault-session-expired", expired);
00048    }, []);
00049
00050    useEffect(() => {
00051      if (!user) return;
00052      const renewSession = () => {
00053        api("/auth/heartbeat", { method: "POST" }).catch((error) => {
00054          if (error.status === 403) {
00055            clearToken();
00056            setUser(null);
00057          }
00058        });
00059      };
00060      const onVisible = () => {
00061        if (document.visibilityState === "visible") renewSession();
00062      };
00063      const timer = window.setInterval(renewSession, 60_000);
00064      document.addEventListener("visibilitychange", onVisible);
00065      return () => {
00066        window.clearInterval(timer);
00067        document.removeEventListener("visibilitychange", onVisible);
00068      };
00069    }, [user]);
00070
00071    const login = async (email, password) => {
```

```
00072      const result = await api("/auth/login", { method: "POST", body: { email, password } });
00073      setToken(result.access_token);
00074      try {
00075        const profile = await api("/users/me/access");
00076        setUser(profile);
00077        return profile;
00078      } catch (error) {
00079        if (error.status === 401 || error.status === 403) clearToken();
00080        throw error;
00081      }
00082    };
00083
00084    const logout = async () => {
00085      try { await api("/auth/logout", { method: "POST" }); }
00086      catch (error) {
00087        if (error.status !== 401 && error.status !== 403) throw error;
00088      }
00089      clearToken();
00090      setUser(null);
00091    };
00092    return <AuthContext.Provider value={{ user, loading, accessError, retryAccess, login, logout
  ...   }}>{children}</AuthContext.Provider>;
00093  }
```

case-vault-frontend/src/auth/context.js

ROLE: Authentication context object and useAuth hook.

KEY DECLARATIONS: AuthContext, useAuth, context

SOURCE CONTENT | 9 lines | utf-8-sig | SHA-256 8a49db224399339e0b803284d14f8d497631c451c86f0600666703e2f8ea4ffa

```
00001  import { createContext, useContext } from "react";
00002
00003  export const AuthContext = createContext(null);
00004
00005  export function useAuth() {
00006    const context = useContext(AuthContext);
00007    if (!context) throw new Error("useAuth must be used inside AuthProvider");
00008    return context;
00009  }
```

case-vault-frontend/src/components/PhilippineClock.jsx

ROLE: Live date/time display formatted for Asia/Manila.

KEY DECLARATIONS: philippineTime, PhilippineClock, [now, setNow], update, timer, parts, displayTime

SOURCE CONTENT | 35 lines | utf-8-sig | SHA-256 589c5f34e34e16652478f6f567a178281ad1af6d935b92225d8ae409b2e78716

```
00001  import { useEffect, useState } from "react";
00002
00003  const philippineTime = new Intl.DateTimeFormat("en-GB", {
00004    timeZone: "Asia/Manila",
00005    year: "numeric",
00006    month: "2-digit",
00007    day: "2-digit",
00008    hour: "2-digit",
00009    minute: "2-digit",
00010    second: "2-digit",
00011    hourCycle: "h23",
00012  });
00013
00014  function PhilippineClock() {
00015    const [now, setNow] = useState(() => new Date());
00016
00017    useEffect(() => {
00018      const update = () => setNow(new Date());
00019      const timer = window.setInterval(update, 1000);
00020      document.addEventListener("visibilitychange", update);
00021      return () => {
00022        window.clearInterval(timer);
00023        document.removeEventListener("visibilitychange", update);
00024      };
00025    }, []);
00026
00027    const parts = Object.fromEntries(
00028      philippineTime.formatToParts(now).map(({ type, value }) => [type, value]),
00029    );
00030    const displayTime = `${parts.year}-${parts.month}-${parts.day} ${parts.hour}:${parts.minute}:${parts.second} PHT`;
00031
00032    return <time dateTime={now.toISOString()}>{displayTime}</time>;
00033  }
00034
00035  export default PhilippineClock;
```

case-vault-frontend/src/index.css

ROLE: Stylesheet for index UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 58 lines | utf-8-sig | SHA-256 4b232ede883167557688e4ee7c851b90a342645cc053a36313643dd3568d04a1

```
00001
00002  @import "tailwindcss";
00003
00004  :root {
00005    font-family: Inter, Arial, sans-serif;
00006    color: #1a1917;
00007    background: #f7f4ed;
00008    font-synthesis: none;
00009    text-rendering: optimizeLegibility;
00010    -webkit-font-smoothing: antialiased;
00011    -moz-osx-font-smoothing: grayscale;
00012  }
00013
00014  * {
00015    box-sizing: border-box;
00016    scrollbar-width: none;
00017  }
00018
00019  *::-webkit-scrollbar {
00020    display: none;
00021  }
00022
00023  *,
00024  *::before,
00025  *::after {
00026    animation: none !important;
00027    transition: none !important;
00028    scroll-behavior: auto !important;
00029  }
00030
00031  html,
00032  body,
00033  #root {
00034    margin: 0;
00035    min-width: 0;
00036    min-height: 100%;
00037    width: 100%;
00038  }
00039
00040  body {
00041    min-height: 100vh;
00042  }
00043
00044  button,
00045  input,
00046  textarea,
00047  select {
00048    font: inherit;
00049  }
00050
00051  button {
00052    cursor: pointer;
00053  }
00054
00055  img,
00056  svg {
00057    max-width: 100%;
00058  }
```

case-vault-frontend/src/layouts/VaultLayout.css

ROLE: Stylesheet for VaultLayout UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 575 lines | utf-8-sig | SHA-256 6e0c8665ff293578bafadee93272194e44db17106b63627f0e8ec122d6617ce3

```
00001
00002  .vault-app {
00003    --vault-cream: #f5f0e7;
00004    --vault-dark: #1a1411;
00005    --vault-tan: #cbb59d;
00006    --vault-tan-recessed: #b9a187;
00007    --vault-text: #30251f;
00008    --vault-muted: #78695d;
00009    --vault-accent: #8c332c;
00010
00011    --tabs-row-h: 62px;
00012    --rail-h: 24px;
00013    --card-inset: 16px;
00014    --card-w: 260px;
00015    --card-overlap: 8px;
00016    --tab-h: 43px;
00017    --tab-h-raised: 48px;
00018
00019    min-height: 100vh;
00020    width: 100%;
00021    padding-bottom: calc(60px + env(safe-area-inset-bottom));
00022    display: flex;
00023    flex-direction: column;
00024    overflow-x: clip;
00025    background: var(--vault-cream);
00026    color: var(--vault-text);
00027    font-family: Inter, Arial, sans-serif;
00028  }
00029
00030  /* Top bar */
00031
00032  .vault-topbar {
00033    min-height: 64px;
00034    padding: 12px clamp(16px, 2.5vw, 38px);
00035    padding-left: var(--card-inset);
00036    display: flex;
00037    align-items: center;
00038    justify-content: space-between;
00039    gap: 18px;
00040    background: var(--vault-dark);
00041    color: #cec4b8;
00042    border-top: 2px solid #382a24;
00043    border-bottom: 1px solid #2c221d;
00044    position: relative;
00045    z-index: 5;
00046  }
00047
00048  .vault-topbar-brand,
00049  .vault-system-status,
00050  .vault-secure-label {
00051    display: flex;
00052    align-items: center;
00053  }
00054
00055  .vault-topbar-brand {
00056    gap: 14px;
00057    font-size: 12px;
00058    font-weight: 600;
00059    letter-spacing: 0.04em;
00060    color: #c9bfb3;
00061  }
00062
00063  .vault-status-dot {
00064    width: 17px;
00065    height: 17px;
00066    flex: 0 0 auto;
00067    border-radius: 50%;
00068    background: #87342c;
00069  }
00070
00071  .vault-system-status {
00072    flex-wrap: wrap;
00073    justify-content: flex-end;
00074    gap: clamp(12px, 2.5vw, 30px);
```

```
00075    font-family: "JetBrains Mono", monospace;
00076    font-size: 11px;
00077    letter-spacing: 0.02em;
00078  }
00079
00080  .vault-account-actions {
00081    display: flex;
00082    flex: 0 0 auto;
00083    align-items: center;
00084    gap: 8px;
00085  }
00086
00087  .vault-secure-label {
00088    gap: 10px;
00089    color: #3f7a4f;
00090    white-space: nowrap;
00091  }
00092
00093  .vault-secure-dot {
00094    width: 6px;
00095    height: 6px;
00096    border-radius: 50%;
00097    background: #3a8a50;
00098  }
00099
00100  .vault-analyst-label {
00101    min-width: 0;
00102    max-width: 100%;
00103    color: #b3a597;
00104    overflow-wrap: anywhere;
00105    text-align: right;
00106  }
00107
00108  .vault-logout {
00109    display: inline-flex;
00110    height: 34px;
00111    align-items: center;
00112    justify-content: center;
00113    gap: 7px;
00114    padding: 0 11px;
00115    border: 1px solid #7b6557;
00116    border-radius: 6px;
00117    background: transparent;
00118    color: #eee4d8;
00119    font: inherit;
00120    font-size: 11px;
00121    white-space: nowrap;
00122    cursor: pointer;
00123  }
00124
00125  .vault-logout:hover {
00126    background: #3b2c26;
00127  }
00128
00129  .vault-logout-error {
00130    position: absolute;
00131    right: 16px;
00132    top: 100%;
00133    z-index: 20;
00134    max-width: min(420px, calc(100vw - 32px));
00135    margin: 0;
00136    padding: 10px 12px;
00137    border: 1px solid #a94a3d;
00138    background: #fff4ed;
00139    color: #7d352f;
00140    font-size: 11px;
00141    line-height: 1.5;
00142  }
00143
00144  .vault-logout:focus-visible {
00145    outline: 2px solid #f1e3d1;
00146    outline-offset: 2px;
00147  }
00148
00149  /* Navigation shell */
00150
00151  .vault-nav-shell {
00152    position: relative;
00153    z-index: 6;
00154    display: flex;
00155    align-items: stretch;
00156    background: linear-gradient(
00157      to bottom,
```

```
00158      var(--vault-dark) 0 var(--tabs-row-h),
00159      var(--vault-cream) var(--tabs-row-h) 100%
00160    );
00161  }
00162
00163  .vault-nav-shell.has-identity-gap::before {
00164    content: "";
00165    position: absolute;
00166    z-index: 2;
00167    top: var(--tabs-row-h);
00168    left: calc(var(--card-inset) - 12px);
00169    width: calc(var(--card-w) + 24px);
00170    height: 14px;
00171    border-radius: 0 0 11px 11px;
00172    background: var(--vault-dark);
00173    pointer-events: none;
00174  }
00175
00176  /* Identity card */
00177
00178  .vault-identity {
00179    position: relative;
00180    z-index: 3;
00181    flex: 0 0 auto;
00182    align-self: flex-start;
00183    width: var(--card-w);
00184    height: calc(var(--tabs-row-h) + var(--card-overlap));
00185    margin-top: calc(var(--card-overlap) * -1);
00186    margin-left: var(--card-inset);
00187    padding: 0 12px;
00188    display: flex;
00189    align-items: center;
00190    gap: 12px;
00191    background: var(--vault-cream);
00192    border-radius: 11px;
00193    box-shadow: 0 3px 8px rgb(0 0 0 / 18%);
00194    border: 0;
00195    color: inherit;
00196    font: inherit;
00197    text-align: left;
00198    cursor: pointer;
00199  }
00200
00201  .vault-identity:hover {
00202    background: #fffaf1;
00203    box-shadow: 0 3px 8px rgb(0 0 0 / 18%), 0 0 0 2px rgb(140 51 44 / 32%);
00204  }
00205
00206  .vault-identity.is-active,
00207  .vault-identity.is-active:hover {
00208    background: var(--vault-cream);
00209    border-radius: 11px 11px 0 0;
00210    box-shadow: none;
00211  }
00212
00213  .vault-identity:focus-visible {
00214    outline: 2px solid var(--vault-accent);
00215    outline-offset: 3px;
00216  }
00217
00218  .vault-identity.is-active::after {
00219    content: "";
00220    position: absolute;
00221    right: -10px;
00222    bottom: 0;
00223    width: 10px;
00224    height: 10px;
00225    background: radial-gradient(circle at 100% 0, transparent 9px, var(--vault-cream) 10px);
00226    pointer-events: none;
00227  }
00228
00229  .vault-identity-icon {
00230    width: 38px;
00231    height: 38px;
00232    display: grid;
00233    place-items: center;
00234    flex: 0 0 auto;
00235    color: var(--vault-accent);
00236    background: #fbf8f1;
00237    border: 1.5px solid #a94a3d;
00238    border-radius: 7px;
00239  }
00240
```

```
.vault-identity-text {
  min-width: 0;
}

.vault-identity-title {
  font-family: "Playfair Display", Georgia, serif;
  font-size: 14px;
  line-height: 1.3;
  letter-spacing: -0.01em;
  white-space: nowrap;
}

.vault-identity-subtitle {
  margin-top: 3px;
  color: var(--vault-muted);
  font-family: "JetBrains Mono", monospace;
  font-size: 9px;
  line-height: 1.4;
  letter-spacing: -0.02em;
  white-space: nowrap;
}

/* Horizontal tab track */

.vault-track {
  flex: 1;
  min-width: 0;
  overflow-x: auto;
  overflow-y: hidden;
  scrollbar-width: none;
}

.vault-track::-webkit-scrollbar {
  display: none;
}

.vault-track-inner {
  min-width: 100%;
  width: max-content;
  display: flex;
  flex-direction: column;
}

.vault-tabs {
  position: relative;
  z-index: 2;
  height: var(--tabs-row-h);
  display: flex;
  align-items: flex-end;
  justify-content: flex-end;
  gap: 10px;
  padding: 0 14px 0 24px;
}

/* The cream rail meets the page directly beneath the selected tab. */

.vault-rail {
  height: var(--rail-h);
  background: var(--vault-cream);
  border-top-left-radius: 18px;
}

/* Navigation tabs */

.vault-tab {
  position: relative;
  flex: 0 0 auto;
  height: var(--tab-h);
  padding: 0 20px;
  display: inline-flex;
  align-items: center;
  gap: 8px;
  border: 0;
  border-radius: 10px 10px 0 0;
  font: inherit;
  font-size: 13px;
  font-weight: 500;
  white-space: nowrap;
  cursor: pointer;
}

.vault-tab-icon {
  flex: 0 0 auto;
```

```
00324  }
00325
00326  .vault-password-button {
00327    display: grid;
00328    flex: 0 0 auto;
00329    width: 34px;
00330    height: 34px;
00331    place-items: center;
00332    border: 1px solid rgb(201 176 154 / 65%);
00333    border-radius: 6px;
00334    background: transparent;
00335    color: #c9b09a;
00336    cursor: pointer;
00337  }
00338
00339  .vault-password-button:hover {
00340    background: rgb(255 255 255 / 7%);
00341    color: #f1e3d1;
00342  }
00343
00344  .vault-password-button:focus-visible {
00345    outline: 2px solid #fff5e4;
00346    outline-offset: 3px;
00347  }
00348
00349  /* Recessed tabs */
00350
00351  .vault-tab.is-inactive {
00352    background: var(--vault-tan-recessed);
00353    color: #54443a;
00354    box-shadow:
00355      inset 0 1px 0 rgb(255 255 255 / 12%),
00356      inset 0 -9px 9px -7px rgb(48 32 20 / 32%);
00357  }
00358
00359  .vault-tab.is-inactive .vault-tab-icon {
00360    color: #6f5d50;
00361  }
00362
00363  /* Raised tab on hover; inactive tabs retain the recessed shadow */
00364
00365  .vault-tab.is-inactive:hover,
00366  .vault-tab.is-inactive:focus-visible {
00367    z-index: 3;
00368    background: var(--vault-tan);
00369    color: #2a1f19;
00370    box-shadow:
00371      inset 0 1px 0 rgb(255 255 255 / 28%),
00372      0 -4px 12px rgb(0 0 0 / 35%);
00373  }
00374
00375  .vault-tab.is-inactive:hover .vault-tab-icon,
00376  .vault-tab.is-inactive:focus-visible .vault-tab-icon {
00377    color: #5e4d41;
00378  }
00379
00380  .vault-tab.is-active {
00381    z-index: 3;
00382    height: var(--tab-h-raised);
00383    background: var(--vault-cream);
00384    color: var(--vault-text);
00385    box-shadow: none;
00386    cursor: default;
00387  }
00388
00389  .vault-tab.is-active .vault-tab-icon {
00390    color: var(--vault-accent);
00391  }
00392
00393  .vault-tab.is-active::before,
00394  .vault-tab.is-active::after {
00395    content: "";
00396    position: absolute;
00397    bottom: 0;
00398    width: 10px;
00399    height: 10px;
00400    pointer-events: none;
00401  }
00402
00403  .vault-tab.is-active::before {
00404    left: -10px;
00405    background: radial-gradient(circle at 0 0, transparent 9px, var(--vault-cream) 10px);
00406  }
```

```
00407
00408  .vault-tab.is-active::after {
00409    right: -10px;
00410    background: radial-gradient(circle at 100% 0, transparent 9px, var(--vault-cream) 10px);
00411  }
00412
00413  .vault-tab:focus-visible {
00414    outline: 2px solid #f1e3d1;
00415    outline-offset: -4px;
00416  }
00417
00418  /* Page content */
00419
00420  .vault-main {
00421    position: relative;
00422    z-index: 1;
00423    width: 100%;
00424    flex: 1;
00425    padding: clamp(18px, 3.5vw, 44px) clamp(16px, 3vw, 42px);
00426    background: var(--vault-cream);
00427  }
00428
00429  .vault-footer {
00430    position: fixed;
00431    right: 0;
00432    bottom: 0;
00433    left: 0;
00434    z-index: 10;
00435    min-height: 36px;
00436    padding: 10px clamp(16px, 2vw, 30px) calc(10px + env(safe-area-inset-bottom));
00437    display: flex;
00438    flex-wrap: wrap;
00439    align-items: center;
00440    gap: 12px;
00441    background: #fbf9f5;
00442    border-top: 1px solid #bcae9e;
00443    color: #594a3e;
00444    font-family: "JetBrains Mono", monospace;
00445    font-size: 9px;
00446    letter-spacing: 0.015em;
00447  }
00448
00449  /* Give navigation its own row before it can crowd the logo. */
00450  @media (max-width: 1100px) {
00451    .vault-nav-shell {
00452      flex-wrap: wrap;
00453      background: var(--vault-dark);
00454    }
00455
00456    .vault-identity.is-active::after {
00457      display: none;
00458    }
00459
00460    .vault-identity.is-active {
00461      border-radius: 11px;
00462      box-shadow: 0 3px 8px rgb(0 0 0 / 18%);
00463    }
00464
00465    .vault-track {
00466      order: 3;
00467      flex: 0 0 100%;
00468      width: 100%;
00469    }
00470
00471    .vault-tabs {
00472      justify-content: flex-start;
00473      padding-left: clamp(16px, 3vw, 32px);
00474    }
00475  }
00476
00477  /* Tablet */
00478  @media (max-width: 900px) {
00479    .vault-app {
00480      --card-w: 210px;
00481    }
00482
00483    .vault-identity-title {
00484      font-size: 13px;
00485    }
00486
00487    .vault-identity-subtitle {
00488      font-size: 8px;
00489    }
```

```
00490  }
00491
00492  /* Mobile */
00493
00494  @media (max-width: 600px) {
00495    .vault-app {
00496      --card-inset: 8px;
00497      --card-w: 60px;
00498      --tabs-row-h: 56px;
00499      --rail-h: 16px;
00500      --tab-h: 38px;
00501      --tab-h-raised: 43px;
00502      padding-bottom: calc(80px + env(safe-area-inset-bottom));
00503    }
00504
00505    .vault-topbar {
00506      align-items: flex-start;
00507      flex-direction: column;
00508      gap: 9px;
00509      padding-block: 13px;
00510    }
00511
00512    .vault-topbar-brand {
00513      padding-left: 0;
00514      font-size: 11px;
00515    }
00516
00517    .vault-system-status {
00518      width: 100%;
00519      justify-content: flex-end;
00520      flex-wrap: wrap;
00521      gap: 8px;
00522      font-size: 9px;
00523    }
00524
00525    .vault-identity {
00526      justify-content: center;
00527      padding: 0;
00528    }
00529
00530    .vault-identity-icon {
00531      width: 34px;
00532      height: 34px;
00533    }
00534
00535    .vault-identity-text {
00536      position: absolute;
00537      width: 1px;
00538      height: 1px;
00539      overflow: hidden;
00540      clip: rect(0 0 0 0);
00541      white-space: nowrap;
00542    }
00543
00544    .vault-tabs {
00545      justify-content: flex-start;
00546      gap: 6px;
00547      padding: 0 14px 0 12px;
00548    }
00549
00550    .vault-tab {
00551      padding: 0 13px;
00552      font-size: 12px;
00553      gap: 6px;
00554    }
00555
00556    .vault-tab.is-active::before,
00557    .vault-tab.is-active::after {
00558      width: 6px;
00559      height: 6px;
00560    }
00561
00562    .vault-tab.is-active::before {
00563      left: -6px;
00564      background: radial-gradient(circle at 0 0, transparent 5px, var(--vault-cream) 6px);
00565    }
00566
00567    .vault-tab.is-active::after {
00568      right: -6px;
00569      background: radial-gradient(circle at 100% 0, transparent 5px, var(--vault-cream) 6px);
00570    }
00571
00572    .vault-main {
```

```
00573       padding: 18px 14px;
00574     }
00575   }
```

case-vault-frontend/src/layouts/VaultLayout.jsx

ROLE: Shared shell with responsive tabs, Case Vault logo, account controls, and footer clock.

KEY DECLARATIONS: tabs, tabRoutes, VaultLayout, navigate, location, [logoutError, setLogoutError], trackRef, activeTabRef, track, keepActiveVisible, tab, trackRect, tabRect, observer, openTab, isActive

SOURCE CONTENT | 157 lines | utf-8-sig | SHA-256 5bff1d04bca0cc979ae1fb4deeb99134e394cc6858e95543ede041e011b6a2b1

```
00001
00002  import { useLayoutEffect, useRef, useState } from "react";
00003  import { Fingerprint, FolderLock, KeyRound, LogOut } from "lucide-react";
00004  import { useLocation, useNavigate } from "react-router-dom";
00005  import { useAuth } from "../auth/context";
00006  import PhilippineClock from "../components/PhilippineClock";
00007  import { displayRoleName } from "../lib/roles";
00008  import "./VaultLayout.css";
00009
00010  const tabs = [
00011    { name: "Case Library", permission: "case:view" },
00012    { name: "Case Detail", permission: "case:view" },
00013    { name: "Secure Submission", permission: "evidence:upload" },
00014    { name: "Access Control", label: "Status" },
00015  ];
00016
00017  const tabRoutes = {
00018    "Case Library": "/cases",
00019    "Case Detail": "/cases/detail",
00020    "Secure Submission": "/submission",
00021    "Audit Trail": "/audit",
00022    "Access Control": "/access-control",
00023  };
00024
00025  function VaultLayout({ activeTab = "Overview", onTabChange, children }) {
00026    const navigate = useNavigate();
00027    const location = useLocation();
00028    const { user, logout } = useAuth();
00029    const [logoutError, setLogoutError] = useState("");
00030    const trackRef = useRef(null);
00031    const activeTabRef = useRef(null);
00032    useLayoutEffect(() => {
00033      const track = trackRef.current;
00034      if (!track) return;
00035      const keepActiveVisible = () => {
00036        const tab = activeTabRef.current;
00037        if (!tab) { track.scrollLeft = 0; return; }
00038        const trackRect = track.getBoundingClientRect();
00039        const tabRect = tab.getBoundingClientRect();
00040        if (tabRect.left < trackRect.left) track.scrollLeft += tabRect.left - trackRect.left - 8;
00041        else if (tabRect.right > trackRect.right) track.scrollLeft += tabRect.right - trackRect.right + 8;
00042      };
00043      keepActiveVisible();
00044      const observer = new ResizeObserver(keepActiveVisible);
00045      observer.observe(track);
00046      return () => observer.disconnect();
00047    }, [activeTab]);
00048    const openTab = (name) => {
00049      if (activeTab === name) return;
00050      if (onTabChange) onTabChange(name);
00051      else navigate(tabRoutes[name]);
00052    };
00053
00054    return (
00055      <div className="vault-app">
00056        <header className="vault-topbar">
00057          <div className="vault-topbar-brand">
00058            <span className="vault-status-dot" aria-hidden="true" />
00059            <span>FORENSIC ARCHIVE LEDGER</span>
00060          </div>
00061
00062          <div className="vault-system-status">
00063            <span className="vault-analyst-label">
00064              {displayRoleName(user?.role_name).toUpperCase()}: {user?.name}
00065            </span>
00066
00067            <div className="vault-account-actions">
00068              <button
00069                className="vault-logout"
00070                type="button"
00071                onClick={async () => {
```

```
00072                 setLogoutError("");
00073                 try {
00074                   await logout();
00075                   navigate("/login", { replace: true });
00076                 } catch (error) {
00077                   setLogoutError(`${error.message} Try logging out again.`);
00078                 }
00079               }}
00080             >
00081               <LogOut size={15} aria-hidden="true" />
00082               <span>LOG OUT</span>
00083             </button>
00084             <button className="vault-password-button"
00085               type="button" aria-label="Open password settings"
00086               onClick={() => navigate("/settings/password", { state: { backgroundLocation: location } })}>
00087               <KeyRound size={18} aria-hidden="true" />
00088             </button>
00089           </div>
00090         </div>
00091         {logoutError && <p className="vault-logout-error" role="alert">{logoutError}</p>}
00092       </header>
00093
00094       <div className={`vault-nav-shell${activeTab === "Overview" ? "" : " has-identity-gap"}`}>
00095         <button
00096           className={`vault-identity${activeTab === "Overview" ? " is-active" : ""}`}
00097           type="button"
00098           aria-label="CASE-VAULT overview"
00099           aria-current={activeTab === "Overview" ? "page" : undefined}
00100           onClick={() => { if (activeTab !== "Overview") navigate("/welcome"); }}
00101         >
00102           <div className="vault-identity-icon" aria-hidden="true">
00103             <Fingerprint size={22} strokeWidth={1.7} />
00104           </div>
00105
00106           <div className="vault-identity-text">
00107             <div className="vault-identity-title">CASE-VAULT</div>
00108             <div className="vault-identity-subtitle">
00109               CASE VAULT / LIVE API
00110             </div>
00111           </div>
00112         </button>
00113
00114         <div className="vault-track" ref={trackRef}>
00115           <div className="vault-track-inner">
00116             <nav className="vault-tabs" aria-label="Main navigation">
00117               {tabs.filter((tab) => (tab.name !== "Access Control" || user?.role_name !== "admin") &&
00118                 (!tab.permission || user?.permissions.includes(tab.permission))).map((tab) => {
00119                 const isActive = activeTab === tab.name;
00120
00121                 return (
00122                   <button
00123                     key={tab.name}
00124                     ref={isActive ? activeTabRef : undefined}
00125                     type="button"
00126                     className={`vault-tab ${isActive ? "is-active" : "is-inactive"}`}
00127                     aria-current={isActive ? "page" : undefined}
00128                     onClick={() => openTab(tab.name)}
00129                   >
00130                     <FolderLock
00131                       className="vault-tab-icon"
00132                       size={15}
00133                       strokeWidth={1.8}
00134                       aria-hidden="true"
00135                     />
00136                     <span>{tab.label || tab.name}</span>
00137                   </button>
00138                 );
00139               })}
00140             </nav>
00141
00142             <div className="vault-rail" aria-hidden="true" />
00143           </div>
00144         </div>
00145       </div>
00146
00147       <main className="vault-main">{children}</main>
00148
00149       <footer className="vault-footer">
00150         <span>CRYPTOGRAPHIC CLOCK:</span>
00151         <PhilippineClock />
00152       </footer>
00153     </div>
00154   );
```

```
00155   }
00156
00157   export default VaultLayout;
```

case-vault-frontend/src/lib/api.js

ROLE: Bearer-token API client, errors, audit streaming, and Philippine date formatting.

KEY DECLARATIONS: API_BASE, TOKEN_KEY, getToken, setToken, clearToken, errorMessage, api, token, requestHeaders, data, streamAudit, token, response, data, reader, decoder, event, lines, eventType, data; ...

SOURCE CONTENT | 101 lines | utf-8-sig | SHA-256 15eed8fdbfbdffe7f324c392c221e5c610774f83660988618747aeb02a4c19b4

```
00001  const API_BASE = (import.meta.env.VITE_API_BASE_URL || "/api").replace(/\/$/, "");
00002  const TOKEN_KEY = "case_vault_access_token";
00003
00004  export const getToken = () => sessionStorage.getItem(TOKEN_KEY);
00005  export const setToken = (token) => sessionStorage.setItem(TOKEN_KEY, token);
00006  export const clearToken = () => sessionStorage.removeItem(TOKEN_KEY);
00007
00008  export class ApiError extends Error {
00009    constructor(message, status) {
00010      super(message);
00011      this.status = status;
00012    }
00013  }
00014
00015  function errorMessage(detail) {
00016    if (typeof detail === "string") return detail;
00017    if (Array.isArray(detail)) return detail.map((item) => item.msg || "Invalid field").join("; ");
00018    return "The request could not be completed.";
00019  }
00020
00021  export async function api(path, { body, headers, ...options } = {}) {
00022    const token = getToken();
00023    const requestHeaders = { ...headers };
00024    if (token) requestHeaders.Authorization = `Bearer ${token}`;
00025    if (body && !(body instanceof FormData)) requestHeaders["Content-Type"] = "application/json";
00026
00027    let response;
00028    try {
00029      response = await fetch(`${API_BASE}${path}`, {
00030        ...options,
00031        headers: requestHeaders,
00032        body: body instanceof FormData ? body : body == null ? undefined : JSON.stringify(body),
00033      });
00034    } catch {
00035      throw new ApiError("Cannot reach the Case Vault API. Check that the backend is running.", 0);
00036    }
00037
00038    if (!response.ok) {
00039      const data = await response.json().catch(() => ({}));
00040      if (response.status === 401 && token) {
00041        clearToken();
00042        window.dispatchEvent(new Event("case-vault-session-expired"));
00043      }
00044      throw new ApiError(errorMessage(data.detail), response.status);
00045    }
00046    if (response.status === 204) return null;
00047    if (response.headers.get("content-type")?.includes("application/json")) return response.json();
00048    return response.blob();
00049  }
00050
00051  export async function streamAudit(onEntries, signal, onPresence) {
00052    const token = getToken();
00053    const response = await fetch(`${API_BASE}/audit/stream?limit=500`, {
00054      headers: { Authorization: `Bearer ${token}` },
00055      cache: "no-store",
00056      signal,
00057    });
00058    if (!response.ok) {
00059      const data = await response.json().catch(() => ({}));
00060      if (response.status === 401 && token) {
00061        clearToken();
00062        window.dispatchEvent(new Event("case-vault-session-expired"));
00063      }
00064      throw new ApiError(errorMessage(data.detail), response.status);
00065    }
00066    if (!response.body) throw new ApiError("Live activity is unavailable in this browser.", 0);
00067
00068    const reader = response.body.getReader();
00069    const decoder = new TextDecoder();
00070    let buffer = "";
00071    try {
```

```
00072      while (true) {
00073        const { value, done } = await reader.read();
00074        if (done) break;
00075        buffer += decoder.decode(value, { stream: true });
00076        buffer = buffer.replaceAll("\r\n", "\n");
00077        let end = buffer.indexOf("\n\n");
00078        while (end !== -1) {
00079          const event = buffer.slice(0, end);
00080          buffer = buffer.slice(end + 2);
00081          const lines = event.split("\n");
00082          const eventType = lines.find((line) => line.startsWith("event: "))?.slice(7);
00083          if (eventType === "ledger" || eventType === "presence") {
00084            const data = lines.filter((line) => line.startsWith("data: "))
00085              .map((line) => line.slice(6)).join("\n");
00086            if (eventType === "ledger") onEntries(JSON.parse(data));
00087            else onPresence?.(JSON.parse(data));
00088          }
00089          end = buffer.indexOf("\n\n");
00090        }
00091      }
00092    } finally {
00093      reader.releaseLock();
00094    }
00095  }
00096
00097  export function philippineDate(value) {
00098    if (!value) return "—";
00099    const normalized = /(?:Z|[+-]\d\d:\d\d)$/.test(value) ? value : `${value}Z`;
00100    return new Date(normalized).toLocaleString(undefined, { dateStyle: "medium", timeStyle: "short", timeZone:
  ...   "Asia/Manila" }) + " PHT";
00101  }
```

case-vault-frontend/src/lib/roles.js

ROLE: Role display-name helper, including Administrator label for the admin role.

KEY DECLARATIONS: displayRoleName

SOURCE CONTENT | 3 lines | utf-8-sig | SHA-256 3e3a00d54ddc4f77d177f5d781a1ed53fea4f1b7d008b9f9b671681e5b4eae2d

```
00001  export function displayRoleName(name) {
00002    return name?.toLowerCase() === "admin" ? "Administrator" : name || "Unknown";
00003  }
```

case-vault-frontend/src/main.jsx

ROLE: React DOM bootstrap and entry to App.

KEY DECLARATIONS: appBase

SOURCE CONTENT | 10 lines | utf-8-sig | SHA-256 1156667c2ee7a07e7b54bb6e6d3c3165d64c9b31cb44453313d1f9bce6ebaafc

```
00001  import { createRoot } from 'react-dom/client'
00002  import './index.css'
00003  import App from './App.jsx'
00004
00005  const appBase = import.meta.env.BASE_URL
00006  if (window.location.pathname !== appBase || window.location.search || window.location.hash) {
00007    window.history.replaceState(window.history.state, '', appBase)
00008  }
00009
00010  createRoot(document.getElementById('root')).render(<App />)
```

case-vault-frontend/src/pages/AccessControl.css

ROLE: Stylesheet for AccessControl UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 1372 lines | utf-8-sig | SHA-256 b8c9d7c6435cb51202f4e379cc974586e3826d602d6b293663b61dfb16b87e5b

```
00001
00002  .access-page {
00003    width: 100%;
00004    max-width: 1500px;
00005    margin: 0 auto;
00006    padding: 8px 0 30px;
00007    color: #302920;
00008  }
00009
00010  .access-heading {
00011    display: flex;
00012    align-items: flex-end;
00013    justify-content: space-between;
00014    gap: 20px;
00015    margin-bottom: 23px;
00016  }
00017
00018  .access-eyebrow,
00019  .access-section-label {
00020    color: #90795f;
00021    font-family: "JetBrains Mono", monospace;
00022    font-size: 9px;
00023    font-weight: 600;
00024    letter-spacing: 1.1px;
00025  }
00026
00027  .access-heading h1 {
00028    margin: 10px 0 8px;
00029    color: #30271f;
00030    font-family: "Newsreader", Georgia, serif;
00031    font-size: clamp(27px, 3vw, 39px);
00032    font-weight: 500;
00033    letter-spacing: -0.7px;
00034  }
00035
00036  .access-heading p {
00037    max-width: 690px;
00038    margin: 0;
00039    color: #7c7367;
00040    font-size: 12px;
00041    line-height: 1.8;
00042  }
00043
00044  .access-security-label {
00045    display: inline-flex;
00046    flex-shrink: 0;
00047    align-items: center;
00048    gap: 8px;
00049    padding: 10px 12px;
00050    border: 1px solid #d9cbb8;
00051    background: #f0e7d9;
00052    color: #765541;
00053    font-family: "JetBrains Mono", monospace;
00054    font-size: 8px;
00055    letter-spacing: 0.5px;
00056  }
00057
00058  .access-notice {
00059    display: flex;
00060    align-items: flex-start;
00061    gap: 12px;
00062    margin-bottom: 20px;
00063    padding: 15px 17px;
00064    border: 1px solid #e4d4b5;
00065    background: #faf2e2;
00066    color: #8b7046;
00067  }
00068
00069  .access-notice > svg {
00070    flex-shrink: 0;
00071    margin-top: 2px;
00072  }
00073
00074  .access-notice p {
```

```
00075    display: flex;
00076    flex-direction: column;
00077    gap: 5px;
00078    margin: 0;
00079  }
00080
00081  .access-notice strong {
00082    color: #785d35;
00083    font-size: 11px;
00084  }
00085
00086  .access-notice p span {
00087    color: #8c7a60;
00088    font-size: 10px;
00089    line-height: 1.7;
00090  }
00091
00092  .access-stats {
00093    display: grid;
00094    grid-template-columns: repeat(4, minmax(0, 1fr));
00095    gap: 15px;
00096    margin-bottom: 22px;
00097  }
00098
00099  .access-stat-card {
00100    display: flex;
00101    min-width: 0;
00102    flex-direction: column;
00103    align-items: flex-start;
00104    padding: 18px;
00105    border: 1px solid #ded4c5;
00106    background: #fcfaf5;
00107  }
00108
00109  .access-stat-icon {
00110    display: grid;
00111    width: 35px;
00112    height: 35px;
00113    margin-bottom: 14px;
00114    place-items: center;
00115    border: 1px solid #dfd0bd;
00116    background: #f1e7d9;
00117    color: #806147;
00118  }
00119
00120  .access-stat-green {
00121    border-color: #d2ddc9;
00122    background: #edf1e7;
00123    color: #637951;
00124  }
00125
00126  .access-stat-red {
00127    border-color: #e4cbc2;
00128    background: #f7eae5;
00129    color: #985345;
00130  }
00131
00132  .access-stat-label {
00133    color: #92836f;
00134    font-family: "JetBrains Mono", monospace;
00135    font-size: 8px;
00136    letter-spacing: 0.55px;
00137  }
00138
00139  .access-stat-card > strong {
00140    margin: 13px 0 6px;
00141    color: #382e25;
00142    font-family: "Newsreader", Georgia, serif;
00143    font-size: 34px;
00144    font-weight: 500;
00145  }
00146
00147  .access-stat-card > small {
00148    color: #938777;
00149    font-size: 10px;
00150    line-height: 1.6;
00151  }
00152
00153  .access-matrix-panel,
00154  .access-users-panel {
00155    min-width: 0;
00156    margin-bottom: 22px;
00157    border: 1px solid #ded5c7;
```

```
    background: #fcfaf5;
  }

  .access-self-details {
    display: grid;
    grid-template-columns: repeat(2, minmax(0, 1fr));
    gap: 12px;
    padding: 0 24px 24px;
  }

  .access-self-details > div {
    display: flex;
    min-width: 0;
    flex-direction: column;
    gap: 7px;
    padding: 14px;
    border: 1px solid #e8dfd2;
    background: #fbf8f2;
  }

  .access-self-details span,
  .access-self-permissions > span {
    color: #94836d;
    font-family: "JetBrains Mono", monospace;
    font-size: 9px;
    font-weight: 600;
    letter-spacing: 0.5px;
  }

  .access-self-details strong {
    overflow-wrap: anywhere;
    color: #4b3d30;
    font-size: 12px;
  }

  .access-self-permissions {
    padding: 18px 24px 24px;
    border-top: 1px solid #e8dfd2;
  }

  .access-self-permissions > div {
    display: flex;
    flex-wrap: wrap;
    gap: 8px;
    margin-top: 12px;
  }

  .access-self-permissions > div > span {
    padding: 7px 10px;
    border: 1px solid #d9cbb8;
    background: #f0e7d9;
    color: #765541;
    font-family: "JetBrains Mono", monospace;
    font-size: 10px;
  }

  .access-self-permissions p {
    margin: 0;
    color: #81776a;
    font-size: 11px;
  }

  .access-panel-heading {
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: 18px;
    padding: 24px;
  }

  .access-panel-heading h2 {
    margin: 8px 0 5px;
    color: #342c23;
    font-family: "Newsreader", Georgia, serif;
    font-size: 25px;
    font-weight: 500;
  }

  .access-panel-heading p {
    margin: 0;
    color: #81776a;
    font-size: 11px;
    line-height: 1.7;
```

```
00241  }
00242
00243  .access-create-form {
00244    display: grid;
00245    grid-template-columns: repeat(2, minmax(0, 1fr));
00246    gap: 18px 20px;
00247    padding: 0 24px 24px;
00248  }
00249
00250  .access-create-field {
00251    display: flex;
00252    flex-direction: column;
00253    gap: 8px;
00254    min-width: 0;
00255  }
00256
00257  .access-create-field label {
00258    color: #81715d;
00259    font-family: "JetBrains Mono", monospace;
00260    font-size: 10px;
00261    font-weight: 600;
00262  }
00263
00264  .access-create-field label b {
00265    color: #8c332c;
00266  }
00267
00268  .access-create-field input,
00269  .access-create-field select {
00270    width: 100%;
00271    min-width: 0;
00272    min-height: 42px;
00273    padding: 0 12px;
00274    border: 1px solid #d8cbbb;
00275    border-radius: 4px;
00276    background: #fffdf8;
00277    color: #40362c;
00278    font: inherit;
00279    font-size: 12px;
00280  }
00281
00282  .access-create-field input:focus-visible,
00283  .access-create-field select:focus-visible,
00284  .access-create-actions button:focus-visible {
00285    outline: 2px solid #8c332c;
00286    outline-offset: 2px;
00287  }
00288
00289  .access-create-actions {
00290    grid-column: 1 / -1;
00291    display: flex;
00292    justify-content: flex-end;
00293    padding-top: 4px;
00294  }
00295
00296  .access-create-actions button {
00297    min-height: 42px;
00298    padding: 0 18px;
00299    border: 1px solid #63352f;
00300    border-radius: 4px;
00301    background: #63352f;
00302    color: #fffaf2;
00303    font: inherit;
00304    font-size: 12px;
00305    font-weight: 600;
00306    cursor: pointer;
00307  }
00308
00309  .access-create-actions button:hover:not(:disabled) {
00310    background: #482721;
00311  }
00312
00313  .access-create-actions button:disabled {
00314    opacity: 0.6;
00315    cursor: wait;
00316  }
00317
00318  .access-matrix-tag {
00319    display: inline-flex;
00320    align-items: center;
00321    gap: 7px;
00322    flex-shrink: 0;
00323    padding: 8px 10px;
```

```
    border: 1px solid #e1d6c6;
    color: #81715d;
    font-family: "JetBrains Mono", monospace;
    font-size: 8px;
    letter-spacing: 0.5px;
  }

  .access-matrix-wrap {
    width: 100%;
    overflow-x: auto;
  }

  .access-matrix {
    width: 100%;
    border-collapse: collapse;
    text-align: center;
  }

  .access-matrix th {
    padding: 14px 18px;
    border-top: 1px solid #e8dfd2;
    border-bottom: 1px solid #e4d9ca;
    background: #f7f1e7;
    color: #94836d;
    font-family: "JetBrains Mono", monospace;
    font-size: 8px;
    font-weight: 600;
    letter-spacing: 0.6px;
    white-space: nowrap;
  }

  .access-matrix th:first-child {
    width: 48%;
    text-align: left;
    padding-left: 24px;
  }

  .access-matrix td {
    padding: 17px 18px;
    border-bottom: 1px solid #eee7dd;
    color: #6c6052;
    font-size: 10px;
  }

  .access-matrix tbody tr:last-child td {
    border-bottom: 0;
  }

  .access-matrix td:first-child {
    text-align: left;
    padding-left: 24px;
  }

  .access-matrix td:first-child strong {
    display: block;
    color: #4b3d30;
    font-size: 11px;
    font-weight: 600;
  }

  .access-matrix td:first-child small {
    display: block;
    margin-top: 6px;
    color: #948675;
    font-size: 10px;
    line-height: 1.6;
  }

  .access-permission-yes,
  .access-permission-no {
    display: inline-grid;
    width: 27px;
    height: 27px;
    place-items: center;
    border: 1px solid #d4dfca;
    background: #edf2e8;
    color: #648052;
  }

  .access-permission-no {
    border-color: #e4dbce;
    background: #f5f0e8;
    color: #aa9b87;
```

```
00407  }
00408
00409  .access-matrix-legend {
00410    display: flex;
00411    flex-wrap: wrap;
00412    gap: 18px;
00413    padding: 15px 24px;
00414    border-top: 1px solid #e8dfd2;
00415    background: #faf6ef;
00416  }
00417
00418  .access-matrix-legend > span {
00419    display: inline-flex;
00420    align-items: center;
00421    gap: 8px;
00422    color: #8a7c69;
00423    font-size: 10px;
00424  }
00425
00426  .access-matrix-legend .access-permission-yes,
00427  .access-matrix-legend .access-permission-no {
00428    width: 22px;
00429    height: 22px;
00430  }
00431
00432  .access-user-count {
00433    flex-shrink: 0;
00434    padding: 8px 10px;
00435    border: 1px solid #e1d6c6;
00436    color: #81715d;
00437    font-family: "JetBrains Mono", monospace;
00438    font-size: 9px;
00439    letter-spacing: 0.5px;
00440  }
00441
00442  .access-toolbar {
00443    display: flex;
00444    flex-wrap: wrap;
00445    align-items: center;
00446    gap: 10px;
00447    padding: 15px 24px;
00448    border-top: 1px solid #e8dfd2;
00449    border-bottom: 1px solid #e8dfd2;
00450    background: #f8f3eb;
00451  }
00452
00453  .access-search {
00454    display: flex;
00455    flex: 1 1 240px;
00456    align-items: center;
00457    gap: 9px;
00458    min-width: 0;
00459    min-height: 39px;
00460    padding: 0 11px;
00461    border: 1px solid #dfd4c4;
00462    background: #fffdf8;
00463    color: #9a8975;
00464  }
00465
00466  .access-search input {
00467    width: 100%;
00468    min-width: 0;
00469    border: 0;
00470    outline: none;
00471    background: transparent;
00472    color: #493c30;
00473    font-size: 10px;
00474  }
00475
00476  .access-search input::placeholder {
00477    color: #a99c8d;
00478  }
00479
00480  .access-search button {
00481    display: grid;
00482    flex-shrink: 0;
00483    width: 23px;
00484    height: 23px;
00485    place-items: center;
00486    border: 0;
00487    background: transparent;
00488    color: #8d7a66;
00489  }
```

```
00490
00491  .access-select {
00492    display: flex;
00493    flex: 0 0 auto;
00494    align-items: center;
00495    gap: 8px;
00496    min-height: 39px;
00497    padding: 0 10px;
00498    border: 1px solid #dfd4c4;
00499    background: #fffdf8;
00500    color: #897761;
00501  }
00502
00503  .access-select > span {
00504    color: #a09280;
00505    font-size: 9px;
00506  }
00507
00508  .access-select select {
00509    max-width: 135px;
00510    border: 0;
00511    outline: none;
00512    background: transparent;
00513    color: #625342;
00514    font-size: 10px;
00515    cursor: pointer;
00516    appearance: none;
00517  }
00518
00519  .access-user-list {
00520    width: 100%;
00521  }
00522
00523  .access-user-row {
00524    display: grid;
00525    grid-template-columns: auto minmax(130px, 1.3fr) minmax(90px, 0.8fr) minmax(90px, 0.7fr) minmax(150px, 1fr) auto;
00526    align-items: center;
00527    gap: 15px;
00528    padding: 17px 24px;
00529    border-bottom: 1px solid #eee7dd;
00530  }
00531
00532  .access-user-row:last-child {
00533    border-bottom: 0;
00534  }
00535
00536  .access-user-row:hover {
00537    background: #faf6ef;
00538  }
00539
00540  .access-user-avatar {
00541    display: grid;
00542    flex-shrink: 0;
00543    width: 38px;
00544    height: 38px;
00545    place-items: center;
00546    border: 1px solid #e1d5c5;
00547    background: #f2e9dc;
00548    color: #86674b;
00549  }
00550
00551  .access-user-identity {
00552    display: flex;
00553    flex-direction: column;
00554    gap: 5px;
00555    min-width: 0;
00556  }
00557
00558  .access-user-identity > strong {
00559    overflow-wrap: anywhere;
00560    color: #4d4033;
00561    font-size: 11px;
00562    font-weight: 600;
00563  }
00564
00565  .access-user-identity > span {
00566    overflow-wrap: anywhere;
00567    color: #8d7d6b;
00568    font-size: 10px;
00569  }
00570
00571  .access-user-identity > small {
00572    overflow-wrap: anywhere;
```

```
00573     color: #a09180;
00574     font-family: "JetBrains Mono", monospace;
00575     font-size: 8px;
00576   }
00577
00578   .access-role-badge {
00579     display: inline-flex;
00580     align-items: center;
00581     justify-self: start;
00582     padding: 6px 8px;
00583     border: 1px solid #dfd2bf;
00584     background: #f4ecdf;
00585     color: #806147;
00586     font-size: 9px;
00587     font-weight: 600;
00588     white-space: nowrap;
00589   }
00590
00591   .access-role-reviewer {
00592     border-color: #d8d4e6;
00593     background: #f0eef7;
00594     color: #74658e;
00595   }
00596
00597   .access-role-admin,
00598   .access-role-administrator {
00599     border-color: #e9b8b2;
00600     background: #fbe9e6;
00601     color: #a6372e;
00602   }
00603
00604   .access-account-status {
00605     display: inline-flex;
00606     align-items: center;
00607     gap: 6px;
00608     justify-self: start;
00609     color: #5f7a50;
00610     font-size: 10px;
00611     white-space: nowrap;
00612   }
00613
00614   .access-account-status > span {
00615     width: 6px;
00616     height: 6px;
00617     border-radius: 50%;
00618     background: #71905e;
00619   }
00620
00621   .access-account-offline,
00622   .access-account-unknown {
00623     color: #877b6c;
00624   }
00625
00626   .access-account-offline > span,
00627   .access-account-unknown > span {
00628     background: #a69b8f;
00629   }
00630
00631   .access-account-deactivated {
00632     color: #9b5948;
00633   }
00634
00635   .access-account-deactivated > span {
00636     background: #ac6250;
00637   }
00638
00639   .access-user-last-active {
00640     display: flex;
00641     flex-direction: column;
00642     gap: 6px;
00643     min-width: 0;
00644   }
00645
00646   .access-user-last-active > small {
00647     color: #a09180;
00648     font-family: "JetBrains Mono", monospace;
00649     font-size: 8px;
00650     letter-spacing: 0.4px;
00651   }
00652
00653   .access-user-last-active > span {
00654     color: #7d6d5b;
00655     font-size: 9px;
```

```
00656     line-height: 1.5;
00657   }
00658
00659   .access-inspect-button {
00660     display: grid;
00661     width: 30px;
00662     height: 30px;
00663     place-items: center;
00664     border: 1px solid #e2d7c8;
00665     background: transparent;
00666     color: #806a52;
00667   }
00668
00669   .access-inspect-button:hover {
00670     border-color: #bba287;
00671     background: #f1e7d9;
00672   }
00673
00674   .access-empty {
00675     padding: 40px 20px;
00676     color: #918372;
00677     font-size: 11px;
00678     text-align: center;
00679   }
00680
00681   .access-users-footer {
00682     display: flex;
00683     flex-wrap: wrap;
00684     align-items: center;
00685     justify-content: space-between;
00686     gap: 10px;
00687     padding: 15px 24px;
00688     border-top: 1px solid #e8dfd2;
00689     color: #9b8c7b;
00690     font-family: "JetBrains Mono", monospace;
00691     font-size: 8px;
00692     letter-spacing: 0.4px;
00693   }
00694
00695   .access-footer-note {
00696     display: flex;
00697     align-items: center;
00698     gap: 9px;
00699     margin-top: 3px;
00700     color: #958876;
00701   }
00702
00703   .access-footer-note span {
00704     font-family: "JetBrains Mono", monospace;
00705     font-size: 8px;
00706     letter-spacing: 0.4px;
00707   }
00708
00709   .access-modal-backdrop {
00710     position: fixed;
00711     z-index: 1000;
00712     inset: 0;
00713     display: flex;
00714     align-items: center;
00715     justify-content: center;
00716     overflow-y: auto;
00717     padding: 24px;
00718     background: rgb(36 32 29 / 70%);
00719   }
00720
00721   .access-detail-modal {
00722     width: 100%;
00723     max-width: 430px;
00724     max-height: calc(100vh - 48px);
00725     overflow-y: auto;
00726     padding: 21px;
00727     border: 1px solid #d9cbbb;
00728     border-radius: 9px;
00729     background: #fffdfa;
00730     box-shadow: 0 20px 70px rgb(0 0 0 / 20%);
00731   }
00732
00733   .access-modal-header {
00734     display: flex;
00735     align-items: flex-start;
00736     justify-content: space-between;
00737     gap: 15px;
00738   }
```

```
00739
00740  .access-modal-eyebrow {
00741    color: #a18a71;
00742    font-family: "JetBrains Mono", monospace;
00743    font-size: 8px;
00744    font-weight: 700;
00745    letter-spacing: 1px;
00746  }
00747
00748  .access-modal-header h2 {
00749    margin: 4px 0 0;
00750    color: #382e25;
00751    font-family: "Newsreader", Georgia, serif;
00752    font-size: 23px;
00753    font-weight: 500;
00754  }
00755
00756  .access-modal-close {
00757    display: grid;
00758    width: 28px;
00759    height: 28px;
00760    flex-shrink: 0;
00761    place-items: center;
00762    border: 0;
00763    background: transparent;
00764    color: #a3917d;
00765    cursor: pointer;
00766  }
00767
00768  .access-modal-close:hover {
00769    background: #f0e5d6;
00770  }
00771
00772  .access-user-modal-identity {
00773    display: flex;
00774    align-items: center;
00775    gap: 13px;
00776    margin: 27px 0 16px;
00777    padding-bottom: 17px;
00778    border-bottom: 1px solid #e9dfd3;
00779  }
00780
00781  .access-user-avatar-large {
00782    display: grid;
00783    width: 48px;
00784    height: 48px;
00785    flex-shrink: 0;
00786    place-items: center;
00787    border-radius: 50%;
00788    background: #eaded0;
00789    color: #715b47;
00790    font-family: "Newsreader", Georgia, serif;
00791    font-size: 18px;
00792    font-weight: 600;
00793  }
00794
00795  .access-user-modal-identity h3 {
00796    margin: 0 0 4px;
00797    color: #44372a;
00798    font-size: 13px;
00799    font-weight: 600;
00800  }
00801
00802  .access-user-modal-identity p {
00803    margin: 0 0 5px;
00804    color: #8d7d6b;
00805    font-size: 10px;
00806    overflow-wrap: anywhere;
00807  }
00808
00809  .access-modal-status {
00810    color: #9a784c;
00811    font-size: 9px;
00812  }
00813
00814  .access-modal-status::before {
00815    content: "";
00816    display: inline-block;
00817    width: 5px;
00818    height: 5px;
00819    margin-right: 5px;
00820    border-radius: 50%;
00821    background: currentColor;
```

```
00822     vertical-align: middle;
00823   }
00824
00825   .access-modal-status-active { color: #5d9967; }
00826
00827   .access-user-detail-fields {
00828     display: grid;
00829     grid-template-columns: repeat(2, minmax(0, 1fr));
00830     gap: 9px;
00831   }
00832
00833   .access-user-detail-fields > div {
00834     display: flex;
00835     flex-direction: column;
00836     gap: 6px;
00837     min-width: 0;
00838     min-height: 52px;
00839     padding: 9px 10px;
00840     border: 1px solid #eee3d7;
00841     border-radius: 5px;
00842     background: #fbf8f4;
00843   }
00844
00845   .access-user-detail-fields > div > span {
00846     color: #998976;
00847     font-family: "JetBrains Mono", monospace;
00848     font-size: 7px;
00849     font-weight: 700;
00850     letter-spacing: 0.4px;
00851   }
00852
00853   .access-user-detail-fields > div > strong,
00854   .access-user-detail-fields select {
00855     overflow-wrap: anywhere;
00856     color: #514235;
00857     font-size: 10px;
00858     font-weight: 600;
00859     line-height: 1.4;
00860   }
00861
00862   .access-user-detail-fields select {
00863     width: 100%;
00864     padding: 0;
00865     border: 0;
00866     background: transparent;
00867     cursor: pointer;
00868   }
00869
00870   .access-modal-notice {
00871     display: flex;
00872     align-items: center;
00873     gap: 9px;
00874     margin-top: 15px;
00875     padding: 9px 10px;
00876     border-radius: 4px;
00877     background: #f4eee5;
00878     color: #927a5e;
00879     font-size: 9px;
00880     line-height: 1.5;
00881   }
00882
00883   .access-modal-notice svg {
00884     flex-shrink: 0;
00885   }
00886
00887   .access-modal-footer {
00888     display: flex;
00889     justify-content: flex-end;
00890     flex-wrap: wrap;
00891     gap: 10px;
00892     margin-top: 16px;
00893   }
00894
00895   .access-modal-error {
00896     margin-top: 12px;
00897     color: #a6372e;
00898     font-size: 10px;
00899     line-height: 1.5;
00900   }
00901
00902   .access-modal-primary {
00903     display: inline-flex;
00904     align-items: center;
```

```
00905    justify-content: center;
00906    gap: 7px;
00907    min-height: 36px;
00908    padding: 0 12px;
00909    border: 1px solid #87433b;
00910    border-radius: 4px;
00911    background: #87433b;
00912    color: #fffaf4;
00913    font-size: 11px;
00914    font-weight: 600;
00915    cursor: pointer;
00916  }
00917
00918  .access-modal-primary:disabled { opacity: 0.55; cursor: default; }
00919
00920  .access-modal-secondary {
00921    min-height: 36px;
00922    padding: 0 12px;
00923    border: 1px solid #d8cbbb;
00924    border-radius: 4px;
00925    background: #fffdfa;
00926    color: #705a47;
00927    font-size: 11px;
00928    font-weight: 600;
00929  }
00930
00931  .access-modal-secondary:hover {
00932    background: #eee3d4;
00933  }
00934
00935  @media (max-width: 1100px) {
00936    .access-stats {
00937      grid-template-columns: repeat(2, minmax(0, 1fr));
00938    }
00939
00940    .access-user-row {
00941      grid-template-columns: auto minmax(150px, 1fr) auto auto;
00942    }
00943
00944    .access-user-last-active {
00945      grid-column: 2 / 4;
00946    }
00947
00948    .access-inspect-button {
00949      grid-column: 4;
00950      grid-row: 1;
00951    }
00952  }
00953
00954  @media (max-width: 650px) {
00955    .access-self-details {
00956      grid-template-columns: minmax(0, 1fr);
00957      padding: 0 18px 18px;
00958    }
00959
00960    .access-self-permissions {
00961      padding-inline: 18px;
00962    }
00963
00964    .access-heading {
00965      align-items: flex-start;
00966      flex-direction: column;
00967    }
00968
00969    .access-stats {
00970      gap: 10px;
00971    }
00972
00973    .access-stat-card {
00974      padding: 14px;
00975    }
00976
00977    .access-stat-card > strong {
00978      font-size: 30px;
00979    }
00980
00981    .access-panel-heading {
00982      align-items: flex-start;
00983      padding: 18px;
00984    }
00985
00986    .access-create-form {
00987      grid-template-columns: minmax(0, 1fr);
```

```
    padding: 0 18px 18px;
  }

  .access-create-actions button {
    width: 100%;
  }

  .access-matrix {
    min-width: 650px;
  }

  .access-toolbar {
    padding: 13px 18px;
  }

  .access-search {
    flex-basis: 100%;
  }

  .access-select {
    flex: 1;
    justify-content: space-between;
  }

  .access-select select {
    max-width: 100%;
    min-width: 0;
  }

  .access-user-row {
    grid-template-columns: auto minmax(0, 1fr) auto;
    gap: 12px;
    padding: 16px 18px;
  }

  .access-user-identity {
    grid-column: 2;
  }

  .access-role-badge {
    grid-column: 2;
    grid-row: 2;
  }

  .access-account-status {
    grid-column: 3;
    grid-row: 1;
  }

  .access-user-last-active {
    grid-column: 2 / 4;
    grid-row: 3;
  }

  .access-inspect-button {
    grid-column: 3;
    grid-row: 2;
  }

  .access-users-footer {
    padding: 14px 18px;
  }

  .access-detail-modal {
    padding: 19px;
  }

  .access-user-detail-fields {
    grid-template-columns: minmax(0, 1fr);
  }
}

/* Administrator dashboard */
.admin-stats {
  display: grid;
  grid-template-columns: repeat(4, minmax(0, 1fr));
  gap: 12px;
  margin-bottom: 14px;
}

.admin-stat-card,
.admin-side-card {
  min-width: 0;
```

```
01071    border: 1px solid #e9e0d4;
01072    border-radius: 7px;
01073    background: #fcfaf6;
01074  }
01075
01076  .admin-stat-card {
01077    display: flex;
01078    flex-direction: column;
01079    align-items: flex-start;
01080    min-height: 130px;
01081    padding: 16px;
01082    box-shadow: 0 3px 10px rgb(70 48 27 / 4%);
01083  }
01084
01085  .admin-stat-card > svg {
01086    width: 27px;
01087    height: 27px;
01088    margin-bottom: 10px;
01089    padding: 6px;
01090    border-radius: 5px;
01091    background: #f1e7d9;
01092    color: #806147;
01093  }
01094
01095  .admin-stat-card:nth-child(2) > svg { background: #e7f0e7; color: #538160; }
01096  .admin-stat-card:nth-child(3) > svg { background: #e8eff2; color: #5a7a8c; }
01097  .admin-stat-card:nth-child(4) > svg { background: #f4eddb; color: #9c7e3d; }
01098
01099  .admin-stat-card > span,
01100  .admin-stat-card > small {
01101    color: #908271;
01102    font-family: "JetBrains Mono", monospace;
01103    font-size: 8px;
01104    line-height: 1.5;
01105  }
01106
01107  .admin-stat-card > strong {
01108    margin: 5px 0 2px;
01109    color: #2e251e;
01110    font-family: "Newsreader", Georgia, serif;
01111    font-size: 27px;
01112    font-weight: 600;
01113    line-height: 1.1;
01114  }
01115
01116  .admin-integrity-stat > strong { font-size: clamp(16px, 1.5vw, 25px); overflow-wrap: anywhere; }
01117  .admin-integrity-stat > strong.admin-integrity-mismatch { color: #9e342d; }
01118  .admin-integrity-stat > small { overflow-wrap: anywhere; }
01119
01120  .admin-dashboard-grid {
01121    display: grid;
01122    grid-template-columns: minmax(0, 1.9fr) minmax(270px, 1fr);
01123    align-items: stretch;
01124    gap: 14px;
01125    margin-bottom: 22px;
01126  }
01127
01128  .admin-dashboard-grid .access-users-panel { margin-bottom: 0; }
01129  .admin-dashboard-grid .admin-users-panel { display: flex; flex-direction: column; }
01130  .admin-dashboard-grid .admin-users-table-wrap { flex: 1; }
01131
01132  .admin-users-panel,
01133  .admin-activity-panel {
01134    border-radius: 7px;
01135    overflow: hidden;
01136  }
01137
01138  .admin-users-panel .access-panel-heading,
01139  .admin-activity-panel .access-panel-heading {
01140    padding: 18px;
01141  }
01142
01143  .admin-users-panel .access-panel-heading h2,
01144  .admin-activity-panel .access-panel-heading h2,
01145  .admin-side-heading h2 {
01146    margin: 6px 0 4px;
01147    font-size: 21px;
01148  }
01149
01150  .admin-add-user,
01151  .admin-read-only {
01152    display: inline-flex;
01153    align-items: center;
```

```
    justify-content: center;
    gap: 6px;
    min-height: 33px;
    flex-shrink: 0;
    padding: 0 11px;
    border: 1px solid #5c4033;
    border-radius: 4px;
    background: #47352b;
    color: #fffaf2;
    font-size: 10px;
    font-weight: 600;
  }

  .admin-add-user:hover { background: #63483a; }
  .admin-read-only { border-color: #ded2c2; background: #fffdf8; color: #806b56; }
  .admin-read-only:hover { background: #f0e7d9; }

  .admin-users-panel .access-toolbar { padding: 12px 18px; }
  .admin-users-panel .access-search { flex-basis: 160px; }
  .admin-users-panel .access-select { min-height: 36px; }

  .admin-users-table-wrap { width: 100%; overflow-x: auto; }
  .admin-users-table { width: 100%; border-collapse: collapse; text-align: left; }
  .admin-users-table th {
    padding: 10px 18px;
    background: #f8f4ed;
    color: #998874;
    font-family: "JetBrains Mono", monospace;
    font-size: 8px;
    font-weight: 600;
    letter-spacing: .4px;
  }
  .admin-users-table td { padding: 12px 18px; border-top: 1px solid #eee7dd; }
  .admin-users-table td:last-child { text-align: center; }
  .admin-user-cell { display: flex; align-items: center; gap: 10px; min-width: 160px; }
  .admin-user-cell .access-user-avatar {
    width: 30px;
    height: 30px;
    border-radius: 50%;
    font-size: 9px;
    font-weight: 700;
  }
  .admin-user-cell > div { display: flex; flex-direction: column; min-width: 0; gap: 3px; }
  .admin-user-cell strong { color: #40352b; font-size: 11px; }
  .admin-user-cell small { overflow-wrap: anywhere; color: #958676; font-size: 9px; }
  .admin-users-table .access-inspect-button { display: inline-grid; border: 0; }
  .admin-users-table .access-empty { text-align: center; }

  .admin-side-column { display: flex; flex-direction: column; gap: 14px; min-width: 0; }
  .admin-side-column .admin-integrity-card { flex: 1; }
  .admin-side-card { padding: 16px; }
  .admin-side-heading { padding-bottom: 10px; border-bottom: 1px solid #ebe2d6; }
  .admin-role-row {
    display: flex;
    align-items: center;
    gap: 9px;
    min-width: 0;
    padding: 10px 0;
    border-bottom: 1px solid #eee7dd;
  }
  .admin-role-icon,
  .admin-activity-icon {
    display: inline-grid;
    width: 28px;
    height: 28px;
    flex-shrink: 0;
    place-items: center;
    border-radius: 4px;
    background: #f0e7d9;
    color: #8b6b4f;
  }
  .admin-role-row > div { display: flex; flex: 1; flex-direction: column; min-width: 0; gap: 2px; }
  .admin-role-row strong { color: #49392d; font-size: 11px; }
  .admin-role-row small { overflow-wrap: anywhere; color: #968776; font-size: 9px; line-height: 1.4; }
  .admin-role-count { padding: 4px 7px; border-radius: 3px; background: #f4ede3; color: #866e57; font-size: 9px; }
  .admin-side-note { margin: 12px 0 0; padding: 9px; background: #f6f0e7; color: #8f7d67; font-size: 9px; line-height:
  ...  1.5; }
  .admin-integrity-card { background: #eee4d5; }
  .admin-integrity-card > p { color: #786b5b; font-size: 10px; line-height: 1.6; }
  .admin-integrity-state { padding: 10px; border: 1px solid #ddcfbd; border-radius: 4px; background: #f8f2e8; color:
  ... #8c6d44; font-size: 9px; }
  .admin-integrity-details { display: grid; gap: 9px; }
  .admin-integrity-details > div { display: grid; gap: 3px; min-width: 0; }
```

```
.admin-integrity-details span { color: #927f6c; font-size: 9px; letter-spacing: .08em; }
.admin-integrity-details strong { color: #49392d; font-size: 11px; font-weight: 600; overflow-wrap: anywhere; }
.admin-integrity-details .admin-integrity-mismatch { color: #9e342d; }
.admin-integrity-details small { color: #786b5b; font-size: 10px; line-height: 1.5; }
.admin-integrity-link { justify-self: start; padding: 0; border: 0; background: none; color: #89382f; font: inherit;
 ...  text-decoration: underline; cursor: pointer; }

.admin-permission-panel { border-radius: 7px; overflow: hidden; }

.admin-activity-search {
  display: flex;
  flex-wrap: wrap;
  gap: 10px;
  padding: 12px 18px;
  border-top: 1px solid #eee7dd;
  background: #f8f3eb;
}
.admin-activity-search .access-search { flex: 1 1 240px; }
.admin-activity-list { border-top: 1px solid #eee7dd; max-height: 540px; overflow-y: auto; }
.admin-live-status { margin: 0; padding: 0 18px 12px; color: #538160; font-size: 10px; }
.admin-live-status.is-error { color: #a6372e; }
.admin-activity-entry { border-bottom: 1px solid #eee7dd; }
.admin-activity-entry > summary { list-style: none; cursor: pointer; }
.admin-activity-entry > summary::-webkit-details-marker { display: none; }
.admin-activity-entry > summary:hover { background: #f8f3eb; }
.admin-activity-entry > summary:focus-visible { outline: 2px solid #8c332c; outline-offset: -2px; }
.admin-activity-row {
  display: grid;
  grid-template-columns: auto minmax(0, 1fr) minmax(80px, .35fr) minmax(105px, .45fr);
  align-items: center;
  gap: 10px;
  padding: 12px 18px;
}
.admin-activity-details {
  display: grid;
  grid-template-columns: repeat(2, minmax(0, 1fr));
  gap: 8px;
  padding: 12px 18px 16px 56px;
  background: #f8f3eb;
  color: #776755;
  font-family: "JetBrains Mono", monospace;
  font-size: 9px;
}
.admin-activity-details > span { overflow-wrap: anywhere; }
.admin-activity-row > div { display: flex; flex-direction: column; gap: 3px; min-width: 0; }
.admin-activity-row strong { color: #45372b; font-size: 10px; text-transform: capitalize; }
.admin-activity-row small { overflow-wrap: anywhere; color: #9a8a78; font-size: 9px; }
.admin-activity-actor { overflow-wrap: anywhere; color: #7e6c5c; font-size: 9px; }
.admin-activity-row time { display: inline-flex; align-items: center; gap: 4px; color: #998a78; font-size: 9px; }
.admin-create-modal {
  width: min(100%, 582px);
  max-height: calc(100dvh - 48px);
  overflow-y: auto;
  padding: 28px;
  border: 1px solid #d9cbbb;
  border-radius: 13px;
  background: #fffdfa;
  box-shadow: 0 20px 70px rgb(0 0 0 / 22%);
}
.admin-create-modal .access-modal-eyebrow {
  color: #997858;
  font-size: 10px;
  letter-spacing: 1.5px;
}
.admin-create-modal .access-modal-header h2 {
  margin-top: 9px;
  font-size: 29px;
}
.admin-create-description {
  margin: 4px 0 23px;
  color: #9b8c7d;
  font-size: 13px;
  line-height: 1.5;
}
.admin-create-modal .access-create-form {
  grid-template-columns: minmax(0, 1fr);
  gap: 17px;
  padding: 0;
}
.admin-create-modal .access-create-field { gap: 8px; }
.admin-create-modal .access-create-field label {
  color: #68594d;
  font-family: inherit;
```

```
    font-size: 12px;
    font-weight: 700;
  }
  .admin-create-modal .access-create-field input,
  .admin-create-modal .access-create-field select {
    min-height: 47px;
    padding-inline: 15px;
    border-color: #ded2c5;
    border-radius: 6px;
    background: #fff;
    font-size: 13px;
  }
  .admin-create-modal .access-create-field input::placeholder { color: #a79b8e; }
  .admin-create-modal .access-create-field small { color: #938475; font-size: 11px; }
  .admin-create-modal .access-modal-error { grid-column: 1 / -1; margin: 0; }
  .admin-create-modal .access-create-actions {
    gap: 10px;
    margin-top: 2px;
    padding-top: 17px;
    border-top: 1px solid #e8ded2;
  }
  .admin-create-modal .access-create-actions button {
    display: inline-flex;
    align-items: center;
    justify-content: center;
    gap: 8px;
    min-height: 45px;
    font-size: 13px;
  }
  .admin-create-modal .access-create-cancel {
    border-color: #ded2c5;
    background: #fffdfa;
    color: #655649;
    font-weight: 400;
  }
  .admin-create-modal .access-create-cancel:hover:not(:disabled) { background: #f4ede4; }
  .admin-create-modal .access-create-submit { background: #3c2b25; border-color: #3c2b25; }
  .admin-create-modal .access-create-submit:hover:not(:disabled) { background: #5b4034; }

  @media (max-width: 1100px) {
    .admin-stats { grid-template-columns: repeat(2, minmax(0, 1fr)); }
    .admin-dashboard-grid { grid-template-columns: minmax(0, 1fr); align-items: start; }
    .admin-dashboard-grid .admin-users-panel { display: block; }
    .admin-side-column { display: grid; grid-template-columns: repeat(2, minmax(0, 1fr)); }
  }

  @media (max-width: 650px) {
    .admin-stats,
    .admin-side-column { grid-template-columns: minmax(0, 1fr); }
    .admin-users-table { min-width: 500px; }
    .admin-activity-row { grid-template-columns: auto minmax(0, 1fr); }
    .admin-activity-actor,
    .admin-activity-row time { grid-column: 2; }
    .admin-create-modal { padding: 20px; }
    .admin-activity-details { grid-template-columns: minmax(0, 1fr); padding-left: 18px; }
  }
```

case-vault-frontend/src/pages/AccessControl.jsx

ROLE: Administrator dashboard/account management and nonadmin account-status view.

KEY DECLARATIONS: routes, registeredDate, normalized, PermissionMark, activityCategoryFor, activityStatusFor, accountStatus, integrityStatus, AccessControl, navigate, canManageUsers, [users, setUsers], [roles, setRoles], [cases, setCases], [auditEntries, setAuditEntries], [latestIntegrity, setLatestIntegrity], [integrityLoading, setIntegrityLoading], [integrityError, setIntegrityError], [checkedEvidence, setCheckedEvidence], [onlineUserIds, setOnlineUserIds]; ...

SOURCE CONTENT | 433 lines | utf-8-sig | SHA-256 d0613214fbf21d94599b0c63f58741393bddd82b275a97dc3b316491b1b239bf

```
00001  import { useEffect, useMemo, useRef, useState } from "react";
00002  import { useNavigate } from "react-router-dom";
00003  import { Activity, AlertTriangle, Check, Clock3, Eye, FileText, LockKeyhole, Minus, Plus, Search, ShieldCheck,
  ...  UserCheck, Users, X } from "lucide-react";
00004  import VaultLayout from "../layouts/VaultLayout";
00005  import { useAuth } from "../auth/context";
00006  import { api, philippineDate, streamAudit } from "../lib/api";
00007  import { displayRoleName } from "../lib/roles";
00008  import "./AccessControl.css";
00009
00010  const routes = {
00011    Overview: "/welcome", "Case Library": "/cases", "Case Detail": "/cases/detail",
00012    "Secure Submission": "/submission", "Audit Trail": "/audit", "Access Control": "/access-control",
00013  };
00014
00015  function registeredDate(value) {
00016    if (!value) return "—";
00017    const normalized = /(?:Z|[+-]\d\d:\d\d)$/.test(value) ? value : `${value}Z`;
00018    return new Date(normalized).toLocaleDateString("en-US", {
00019      month: "short", day: "2-digit", year: "numeric", timeZone: "Asia/Manila",
00020    });
00021  }
00022
00023  function PermissionMark({ allowed }) {
00024    return allowed ? <span className="access-permission-yes" aria-label="Allowed"><Check size={15} /></span>
00025      : <span className="access-permission-no" aria-label="Not allowed"><Minus size={15} /></span>;
00026  }
00027
00028  function activityCategoryFor(action) {
00029    if (action.includes("tamper") || action.includes("verif")) return "Integrity";
00030    if (action.includes("evidence") || action.includes("version")) return "Evidence";
00031    if (action.includes("case") || action.includes("tag")) return "Case";
00032    return "Account";
00033  }
00034
00035  function activityStatusFor(entry) {
00036    if (entry.action === "evidence_verification_failed") return "Check failed";
00037    if (entry.action === "tamper_flagged" || entry.metadata?.intact === false) return "Flagged";
00038    if (entry.action === "evidence_verified" && entry.metadata?.intact === true) return "Intact";
00039    return "Recorded";
00040  }
00041
00042  function accountStatus(person, onlineUserIds, presenceAvailable) {
00043    if (!person.is_active) return "Deactivated";
00044    if (!presenceAvailable) return "Unknown";
00045    return onlineUserIds.includes(person.id) ? "Online" : "Offline";
00046  }
00047
00048  function integrityStatus(entry) {
00049    if (!entry) return "Not checked";
00050    if (entry.action === "evidence_verification_failed") return "Check failed";
00051    if (entry.metadata?.intact === true) return "Intact";
00052    if (entry.metadata?.intact === false) return "Mismatch detected";
00053    return "Result unavailable";
00054  }
00055
00056  function AccessControl({ asOverview = false }) {
00057    const navigate = useNavigate();
00058    const { user } = useAuth();
00059    const canManageUsers = user.permissions.includes("user:manage");
00060    const [users, setUsers] = useState([]);
00061    const [roles, setRoles] = useState([]);
00062    const [cases, setCases] = useState([]);
00063    const [auditEntries, setAuditEntries] = useState([]);
00064    const [latestIntegrity, setLatestIntegrity] = useState(null);
00065    const [integrityLoading, setIntegrityLoading] = useState(canManageUsers);
00066    const [integrityError, setIntegrityError] = useState("");
```

```
00067    const [checkedEvidence, setCheckedEvidence] = useState(null);
00068    const [onlineUserIds, setOnlineUserIds] = useState([]);
00069    const [presenceLoading, setPresenceLoading] = useState(canManageUsers);
00070    const [auditLoading, setAuditLoading] = useState(canManageUsers);
00071    const [liveError, setLiveError] = useState("");
00072    const [showCreate, setShowCreate] = useState(false);
00073    const [showAllActivity, setShowAllActivity] = useState(false);
00074    const [activitySearch, setActivitySearch] = useState("");
00075    const [activityCategory, setActivityCategory] = useState("All");
00076    const [activityStatus, setActivityStatus] = useState("All");
00077    const [search, setSearch] = useState("");
00078    const [roleFilter, setRoleFilter] = useState("All");
00079    const [statusFilter, setStatusFilter] = useState("All");
00080    const [selected, setSelected] = useState(null);
00081    const [newUser, setNewUser] = useState({ name: "", email: "", password: "", role_id: "" });
00082    const [createError, setCreateError] = useState("");
00083    const [error, setError] = useState("");
00084    const [failedSources, setFailedSources] = useState([]);
00085    const [message, setMessage] = useState("");
00086    const [busy, setBusy] = useState(false);
00087    const [loading, setLoading] = useState(canManageUsers);
00088    const lastAuditHead = useRef(null);
00089
00090    useEffect(() => {
00091      if (!canManageUsers) return;
00092      let active = true;
00093      Promise.allSettled([api("/users"), api("/roles"), api("/cases")])
00094        .then((results) => {
00095          if (!active) return;
00096          const setters = [setUsers, setRoles, setCases];
00097          results.forEach((result, index) => {
00098            if (result.status === "fulfilled") setters[index](result.value);
00099          });
00100          const failures = results.flatMap((result, index) => result.status === "rejected"
00101            ? [`${["Users", "Roles", "Cases"][index]}: ${result.reason.message}`] : []);
00102          setFailedSources(results.flatMap((result, index) => result.status === "rejected" ? [index] : []));
00103          if (failures.length) setError(failures.join(" "));
00104        })
00105        .finally(() => { if (active) setLoading(false); });
00106      return () => { active = false; };
00107    }, [canManageUsers]);
00108
00109    useEffect(() => {
00110      if (!canManageUsers) return;
00111      let active = true;
00112      api("/audit/integrity/latest")
00113        .then((entry) => { if (active && entry) setLatestIntegrity((current) =>
00114          !current || new Date(entry.occurred_at) > new Date(current.occurred_at) ? entry : current); })
00115        .catch((requestError) => { if (active) setIntegrityError(requestError.message); })
00116        .finally(() => { if (active) setIntegrityLoading(false); });
00117      return () => { active = false; };
00118    }, [canManageUsers]);
00119
00120    useEffect(() => {
00121      if (!canManageUsers) return;
00122      let active = true;
00123      let controller;
00124      let reconnectTimer;
00125      const connect = async () => {
00126        controller = new AbortController();
00127        const startedAt = Date.now();
00128        let reconnectDelay = 3000;
00129        try {
00130          await streamAudit((entries) => {
00131            if (!active) return;
00132            const previousHead = lastAuditHead.current;
00133            const previousIndex = entries.findIndex((entry) => entry.id === previousHead);
00134            const newEntries = previousHead
00135              ? entries.slice(0, previousIndex < 0 ? entries.length : previousIndex) : [];
00136            lastAuditHead.current = entries[0]?.id || null;
00137            setAuditEntries(entries);
00138            const latestCheck = entries.find((entry) => ["evidence_verified",
  ...   "evidence_verification_failed"].includes(entry.action));
00139            if (latestCheck) setLatestIntegrity((current) =>
00140              !current || new Date(latestCheck.occurred_at) > new Date(current.occurred_at) ? latestCheck : current);
00141            setAuditLoading(false);
00142            setLiveError("");
00143            if (newEntries.some((entry) => ["user_created", "user_updated"].includes(entry.action))) {
00144              api("/users").then((people) => { if (active) setUsers(people); })
00145                .catch((error) => { if (active) setError(`Accounts could not be refreshed: ${error.message}`); });
00146            }
00147          }, controller.signal, (ids) => {
00148            if (!active) return;
```

```
            setOnlineUserIds(ids);
            setPresenceLoading(false);
          });
          if (active && Date.now() - startedAt >= 30_000) reconnectDelay = 0;
          else if (active) setLiveError("Live updates disconnected. Reconnecting…");
        } catch (requestError) {
          if (!active || requestError.name === "AbortError") return;
          setAuditLoading(false);
          setPresenceLoading(false);
          setLiveError(`Live updates paused: ${requestError.message}`);
          if (requestError.status === 401 || requestError.status === 403) return;
        }
        if (active) reconnectTimer = window.setTimeout(connect, reconnectDelay);
      };
      connect();
      return () => {
        active = false;
        window.clearTimeout(reconnectTimer);
        controller?.abort();
      };
    }, [canManageUsers]);

    useEffect(() => {
      if (!showCreate) return;
      const previousOverflow = document.body.style.overflow;
      document.body.style.overflow = "hidden";
      document.getElementById("create-user-name")?.focus();
      return () => { document.body.style.overflow = previousOverflow; };
    }, [showCreate]);

    const roleName = (id) => displayRoleName(roles.find((role) => role.id === id)?.name);
    const initials = (name) => name.trim().split(/\s+/).map((part) => part[0]).slice(0, 2).join("").toUpperCase();
    const permissions = useMemo(() => [...new Set(roles.flatMap((role) => role.permissions || []))].sort(), [roles]);
    const presenceAvailable = !presenceLoading && !liveError;
    const filtered = useMemo(() => users.filter((person) => {
      const role = roles.find((item) => item.id === person.role_id)?.name || "Unknown";
      return [person.name, person.email, person.id, role].join(" ").toLowerCase().includes(search.toLowerCase()) &&
        (roleFilter === "All" || person.role_id === roleFilter) &&
        (statusFilter === "All" || statusFilter === accountStatus(person, onlineUserIds, presenceAvailable));
    }), [users, roles, search, roleFilter, statusFilter, onlineUserIds, presenceAvailable]);
    const filteredActivity = useMemo(() => auditEntries.filter((entry) => {
      const actor = users.find((person) => person.id === entry.actor_user_id)?.name || "";
      return [entry.action, entry.actor_user_id, actor, entry.case_id, entry.evidence_id, entry.id]
        .join(" ").toLowerCase().includes(activitySearch.toLowerCase()) &&
        (activityCategory === "All" || activityCategoryFor(entry.action) === activityCategory) &&
        (activityStatus === "All" || activityStatusFor(entry) === activityStatus);
    }), [auditEntries, users, activitySearch, activityCategory, activityStatus]);
    useEffect(() => {
      let active = true;
      if (!latestIntegrity?.evidence_id) return;
      api(`/evidence/${latestIntegrity.evidence_id}`)
        .then((item) => { if (active) setCheckedEvidence(item); })
        .catch(() => { if (active) setCheckedEvidence(null); });
      return () => { active = false; };
    }, [latestIntegrity?.evidence_id]);

    const run = async (action) => {
      setError(""); setMessage(""); setBusy(true);
      try { await action(); } catch (requestError) { setError(requestError.message); }
      finally { setBusy(false); }
    };

    const closeCreate = () => {
      if (busy) return;
      setShowCreate(false);
      setCreateError("");
    };

    const createUser = async (event) => {
      event.preventDefault();
      const name = newUser.name.trim();
      const email = newUser.email.trim();
      if (name.length < 2 || !email || !newUser.password.trim() || !newUser.role_id) {
        setCreateError("Complete every field. Full name must contain at least two characters.");
        return;
      }
      setCreateError("");
      setBusy(true);
      try {
        const created = await api("/users", { method: "POST", body: { ...newUser, name, email } });
        setUsers((current) => [...current, created]);
        setNewUser({ name: "", email: "", password: "", role_id: "" });
        setShowCreate(false);
```

```
00232         setMessage("Account created.");
00233       } catch (requestError) {
00234         setCreateError(requestError.message);
00235       } finally {
00236         setBusy(false);
00237       }
00238     };
00239
00240     const updateUser = (changes) => run(async () => {
00241       const updated = await api(`/users/${selected.id}`, { method: "PATCH", body: changes });
00242       setUsers((current) => current.map((person) => person.id === updated.id ? updated : person));
00243       setSelected(updated); setMessage("Account updated.");
00244     });
00245
00246     const closeDetails = () => { if (!busy) setSelected(null); };
00247
00248     return <VaultLayout activeTab={asOverview ? "Overview" : "Access Control"} onTabChange={(tab) =>
  ...  navigate(routes[tab])}>
00249       <div className="access-page">
00250         <div className="access-heading"><div><div className="access-eyebrow">{canManageUsers ? "SECURITY
  ...  ADMINISTRATION / STATUS" : "ACCOUNT / STATUS"}</div>
00251           <h1>{canManageUsers ? "Archive Administration" : "Account Status"}</h1>
00252           <p>{canManageUsers ? "Manage accounts and review live archive activity." : "Review your current account and
  ...  access permissions."}</p></div>
00253           <div className="access-security-label"><ShieldCheck size={15} /> ROLE-BASED ACCESS</div></div>
00254         {error && <div className="access-notice" role="alert"><AlertTriangle size={17} /><p>{error}</p></div>}
00255         {message && <p role="status">{message}</p>}
00256         {!canManageUsers && <section className="access-matrix-panel access-self-panel">
00257           <div className="access-panel-heading"><div><h2>Your Status</h2><p>Access assigned to your signed-in
  ...  account.</p></div></div>
00258           <div className="access-self-details">
00259             <div><span>ACCOUNT</span><strong>{user.name}</strong></div>
00260             <div><span>EMAIL</span><strong>{user.email}</strong></div>
00261             <div><span>ROLE</span><strong>{displayRoleName(user.role_name)}</strong></div>
00262             <div><span>SESSION</span><strong>Online</strong></div>
00263           </div>
00264           <div className="access-self-permissions"><span>YOUR PERMISSIONS</span><div>{user.permissions.length
00265             ? user.permissions.map((code) => <span key={code}>{code}</span>)
00266             : <p>No permissions assigned.</p>}</div></div>
00267         </section>}
00268         {canManageUsers && <>
00269         <div className="admin-stats">
00270           <article className="admin-stat-card"><Users size={19} /><span>REGISTERED USERS</span><strong>{loading ||
  ...  failedSources.includes(0) ? "—" : users.length}</strong><small>Across assigned roles</small></article>
00271           <article className="admin-stat-card"><UserCheck size={19} /><span>ONLINE NOW</span><strong>{loading ||
  ...  failedSources.includes(0) || !presenceAvailable ? "—" : users.filter((person) => accountStatus(person,
  ...  onlineUserIds, presenceAvailable) === "Online").length}</strong><small>{failedSources.includes(0) ? "Account data
  ...  unavailable" : !presenceAvailable ? "Session status unavailable" : `${users.filter((person) => accountStatus(person,
  ...   onlineUserIds, presenceAvailable) === "Offline").length} offline · ${users.filter((person) =>
  ...  !person.is_active).length} deactivated`}</small></article>
00272           <article className="admin-stat-card"><FileText size={19} /><span>CASE RECORDS</span><strong>{loading ||
  ...  failedSources.includes(2) ? "—" : cases.length}</strong><small>Active cases in the archive</small></article>
00273           <article className="admin-stat-card admin-integrity-stat"><ShieldCheck size={19} /><span>LATEST INTEGRITY
  ...  CHECK</span>
00274             <strong className={integrityStatus(latestIntegrity) === "Mismatch detected" ||
  ...  integrityStatus(latestIntegrity) === "Check failed" ? "admin-integrity-mismatch" : ""}>
00275               {integrityLoading ? "Loading…" : integrityError && !latestIntegrity ? "Unavailable" :
  ...  integrityStatus(latestIntegrity)}
00276             </strong>
00277             <small>{latestIntegrity ? `${checkedEvidence?.id === latestIntegrity.evidence_id ? checkedEvidence.title :
  ...   `Evidence ${latestIntegrity.evidence_id}`} · ${philippineDate(latestIntegrity.occurred_at)}` : "On-demand
  ...  verification"}</small></article>
00278         </div>
00279         <section className="access-matrix-panel admin-permission-panel" aria-labelledby="admin-permission-title">
00280           <div className="access-panel-heading"><div><h2 id="admin-permission-title">Permission Matrix</h2><p>Current
  ...  grants from the database.</p></div></div>
00281           <div className="access-matrix-wrap"><table className="access-matrix"><thead><tr>
00282             <th>PERMISSION</th>{roles.map((role) => <th
  ...  key={role.id}>{displayRoleName(role.name).toUpperCase()}</th>)}
00283           </tr></thead><tbody>{permissions.map((code) => <tr key={code}>
00284             <td><strong>{code}</strong></td>{roles.map((role) => <td key={role.id}><PermissionMark
  ...  allowed={role.permissions.includes(code)} /></td>)}
00285           </tr>)}</tbody></table></div>
00286         </section>
00287         <div className="admin-dashboard-grid">
00288         <section className="access-users-panel admin-users-panel">
00289           <div className="access-panel-heading"><div><span className="access-eyebrow">ACCESS
  ...  MANAGEMENT</span><h2>Registered Users</h2><p>Review accounts and their assigned access roles.</p></div>
00290           <button type="button" className="admin-add-user" onClick={() => { setCreateError(""); setShowCreate(true);
  ...   }}><Plus size={14} /> Add User</button></div>
00291           <div className="access-toolbar"><label className="access-search"><Search size={16} /><input type="search"
  ...  value={search}
00292             onChange={(event) => setSearch(event.target.value)} placeholder="Search name, email, role, or ID" />
```

```
00293           {search && <button type="button" onClick={() => setSearch("")} aria-label="Clear search"><X size={14}
  ...   /></button>}</label>
00294           <label className="access-select"><span>Role</span><select value={roleFilter} onChange={(event) =>
  ...   setRoleFilter(event.target.value)}>
00295             <option value="All">All roles</option>{roles.map((role) => <option key={role.id}
  ...   value={role.id}>{displayRoleName(role.name)}</option>)}</select></label>
00296           <label className="access-select"><span>Status</span><select value={statusFilter} onChange={(event) =>
  ...   setStatusFilter(event.target.value)}>
00297             <option value="All">All statuses</option><option>Online</option><option>Offline</option><option>Deactiva
  ...   ted</option><option>Unknown</option></select></label>
00298         </div>
00299         <div className="admin-users-table-wrap"><table
  ...   className="admin-users-table"><thead><tr><th>USER</th><th>ROLE</th><th>STATUS</th><th>VIEW</th></tr></thead><tbody>
00300           {filtered.map((person) => <tr key={person.id}>
00301             <td><div className="admin-user-cell"><span className="access-user-avatar" aria-hidden="true">{initials(p
  ...   erson.name)}</span><div><strong>{person.name}</strong><small>{person.email}</small></div></div></td>
00302             <td><span className={`access-role-badge
  ...   access-role-${roleName(person.role_id).toLowerCase()}`}>{roleName(person.role_id)}</span></td>
00303             <td><span className={`access-account-status access-account-${accountStatus(person, onlineUserIds,
  ...   presenceAvailable).toLowerCase()}`}><span aria-hidden="true" />{accountStatus(person, onlineUserIds,
  ...   presenceAvailable)}</span></td>
00304             <td><button type="button" className="access-inspect-button" onClick={() => { setSelected(person);
  ...   setError(""); }} aria-label={`Inspect ${person.name}`}><Eye size={15} /></button></td>
00305           </tr>)}
00306           {filtered.length === 0 && <tr><td colSpan="4" className="access-empty">{loading ? "Loading users…" :
  ...   failedSources.includes(0) ? "Accounts could not be loaded." : "No users match."}</td></tr>}
00307         </tbody></table></div>
00308         <div className="access-users-footer">SHOWING {filtered.length} OF {users.length} ACCOUNTS</div>
00309       </section>
00310       <div className="admin-side-column">
00311         <section className="admin-side-card"><div className="admin-side-heading"><span
  ...   className="access-eyebrow">PERMISSION OVERVIEW</span><h2>System Roles</h2></div>
00312           <div className="admin-role-list">{roles.map((role) => <div className="admin-role-row" key={role.id}>
00313             <span className="admin-role-icon"><LockKeyhole size={14}
  ...   /></span><div><strong>{displayRoleName(role.name)}</strong><small>{role.description || `${role.permissions.length}
  ...   permissions assigned`}</small></div>
00314             <span className="admin-role-count">{users.filter((person) => person.role_id === role.id).length}</span>
00315           </div>)}{roles.length === 0 && <p className="admin-side-note">{loading ? "Loading roles…" :
  ...   failedSources.includes(1) ? "Roles could not be loaded." : "No roles available."}</p>}</div>
00316           <p className="admin-side-note">Permission descriptions are a UI summary. Backend grants remain
  ...   authoritative.</p>
00317         </section>
00318         <section className="admin-side-card admin-integrity-card"><div className="admin-side-heading"><span
  ...   className="access-eyebrow">ON-DEMAND CHECKS</span><h2>Evidence Integrity</h2></div>
00319           <p>Latest integrity attempt across the archive. Open evidence details to check a stored version.</p>
00320           <div className="admin-integrity-state">{integrityLoading ? "Loading verification records…" :
  ...   integrityError && !latestIntegrity ? "Verification records unavailable" : latestIntegrity
00321             ? <div className="admin-integrity-details">
00322               <div><span>{latestIntegrity.action === "evidence_verification_failed" ? "LAST ATTEMPT" : "LAST
  ...   CHECKED"}</span><strong>{philippineDate(latestIntegrity.occurred_at)}</strong></div>
00323               <div><span>CHECKED BY</span><strong>{users.find((person) => person.id ===
  ...   latestIntegrity.actor_user_id)?.name || latestIntegrity.actor_user_id}</strong></div>
00324               <div><span>EVIDENCE</span><strong>{checkedEvidence?.id === latestIntegrity.evidence_id ?
  ...   checkedEvidence.title : `ID ${latestIntegrity.evidence_id}`}</strong></div>
00325               <div><span>VERSION</span><strong>{latestIntegrity.metadata?.version_id || "Not
  ...   recorded"}</strong></div>
00326               <div><span>RESULT</span><strong className={latestIntegrity.action === "evidence_verification_failed"
  ...   || latestIntegrity.metadata?.intact === false ? "admin-integrity-mismatch" : ""}>{latestIntegrity.action ===
  ...   "evidence_verification_failed" ? "Check failed" : latestIntegrity.metadata?.intact === true ? "Intact" :
  ...   latestIntegrity.metadata?.intact === false ? "Mismatch detected" : "Result unavailable"}</strong></div>
00327               <small>{latestIntegrity.action === "evidence_verification_failed" ? "Verification could not finish
  ...   because the stored file was unavailable." : latestIntegrity.metadata?.intact === true ? "The file matched its
  ...   baseline at the displayed check time." : latestIntegrity.metadata?.intact === false ? "The computed hash differed
  ...   from the baseline." : "This record has no comparison result."}</small>
00328               {latestIntegrity.case_id && <button type="button" className="admin-integrity-link" onClick={() =>
  ...   navigate(`/cases/detail?caseId=${encodeURIComponent(latestIntegrity.case_id)}`)}>Open evidence case</button>}
00329             </div>
00330             : <div className="admin-integrity-details"><strong>Not checked</strong><small>No integrity check has
  ...   been recorded yet.</small></div>}</div>
00331         </section>
00332       </div>
00333       </div>
00334       <section className="access-users-panel admin-activity-panel" id="admin-ledger"><div
  ...   className="access-panel-heading"><div><span className="access-eyebrow">RECENT RECORDS</span><h2>Activity
  ...   Ledger</h2><p>Live activity from the backend. Up to 500 recent entries are available here.</p></div>
00335         <button type="button" className="admin-read-only" onClick={() => setShowAllActivity((current) =>
  ...   !current)}>{showAllActivity ? "SHOW RECENT" : "VIEW ALL"}</button></div>
00336         <p className={`admin-live-status${liveError ? " is-error" : ""}`} role="status">{liveError || (auditLoading
  ...   ? "Connecting to live activity…" : "Live activity connected")}</p>
00337         {showAllActivity && <div className="admin-activity-search"><label className="access-search"><Search
  ...   size={16} /><input type="search" value={activitySearch}
00338           onChange={(event) => setActivitySearch(event.target.value)} placeholder="Search action, actor, case,
  ...   evidence, or ID" /></label>
```

```
00339           <label className="access-select"><span>Category</span><select value={activityCategory} onChange={(event)
  ...   => setActivityCategory(event.target.value)}>
00340             {["All", "Account", "Case", "Evidence", "Integrity"].map((value) => <option
  ...   key={value}>{value}</option>)}</select></label>
00341           <label className="access-select"><span>Status</span><select value={activityStatus} onChange={(event) =>
  ...   setActivityStatus(event.target.value)}>
00342             {["All", "Recorded", "Intact", "Flagged", "Check failed"].map((value) => <option
  ...   key={value}>{value}</option>)}</select></label></div>}
00343         <div className="admin-activity-list">{(showAllActivity ? filteredActivity : auditEntries.slice(0,
  ...   5)).map((entry) => <details className="admin-activity-entry" key={entry.id}>
00344           <summary className="admin-activity-row"><span className="admin-activity-icon"><Activity size={15}
  ...   /></span><div><strong>{entry.action.replaceAll("_", " ")}</strong><small>{entry.case_id ? `Case
  ...   ${cases.find((record) => record.id === entry.case_id)?.case_number || entry.case_id}` : entry.evidence_id ?
  ...   `Evidence ${entry.evidence_id}` : "Account or system activity"}</small></div>
00345           <span className="admin-activity-actor">{users.find((person) => person.id === entry.actor_user_id)?.name ||
  ...    entry.actor_user_id}</span>
00346           <time><Clock3 size={12} /> {philippineDate(entry.occurred_at)}</time></summary>
00347           <div className="admin-activity-details"><span>RECORD ID: {entry.id}</span><span>CASE: {entry.case_id ||
  ...   "—"}</span><span>EVIDENCE: {entry.evidence_id || "—"}</span><span>DETAILS: {JSON.stringify(entry.metadata ||
  ...   {})}</span></div>
00348         </details>)}{(showAllActivity ? filteredActivity : auditEntries).length === 0 && <p
  ...   className="access-empty">{auditLoading ? "Loading activity…" : liveError && !auditEntries.length ? "Recent activity
  ...   could not be loaded." : "No activity matches."}</p>}</div>
00349       </section>
00350       {showCreate && <div className="access-modal-backdrop" onMouseDown={(event) => { if (event.target ===
  ...   event.currentTarget) closeCreate(); }}>
00351         <section className="admin-create-modal" role="dialog" aria-modal="true" aria-labelledby="admin-create-title"
00352           aria-describedby="admin-create-description" onKeyDown={(event) => {
00353             if (event.key === "Escape") { event.preventDefault(); closeCreate(); }
00354             if (event.key !== "Tab") return;
00355             const controls = [...event.currentTarget.querySelectorAll("button:not(:disabled), input:not(:disabled),
  ...   select:not(:disabled)")];
00356             if (event.shiftKey && document.activeElement === controls[0]) { event.preventDefault();
  ...   controls.at(-1)?.focus(); }
00357             else if (!event.shiftKey && document.activeElement === controls.at(-1)) { event.preventDefault();
  ...   controls[0]?.focus(); }
00358           }}>
00359           <div className="access-modal-header"><div><span className="access-modal-eyebrow">USER
  ...   ADMINISTRATION</span>
00360             <h2 id="admin-create-title">Create Account</h2></div>
00361             <button type="button" className="access-modal-close" aria-label="Close create account" disabled={busy}
  ...   onClick={closeCreate}><X size={20} /></button></div>
00362           <p className="admin-create-description" id="admin-create-description">Add a new account to Case Vault. All
  ...    fields are required.</p>
00363           <form className="access-create-form" onSubmit={createUser}>
00364             <div className="access-create-field">
00365               <label htmlFor="create-user-name">Full name</label>
00366               <input id="create-user-name" placeholder="e.g. L. Dela Cruz" value={newUser.name} minLength={2}
  ...   maxLength={150} required
00367                 autoComplete="name" onChange={(event) => setNewUser({ ...newUser, name: event.target.value })} />
00368             </div>
00369             <div className="access-create-field">
00370               <label htmlFor="create-user-email">Email address</label>
00371               <input id="create-user-email" type="email" placeholder="name@example.com" value={newUser.email}
  ...   required
00372                 autoComplete="email" onChange={(event) => setNewUser({ ...newUser, email: event.target.value })} />
00373             </div>
00374             <div className="access-create-field">
00375               <label htmlFor="create-user-password">Temporary password</label>
00376               <input id="create-user-password" type="password" placeholder="8–128 characters"
  ...   value={newUser.password}
00377                 minLength={8} maxLength={128} required autoComplete="new-password"
00378                 onChange={(event) => setNewUser({ ...newUser, password: event.target.value })} />
00379               <small>Users can change this password from the key icon after signing in.</small>
00380             </div>
00381             <div className="access-create-field">
00382               <label htmlFor="create-user-role">Assigned role</label>
00383               <select id="create-user-role" value={newUser.role_id} required disabled={roles.length === 0}
00384                 onChange={(event) => setNewUser({ ...newUser, role_id: event.target.value })}>
00385                 <option value="" disabled>{roles.length ? "Select a role" : "Roles unavailable"}</option>
00386                 {roles.map((role) => <option key={role.id} value={role.id}>{displayRoleName(role.name)}</option>)}
00387               </select>
00388             </div>
00389             {createError && <div className="access-modal-error" role="alert">{createError}</div>}
00390             <div className="access-create-actions">
00391               <button type="button" className="access-create-cancel" disabled={busy}
  ...   onClick={closeCreate}>Cancel</button>
00392               <button type="submit" className="access-create-submit" disabled={busy || roles.length === 0}>
00393                 <UserCheck size={16} />{busy ? "Adding…" : "Add User"}
00394               </button>
00395             </div>
00396           </form>
00397         </section>
```

```
00398         </div>}
00399         {selected && <div className="access-modal-backdrop" onMouseDown={(event) => { if (event.target ===
  ...   event.currentTarget) closeDetails(); }}>
00400           <section className="access-detail-modal" role="dialog" aria-modal="true"
  ...   aria-labelledby="access-modal-title">
00401             <div className="access-modal-header"><div><span className="access-modal-eyebrow">ACCOUNT RECORD</span><h2
  ...   id="access-modal-title">User Details</h2></div><button type="button" className="access-modal-close"
  ...   aria-label="Close" onClick={closeDetails} disabled={busy}><X size={18} /></button></div>
00402             <div className="access-user-modal-identity">
00403               <div className="access-user-avatar-large" aria-hidden="true">{initials(selected.name)}</div>
00404               <div><h3>{selected.name}</h3><p>{selected.email}</p>
00405                 <span className={`access-modal-status ${selected.is_active ? "access-modal-status-active" :
  ...   ""}`}>{selected.is_active ? "Active account" : "Inactive account"}</span>
00406               </div>
00407             </div>
00408             <div className="access-user-detail-fields">
00409               <div><span>USER ID</span><strong>{selected.id}</strong></div>
00410               <div><span>ASSIGNED ROLE</span><select aria-label="Change role" value={selected.role_id} disabled={busy}
00411                 onChange={(event) => updateUser({ role_id: event.target.value })}>
00412                 {roles.map((role) => <option key={role.id} value={role.id}>{displayRoleName(role.name)}</option>)}
00413               </select></div>
00414               <div><span>DATE REGISTERED</span><strong>{registeredDate(selected.created_at)}</strong></div>
00415               <div><span>ACCOUNT STATUS</span><strong>{selected.is_active ? "Enabled" : "Deactivated"}</strong></div>
00416               <div><span>SESSION STATUS</span><strong>{accountStatus(selected, onlineUserIds,
  ...   presenceAvailable)}</strong></div>
00417             </div>
00418             <div className="access-modal-notice"><LockKeyhole size={15} /><span>Passwords and password hashes are
  ...   never displayed.</span></div>
00419             {error && <div className="access-modal-error" role="alert">{error}</div>}
00420             <div className="access-modal-footer">
00421               <button type="button" className="access-modal-secondary" onClick={closeDetails}>Close</button>
00422               <button type="button" className="access-modal-primary" disabled={busy} onClick={() => updateUser({
  ...   is_active: !selected.is_active })}>
00423                 {selected.is_active ? "Deactivate Account" : "Reactivate Account"}
00424               </button>
00425             </div>
00426           </section>
00427         </div>}
00428         </>}
00429       </div>
00430     </VaultLayout>;
00431   }
00432
00433   export default AccessControl;
```

case-vault-frontend/src/pages/AuditTrail.css

ROLE: Stylesheet for AuditTrail UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 765 lines | utf-8-sig | SHA-256 4972a8114cd7d7c30450e06df56747f0c82222e78cb5a98d0d07b2d7cca11455

```
00001
00002  .audit-page {
00003    width: 100%;
00004    max-width: 1500px;
00005    margin: 0 auto;
00006    padding: 8px 0 30px;
00007    color: #302920;
00008  }
00009
00010  .audit-heading {
00011    display: flex;
00012    align-items: flex-end;
00013    justify-content: space-between;
00014    gap: 20px;
00015    margin-bottom: 23px;
00016  }
00017
00018  .audit-eyebrow,
00019  .audit-section-label {
00020    color: #90795f;
00021    font-family: "JetBrains Mono", monospace;
00022    font-size: 9px;
00023    font-weight: 600;
00024    letter-spacing: 1.1px;
00025  }
00026
00027  .audit-heading h1 {
00028    margin: 10px 0 8px;
00029    color: #30271f;
00030    font-family: "Newsreader", Georgia, serif;
00031    font-size: clamp(27px, 3vw, 39px);
00032    font-weight: 500;
00033    letter-spacing: -0.7px;
00034  }
00035
00036  .audit-heading p {
00037    max-width: 690px;
00038    margin: 0;
00039    color: #7c7367;
00040    font-size: 12px;
00041    line-height: 1.8;
00042  }
00043
00044  .audit-live-label {
00045    display: inline-flex;
00046    flex-shrink: 0;
00047    align-items: center;
00048    gap: 8px;
00049    padding: 10px 12px;
00050    border: 1px solid #d9cbb8;
00051    background: #f0e7d9;
00052    color: #765541;
00053    font-family: "JetBrains Mono", monospace;
00054    font-size: 8px;
00055    letter-spacing: 0.5px;
00056  }
00057
00058  .audit-live-label > span {
00059    width: 6px;
00060    height: 6px;
00061    border-radius: 50%;
00062    background: #a88143;
00063  }
00064
00065  .audit-notice {
00066    display: flex;
00067    align-items: flex-start;
00068    gap: 12px;
00069    margin-bottom: 20px;
00070    padding: 15px 17px;
00071    border: 1px solid #e4d4b5;
00072    background: #faf2e2;
00073    color: #8b7046;
00074  }
```

```
00075
00076  .audit-notice > svg {
00077    flex-shrink: 0;
00078    margin-top: 2px;
00079  }
00080
00081  .audit-notice p {
00082    display: flex;
00083    flex-direction: column;
00084    gap: 5px;
00085    margin: 0;
00086  }
00087
00088  .audit-notice strong {
00089    color: #785d35;
00090    font-size: 11px;
00091  }
00092
00093  .audit-notice p span {
00094    color: #8c7a60;
00095    font-size: 10px;
00096    line-height: 1.7;
00097  }
00098
00099  .audit-stats {
00100    display: grid;
00101    grid-template-columns: repeat(4, minmax(0, 1fr));
00102    gap: 15px;
00103    margin-bottom: 22px;
00104  }
00105
00106  .audit-stat-card {
00107    min-width: 0;
00108    padding: 18px;
00109    border: 1px solid #ded4c5;
00110    background: #fcfaf5;
00111  }
00112
00113  .audit-stat-top {
00114    display: flex;
00115    align-items: center;
00116    gap: 10px;
00117  }
00118
00119  .audit-stat-icon {
00120    display: grid;
00121    flex-shrink: 0;
00122    width: 35px;
00123    height: 35px;
00124    place-items: center;
00125    border: 1px solid #dfd0bd;
00126    background: #f1e7d9;
00127    color: #806147;
00128  }
00129
00130  .audit-stat-green {
00131    border-color: #d2ddc9;
00132    background: #edf1e7;
00133    color: #637951;
00134  }
00135
00136  .audit-stat-red {
00137    border-color: #e4cbc2;
00138    background: #f7eae5;
00139    color: #985345;
00140  }
00141
00142  .audit-stat-label {
00143    color: #92836f;
00144    font-family: "JetBrains Mono", monospace;
00145    font-size: 8px;
00146    letter-spacing: 0.55px;
00147  }
00148
00149  .audit-stat-card > strong {
00150    display: block;
00151    margin: 17px 0 7px;
00152    color: #382e25;
00153    font-family: "Newsreader", Georgia, serif;
00154    font-size: 34px;
00155    font-weight: 500;
00156  }
00157
```

```
.audit-stat-caption {
  color: #938777;
  font-size: 10px;
}

.audit-ledger-panel {
  min-width: 0;
  border: 1px solid #ded5c7;
  background: #fcfaf5;
}

.audit-panel-heading {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 18px;
  padding: 24px;
}

.audit-panel-heading h2 {
  margin: 8px 0 5px;
  color: #342c23;
  font-family: "Newsreader", Georgia, serif;
  font-size: 25px;
  font-weight: 500;
}

.audit-panel-heading p {
  margin: 0;
  color: #81776a;
  font-size: 11px;
  line-height: 1.7;
}

.audit-record-total {
  flex-shrink: 0;
  padding: 8px 10px;
  border: 1px solid #e1d6c6;
  color: #81715d;
  font-family: "JetBrains Mono", monospace;
  font-size: 9px;
  letter-spacing: 0.5px;
}

.audit-toolbar {
  display: grid;
  grid-template-columns: minmax(0, 1fr) repeat(2, minmax(140px, 165px));
  align-items: center;
  gap: 12px;
  padding: 16px 24px;
  border-top: 1px solid #e8dfd2;
  border-bottom: 1px solid #e8dfd2;
  background: #f8f3eb;
}

.audit-search {
  display: flex;
  align-items: center;
  gap: 9px;
  min-width: 0;
  min-height: 39px;
  padding: 0 11px;
  border: 1px solid #dfd4c4;
  background: #fffdf8;
  color: #9a8975;
}

.audit-search input {
  width: 100%;
  min-width: 0;
  border: 0;
  outline: none;
  background: transparent;
  color: #493c30;
  font-size: 10px;
}

.audit-search input::placeholder {
  color: #a99c8d;
}

.audit-search input::-webkit-search-cancel-button {
  display: none;
```

```
00241  }
00242
00243  .audit-search input::-ms-clear {
00244    display: none;
00245  }
00246
00247  .audit-search button {
00248    display: grid;
00249    flex-shrink: 0;
00250    width: 23px;
00251    height: 23px;
00252    place-items: center;
00253    border: 0;
00254    background: transparent;
00255    color: #8d7a66;
00256  }
00257
00258  .audit-select {
00259    display: flex;
00260    align-items: center;
00261    min-width: 0;
00262    min-height: 39px;
00263    padding: 0 12px;
00264    border: 1px solid #dfd4c4;
00265    background: #fffdf8;
00266    color: #897761;
00267  }
00268
00269  .audit-select select {
00270    width: 100%;
00271    min-width: 0;
00272    border: 0;
00273    outline: none;
00274    background: transparent;
00275    color: #625342;
00276    font-size: 10px;
00277    cursor: pointer;
00278    appearance: none;
00279  }
00280
00281  .audit-table-wrap {
00282    width: 100%;
00283    max-height: min(55vh, 440px);
00284    overflow: auto;
00285  }
00286
00287  .audit-table {
00288    width: 100%;
00289    border-collapse: collapse;
00290    text-align: left;
00291  }
00292
00293  .audit-table th {
00294    position: sticky;
00295    top: 0;
00296    z-index: 1;
00297    padding: 13px 15px;
00298    border-bottom: 1px solid #e4d9ca;
00299    background: #f7f1e7;
00300    color: #94836d;
00301    font-family: "JetBrains Mono", monospace;
00302    font-size: 8px;
00303    font-weight: 600;
00304    letter-spacing: 0.6px;
00305    white-space: nowrap;
00306  }
00307
00308  .audit-table th:first-child,
00309  .audit-table td:first-child {
00310    padding-left: 24px;
00311  }
00312
00313  .audit-table td {
00314    padding: 17px 15px;
00315    border-bottom: 1px solid #eee7dd;
00316    color: #6c6052;
00317    font-size: 10px;
00318    vertical-align: middle;
00319  }
00320
00321  .audit-table tbody tr:last-child td {
00322    border-bottom: 0;
00323  }
```

```
00324
00325  .audit-table tbody tr:hover {
00326    background: #faf6ef;
00327  }
00328
00329  .audit-event-id {
00330    color: #6e503a;
00331    font-family: "JetBrains Mono", monospace;
00332    font-size: 9px;
00333    font-weight: 600;
00334    white-space: nowrap;
00335  }
00336
00337  .audit-event-time {
00338    display: flex;
00339    align-items: center;
00340    gap: 5px;
00341    margin-top: 8px;
00342    color: #988a78;
00343    font-size: 9px;
00344    white-space: nowrap;
00345  }
00346
00347  .audit-actor {
00348    display: flex;
00349    align-items: center;
00350    gap: 9px;
00351    min-width: 125px;
00352  }
00353
00354  .audit-actor > span {
00355    display: grid;
00356    flex-shrink: 0;
00357    width: 30px;
00358    height: 30px;
00359    place-items: center;
00360    border: 1px solid #e1d5c5;
00361    background: #f2e9dc;
00362    color: #86674b;
00363  }
00364
00365  .audit-actor > div {
00366    display: flex;
00367    flex-direction: column;
00368    gap: 5px;
00369  }
00370
00371  .audit-actor strong {
00372    color: #4d4033;
00373    font-size: 10px;
00374    font-weight: 600;
00375  }
00376
00377  .audit-actor small {
00378    color: #9b8b79;
00379    font-family: "JetBrains Mono", monospace;
00380    font-size: 7px;
00381    white-space: nowrap;
00382  }
00383
00384  .audit-action {
00385    display: block;
00386    min-width: 125px;
00387    color: #4a3b2e;
00388    font-size: 10px;
00389    font-weight: 600;
00390  }
00391
00392  .audit-target {
00393    display: block;
00394    max-width: 190px;
00395    margin-top: 7px;
00396    overflow-wrap: anywhere;
00397    color: #9a8a78;
00398    font-size: 9px;
00399    line-height: 1.5;
00400  }
00401
00402  .audit-case-id {
00403    display: block;
00404    color: #755a42;
00405    font-family: "JetBrains Mono", monospace;
00406    font-size: 9px;
```

```
00407     white-space: nowrap;
00408   }
00409
00410   .audit-reference {
00411     display: block;
00412     margin-top: 7px;
00413     color: #a09180;
00414     font-family: "JetBrains Mono", monospace;
00415     font-size: 8px;
00416     white-space: nowrap;
00417   }
00418
00419   .audit-status {
00420     display: inline-flex;
00421     align-items: center;
00422     gap: 6px;
00423     padding: 6px 8px;
00424     border: 1px solid #ddd6c8;
00425     background: #f5f0e7;
00426     color: #81735f;
00427     font-size: 9px;
00428     font-weight: 600;
00429     white-space: nowrap;
00430   }
00431
00432   .audit-status > span {
00433     width: 6px;
00434     height: 6px;
00435     border-radius: 50%;
00436     background: #9a8b75;
00437   }
00438
00439   .audit-status-intact {
00440     border-color: #d2dec8;
00441     background: #edf2e8;
00442     color: #5d784e;
00443   }
00444
00445   .audit-status-intact > span {
00446     background: #6e8a5a;
00447   }
00448
00449   .audit-status-flagged {
00450     border-color: #e5c9bf;
00451     background: #f8eae5;
00452     color: #9a4c3c;
00453   }
00454
00455   .audit-status-flagged > span {
00456     background: #ae5745;
00457   }
00458
00459   .audit-status-check-failed {
00460     border-color: #e5c9bf;
00461     background: #f8eae5;
00462     color: #9a4c3c;
00463   }
00464
00465   .audit-view-button {
00466     display: grid;
00467     width: 30px;
00468     height: 30px;
00469     place-items: center;
00470     border: 1px solid #e2d7c8;
00471     background: transparent;
00472     color: #806a52;
00473   }
00474
00475   .audit-view-button:hover {
00476     border-color: #bba287;
00477     background: #f1e7d9;
00478   }
00479
00480   .audit-empty {
00481     padding: 40px 20px !important;
00482     color: #918372 !important;
00483     text-align: center;
00484   }
00485
00486   .audit-table-footer {
00487     display: flex;
00488     flex-wrap: wrap;
00489     align-items: center;
```

```
00490    justify-content: space-between;
00491    gap: 10px;
00492    padding: 15px 24px;
00493    border-top: 1px solid #e8dfd2;
00494    color: #9b8c7b;
00495    font-family: "JetBrains Mono", monospace;
00496    font-size: 8px;
00497    letter-spacing: 0.4px;
00498  }
00499
00500  .audit-footer-note {
00501    display: flex;
00502    align-items: center;
00503    gap: 9px;
00504    margin-top: 17px;
00505    color: #958876;
00506  }
00507
00508  .audit-footer-note span {
00509    font-family: "JetBrains Mono", monospace;
00510    font-size: 8px;
00511    letter-spacing: 0.4px;
00512  }
00513
00514  .audit-modal-backdrop {
00515    position: fixed;
00516    z-index: 1000;
00517    inset: 0;
00518    display: flex;
00519    align-items: center;
00520    justify-content: center;
00521    overflow-y: auto;
00522    padding: 24px;
00523    background: rgb(36 28 22 / 55%);
00524    backdrop-filter: blur(3px);
00525  }
00526
00527  .audit-detail-modal {
00528    width: 100%;
00529    max-width: 650px;
00530    max-height: calc(100vh - 48px);
00531    overflow-y: auto;
00532    padding: 26px;
00533    border: 1px solid #d9cbbb;
00534    background: #fcfaf5;
00535    box-shadow: 0 20px 70px rgb(0 0 0 / 20%);
00536  }
00537
00538  .audit-modal-header {
00539    display: flex;
00540    align-items: flex-start;
00541    justify-content: space-between;
00542    gap: 15px;
00543    padding-bottom: 19px;
00544    border-bottom: 1px solid #e6dccf;
00545  }
00546
00547  .audit-modal-header h2 {
00548    margin: 8px 0 0;
00549    color: #382e25;
00550    font-family: "Newsreader", Georgia, serif;
00551    font-size: 26px;
00552    font-weight: 500;
00553  }
00554
00555  .audit-modal-close {
00556    display: grid;
00557    width: 34px;
00558    height: 34px;
00559    flex-shrink: 0;
00560    place-items: center;
00561    border: 1px solid #e0d4c4;
00562    background: transparent;
00563    color: #806a54;
00564  }
00565
00566  .audit-modal-close:hover {
00567    background: #f0e5d6;
00568  }
00569
00570  .audit-modal-status-row {
00571    display: flex;
00572    align-items: center;
```

```
00573     gap: 9px;
00574     margin-top: 20px;
00575   }
00576
00577   .audit-modal-category {
00578     padding: 6px 8px;
00579     border: 1px solid #e2d5c3;
00580     color: #806b53;
00581     font-size: 9px;
00582   }
00583
00584   .audit-modal-action {
00585     margin: 19px 0 8px;
00586     color: #44372a;
00587     font-family: "Newsreader", Georgia, serif;
00588     font-size: 22px;
00589     font-weight: 500;
00590   }
00591
00592   .audit-modal-description {
00593     margin: 0;
00594     color: #7f7466;
00595     font-size: 11px;
00596     line-height: 1.8;
00597   }
00598
00599   .audit-detail-fields {
00600     display: grid;
00601     grid-template-columns: repeat(2, minmax(0, 1fr));
00602     gap: 0 20px;
00603     margin-top: 20px;
00604     border-top: 1px solid #e5dbce;
00605   }
00606
00607   .audit-detail-fields > div {
00608     display: flex;
00609     flex-direction: column;
00610     gap: 8px;
00611     min-width: 0;
00612     padding: 15px 0;
00613     border-bottom: 1px solid #e9e0d5;
00614   }
00615
00616   .audit-detail-fields > div > span {
00617     color: #998976;
00618     font-family: "JetBrains Mono", monospace;
00619     font-size: 8px;
00620     letter-spacing: 0.4px;
00621   }
00622
00623   .audit-detail-fields > div > strong {
00624     overflow-wrap: anywhere;
00625     color: #514235;
00626     font-size: 10px;
00627     font-weight: 600;
00628     line-height: 1.6;
00629   }
00630
00631   .audit-modal-warning {
00632     display: flex;
00633     align-items: flex-start;
00634     gap: 9px;
00635     margin-top: 19px;
00636     padding: 12px;
00637     border: 1px solid #e5d5b6;
00638     background: #faf2e2;
00639     color: #8a7046;
00640     font-size: 10px;
00641     line-height: 1.7;
00642   }
00643
00644   .audit-modal-warning svg {
00645     flex-shrink: 0;
00646     margin-top: 1px;
00647   }
00648
00649   .audit-modal-footer {
00650     display: flex;
00651     justify-content: flex-end;
00652     flex-wrap: wrap;
00653     gap: 10px;
00654     margin-top: 22px;
00655   }
```

```
00656
00657  .audit-modal-secondary,
00658  .audit-modal-primary {
00659    display: inline-flex;
00660    align-items: center;
00661    justify-content: center;
00662    gap: 8px;
00663    min-height: 39px;
00664    padding: 0 13px;
00665    border: 1px solid #d8cbbb;
00666    font-size: 10px;
00667    font-weight: 600;
00668  }
00669
00670  .audit-modal-secondary {
00671    background: #faf6ee;
00672    color: #705a47;
00673  }
00674
00675  .audit-modal-secondary:hover {
00676    background: #eee3d4;
00677  }
00678
00679  .audit-modal-primary {
00680    border-color: #65362f;
00681    background: #65362f;
00682    color: #fffaf2;
00683  }
00684
00685  .audit-modal-primary:hover {
00686    background: #4b2924;
00687  }
00688
00689  @media (max-width: 1100px) {
00690    .audit-stats {
00691      grid-template-columns: repeat(2, minmax(0, 1fr));
00692    }
00693
00694    .audit-table {
00695      min-width: 950px;
00696    }
00697  }
00698
00699  @media (max-width: 650px) {
00700    .audit-heading {
00701      align-items: flex-start;
00702      flex-direction: column;
00703    }
00704
00705    .audit-stats {
00706      gap: 10px;
00707    }
00708
00709    .audit-stat-card {
00710      padding: 14px;
00711    }
00712
00713    .audit-stat-top {
00714      align-items: flex-start;
00715      flex-direction: column;
00716      gap: 8px;
00717    }
00718
00719    .audit-stat-card > strong {
00720      font-size: 30px;
00721    }
00722
00723    .audit-panel-heading {
00724      align-items: flex-start;
00725      padding: 18px;
00726    }
00727
00728    .audit-toolbar {
00729      grid-template-columns: repeat(2, minmax(0, 1fr));
00730      padding: 13px 18px;
00731    }
00732
00733    .audit-search {
00734      grid-column: 1 / -1;
00735    }
00736
00737    .audit-select {
00738      width: 100%;
```

```
00739     }
00740
00741     .audit-select select {
00742       width: 100%;
00743     }
00744
00745     .audit-table-footer {
00746       padding: 14px 18px;
00747     }
00748
00749     .audit-detail-modal {
00750       padding: 19px;
00751     }
00752
00753     .audit-detail-fields {
00754       grid-template-columns: minmax(0, 1fr);
00755     }
00756
00757     .audit-modal-footer {
00758       align-items: stretch;
00759       flex-direction: column;
00760     }
00761
00762     .audit-modal-footer > button {
00763       width: 100%;
00764     }
00765   }
```

case-vault-frontend/src/pages/AuditTrail.jsx

ROLE: Standalone audit ledger component retained in source; current route redirects to admin overview.

KEY DECLARATIONS: routes, categoryFor, statusFor, AuditTrail, navigate, [entries, setEntries], [people, setPeople], [cases, setCases], [search, setSearch], [category, setCategory], [status, setStatus], [selected, setSelected], [error, setError], [loading, setLoading], filtered, text

SOURCE CONTENT | 122 lines | utf-8-sig | SHA-256 f068cc1772f6017eaa1ecb18dfbb11e86a43f53771c1df6b2ab7307a5f90dd43

```
00001  import { useEffect, useMemo, useState } from "react";
00002  import { useNavigate } from "react-router-dom";
00003  import { Activity, AlertTriangle, Clock3, Eye, Fingerprint, Search, ShieldCheck, X } from "lucide-react";
00004  import VaultLayout from "../layouts/VaultLayout";
00005  import { api, philippineDate } from "../lib/api";
00006  import "./AuditTrail.css";
00007
00008  const routes = {
00009    Overview: "/welcome", "Case Library": "/cases", "Case Detail": "/cases/detail",
00010    "Secure Submission": "/submission", "Audit Trail": "/audit", "Access Control": "/access-control",
00011  };
00012
00013  function categoryFor(action) {
00014    if (action.includes("tamper") || action.includes("verif")) return "Integrity";
00015    if (action.includes("evidence") || action.includes("version")) return "Evidence";
00016    if (action.includes("case") || action.includes("tag")) return "Case";
00017    return "Account";
00018  }
00019
00020  function statusFor(entry) {
00021    if (entry.action === "evidence_verification_failed") return "Check failed";
00022    if (entry.action === "tamper_flagged" || entry.metadata?.intact === false) return "Flagged";
00023    if (entry.action === "evidence_verified" && entry.metadata?.intact === true) return "Intact";
00024    return "Recorded";
00025  }
00026
00027  function AuditTrail() {
00028    const navigate = useNavigate();
00029    const [entries, setEntries] = useState([]);
00030    const [people, setPeople] = useState({});
00031    const [cases, setCases] = useState({});
00032    const [search, setSearch] = useState("");
00033    const [category, setCategory] = useState("All");
00034    const [status, setStatus] = useState("All");
00035    const [selected, setSelected] = useState(null);
00036    const [error, setError] = useState("");
00037    const [loading, setLoading] = useState(true);
00038
00039    useEffect(() => {
00040      let active = true;
00041      Promise.all([api("/audit?limit=500"), api("/users"), api("/cases")]).then(([logs, users, records]) => {
00042        if (!active) return;
00043        setEntries(logs);
00044        setPeople(Object.fromEntries(users.map((user) => [user.id, user.name])));
00045        setCases(Object.fromEntries(records.map((record) => [record.id, record.case_number])));
00046      }).catch((requestError) => { if (active) setError(requestError.message); })
00047        .finally(() => { if (active) setLoading(false); });
00048      return () => { active = false; };
00049    }, []);
00050
00051    const filtered = useMemo(() => entries.filter((entry) => {
00052      const text = [entry.id, entry.action, entry.actor_user_id, people[entry.actor_user_id],
00053        entry.case_id, cases[entry.case_id], entry.evidence_id].join(" ").toLowerCase();
00054      return text.includes(search.toLowerCase()) &&
00055        (category === "All" || categoryFor(entry.action) === category) &&
00056        (status === "All" || statusFor(entry) === status);
00057    }), [entries, people, cases, search, category, status]);
00058
00059    return <VaultLayout activeTab="Audit Trail" onTabChange={(tab) => navigate(routes[tab])}>
00060      <div className="audit-page">
00061        <div className="audit-heading"><div><div className="audit-eyebrow">SECURITY OPERATIONS / SYSTEM RECORDS</div>
00062          <h1>Archive System Audit Ledger</h1><p>Recent actions recorded by the backend.</p></div>
00063          <div className="audit-live-label"><span /> LIVE RECORDS</div></div>
00064        {error && <div className="audit-notice" role="alert"><AlertTriangle size={17} /><p>{error}</p></div>}
00065        <div className="audit-stats">
00066          <article className="audit-stat-card"><div className="audit-stat-top"><Activity size={18} /><span>TOTAL
  ...  SHOWN</span></div><strong>{entries.length}</strong></article>
00067          <article className="audit-stat-card"><div className="audit-stat-top"><ShieldCheck size={18} /><span>INTACT
  ...  CHECKS</span></div>
00068            <strong>{entries.filter((entry) => entry.action === "evidence_verified" && entry.metadata?.intact ===
```

```
  ...   true).length}</strong></article>
00069           <article className="audit-stat-card"><div className="audit-stat-top"><AlertTriangle size={18} /><span>TAMPER
  ...    FLAGS</span></div>
00070             <strong>{entries.filter((entry) => entry.action === "tamper_flagged").length}</strong></article>
00071           <article className="audit-stat-card"><div className="audit-stat-top"><Fingerprint size={18} /><span>CASE
  ...   REFERENCES</span></div>
00072             <strong>{new Set(entries.map((entry) => entry.case_id).filter(Boolean)).size}</strong></article>
00073         </div>
00074         <section className="audit-ledger-panel">
00075           <div className="audit-panel-heading"><div><h2>Activity Ledger</h2><p>Showing up to 500 most recent
  ...   entries.</p></div>
00076             <div className="audit-record-total">{filtered.length} RECORDS</div></div>
00077           <div className="audit-toolbar">
00078             <label className="audit-search"><Search size={16} /><input type="search" value={search}
00079               onChange={(event) => setSearch(event.target.value)} placeholder="Search action, actor, case, or ID" />
00080               {search && <button type="button" onClick={() => setSearch("")} aria-label="Clear search"><X size={14}
  ...   /></button>}</label>
00081             <label className="audit-select"><select value={category} onChange={(event) =>
  ...   setCategory(event.target.value)} aria-label="Filter category">
00082               {["All", "Account", "Case", "Evidence", "Integrity"].map((value) =>
00083                 <option key={value} value={value}>{"\u00A0\u00A0\u00A0"}{value}</option>)}</select></label>
00084             <label className="audit-select"><select value={status} onChange={(event) => setStatus(event.target.value)}
  ...    aria-label="Filter status">
00085               {["All", "Recorded", "Intact", "Flagged", "Check failed"].map((value) =>
00086                 <option key={value} value={value}>{"\u00A0\u00A0\u00A0"}{value}</option>)}</select></label>
00087           </div>
00088           <div className="audit-table-wrap"><table className="audit-table"><thead><tr>
00089             <th>EVENT / TIMESTAMP</th><th>ACTOR</th><th>ACTION</th><th>CASE REFERENCE</th><th>STATUS</th><th></th>
00090           </tr></thead><tbody>
00091             {filtered.map((entry) => <tr key={entry.id}>
00092               <td><div className="audit-event-id">{entry.id}</div><div className="audit-event-time"><Clock3 size={12}
  ...   />{philippineDate(entry.occurred_at)}</div></td>
00093               <td><strong>{people[entry.actor_user_id] || entry.actor_user_id}</strong></td>
00094               <td><strong className="audit-action">{entry.action.replaceAll("_", " ")}</strong><small
  ...   className="audit-target">{categoryFor(entry.action)}</small></td>
00095               <td><span className="audit-case-id">{cases[entry.case_id] || entry.case_id || "—"}</span></td>
00096               <td><span className={`audit-status audit-status-${statusFor(entry).toLowerCase().replaceAll(" ",
  ...   "-")}`}>{statusFor(entry)}</span></td>
00097               <td><button type="button" className="audit-view-button" aria-label={`Inspect ${entry.id}`} onClick={()
  ...   => setSelected(entry)}><Eye size={15} /></button></td>
00098             </tr>)}
00099             {filtered.length === 0 && <tr><td colSpan="6" className="audit-empty">{loading ? "Loading audit records…"
  ...   : "No audit records match."}</td></tr>}
00100           </tbody></table></div>
00101           <div className="audit-table-footer">SHOWING {filtered.length} OF {entries.length} LOADED EVENTS</div>
00102         </section>
00103         {selected && <div className="audit-modal-backdrop" onMouseDown={(event) => { if (event.target ===
  ...   event.currentTarget) setSelected(null); }}>
00104           <section className="audit-detail-modal" role="dialog" aria-modal="true" aria-labelledby="audit-modal-title">
00105             <div className="audit-modal-header"><h2 id="audit-modal-title">Audit Entry</h2><button type="button"
  ...   aria-label="Close" onClick={() => setSelected(null)}><X size={19} /></button></div>
00106             <h3 className="audit-modal-action">{selected.action.replaceAll("_", " ")}</h3>
00107             <div className="audit-detail-fields">
00108               <div><span>EVENT ID</span><strong>{selected.id}</strong></div><div><span>TIME</span><strong>{philippineD
  ...   ate(selected.occurred_at)}</strong></div>
00109               <div><span>ACTOR</span><strong>{people[selected.actor_user_id] || selected.actor_user_id}</strong></div>
00110               <div><span>CASE</span><strong>{cases[selected.case_id] || selected.case_id || "—"}</strong></div>
00111               <div><span>EVIDENCE ID</span><strong>{selected.evidence_id || "—"}</strong></div>
00112               <div><span>DETAILS</span><strong>{JSON.stringify(selected.metadata || {})}</strong></div>
00113             </div>
00114             {selected.case_id && cases[selected.case_id] && <button type="button" className="audit-modal-primary"
00115               onClick={() => navigate(`/cases/detail?caseId=${encodeURIComponent(selected.case_id)}`)}>Open
  ...   Case</button>}
00116           </section>
00117         </div>}
00118       </div>
00119     </VaultLayout>;
00120   }
00121
00122   export default AuditTrail;
```

case-vault-frontend/src/pages/CaseDetail.css

ROLE: Stylesheet for CaseDetail UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 1112 lines | utf-8-sig | SHA-256 6608f65cd3bfd289dcb68dbcdb4f7c6fc256acc809f629105fb7cc82bd0f854f

```
00001  .detail-page {
00002    width: 100%;
00003    max-width: 1500px;
00004    margin: 0 auto;
00005    padding: 8px 0 30px;
00006    color: #28251f;
00007  }
00008
00009  .detail-back-button {
00010    display: inline-flex;
00011    align-items: center;
00012    gap: 8px;
00013    margin: 0 0 24px;
00014    padding: 8px 0;
00015    border: 0;
00016    background: transparent;
00017    color: #706b60;
00018    font-size: 12px;
00019    font-weight: 600;
00020  }
00021
00022  .detail-back-button:hover {
00023    color: #7d352f;
00024  }
00025
00026  .detail-heading {
00027    display: flex;
00028    align-items: flex-end;
00029    justify-content: space-between;
00030    gap: 24px;
00031    margin-bottom: 25px;
00032  }
00033
00034  .detail-eyebrow,
00035  .detail-section-index {
00036    color: #8b7661;
00037    font-family: "JetBrains Mono", monospace;
00038    font-size: 10px;
00039    font-weight: 600;
00040    letter-spacing: 1.3px;
00041  }
00042
00043  .detail-heading h1 {
00044    margin: 10px 0 8px;
00045    color: #29251f;
00046    font-family: "Newsreader", Georgia, serif;
00047    font-size: clamp(28px, 3vw, 39px);
00048    font-weight: 500;
00049    letter-spacing: -0.8px;
00050  }
00051
00052  .detail-title-row {
00053    display: flex;
00054    flex-wrap: wrap;
00055    align-items: center;
00056    gap: 12px;
00057  }
00058
00059  .detail-status {
00060    display: inline-flex;
00061    align-items: center;
00062    gap: 7px;
00063    padding: 7px 10px;
00064    border: 1px solid #dfcba7;
00065    border-radius: 3px;
00066    background: #f4ead6;
00067    color: #795522;
00068    font-size: 10px;
00069    font-weight: 700;
00070  }
00071
00072  .detail-status > span,
00073  .detail-priority > span {
00074    width: 6px;
```

```
00075    height: 6px;
00076    border-radius: 50%;
00077    background: #b17b31;
00078  }
00079
00080  .detail-heading p {
00081    max-width: 650px;
00082    margin: 0;
00083    color: #777166;
00084    font-size: 12px;
00085    line-height: 1.8;
00086  }
00087
00088  .detail-heading-actions {
00089    display: flex;
00090    flex-wrap: wrap;
00091    justify-content: flex-end;
00092    gap: 10px;
00093  }
00094
00095  .detail-primary-button {
00096    display: inline-flex;
00097    flex-shrink: 0;
00098    align-items: center;
00099    justify-content: center;
00100    gap: 9px;
00101    min-height: 42px;
00102    padding: 0 16px;
00103    border: 1px solid #63352f;
00104    border-radius: 3px;
00105    background: #63352f;
00106    color: #fffaf2;
00107    font-size: 11px;
00108    font-weight: 600;
00109  }
00110
00111  .detail-primary-button:hover {
00112    background: #482721;
00113  }
00114
00115  .detail-archive-button {
00116    display: inline-flex;
00117    align-items: center;
00118    justify-content: center;
00119    gap: 7px;
00120    min-height: 36px;
00121    padding: 7px 12px;
00122    border: 1px solid #9c4f47;
00123    border-radius: 3px;
00124    background: #fff7f3;
00125    color: #77342e;
00126    font-size: 11px;
00127    font-weight: 600;
00128    white-space: nowrap;
00129    cursor: pointer;
00130  }
00131
00132  .detail-archive-button:hover:not(:disabled) {
00133    background: #f5e5df;
00134  }
00135
00136  .detail-archive-button:disabled {
00137    opacity: 0.6;
00138    cursor: wait;
00139  }
00140
00141  .detail-archive-dialog {
00142    position: fixed;
00143    top: 50%;
00144    left: 50%;
00145    margin: 0;
00146    transform: translate(-50%, -50%);
00147    width: min(430px, calc(100vw - 32px));
00148    max-height: calc(100dvh - 32px);
00149    overflow-y: auto;
00150    padding: 28px;
00151    border: 1px solid #9c7c68;
00152    border-radius: 9px;
00153    background: #fcfaf5;
00154    box-shadow: 0 18px 48px rgb(26 20 17 / 28%);
00155    color: #30251f;
00156    font-family: Inter, Arial, sans-serif;
00157  }
```

```
00158
00159  .detail-archive-dialog::backdrop {
00160    background: rgb(26 20 17 / 70%);
00161  }
00162
00163  .detail-archive-dialog-icon {
00164    display: grid;
00165    width: 42px;
00166    height: 42px;
00167    place-items: center;
00168    border: 1px solid #d9b9ad;
00169    border-radius: 8px;
00170    background: #f5e5df;
00171    color: #8c332c;
00172  }
00173
00174  .detail-archive-dialog h2 {
00175    margin: 18px 0 10px;
00176    font-family: "Newsreader", Georgia, serif;
00177    font-size: 26px;
00178    font-weight: 500;
00179  }
00180
00181  .detail-archive-dialog p {
00182    margin: 0 0 14px;
00183    color: #716b61;
00184    font-size: 12px;
00185    line-height: 1.6;
00186  }
00187
00188  .detail-archive-dialog .detail-archive-target {
00189    padding: 11px 12px;
00190    border: 1px solid #e5d9c9;
00191    border-radius: 4px;
00192    background: #f5f0e7;
00193    color: #40362c;
00194    font-weight: 600;
00195    overflow-wrap: anywhere;
00196  }
00197
00198  .detail-archive-dialog .detail-archive-error {
00199    color: #9c332b;
00200  }
00201
00202  .detail-archive-dialog-actions {
00203    display: flex;
00204    justify-content: flex-end;
00205    flex-wrap: wrap;
00206    gap: 10px;
00207    margin-top: 24px;
00208  }
00209
00210  .detail-archive-dialog-actions button {
00211    min-height: 38px;
00212    padding: 8px 14px;
00213    border: 1px solid #bcae9e;
00214    border-radius: 4px;
00215    background: #f5f0e7;
00216    color: #40362c;
00217    font: inherit;
00218    font-size: 12px;
00219    cursor: pointer;
00220  }
00221
00222  .detail-archive-dialog-actions button:last-child {
00223    border-color: #77342e;
00224    background: #77342e;
00225    color: #fffaf2;
00226  }
00227
00228  .detail-archive-dialog-actions button:disabled {
00229    opacity: 0.6;
00230    cursor: wait;
00231  }
00232
00233  .detail-archive-dialog-actions button:focus-visible {
00234    outline: 2px solid #8c332c;
00235    outline-offset: 2px;
00236  }
00237
00238  .detail-select-case {
00239    padding: 24px;
00240    border: 1px solid #ded5c7;
```

```
00241    background: #fcfaf5;
00242    color: #51463a;
00243    font-size: 12px;
00244  }
00245
00246  .detail-select-case p {
00247    margin: 0 0 14px;
00248  }
00249
00250  .detail-select-case button {
00251    padding: 9px 12px;
00252    border: 1px solid #63352f;
00253    border-radius: 3px;
00254    background: #63352f;
00255    color: #fffaf2;
00256    cursor: pointer;
00257  }
00258
00259  .detail-case-banner {
00260    display: flex;
00261    align-items: center;
00262    gap: 20px;
00263    min-height: 120px;
00264    margin-bottom: 20px;
00265    padding: 22px 25px;
00266    border: 1px solid #d9cdbb;
00267    background: #eee5d6;
00268  }
00269
00270  .detail-case-symbol {
00271    display: grid;
00272    flex-shrink: 0;
00273    width: 54px;
00274    height: 54px;
00275    place-items: center;
00276    border: 1px solid #c7b59d;
00277    background: #e5d7c2;
00278    color: #6c4439;
00279  }
00280
00281  .detail-case-identity {
00282    display: flex;
00283    flex: 1;
00284    flex-direction: column;
00285    align-items: flex-start;
00286    gap: 5px;
00287    min-width: 0;
00288  }
00289
00290  .detail-case-identity > span,
00291  .detail-banner-item > span {
00292    color: #887a68;
00293    font-family: "JetBrains Mono", monospace;
00294    font-size: 9px;
00295    letter-spacing: 1px;
00296  }
00297
00298  .detail-case-identity > strong {
00299    overflow-wrap: anywhere;
00300    color: #332820;
00301    font-family: "JetBrains Mono", monospace;
00302    font-size: 18px;
00303    letter-spacing: 0.4px;
00304  }
00305
00306  .detail-case-identity > small {
00307    color: #887d6e;
00308    font-size: 9px;
00309    letter-spacing: 0.7px;
00310  }
00311
00312  .detail-banner-divider {
00313    width: 1px;
00314    align-self: stretch;
00315    background: #d4c5b0;
00316  }
00317
00318  .detail-banner-item {
00319    display: flex;
00320    flex-direction: column;
00321    gap: 9px;
00322    min-width: 120px;
00323  }
```

```
00324
00325  .detail-banner-item > strong {
00326    color: #3b332a;
00327    font-size: 12px;
00328    font-weight: 600;
00329  }
00330
00331  .detail-priority {
00332    display: inline-flex;
00333    align-items: center;
00334    gap: 8px;
00335  }
00336
00337  .detail-priority > span {
00338    background: #a84d3f;
00339  }
00340
00341  .detail-overview-grid {
00342    display: grid;
00343    grid-template-columns: minmax(0, 1.5fr) minmax(250px, 0.8fr);
00344    gap: 20px;
00345    margin-bottom: 20px;
00346  }
00347
00348  .detail-panel {
00349    min-width: 0;
00350    border: 1px solid #ded5c7;
00351    background: #fcfaf5;
00352  }
00353
00354  .detail-information,
00355  .detail-integrity {
00356    padding: 24px;
00357  }
00358
00359  .detail-information,
00360  .detail-review-panel {
00361    margin-bottom: 24px;
00362  }
00363
00364  .detail-review-panel {
00365    padding: 24px;
00366  }
00367
00368  .detail-review-current {
00369    color: #78695d;
00370    font-size: 11px;
00371  }
00372
00373  .detail-review-current strong {
00374    color: #63352f;
00375    text-transform: capitalize;
00376  }
00377
00378  .detail-review-panel > p {
00379    margin: 12px 0 20px;
00380    color: #78695d;
00381    font-size: 12px;
00382    line-height: 1.6;
00383  }
00384
00385  .detail-review-controls {
00386    display: flex;
00387    flex-wrap: wrap;
00388    align-items: flex-end;
00389    gap: 12px;
00390    padding-top: 20px;
00391    border-top: 1px solid #e8dfd2;
00392  }
00393
00394  .detail-review-controls label {
00395    width: 100%;
00396    color: #66594a;
00397    font-size: 11px;
00398    font-weight: 600;
00399  }
00400
00401  .detail-review-controls select {
00402    flex: 1 1 220px;
00403    min-width: 0;
00404    min-height: 42px;
00405    padding: 0 12px;
00406    border: 1px solid #d5c8b9;
```

```
00407    background: #fffdf9;
00408    color: #40362c;
00409    font: inherit;
00410    font-size: 12px;
00411  }
00412
00413  .detail-review-controls button {
00414    min-height: 42px;
00415    padding: 0 18px;
00416    border: 1px solid #63352f;
00417    background: #63352f;
00418    color: #fffaf2;
00419    font: inherit;
00420    font-size: 12px;
00421    cursor: pointer;
00422  }
00423
00424  .detail-review-controls button:disabled {
00425    opacity: 0.55;
00426    cursor: not-allowed;
00427  }
00428
00429  .detail-panel-heading {
00430    display: flex;
00431    align-items: flex-start;
00432    justify-content: space-between;
00433    gap: 16px;
00434    color: #856e56;
00435  }
00436
00437  .detail-panel-heading h2 {
00438    margin: 8px 0 0;
00439    color: #342d25;
00440    font-family: "Newsreader", Georgia, serif;
00441    font-size: 23px;
00442    font-weight: 500;
00443    letter-spacing: -0.3px;
00444  }
00445
00446  .detail-description {
00447    margin: 20px 0 25px;
00448    color: #716b61;
00449    font-size: 12px;
00450    line-height: 1.9;
00451  }
00452
00453  .detail-information-grid {
00454    display: grid;
00455    grid-template-columns: repeat(2, minmax(0, 1fr));
00456    gap: 22px 18px;
00457    padding-top: 22px;
00458    border-top: 1px solid #e8dfd2;
00459  }
00460
00461  .detail-information-grid > div {
00462    display: flex;
00463    flex-direction: column;
00464    align-items: flex-start;
00465    gap: 9px;
00466    min-width: 0;
00467  }
00468
00469  .detail-field-label {
00470    display: inline-flex;
00471    align-items: center;
00472    gap: 7px;
00473    color: #918574;
00474    font-family: "JetBrains Mono", monospace;
00475    font-size: 9px;
00476    letter-spacing: 0.35px;
00477  }
00478
00479  .detail-information-grid strong {
00480    overflow-wrap: anywhere;
00481    color: #40362c;
00482    font-size: 12px;
00483    font-weight: 600;
00484  }
00485
00486  .detail-integrity-icon {
00487    display: grid;
00488    width: 48px;
00489    height: 48px;
```

```
00490    margin: 25px 0 13px;
00491    place-items: center;
00492    border: 1px solid #c9d4be;
00493    border-radius: 50%;
00494    background: #edf1e6;
00495    color: #58754a;
00496  }
00497
00498  .detail-integrity-title {
00499    display: block;
00500    color: #3c4833;
00501    font-family: "Newsreader", Georgia, serif;
00502    font-size: 19px;
00503    font-weight: 500;
00504  }
00505
00506  .detail-integrity > p {
00507    margin: 10px 0 22px;
00508    color: #777166;
00509    font-size: 11px;
00510    line-height: 1.8;
00511  }
00512
00513  .detail-integrity-row {
00514    display: flex;
00515    justify-content: space-between;
00516    gap: 12px;
00517    padding: 12px 0;
00518    border-top: 1px solid #e8dfd2;
00519    color: #7b7367;
00520    font-size: 11px;
00521  }
00522
00523  .detail-integrity-row strong {
00524    color: #42392f;
00525    font-size: 11px;
00526  }
00527
00528  .detail-demo-warning {
00529    display: flex;
00530    align-items: center;
00531    gap: 7px;
00532    margin-top: 13px;
00533    padding: 10px;
00534    border: 1px solid #ead9b7;
00535    background: #faf2df;
00536    color: #866633;
00537    font-size: 10px;
00538  }
00539
00540  .detail-evidence-panel,
00541  .detail-custody-panel {
00542    margin-bottom: 24px;
00543    padding: 24px;
00544  }
00545
00546  .detail-tags-panel {
00547    margin-bottom: 24px;
00548    padding: 24px;
00549  }
00550
00551  .detail-tags-panel .detail-panel-heading {
00552    margin-bottom: 16px;
00553  }
00554
00555  .detail-tags-list,
00556  .detail-tag-controls {
00557    display: flex;
00558    flex-wrap: wrap;
00559    align-items: center;
00560    gap: 8px;
00561  }
00562
00563  .detail-tags-list > span {
00564    overflow-wrap: anywhere;
00565    padding: 7px 10px;
00566    border: 1px solid #e1d6c6;
00567    background: #f3ece1;
00568    color: #5c493a;
00569    font-size: 11px;
00570  }
00571
00572  .detail-tags-list > span button {
```

```
00573     margin-left: 6px;
00574     border: 0;
00575     background: transparent;
00576     color: #8c332c;
00577     cursor: pointer;
00578   }
00579
00580   .detail-tag-controls {
00581     margin-top: 18px;
00582     padding-top: 18px;
00583     border-top: 1px solid #e8dfd2;
00584   }
00585
00586   .detail-tag-controls > select,
00587   .detail-tag-controls > input {
00588     min-width: 0;
00589     max-width: 100%;
00590   }
00591
00592   .detail-tag-controls > button {
00593     min-height: 34px;
00594     padding: 6px 12px;
00595     border: 1px solid #63352f;
00596     border-radius: 3px;
00597     background: #63352f;
00598     color: #fffaf2;
00599     font: inherit;
00600     font-size: 11px;
00601     font-weight: 600;
00602     cursor: pointer;
00603   }
00604
00605   .detail-tag-controls > button:hover:not(:disabled) {
00606     background: #482721;
00607   }
00608
00609   .detail-tag-controls > button:disabled {
00610     opacity: 0.55;
00611     cursor: not-allowed;
00612   }
00613
00614   .detail-tag-controls > button:focus-visible {
00615     outline: 2px solid #63352f;
00616     outline-offset: 2px;
00617   }
00618
00619   .detail-tag-manage {
00620     margin-top: 18px;
00621     padding-top: 18px;
00622     border-top: 1px solid #e8dfd2;
00623   }
00624
00625   .detail-tag-manage > strong {
00626     color: #66594a;
00627     font-size: 11px;
00628   }
00629
00630   .detail-tag-manage-list {
00631     display: flex;
00632     flex-wrap: wrap;
00633     gap: 8px;
00634     margin-top: 10px;
00635   }
00636
00637   .detail-tag-manage-list > span {
00638     display: inline-flex;
00639     align-items: center;
00640     gap: 10px;
00641     padding: 6px 8px;
00642     border: 1px solid #e1d6c6;
00643     background: #f3ece1;
00644     color: #5c493a;
00645     font-size: 11px;
00646     overflow-wrap: anywhere;
00647   }
00648
00649   .detail-tag-manage-list button {
00650     padding: 3px 7px;
00651     border: 1px solid #b97970;
00652     border-radius: 3px;
00653     background: #fff7f3;
00654     color: #77342e;
00655     font: inherit;
```

```
00656    font-weight: 600;
00657    cursor: pointer;
00658  }
00659
00660  .detail-tag-manage-list button:hover:not(:disabled) {
00661    background: #f5e5df;
00662  }
00663
00664  .detail-tag-manage-list button:disabled {
00665    opacity: 0.55;
00666    cursor: not-allowed;
00667  }
00668
00669  .detail-tag-manage-list button:focus-visible {
00670    outline: 2px solid #8c332c;
00671    outline-offset: 2px;
00672  }
00673
00674  .detail-tag-message {
00675    margin: 9px 0;
00676    color: #81715f;
00677    font-size: 11px;
00678    line-height: 1.5;
00679    overflow-wrap: anywhere;
00680  }
00681
00682  .detail-tag-error { color: #9b4036; }
00683
00684  .detail-tag-message button {
00685    padding: 0;
00686    border: 0;
00687    background: transparent;
00688    color: inherit;
00689    font: inherit;
00690    font-weight: 700;
00691    text-decoration: underline;
00692    cursor: pointer;
00693  }
00694
00695  .detail-evidence-heading,
00696  .detail-custody-heading {
00697    align-items: center;
00698    margin-bottom: 22px;
00699  }
00700
00701  .detail-evidence-heading p,
00702  .detail-custody-heading p {
00703    margin: 8px 0 0;
00704    color: #80776b;
00705    font-size: 11px;
00706    line-height: 1.7;
00707  }
00708
00709  .detail-evidence-count {
00710    flex-shrink: 0;
00711    padding: 7px 9px;
00712    border: 1px solid #e1d6c6;
00713    color: #81715d;
00714    font-family: "JetBrains Mono", monospace;
00715    font-size: 9px;
00716    letter-spacing: 0.7px;
00717  }
00718
00719  .detail-evidence-list {
00720    border-top: 1px solid #e5dccf;
00721  }
00722
00723  .detail-evidence-row {
00724    display: grid;
00725    grid-template-columns: 40px minmax(160px, 1.5fr) minmax(70px, 0.5fr) minmax(150px, 1fr) minmax(125px, 0.8fr);
00726    align-items: center;
00727    gap: 18px;
00728    padding: 24px 0;
00729    border-bottom: 1px solid #eee7dd;
00730  }
00731
00732  .detail-evidence-actions {
00733    grid-column: 1 / -1;
00734    display: flex;
00735    flex-wrap: wrap;
00736    gap: 8px;
00737    padding: 16px 0 0;
00738    border-top: 1px solid #eee7dd;
```

```
00739  }
00740
00741  .detail-evidence-actions > button,
00742  .detail-version-row > button {
00743    min-height: 34px;
00744    padding: 7px 12px;
00745    border: 1px solid #d7c7b2;
00746    background: #f7f1e8;
00747    color: #65483a;
00748    font: inherit;
00749    font-size: 11px;
00750    cursor: pointer;
00751  }
00752
00753  .detail-evidence-actions > button:disabled,
00754  .detail-version-row > button:disabled {
00755    opacity: 0.55;
00756    cursor: not-allowed;
00757  }
00758
00759  .detail-replace-file {
00760    display: inline-flex;
00761    flex-wrap: wrap;
00762    align-items: center;
00763    gap: 8px;
00764    padding: 7px 12px;
00765    border: 1px solid #d7c7b2;
00766    background: #f7f1e8;
00767    color: #65483a;
00768    font-size: 11px;
00769  }
00770
00771  .detail-replace-file input {
00772    max-width: 220px;
00773    font-size: 10px;
00774  }
00775
00776  .detail-version-history {
00777    grid-column: 1 / -1;
00778    min-width: 0;
00779    padding: 18px;
00780    border: 1px solid #e1d6c6;
00781    background: #f8f4ed;
00782  }
00783
00784  .detail-version-history h3 {
00785    margin: 0 0 12px;
00786    color: #40362c;
00787    font-family: "Newsreader", Georgia, serif;
00788    font-size: 18px;
00789    font-weight: 500;
00790  }
00791
00792  .detail-version-row {
00793    display: flex;
00794    flex-wrap: wrap;
00795    align-items: center;
00796    gap: 10px;
00797    padding: 12px 0;
00798    border-top: 1px solid #e8dfd2;
00799    color: #51463a;
00800    font-size: 11px;
00801  }
00802
00803  .detail-version-row > span:first-child {
00804    flex: 1 1 240px;
00805    overflow-wrap: anywhere;
00806  }
00807
00808  .detail-file-icon {
00809    display: grid;
00810    width: 38px;
00811    height: 42px;
00812    place-items: center;
00813    border: 1px solid #dfd1be;
00814    background: #f2e9dc;
00815    color: #87694e;
00816  }
00817
00818  .detail-file-main,
00819  .detail-file-meta,
00820  .detail-file-status-wrap {
00821    display: flex;
```

```
00822    flex-direction: column;
00823    align-items: flex-start;
00824    gap: 7px;
00825    min-width: 0;
00826  }
00827
00828  .detail-file-main > strong {
00829    width: 100%;
00830    overflow-wrap: anywhere;
00831    color: #40372d;
00832    font-size: 11px;
00833    font-weight: 600;
00834  }
00835
00836  .detail-file-main > span {
00837    color: #948879;
00838    font-size: 9px;
00839  }
00840
00841  .detail-dot {
00842    padding: 0 3px;
00843  }
00844
00845  .detail-file-meta > span {
00846    color: #9b8d7b;
00847    font-family: "JetBrains Mono", monospace;
00848    font-size: 8px;
00849    letter-spacing: 0.5px;
00850  }
00851
00852  .detail-file-meta > strong {
00853    color: #5c5145;
00854    font-size: 10px;
00855    font-weight: 500;
00856  }
00857
00858  .detail-file-hash code {
00859    max-width: 100%;
00860    overflow-wrap: anywhere;
00861    color: #756047;
00862    font-family: "JetBrains Mono", monospace;
00863    font-size: 9px;
00864  }
00865
00866  .detail-file-status {
00867    display: inline-flex;
00868    align-items: center;
00869    gap: 5px;
00870    font-size: 9px;
00871    font-weight: 600;
00872    white-space: nowrap;
00873  }
00874
00875  .detail-file-verified {
00876    color: #567249;
00877  }
00878
00879  .detail-file-pending {
00880    color: #9a712d;
00881  }
00882
00883  .detail-file-status-wrap > small {
00884    color: #958a7b;
00885    font-size: 9px;
00886  }
00887
00888  .detail-file-status-wrap > .detail-tamper-warning { color: #9e342d; }
00889
00890  .detail-file-action {
00891    display: grid;
00892    width: 29px;
00893    height: 29px;
00894    place-items: center;
00895    border: 1px solid #e4d9ca;
00896    background: transparent;
00897    color: #82715e;
00898  }
00899
00900  .detail-file-action:hover {
00901    border-color: #a58b6c;
00902    background: #f3eadc;
00903  }
00904
```

```
00905  .detail-evidence-footer {
00906    display: flex;
00907    align-items: center;
00908    justify-content: space-between;
00909    gap: 12px;
00910    padding-top: 17px;
00911  }
00912
00913  .detail-evidence-footer > span {
00914    color: #a0917f;
00915    font-family: "JetBrains Mono", monospace;
00916    font-size: 8px;
00917    letter-spacing: 0.6px;
00918  }
00919
00920  .detail-evidence-footer > button {
00921    display: inline-flex;
00922    align-items: center;
00923    gap: 7px;
00924    padding: 9px 12px;
00925    border: 1px solid #d7c7b2;
00926    background: #f3e9db;
00927    color: #65483a;
00928    font-size: 10px;
00929    font-weight: 600;
00930  }
00931
00932  .detail-evidence-footer > button:hover {
00933    background: #eaddc9;
00934  }
00935
00936  .detail-custody-heading > span {
00937    align-self: center;
00938    color: #8b7b67;
00939    font-family: "JetBrains Mono", monospace;
00940    font-size: 10px;
00941    white-space: nowrap;
00942  }
00943
00944  .detail-activity-table-wrap {
00945    overflow-x: auto;
00946  }
00947
00948  .detail-activity-table {
00949    width: 100%;
00950    min-width: 520px;
00951    border-collapse: collapse;
00952    text-align: left;
00953  }
00954
00955  .detail-activity-table th,
00956  .detail-activity-table td {
00957    padding: 12px 14px;
00958    border-bottom: 1px solid #e8dfd2;
00959    font-size: 11px;
00960    vertical-align: top;
00961  }
00962
00963  .detail-activity-table th {
00964    background: #f3ece1;
00965    color: #826f59;
00966    font-family: "JetBrains Mono", monospace;
00967    font-size: 9px;
00968    font-weight: 600;
00969    letter-spacing: 0.5px;
00970    text-transform: uppercase;
00971  }
00972
00973  .detail-activity-table tbody tr:nth-child(even) {
00974    background: #f8f5ef;
00975  }
00976
00977  .detail-activity-table td {
00978    color: #51463a;
00979    overflow-wrap: anywhere;
00980  }
00981
00982  .detail-activity-table time {
00983    color: #766756;
00984    white-space: nowrap;
00985  }
00986
00987  .detail-activity-action {
```

```
00988     font-weight: 600;
00989     text-transform: capitalize;
00990   }
00991
00992   .detail-activity-table .detail-activity-empty {
00993     padding: 18px 14px;
00994     color: #82776a;
00995     text-align: center;
00996   }
00997
00998   .detail-bottom-note {
00999     display: flex;
01000     flex-wrap: wrap;
01001     align-items: center;
01002     gap: 9px;
01003     padding: 5px 0;
01004     color: #958876;
01005     font-family: "JetBrains Mono", monospace;
01006     font-size: 8px;
01007     letter-spacing: 0.4px;
01008   }
01009
01010   .detail-bottom-note > button {
01011     display: inline-flex;
01012     align-items: center;
01013     gap: 5px;
01014     padding: 0;
01015     border: 0;
01016     background: transparent;
01017     color: #74473c;
01018     font-family: inherit;
01019     font-size: inherit;
01020   }
01021
01022   @media (max-width: 1050px) {
01023     .detail-evidence-row {
01024       grid-template-columns: 38px minmax(130px, 1fr) minmax(70px, 0.5fr) minmax(130px, 1fr);
01025     }
01026
01027     .detail-file-status-wrap {
01028       grid-column: 2 / 4;
01029     }
01030   }
01031
01032   @media (max-width: 760px) {
01033     .detail-heading {
01034       align-items: flex-start;
01035       flex-direction: column;
01036     }
01037
01038     .detail-heading-actions {
01039       justify-content: flex-start;
01040     }
01041
01042     .detail-case-banner {
01043       flex-wrap: wrap;
01044       gap: 15px;
01045       padding: 18px;
01046     }
01047
01048     .detail-case-identity {
01049       flex-basis: calc(100% - 75px);
01050     }
01051
01052     .detail-banner-divider {
01053       display: none;
01054     }
01055
01056     .detail-banner-item {
01057       flex: 1;
01058       min-width: 100px;
01059       padding-top: 14px;
01060       border-top: 1px solid #d4c5b0;
01061     }
01062
01063     .detail-overview-grid {
01064       grid-template-columns: 1fr;
01065     }
01066
01067     .detail-information,
01068     .detail-integrity,
01069     .detail-review-panel,
01070     .detail-evidence-panel,
```

```
    .detail-custody-panel,
    .detail-tags-panel {
      padding: 18px;
    }

    .detail-evidence-row {
      grid-template-columns: 38px minmax(0, 1fr);
      gap: 12px;
    }

    .detail-file-main {
      grid-column: 2;
    }

    .detail-file-meta {
      grid-column: 2;
    }

    .detail-file-status-wrap {
      grid-column: 2;
    }

  }

  @media (max-width: 430px) {
    .detail-heading h1 {
      font-size: 28px;
    }

    .detail-information-grid {
      grid-template-columns: 1fr;
    }

    .detail-evidence-footer {
      align-items: flex-start;
      flex-direction: column;
    }

    .detail-bottom-note {
      line-height: 1.8;
    }
  }
```

case-vault-frontend/src/pages/CaseDetail.jsx

ROLE: Case record, status review, evidence versions/integrity, tags, and admin archive controls.

KEY DECLARATIONS: routes, MAX_FILE_SIZE, CaseDetail, navigate, [params], caseId, [record, setRecord], [evidence, setEvidence], [versions, setVersions], [histories, setHistories], [tags, setTags], [availableTags, setAvailableTags], [tagLoading, setTagLoading], [tagLoadedFor, setTagLoadedFor], [tagError, setTagError], [tagActionError, setTagActionError], [tagReload, setTagReload], tagListLoading, [events, setEvents], [people, setPeople]; ...

SOURCE CONTENT | 458 lines | utf-8-sig | SHA-256 32a2b24ac0ebeefd7e69816d6ee94378ad0ef9b4455130f6c1676dce7208e151

```
00001  import { useEffect, useRef, useState } from "react";
00002  import { useNavigate, useSearchParams } from "react-router-dom";
00003  import { ArrowLeft, FileText, ShieldCheck, Upload, Trash2 } from "lucide-react";
00004  import VaultLayout from "../layouts/VaultLayout";
00005  import { useAuth } from "../auth/context";
00006  import { api, philippineDate } from "../lib/api";
00007  import "./CaseDetail.css";
00008
00009  const routes = {
00010    Overview: "/welcome", "Case Library": "/cases", "Case Detail": "/cases/detail",
00011    "Secure Submission": "/submission", "Audit Trail": "/audit", "Access Control": "/access-control",
00012  };
00013
00014  const MAX_FILE_SIZE = 10 * 1024 * 1024;
00015
00016  function CaseDetail() {
00017    const navigate = useNavigate();
00018    const [params] = useSearchParams();
00019    const caseId = params.get("caseId");
00020    const { user } = useAuth();
00021    const [record, setRecord] = useState(null);
00022    const [evidence, setEvidence] = useState([]);
00023    const [versions, setVersions] = useState({});
00024    const [histories, setHistories] = useState({});
00025    const [tags, setTags] = useState([]);
00026    const [availableTags, setAvailableTags] = useState([]);
00027    const [tagLoading, setTagLoading] = useState(true);
00028    const [tagLoadedFor, setTagLoadedFor] = useState(null);
00029    const [tagError, setTagError] = useState("");
00030    const [tagActionError, setTagActionError] = useState("");
00031    const [tagReload, setTagReload] = useState(0);
00032    const tagListLoading = tagLoading || tagLoadedFor !== caseId;
00033    const [events, setEvents] = useState([]);
00034    const [people, setPeople] = useState({});
00035    const [checks, setChecks] = useState({});
00036    const [status, setStatus] = useState("");
00037    const [tagId, setTagId] = useState("");
00038    const [newTag, setNewTag] = useState("");
00039    const [error, setError] = useState("");
00040    const [busy, setBusy] = useState(false);
00041    const [loading, setLoading] = useState(true);
00042    const [archiveTarget, setArchiveTarget] = useState(null);
00043    const [archiveError, setArchiveError] = useState("");
00044    const archiveDialogRef = useRef(null);
00045    const cancelArchiveRef = useRef(null);
00046    const [tagDeleteTarget, setTagDeleteTarget] = useState(null);
00047    const [tagDeleteError, setTagDeleteError] = useState("");
00048    const tagDeleteDialogRef = useRef(null);
00049
00050    useEffect(() => {
00051      const dialog = archiveDialogRef.current;
00052      if (archiveTarget && !dialog.open) {
00053        dialog.showModal();
00054        cancelArchiveRef.current?.focus();
00055      } else if (!archiveTarget && dialog.open) {
00056        dialog.close();
00057      }
00058    }, [archiveTarget]);
00059
00060    useEffect(() => {
00061      const dialog = tagDeleteDialogRef.current;
00062      if (tagDeleteTarget && !dialog.open) dialog.showModal();
00063      else if (!tagDeleteTarget && dialog.open) dialog.close();
00064    }, [tagDeleteTarget]);
00065
00066    useEffect(() => {
00067      let active = true;
00068      if (!caseId) return;
```

```
00069      const load = async () => {
00070        try {
00071          const [caseData, files, userData, auditData] = await Promise.all([
00072            api(`/cases/${caseId}`), api(`/evidence/by-case/${caseId}`),
00073            user.permissions.includes("user:manage") ? api("/users") : Promise.resolve([]),
00074            user.permissions.includes("user:manage") ? api(`/audit?case_id=${encodeURIComponent(caseId)}`) :
  ...   Promise.resolve([]),
00075          ]);
00076          const fileVersions = await Promise.all(files.map((item) => item.current_version_id
00077            ? api(`/evidence/${item.id}/versions/${item.current_version_id}`).catch(() => null)
00078            : Promise.resolve(null)));
00079          const fileChecks = await Promise.all(files.map((item) => item.current_version_id
00080            ? api(`/evidence/${item.id}/versions/${item.current_version_id}/verification-status`)
00081              .catch((requestError) => ({ status: "Unavailable", error: requestError.message }))
00082            : Promise.resolve(null)));
00083          if (!active) return;
00084          setRecord(caseData); setStatus(caseData.status); setEvidence(files);
00085          setEvents(auditData);
00086          setPeople(Object.fromEntries(userData.map((person) => [person.id, person.name])));
00087          setVersions(Object.fromEntries(files.map((item, index) => [item.id, fileVersions[index]])));
00088          setChecks(Object.fromEntries(files.flatMap((item, index) => item.current_version_id
00089            ? [[item.current_version_id, fileChecks[index]]] : [])));
00090        } catch (requestError) {
00091          if (active) setError(requestError.message);
00092        } finally {
00093          if (active) setLoading(false);
00094        }
00095      };
00096      load();
00097      return () => { active = false; };
00098    }, [caseId, user]);
00099
00100    useEffect(() => {
00101      if (!caseId) return;
00102      let active = true;
00103      Promise.all([api(`/cases/${caseId}/tags`), api("/tags")])
00104        .then(([assigned, available]) => {
00105          if (active) {
00106            setTags(assigned); setAvailableTags(available);
00107            setTagError(""); setTagActionError("");
00108            setTagId((current) => available.some((tag) => tag.id === current &&
00109              !assigned.some((item) => item.id === current)) ? current : "");
00110          }
00111        })
00112        .catch((requestError) => {
00113          if (active) { setTags([]); setAvailableTags([]); setTagActionError(""); setTagError(requestError.message); }
00114        })
00115        .finally(() => { if (active) { setTagLoadedFor(caseId); setTagLoading(false); } });
00116      return () => { active = false; };
00117    }, [caseId, tagReload]);
00118
00119    const retryTags = () => {
00120      setTagLoading(true); setTagError(""); setTagActionError("");
00121      setTagReload((current) => current + 1);
00122    };
00123
00124    const run = async (action) => {
00125      setError(""); setBusy(true);
00126      try { await action(); } catch (requestError) { setError(requestError.message); }
00127      finally { setBusy(false); }
00128    };
00129
00130    const runTag = async (action) => {
00131      setTagActionError(""); setBusy(true);
00132      try { await action(); } catch (requestError) { setTagActionError(requestError.message); }
00133      finally { setBusy(false); }
00134    };
00135
00136    const updateStatus = () => run(async () => {
00137      const updated = await api(`/cases/${caseId}`, { method: "PATCH", body: { status } });
00138      setRecord(updated);
00139    });
00140
00141    const assignTag = () => runTag(async () => {
00142      const assigned = await api(`/cases/${caseId}/tags`, { method: "POST", body: { tag_id: tagId } });
00143      setTags((current) => [...current, assigned]); setTagId("");
00144    });
00145
00146    const removeTag = (id) => runTag(async () => {
00147      await api(`/cases/${caseId}/tags/${id}`, { method: "DELETE" });
00148      setTags((current) => current.filter((tag) => tag.id !== id));
00149    });
00150
```

```
00151    const createTag = () => runTag(async () => {
00152      const created = await api("/tags", { method: "POST", body: { name: newTag.trim() } });
00153      setAvailableTags((current) => [...current, created]);
00154      setNewTag("");
00155    });
00156
00157    const confirmDeleteTag = async () => {
00158      if (!tagDeleteTarget || busy) return;
00159      setTagDeleteError(""); setBusy(true);
00160      try {
00161        await api(`/tags/${tagDeleteTarget.id}`, { method: "DELETE" });
00162        setAvailableTags((current) => current.filter((tag) => tag.id !== tagDeleteTarget.id));
00163        setTags((current) => current.filter((tag) => tag.id !== tagDeleteTarget.id));
00164        setTagId((current) => current === tagDeleteTarget.id ? "" : current);
00165        setTagDeleteTarget(null);
00166      } catch (requestError) {
00167        setTagDeleteError(requestError.message);
00168      } finally {
00169        setBusy(false);
00170      }
00171    };
00172
00173    const toggleHistory = (item) => run(async () => {
00174      if (histories[item.id]) { setHistories((current) => ({ ...current, [item.id]: null })); return; }
00175      const list = await api(`/evidence/${item.id}/versions`);
00176      const statuses = await Promise.all(list.map((version) =>
00177        api(`/evidence/${item.id}/versions/${version.id}/verification-status`)
00178          .catch((requestError) => ({ status: "Unavailable", error: requestError.message }))));
00179      setChecks((current) => ({ ...current, ...Object.fromEntries(list.map((version, index) => [version.id,
  ...  statuses[index]])) }));
00180      setHistories((current) => ({ ...current, [item.id]: list }));
00181    });
00182
00183    const downloadHistoryVersion = (item, version) => run(async () => {
00184      const blob = await api(`/evidence/${item.id}/versions/${version.id}/download`);
00185      const url = URL.createObjectURL(blob);
00186      const link = document.createElement("a"); link.href = url; link.download = version.file_name;
00187      document.body.appendChild(link); link.click(); link.remove();
00188      setTimeout(() => URL.revokeObjectURL(url), 1000);
00189    });
00190
00191    const verifyVersion = (item, version) => run(async () => {
00192      try {
00193        const result = await api(`/evidence/${item.id}/versions/${version.id}/verify`);
00194        setChecks((current) => ({ ...current, [version.id]: {
00195          status: result.intact ? "Intact" : "Mismatch detected",
00196          checked_at: result.checked_at, actor_user_id: result.actor_user_id, intact: result.intact,
00197        } }));
00198        setVersions((current) => current[item.id]?.id === version.id
00199          ? { ...current, [item.id]: { ...current[item.id], is_tamper_flagged: result.is_tamper_flagged } } :
  ...  current);
00200        setHistories((current) => current[item.id]
00201          ? { ...current, [item.id]: current[item.id].map((past) => past.id === version.id
00202            ? { ...past, is_tamper_flagged: result.is_tamper_flagged } : past) } : current);
00203      } catch (requestError) {
00204        const status = await api(`/evidence/${item.id}/versions/${version.id}/verification-status`).catch(() => null);
00205        if (status) setChecks((current) => ({ ...current, [version.id]: status }));
00206        throw requestError;
00207      }
00208    });
00209
00210    const download = (item) => run(async () => {
00211      const version = versions[item.id];
00212      const blob = await api(`/evidence/${item.id}/versions/${item.current_version_id}/download`);
00213      const url = URL.createObjectURL(blob);
00214      const link = document.createElement("a"); link.href = url;
00215      link.download = version?.file_name || `${item.title}.pdf`;
00216      document.body.appendChild(link); link.click(); link.remove();
00217      setTimeout(() => URL.revokeObjectURL(url), 1000);
00218    });
00219
00220    const replace = (item, file) => run(async () => {
00221      if (!file) return;
00222      if (file.size > MAX_FILE_SIZE) throw new Error("The selected file exceeds the 10 MB limit.");
00223      const form = new FormData(); form.append("file", file);
00224      const version = await api(`/evidence/${item.id}/versions`, { method: "POST", body: form });
00225      setVersions((current) => ({ ...current, [item.id]: version }));
00226      setEvidence((current) => current.map((entry) => entry.id === item.id
00227        ? { ...entry, current_version_id: version.id } : entry));
00228      setChecks((current) => ({ ...current, [version.id]: { status: "Not checked", checked_at: null } }));
00229    });
00230
00231    const confirmArchive = async () => {
```

```
00232      if (!archiveTarget || busy) return;
00233      setArchiveError("");
00234      setBusy(true);
00235      try {
00236        if (archiveTarget.type === "case") {
00237          await api(`/cases/${caseId}`, { method: "DELETE" });
00238          setArchiveTarget(null);
00239          navigate("/cases", { replace: true });
00240        } else {
00241          await api(`/evidence/${archiveTarget.id}`, { method: "DELETE" });
00242          setEvidence((current) => current.filter((entry) => entry.id !== archiveTarget.id));
00243          setArchiveTarget(null);
00244        }
00245      } catch (requestError) {
00246        setArchiveError(requestError.message);
00247      } finally {
00248        setBusy(false);
00249      }
00250    };
00251
00252    const canUpload = user.permissions.includes("evidence:upload");
00253    const canReview = user.permissions.includes("case:update_status");
00254    const canAssignTag = user.permissions.includes("tag:assign");
00255    const canRemoveTag = user.permissions.includes("case:view");
00256    const canCreateTag = user.permissions.includes("tag:create") && user.role_name !== "reviewer";
00257    const assignableTags = availableTags.filter((tag) => !tags.some((assigned) => assigned.id === tag.id));
00258    const isAdmin = user.role_name === "admin";
00259
00260    return <VaultLayout activeTab="Case Detail" onTabChange={(tab) => navigate(routes[tab])}>
00261      <div className="detail-page">
00262        <div className="detail-heading">
00263          <div>
00264            <div className="detail-eyebrow">CASE ARCHIVE / DOSSIER DETAILS</div>
00265            <h1>{record?.case_type || (loading ? "Loading case…" : "Case not found")}</h1>
00266            {record && <p>{record.case_number} · {record.status}</p>}
00267          </div>
00268          {record && <div className="detail-heading-actions">
00269            {canUpload && <button className="detail-primary-button" type="button"
00270              onClick={() => navigate(`/submission?caseId=${encodeURIComponent(caseId)}`)}>
00271              <Upload size={16} /> Add Evidence
00272            </button>}
00273            {isAdmin && <button className="detail-archive-button" type="button" disabled={busy}
00274              onClick={() => { setArchiveError(""); setArchiveTarget({ type: "case", label: record.case_number }); }}>
00275              <Trash2 size={16} /> Archive case
00276            </button>}
00277          </div>}
00278        </div>
00279        {error && <p role="alert" style={{ color: "#a6372e" }}>{error}</p>}
00280        {!caseId && <div className="detail-select-case">
00281          <p>Select a case from the Case Library to view its details{isAdmin ? " and archive controls" : ""}.</p>
00282          <button type="button" onClick={() => navigate("/cases")}>Open Case Library</button>
00283        </div>}
00284        {record && <>
00285          <section className="detail-panel detail-information">
00286            <div className="detail-panel-heading"><h2>Case Information</h2><ShieldCheck size={18} /></div>
00287            <div className="detail-information-grid">
00288              <div><span className="detail-field-label">CASE NUMBER</span><strong>{record.case_number}</strong></div>
00289              <div><span className="detail-field-label">CASE TYPE</span><strong>{record.case_type}</strong></div>
00290              <div><span className="detail-field-label">CREATED BY</span><strong>{people[record.created_by] ||
  ... (record.created_by === user.id ? user.name : record.created_by)}</strong></div>
00291              <div><span
  ... className="detail-field-label">SUBMITTED</span><strong>{philippineDate(record.submission_date)}</strong></div>
00292              <div><span className="detail-field-label">LAST
  ... UPDATED</span><strong>{philippineDate(record.updated_at)}</strong></div>
00293              <div><span className="detail-field-label">EVIDENCE ITEMS</span><strong>{evidence.length}</strong></div>
00294            </div>
00295          </section>
00296
00297          {canReview && <section className="detail-panel detail-review-panel" aria-labelledby="detail-review-title">
00298            <div className="detail-panel-heading">
00299              <h2 id="detail-review-title">Case Review</h2>
00300              <span className="detail-review-current">Current status: <strong>{record.status}</strong></span>
00301            </div>
00302            <p>Update the case status as the review progresses.</p>
00303            <div className="detail-review-controls">
00304              <label htmlFor="detail-review-status">Case status</label>
00305              <select id="detail-review-status" value={status} onChange={(event) => setStatus(event.target.value)}>
00306                {[...new Set([record.status, "open", "under review", "closed"])].map((value) =>
00307                  <option key={value} value={value}>{value}</option>)}
00308              </select>
00309              <button type="button" disabled={busy || status === record.status} onClick={updateStatus}>Save
  ... status</button>
00310            </div>
```

```
00311          </section>}
00312
00313          <section className="detail-panel detail-evidence-panel">
00314            <div className="detail-panel-heading"><h2>Registered Evidence</h2><span>{evidence.length}
  ...   ITEMS</span></div>
00315            <div className="detail-evidence-list">
00316              {evidence.map((item) => {
00317                const version = versions[item.id];
00318                return <article className="detail-evidence-row" key={item.id}>
00319                  <div className="detail-file-icon"><FileText size={20} /></div>
00320                  <div className="detail-file-main"><strong>{item.title}</strong><span>{item.evidence_type} ·
  ...   {version?.file_name || "No version"}</span>
00321                    {item.description && <small>{item.description}</small>}
00322                    {item.source_device && <small>Source: {item.source_device}</small>}
00323                    {item.notes && <small>Notes: {item.notes}</small>}</div>
00324                  <div className="detail-file-meta"><span>VERSION</span><strong>{version?.version_no ||
  ...   "—"}</strong></div>
00325                  <div className="detail-file-meta detail-file-hash"><span>SHA-256</span><code>{version?.file_hash ||
  ...   "—"}</code></div>
00326                  <div className="detail-file-status-wrap"><strong>{version ? checks[version.id]?.status || "Loading
  ...   check…" : "No version"}</strong>
00327                    <small>{version && checks[version.id]?.checked_at
00328                      ? `${checks[version.id].status === "Check failed" ? "Last attempt" : "Last checked"}:
  ...   ${philippineDate(checks[version.id].checked_at)}`
00329                      : checks[version?.id]?.error || "No completed check recorded"}</small>
00330                    {version?.is_tamper_flagged && <small className="detail-tamper-warning">Tamper
  ...   flagged</small>}</div>
00331                  <div className="detail-evidence-actions">
00332                    <button type="button" disabled={busy || !version} onClick={() => verifyVersion(item,
  ...   version)}>Verify</button>
00333                    <button type="button" disabled={busy || !version} onClick={() => download(item)}>Download</button>
00334                    <button type="button" disabled={busy} onClick={() => toggleHistory(item)}>Versions</button>
00335                    {canUpload && <label className="detail-replace-file">Replace PDF<input type="file"
  ...   accept=".pdf,application/pdf" disabled={busy}
00336                      onChange={(event) => { replace(item, event.target.files?.[0]); event.target.value = ""; }}
  ...   /></label>}
00337                    {isAdmin && <button className="detail-archive-button" type="button" disabled={busy}
00338                      onClick={() => { setArchiveError(""); setArchiveTarget({ type: "evidence", id: item.id, label:
  ...   item.title }); }}
00339                      aria-label={`Archive ${item.title}`}><Trash2 size={15} /> Archive evidence</button>}
00340                  </div>
00341                  {histories[item.id] && <div className="detail-version-history">
00342                    <h3>Version history</h3>
00343                    {histories[item.id].map((past) => <div key={past.id} className="detail-version-row">
00344                      <span>Version {past.version_no}: {past.file_name} · {philippineDate(past.uploaded_at)}</span>
00345                      <button type="button" disabled={busy} onClick={() => downloadHistoryVersion(item,
  ...   past)}>Download</button>
00346                      <button type="button" disabled={busy} onClick={() => verifyVersion(item, past)}>Verify</button>
00347                      <span>{checks[past.id]?.status || "Loading check…"}{checks[past.id]?.checked_at ? ` ·
  ...   ${philippineDate(checks[past.id].checked_at)}` : ""}{past.is_tamper_flagged ? " · Tamper flagged" : ""}</span>
00348                    </div>)}
00349                  </div>}
00350                </article>;
00351              })}
00352              {evidence.length === 0 && <p>No evidence is registered for this case.</p>}
00353            </div>
00354          </section>
00355
00356          <section className="detail-panel detail-tags-panel">
00357            <div className="detail-panel-heading"><h2>Case Tags</h2></div>
00358            {tagListLoading && <p className="detail-tag-message" role="status">Loading tags…</p>}
00359            {!tagListLoading && tagError && <p className="detail-tag-message detail-tag-error" role="alert">
00360              {tagError} <button type="button" onClick={retryTags}>Retry</button>
00361            </p>}
00362            {!tagListLoading && tagActionError && <p className="detail-tag-message detail-tag-error"
  ...   role="alert">{tagActionError}</p>}
00363            {!tagListLoading && !tagError && <div className="detail-tags-list">
00364              {tags.map((tag) => <span key={tag.id}>{tag.name} {canRemoveTag &&
00365                <button type="button" disabled={busy} onClick={() => removeTag(tag.id)} aria-label={`Remove
  ...   ${tag.name}`}>×</button>}</span>)}
00366              {tags.length === 0 && <span>No tags assigned.</span>}
00367            </div>}
00368            {!tagListLoading && !tagError && canAssignTag && <div className="detail-tag-controls">
00369              <select aria-label="Tag to assign" value={tagId} onChange={(event) => setTagId(event.target.value)}>
00370                <option value="">Select a tag</option>
00371                {assignableTags.map((tag) =>
00372                  <option key={tag.id} value={tag.id}>{tag.name}</option>)}
00373              </select>
00374              <button type="button" disabled={busy || !tagId} onClick={assignTag}>Assign tag</button>
00375            </div>}
00376            {!tagListLoading && !tagError && availableTags.length === 0 &&
00377              <p className="detail-tag-message">{canCreateTag ? "No tags available. Create a tag first." : "No tags
  ...   available. Ask an analyst or admin to create one."}</p>}
```

```
00378           {!tagListLoading && !tagError && canAssignTag && availableTags.length > 0 && assignableTags.length === 0
  ...   &&
00379             <p className="detail-tag-message">All available tags are assigned to this case.</p>}
00380           {!tagListLoading && !tagError && canCreateTag && <div className="detail-tag-controls">
00381             <input aria-label="New tag name" placeholder="New tag name" value={newTag} minLength={2} maxLength={50}
00382               onChange={(event) => setNewTag(event.target.value)} />
00383             <button type="button" disabled={busy || newTag.trim().length < 2} onClick={createTag}>Create
  ...   tag</button>
00384           </div>}
00385           {!tagListLoading && !tagError && canCreateTag && !canAssignTag && availableTags.length > 0 &&
00386             <p className="detail-tag-message">Available tags: {availableTags.map((tag) => tag.name).join(", ")}</p>}
00387           {!tagListLoading && !tagError && isAdmin && availableTags.length > 0 &&
00388             <div className="detail-tag-manage">
00389               <strong>Manage available tags</strong>
00390               <div className="detail-tag-manage-list">
00391                 {availableTags.map((tag) => <span key={tag.id}>{tag.name}
00392                   <button type="button" disabled={busy} aria-label={`Delete tag ${tag.name} everywhere`}
00393                     onClick={() => { setTagDeleteError(""); setTagDeleteTarget(tag); }}>Delete</button>
00394                 </span>)}
00395               </div>
00396             </div>}
00397         </section>
00398
00399         {isAdmin && <section className="detail-panel detail-custody-panel">
00400           <div className="detail-panel-heading detail-custody-heading">
00401             <h2>Recorded Activity</h2><span>{events.length} EVENTS</span>
00402           </div>
00403           <div className="detail-activity-table-wrap">
00404             <table className="detail-activity-table">
00405               <thead><tr><th scope="col">Date and time</th><th scope="col">Action</th><th scope="col">Recorded
  ...   by</th></tr></thead>
00406               <tbody>
00407                 {events.map((event) => <tr key={event.id}>
00408                   <td><time dateTime={event.occurred_at}>{philippineDate(event.occurred_at)}</time></td>
00409                   <td className="detail-activity-action">{event.action.replaceAll("_", " ")}</td>
00410                   <td>{people[event.actor_user_id] || event.actor_user_id}</td>
00411                 </tr>)}
00412                 {events.length === 0 && <tr><td colSpan={3} className="detail-activity-empty">No audit entries for
  ...   this case.</td></tr>}
00413               </tbody>
00414             </table>
00415           </div>
00416         </section>}
00417       </>}
00418       <div className="detail-bottom-note"><button type="button" onClick={() => navigate("/cases")}>
00419         Return to Case Library <ArrowLeft size={14} /></button></div>
00420     </div>
00421     <dialog ref={archiveDialogRef} className="detail-archive-dialog" role="alertdialog"
00422       aria-labelledby="detail-archive-title" aria-describedby="detail-archive-description"
00423       onCancel={(event) => { event.preventDefault(); if (!busy) setArchiveTarget(null); }}>
00424       {archiveTarget && <>
00425         <div className="detail-archive-dialog-icon"><Trash2 size={22} aria-hidden="true" /></div>
00426         <h2 id="detail-archive-title">Archive {archiveTarget.type}?</h2>
00427         <p className="detail-archive-target">{archiveTarget.label}</p>
00428         <p id="detail-archive-description">This item will disappear from normal views. Its record and stored files
  ...   will be retained.</p>
00429         {archiveError && <p className="detail-archive-error" role="alert">{archiveError}</p>}
00430         <div className="detail-archive-dialog-actions">
00431           <button ref={cancelArchiveRef} type="button" disabled={busy} onClick={() =>
  ...   setArchiveTarget(null)}>Cancel</button>
00432           <button type="button" disabled={busy} onClick={confirmArchive}>
00433             {busy ? "Archiving…" : `Archive ${archiveTarget.type}`}
00434           </button>
00435         </div>
00436       </>}
00437     </dialog>
00438     <dialog ref={tagDeleteDialogRef} className="detail-archive-dialog" role="alertdialog"
00439       aria-labelledby="detail-tag-delete-title" aria-describedby="detail-tag-delete-description"
00440       onCancel={(event) => { event.preventDefault(); if (!busy) setTagDeleteTarget(null); }}>
00441       {tagDeleteTarget && <>
00442         <div className="detail-archive-dialog-icon"><Trash2 size={22} aria-hidden="true" /></div>
00443         <h2 id="detail-tag-delete-title">Delete tag?</h2>
00444         <p className="detail-archive-target">{tagDeleteTarget.name}</p>
00445         <p id="detail-tag-delete-description">This removes the tag from the available options and from every case
  ...   where it is assigned.</p>
00446         {tagDeleteError && <p className="detail-archive-error" role="alert">{tagDeleteError}</p>}
00447         <div className="detail-archive-dialog-actions">
00448           <button type="button" disabled={busy} onClick={() => setTagDeleteTarget(null)}>Cancel</button>
00449           <button type="button" disabled={busy} onClick={confirmDeleteTag}>
00450             {busy ? "Deleting…" : "Delete tag"}
00451           </button>
00452         </div>
00453       </>}
```

```
00454       </dialog>
00455     </VaultLayout>;
00456   }
00457
00458   export default CaseDetail;
```

case-vault-frontend/src/pages/CaseLibrary.css

ROLE: Stylesheet for CaseLibrary UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 436 lines | utf-8-sig | SHA-256 d99c174058e96754a531a66e2c7f3983fe244eae166fe11aff11d2d19cdeeda4

```
00001
00002  .library-page {
00003    width: 100%;
00004    max-width: 1600px;
00005    margin: 0 auto;
00006    color: #30251f;
00007  }
00008
00009  .library-page-embedded .library-embedded-actions {
00010    display: flex;
00011    justify-content: flex-end;
00012    margin-bottom: 16px;
00013  }
00014
00015  .library-page-embedded .library-stats {
00016    margin-bottom: 16px;
00017  }
00018
00019  .library-heading {
00020    display: flex;
00021    align-items: flex-end;
00022    justify-content: space-between;
00023    gap: 20px;
00024    margin-bottom: 28px;
00025  }
00026
00027  .library-eyebrow {
00028    margin-bottom: 8px;
00029    color: #8c332c;
00030    font-family: "JetBrains Mono", monospace;
00031    font-size: 10px;
00032    letter-spacing: 0.08em;
00033  }
00034
00035  .library-heading h1 {
00036    margin: 0;
00037    font-family: "Playfair Display", Georgia, serif;
00038    font-size: clamp(28px, 3vw, 39px);
00039    font-weight: 400;
00040  }
00041
00042  .library-heading p {
00043    max-width: 650px;
00044    margin: 9px 0 0;
00045    color: #78695d;
00046    font-size: 13px;
00047    line-height: 1.7;
00048  }
00049
00050  .library-create-button {
00051    display: inline-flex;
00052    align-items: center;
00053    justify-content: center;
00054    gap: 9px;
00055    min-height: 42px;
00056    padding: 0 17px;
00057    flex: 0 0 auto;
00058    border: 1px solid #3c2b25;
00059    background: #3c2b25;
00060    color: #fbf9f5;
00061    font-size: 12px;
00062  }
00063
00064  .library-create-button:hover {
00065    background: #5b4034;
00066  }
00067
00068  .library-stats {
00069    display: grid;
00070    grid-template-columns: repeat(3, minmax(0, 1fr));
00071    gap: 16px;
00072    margin-bottom: 28px;
00073  }
00074
```

```
.library-stat-card {
  min-width: 0;
  min-height: 112px;
  padding: 17px 20px;
  display: grid;
  grid-template-columns: 34px 1fr;
  grid-template-rows: auto 1fr;
  align-items: center;
  column-gap: 12px;
  background: #fbf9f5;
  border: 1px solid #d7cabc;
}

.library-stat-icon {
  width: 34px;
  height: 34px;
  display: grid;
  place-items: center;
  grid-row: span 2;
  background: #eee6da;
  color: #563d2f;
}

.library-stat-label {
  color: #78695d;
  font-family: "JetBrains Mono", monospace;
  font-size: 9px;
  letter-spacing: 0.04em;
}

.library-stat-card strong {
  align-self: start;
  margin-top: 5px;
  color: #30251f;
  font-family: "Playfair Display", Georgia, serif;
  font-size: 28px;
  font-weight: 400;
}

.library-records {
  border: 1px solid #b9a995;
  background: #fbf9f5;
}

.library-records-heading {
  padding: 22px 23px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 16px;
  border-bottom: 1px solid #e1d7ca;
}

.library-records-heading h2 {
  margin: 0;
  font-family: "Playfair Display", Georgia, serif;
  font-size: 20px;
  font-weight: 400;
}

.library-records-heading p {
  margin: 6px 0 0;
  color: #78695d;
  font-size: 12px;
}

.library-record-count {
  flex: 0 0 auto;
  padding: 7px 10px;
  background: #eee6da;
  color: #5a4536;
  font-family: "JetBrains Mono", monospace;
  font-size: 9px;
}

.library-toolbar {
  display: flex;
  align-items: center;
  gap: 12px;
  padding: 16px 22px;
  border-bottom: 1px solid #e1d7ca;
}

```

```
.library-search,
.library-filter {
  display: flex;
  align-items: center;
  gap: 9px;
  min-height: 40px;
  padding: 0 12px;
  border: 1px solid #d5c8b9;
  background: #fffdf9;
  color: #78695d;
}

.library-search {
  flex: 1;
  min-width: 0;
}

.library-search input {
  width: 100%;
  min-width: 0;
  border: 0;
  outline: 0;
  background: transparent;
  color: #30251f;
  font-size: 12px;
}

.library-search input::placeholder {
  color: #9a8c7e;
}

.library-filter {
  flex: 0 0 auto;
}

.library-filter select {
  max-width: 180px;
  border: 0;
  outline: 0;
  background: transparent;
  color: #4c3b30;
  font-size: 12px;
}

.library-table-wrap {
  width: 100%;
  overflow-x: auto;
}

.library-table {
  width: 100%;
  border-collapse: collapse;
  text-align: left;
  white-space: nowrap;
}

.library-table th {
  padding: 14px 17px;
  background: #f1ece3;
  color: #756456;
  font-family: "JetBrains Mono", monospace;
  font-size: 9px;
  font-weight: 500;
  letter-spacing: 0.025em;
}

.library-table td {
  padding: 16px 17px;
  border-top: 1px solid #ebe2d7;
  color: #65564b;
  font-size: 11px;
}

.library-table tbody tr {
}

.library-table tbody tr:hover {
  background: #f5efe5;
}

.library-case-id {
  padding: 0;
  border: 0;
```

```
00241    background: transparent;
00242    color: #8c332c;
00243    font-family: "JetBrains Mono", monospace;
00244    font-size: 10px;
00245    text-decoration: underline;
00246    cursor: pointer;
00247  }
00248
00249  .library-table td.library-case-title {
00250    color: #30251f;
00251    font-weight: 600;
00252  }
00253
00254  .library-case-tags {
00255    display: flex;
00256    flex-wrap: wrap;
00257    gap: 5px;
00258    max-width: 240px;
00259    white-space: normal;
00260  }
00261
00262  .library-case-tags > span {
00263    padding: 4px 7px;
00264    border: 1px solid #d7cabb;
00265    background: #f0e8dc;
00266    color: #614c3c;
00267    font-size: 10px;
00268    overflow-wrap: anywhere;
00269  }
00270
00271  .library-case-tags > .library-no-tags {
00272    border: 0;
00273    background: transparent;
00274    color: #938678;
00275  }
00276
00277  .library-status {
00278    display: inline-flex;
00279    align-items: center;
00280    padding: 5px 8px;
00281    border: 1px solid #d7cabb;
00282    background: #f0e8dc;
00283    color: #614c3c;
00284    font-size: 10px;
00285  }
00286
00287  .library-status.status-active {
00288    border-color: #a4c2a6;
00289    background: #e7f0e5;
00290    color: #31623c;
00291  }
00292
00293  .library-status.status-under-review {
00294    border-color: #d8bc83;
00295    background: #f6edd9;
00296    color: #80602b;
00297  }
00298
00299  .library-status.status-sealed {
00300    border-color: #c9b1a8;
00301    background: #eee3df;
00302    color: #82483d;
00303  }
00304
00305  .library-date {
00306    font-family: "JetBrains Mono", monospace;
00307    font-size: 10px !important;
00308  }
00309
00310  .library-open-button {
00311    min-height: 30px;
00312    display: inline-flex;
00313    align-items: center;
00314    justify-content: center;
00315    gap: 5px;
00316    padding: 0 8px;
00317    border: 1px solid transparent;
00318    background: transparent;
00319    color: #674a38;
00320    font-size: 10px;
00321    white-space: nowrap;
00322  }
00323
```

```
.library-open-button:hover {
  border-color: #d3c3b0;
  background: #eee6da;
}

.library-empty {
  padding: 36px !important;
  text-align: center;
  color: #78695d !important;
}

.library-table-footer {
  display: flex;
  justify-content: space-between;
  flex-wrap: wrap;
  gap: 10px;
  padding: 14px 22px;
  border-top: 1px solid #e1d7ca;
  color: #78695d;
  font-family: "JetBrains Mono", monospace;
  font-size: 9px;
}

.library-notice {
  display: flex;
  align-items: flex-start;
  gap: 11px;
  margin-top: 18px;
  padding: 15px 17px;
  border: 1px solid #d7cabc;
  background: #f0e9de;
  color: #624d3d;
}

.library-notice > svg {
  flex: 0 0 auto;
  margin-top: 2px;
}

.library-notice p {
  display: flex;
  flex-direction: column;
  gap: 5px;
  margin: 0;
  font-size: 11px;
  line-height: 1.6;
}

.library-notice strong {
  font-family: "JetBrains Mono", monospace;
  font-size: 9px;
}

@media (max-width: 760px) {
  .library-heading {
    align-items: flex-start;
    flex-direction: column;
  }

  .library-stats {
    gap: 10px;
  }

  .library-stat-card {
    grid-template-columns: 1fr;
    gap: 8px;
    padding: 13px;
  }

  .library-stat-icon {
    grid-row: auto;
  }

  .library-stat-card strong {
    font-size: 24px;
  }

  .library-toolbar {
    align-items: stretch;
    flex-direction: column;
    padding: 14px;
  }

```

```
00407     .library-filter select {
00408       width: 100%;
00409       max-width: none;
00410     }
00411
00412     .library-table-footer {
00413       padding: 13px;
00414     }
00415   }
00416
00417   @media (max-width: 450px) {
00418     .library-stats {
00419       grid-template-columns: 1fr;
00420     }
00421
00422     .library-stat-card {
00423       grid-template-columns: 34px 1fr;
00424       grid-template-rows: auto auto;
00425     }
00426
00427     .library-stat-icon {
00428       grid-row: span 2;
00429     }
00430
00431     .library-records-heading {
00432       align-items: flex-start;
00433       flex-direction: column;
00434       padding: 17px;
00435     }
00436   }
```

case-vault-frontend/src/pages/CaseLibrary.jsx

ROLE: Active case inventory, search/status filters, counts, and navigation to case details.

KEY DECLARATIONS: routes, CaseLibrary, navigate, [search, setSearch], [status, setStatus], [cases, setCases], [error, setError], [loading, setLoading], load, sourceRecords, sourceUsers, names, [counts, caseTags], goTo, route, filteredCases, matchesSearch, matchesStatus, content

SOURCE CONTENT | 330 lines | utf-8-sig | SHA-256 1a4a23e6b545986b5f8eff958a3b698fecb5dd0f13fb1be8f7dbdfde3eafc156

```
00001
00002  import { useEffect, useMemo, useState } from "react";
00003  import { useNavigate } from "react-router-dom";
00004  import {
00005    Search,
00006    Plus,
00007    FolderOpen,
00008    ShieldCheck,
00009    FileSearch,
00010    ArrowUpRight,
00011    SlidersHorizontal,
00012  } from "lucide-react";
00013  import VaultLayout from "../layouts/VaultLayout";
00014  import "./CaseLibrary.css";
00015  import { api, philippineDate } from "../lib/api";
00016  import { useAuth } from "../auth/context";
00017
00018  const routes = {
00019    Overview: "/welcome",
00020    "Case Library": "/cases",
00021    "Case Detail": "/cases/detail",
00022    "Secure Submission": "/submission",
00023    "Audit Trail": "/audit",
00024    "Access Control": "/access-control",
00025  };
00026
00027  function CaseLibrary({ embedded = false, records, people, ready = true, loadError = "" }) {
00028    const navigate = useNavigate();
00029    const { user } = useAuth();
00030
00031    const [search, setSearch] = useState("");
00032    const [status, setStatus] = useState("All");
00033    const [cases, setCases] = useState([]);
00034    const [error, setError] = useState("");
00035    const [loading, setLoading] = useState(true);
00036
00037    useEffect(() => {
00038      if (!ready) return;
00039      let active = true;
00040      const load = async () => {
00041        try {
00042          const sourceRecords = records === undefined ? await api("/cases") : records;
00043          const sourceUsers = people === undefined
00044            ? user.permissions.includes("user:manage") ? await api("/users") : []
00045            : people;
00046          const names = Object.fromEntries(sourceUsers.map((person) => [person.id, person.name]));
00047          const [counts, caseTags] = await Promise.all([
00048            Promise.all(sourceRecords.map((record) =>
00049              api(`/evidence/by-case/${record.id}`).then((items) => items.length).catch(() => null))),
00050            Promise.all(sourceRecords.map((record) => api(`/cases/${record.id}/tags`))),
00051          ]);
00052          if (active) setCases(sourceRecords.map((record, index) => ({
00053            id: record.id, caseNumber: record.case_number, title: record.case_type,
00054            investigator: names[record.created_by] || (record.created_by === user.id ? user.name : record.created_by),
00055            evidence: counts[index], tags: caseTags[index].map((tag) => tag.name),
00056            status: record.status, updated: philippineDate(record.updated_at),
00057          })));
00058        } catch (requestError) {
00059          if (active) setError(requestError.message);
00060        } finally {
00061          if (active) setLoading(false);
00062        }
00063      };
00064      load();
00065      return () => { active = false; };
00066    }, [user, records, people, ready]);
00067
00068    const goTo = (tab) => {
00069      const route = routes[tab];
00070
```

```
00071      if (route) {
00072        navigate(route);
00073      }
00074    };
00075
00076    const filteredCases = useMemo(() => {
00077      return cases.filter((item) => {
00078        const matchesSearch = [
00079          item.caseNumber,
00080          item.title,
00081          item.investigator,
00082          ...item.tags,
00083        ]
00084          .join(" ")
00085          .toLowerCase()
00086          .includes(search.toLowerCase());
00087
00088        const matchesStatus =
00089          status === "All" || item.status === status;
00090
00091        return matchesSearch && matchesStatus;
00092      });
00093    }, [cases, search, status]);
00094
00095    const content = (
00096        <div className={`library-page${embedded ? " library-page-embedded" : ""}`}>
00097          {!embedded && <div className="library-heading">
00098            <div>
00099              <div className="library-eyebrow">
00100                ARCHIVE DIRECTORY / RECORDS
00101              </div>
00102
00103              <h1>Secure Case Library</h1>
00104
00105              <p>
00106                Centralized access to registered forensic cases and
00107                their chain-of-custody records.
00108              </p>
00109            </div>
00110
00111            {user.permissions.includes("case:create") && <button
00112              className="library-create-button"
00113              onClick={() => navigate("/cases/new")}
00114              type="button"
00115            >
00116              <Plus size={16} />
00117              New Case
00118            </button>}
00119          </div>}
00120
00121          {embedded && user.permissions.includes("case:create") && <div className="library-embedded-actions"><button
00122            className="library-create-button" onClick={() => navigate("/cases/new")} type="button">
00123            <Plus size={16} /> New Case
00124          </button></div>}
00125
00126          <div className="library-stats">
00127            <div className="library-stat-card">
00128              <span className="library-stat-icon">
00129                <FolderOpen size={18} />
00130              </span>
00131
00132              <span className="library-stat-label">
00133                TOTAL RECORDS
00134              </span>
00135
00136              <strong>
00137                {cases.length.toString().padStart(2, "0")}
00138              </strong>
00139            </div>
00140
00141            <div className="library-stat-card">
00142              <span className="library-stat-icon">
00143                <FileSearch size={18} />
00144              </span>
00145
00146              <span className="library-stat-label">
00147                OPEN CASES
00148              </span>
00149
00150              <strong>
00151                {cases.filter(
00152                  (item) => item.status.toLowerCase() === "open"
00153                ).length}
```

```
00154               </strong>
00155             </div>
00156
00157             <div className="library-stat-card">
00158               <span className="library-stat-icon">
00159                 <ShieldCheck size={18} />
00160               </span>
00161
00162               <span className="library-stat-label">
00163                 CLOSED CASES
00164               </span>
00165
00166               <strong>
00167                 {cases.filter(
00168                   (item) => item.status.toLowerCase() === "closed"
00169                 ).length}
00170               </strong>
00171             </div>
00172           </div>
00173
00174           <section className="library-records">
00175             <div className="library-records-heading">
00176               <div>
00177                 <h2>Registered Cases</h2>
00178                 <p>
00179                   Browse and locate secured forensic dossiers.
00180                 </p>
00181               </div>
00182
00183               <span className="library-record-count">
00184                 {filteredCases.length} RECORDS
00185               </span>
00186             </div>
00187
00188             <div className="library-toolbar">
00189               <label className="library-search">
00190                 <Search size={16} />
00191
00192                 <input
00193                   type="search"
00194                   placeholder="Search by case number, type, creator, or tag..."
00195                   aria-label="Search cases by case number, type, creator, or tag"
00196                   value={search}
00197                   onChange={(event) =>
00198                     setSearch(event.target.value)
00199                   }
00200                 />
00201               </label>
00202
00203               <label className="library-filter">
00204                 <SlidersHorizontal size={15} />
00205
00206                 <select
00207                   value={status}
00208                   onChange={(event) =>
00209                     setStatus(event.target.value)
00210                   }
00211                   aria-label="Filter by case status"
00212                 >
00213                   <option value="All">All statuses</option>
00214                   {[...new Set(cases.map((item) => item.status))].map((value) =>
00215                     <option key={value} value={value}>{value}</option>)}
00216                 </select>
00217               </label>
00218             </div>
00219
00220             <div className="library-table-wrap">
00221               <table className="library-table">
00222                 <thead>
00223                   <tr>
00224                     <th>CASE IDENTIFIER</th>
00225                     <th>CASE TYPE</th>
00226                     <th>TAGS</th>
00227                     <th>CREATED BY</th>
00228                     <th>EVIDENCE</th>
00229                     <th>STATUS</th>
00230                     <th>LAST UPDATED</th>
00231                     <th></th>
00232                   </tr>
00233                 </thead>
00234
00235                 <tbody>
00236                   {filteredCases.map((item) => (
```

```
                  <tr key={item.id}>
                    <td>
                      <button className="library-case-id" type="button" onClick={() =>
                        navigate(`${routes["Case Detail"]}?caseId=${encodeURIComponent(item.id)}`)}>
                        {item.caseNumber}
                      </button>
                    </td>

                    <td className="library-case-title">
                      {item.title}
                    </td>

                    <td>
                      <div className="library-case-tags">
                        {item.tags.length ? item.tags.map((tag) =>
                          <span key={tag}>{tag}</span>) : <span className="library-no-tags">None</span>}
                      </div>
                    </td>

                    <td>{item.investigator}</td>

                    <td>
                      {item.evidence == null ? "—" : `${item.evidence} files`}
                    </td>

                    <td>
                      <span
                        className={`library-status status-${item.status
                          .toLowerCase()
                          .replaceAll(" ", "-")}`}
                      >
                        {item.status}
                      </span>
                    </td>

                    <td className="library-date">
                      {item.updated}
                    </td>

                    <td>
                      <button
                        type="button"
                        className="library-open-button"
                        aria-label={`Open ${item.caseNumber}`}
                        onClick={() =>
                          navigate(
                            `${routes["Case Detail"]}?caseId=${encodeURIComponent(item.id)}`
                          )
                        }
                      >
                        <ArrowUpRight size={16} /> Open case
                      </button>
                    </td>
                  </tr>
                ))}

                {filteredCases.length === 0 && (
                  <tr>
                    <td colSpan="8" className="library-empty">
                      {loading ? "Loading cases and tags…" : error || loadError || "No records match your search."}
                    </td>
                  </tr>
                )}
              </tbody>
            </table>
          </div>

          <div className="library-table-footer">
            <span>
              SHOWING {filteredCases.length} OF {cases.length} RECORDS
            </span>

            <span>LIVE CASE RECORDS</span>
          </div>
        </section>

        <div className="library-notice">
          <ShieldCheck size={16} />

          <p>
            <strong>SECURE ARCHIVE</strong>

            <span>
```

```
00320                Case records shown here are retrieved from the Case Vault API.
00321              </span>
00322            </p>
00323          </div>
00324        </div>
00325    );
00326
00327    return embedded ? content : <VaultLayout activeTab="Case Library" onTabChange={goTo}>{content}</VaultLayout>;
00328  }
00329
00330  export default CaseLibrary;
```

case-vault-frontend/src/pages/CreateCase.css

ROLE: Stylesheet for CreateCase UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 107 lines | utf-8-sig | SHA-256 eeef61eb7c9d0a2d70205e2dbd3825556ed70c5fe4abe8a5424848ba3443eb70

```
00001  .create-case-page {
00002    width: 100%;
00003    max-width: 900px;
00004    margin: 0 auto;
00005    padding: 8px 0 30px;
00006    color: #30251f;
00007  }
00008
00009  .create-case-back {
00010    display: inline-flex;
00011    align-items: center;
00012    gap: 8px;
00013    margin-bottom: 22px;
00014    padding: 8px 0;
00015    border: 0;
00016    background: transparent;
00017    color: #776d60;
00018    font-size: 12px;
00019    cursor: pointer;
00020  }
00021
00022  .create-case-back:hover { color: #8c332c; }
00023
00024  .create-case-heading { margin-bottom: 27px; }
00025  .create-case-heading > span {
00026    color: #8c332c;
00027    font-family: "JetBrains Mono", monospace;
00028    font-size: 10px;
00029    letter-spacing: 0.08em;
00030  }
00031  .create-case-heading h1 {
00032    margin: 10px 0 8px;
00033    font-family: "Playfair Display", Georgia, serif;
00034    font-size: clamp(28px, 3vw, 39px);
00035    font-weight: 400;
00036  }
00037  .create-case-heading p {
00038    margin: 0;
00039    color: #78695d;
00040    font-size: 13px;
00041    line-height: 1.7;
00042  }
00043
00044  .create-case-form {
00045    display: grid;
00046    gap: 20px;
00047    padding: 28px;
00048    border: 1px solid #d7cabc;
00049    background: #fbf9f5;
00050  }
00051  .create-case-form-title {
00052    display: flex;
00053    align-items: center;
00054    gap: 10px;
00055    color: #765541;
00056  }
00057  .create-case-form-title h2 {
00058    margin: 0;
00059    color: #30251f;
00060    font-family: "Playfair Display", Georgia, serif;
00061    font-size: 22px;
00062    font-weight: 400;
00063  }
00064  .create-case-form label { display: grid; gap: 9px; }
00065  .create-case-form label span { color: #66594a; font-size: 11px; font-weight: 600; }
00066  .create-case-form label b { color: #974c3d; }
00067  .create-case-form input {
00068    width: 100%;
00069    min-height: 42px;
00070    padding: 0 12px;
00071    border: 1px solid #ddd2c2;
00072    border-radius: 2px;
00073    background: #fffdf8;
00074    color: #42372c;
```

```
    font-size: 12px;
  }
  .create-case-form input:focus { outline: 2px solid #a78364; outline-offset: 1px; }
  .create-case-error {
    padding: 12px;
    border: 1px solid #d5a39d;
    background: #f8ebe7;
    color: #8c332c;
    font-size: 12px;
  }
  .create-case-actions {
    display: flex;
    justify-content: flex-end;
    gap: 10px;
    padding-top: 18px;
    border-top: 1px solid #e1d7ca;
  }
  .create-case-actions button {
    min-height: 42px;
    padding: 0 18px;
    font-size: 12px;
    cursor: pointer;
  }
  .create-case-actions button:disabled,
  .create-case-back:disabled { opacity: 0.6; cursor: not-allowed; }
  .create-case-cancel { border: 1px solid #d7cabc; background: #fffdf8; color: #66594a; }
  .create-case-submit { border: 1px solid #3c2b25; background: #3c2b25; color: #fbf9f5; }
  .create-case-submit:hover:not(:disabled) { background: #5b4034; }

  @media (max-width: 600px) {
    .create-case-form { padding: 20px; }
    .create-case-actions { flex-wrap: wrap; }
  }
```

case-vault-frontend/src/pages/CreateCase.jsx

ROLE: Case creation form and navigation after successful submission.

KEY DECLARATIONS: routes, CreateCase, navigate, [caseNumber, setCaseNumber], [caseType, setCaseType], [busy, setBusy], [error, setError], handleSubmit, number, type, created

SOURCE CONTENT | 89 lines | utf-8-sig | SHA-256 601de13ff173d8b98bff6467c5e3a6c1317e462c37766ee69268fa30d39f44fd

```
00001  import { useState } from "react";
00002  import { useNavigate } from "react-router-dom";
00003  import { ArrowLeft, FolderPlus } from "lucide-react";
00004  import VaultLayout from "../layouts/VaultLayout";
00005  import { api } from "../lib/api";
00006  import "./CreateCase.css";
00007
00008  const routes = {
00009    Overview: "/welcome", "Case Library": "/cases", "Case Detail": "/cases/detail",
00010    "Secure Submission": "/submission", "Audit Trail": "/audit", "Access Control": "/access-control",
00011  };
00012
00013  function CreateCase() {
00014    const navigate = useNavigate();
00015    const [caseNumber, setCaseNumber] = useState("");
00016    const [caseType, setCaseType] = useState("");
00017    const [busy, setBusy] = useState(false);
00018    const [error, setError] = useState("");
00019
00020    const handleSubmit = async (event) => {
00021      event.preventDefault();
00022      if (busy) return;
00023
00024      const number = caseNumber.trim();
00025      const type = caseType.trim();
00026      if (number.length < 2 || type.length < 2) {
00027        setError("Case number and case type must each have at least 2 characters.");
00028        return;
00029      }
00030
00031      setError("");
00032      setBusy(true);
00033      try {
00034        const created = await api("/cases", {
00035          method: "POST",
00036          body: { case_number: number, case_type: type },
00037        });
00038        navigate(`/cases/detail?caseId=${encodeURIComponent(created.id)}`);
00039      } catch (requestError) {
00040        setError(requestError.message);
00041        setBusy(false);
00042      }
00043    };
00044
00045    return (
00046      <VaultLayout activeTab="Case Library" onTabChange={(tab) => navigate(routes[tab])}>
00047        <div className="create-case-page">
00048          <button type="button" className="create-case-back" onClick={() => navigate("/cases")}
00049            disabled={busy}>
00050            <ArrowLeft size={16} /> Back to Case Library
00051          </button>
00052          <div className="create-case-heading">
00053            <span>ARCHIVE DIRECTORY / NEW CASE</span>
00054            <h1>Create a Case</h1>
00055            <p>Register the case first. You can attach evidence from its detail page afterward.</p>
00056          </div>
00057
00058          <form className="create-case-form" onSubmit={handleSubmit}>
00059            <div className="create-case-form-title">
00060              <FolderPlus size={20} />
00061              <h2>Case Information</h2>
00062            </div>
00063            <label>
00064              <span>Case Number <b>*</b></span>
00065              <input value={caseNumber} onChange={(event) => setCaseNumber(event.target.value)}
00066                minLength={2} maxLength={50} required disabled={busy}
00067                placeholder="Enter a unique case number" />
00068            </label>
00069            <label>
00070              <span>Case Type <b>*</b></span>
00071              <input value={caseType} onChange={(event) => setCaseType(event.target.value)}
```

```
00072                minLength={2} maxLength={100} required disabled={busy}
00073                placeholder="Enter the case type" />
00074            </label>
00075            {error && <div className="create-case-error" role="alert">{error}</div>}
00076            <div className="create-case-actions">
00077              <button type="button" className="create-case-cancel" onClick={() => navigate("/cases")}
00078                disabled={busy}>Cancel</button>
00079              <button type="submit" className="create-case-submit" disabled={busy}>
00080                {busy ? "Creating…" : "Create Case"}
00081              </button>
00082            </div>
00083          </form>
00084        </div>
00085      </VaultLayout>
00086    );
00087  }
00088
00089  export default CreateCase;
```

case-vault-frontend/src/pages/Login.css

ROLE: Stylesheet for Login UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 218 lines | utf-8-sig | SHA-256 b0812bbc75ed05c8787bad2756f1d3cde94511fd841720ca3785af732f60755b

```
00001  .login-page {
00002    min-height: 100vh;
00003    padding-bottom: calc(40px + env(safe-area-inset-bottom));
00004    background: #f5f0e7;
00005    color: #2c211d;
00006    display: flex;
00007    flex-direction: column;
00008    font-family: Arial, Helvetica, sans-serif;
00009  }
00010
00011  .login-header {
00012    height: 35px;
00013    margin: 25px 7px 0;
00014    background: #1d1513;
00015    color: #f7f1e8;
00016    display: flex;
00017    align-items: center;
00018    justify-content: space-between;
00019    padding: 0 18px 0 10px;
00020    box-sizing: border-box;
00021  }
00022
00023  .header-brand {
00024    display: flex;
00025    align-items: center;
00026    gap: 8px;
00027    font-size: 9px;
00028    font-weight: 700;
00029    letter-spacing: 0.3px;
00030  }
00031
00032  .header-icon {
00033    width: 27px;
00034    height: 27px;
00035    background: #f5f0e7;
00036    color: #8c332c;
00037    display: flex;
00038    align-items: center;
00039    justify-content: center;
00040  }
00041
00042  .header-description {
00043    font-size: 7px;
00044    letter-spacing: 0.4px;
00045    color: #cfc3b7;
00046  }
00047
00048  .login-main {
00049    flex: 1;
00050    display: flex;
00051    align-items: center;
00052    justify-content: center;
00053    padding: 24px 16px;
00054  }
00055
00056  .login-card {
00057    width: 100%;
00058    max-width: 344px;
00059    min-height: 385px;
00060    box-sizing: border-box;
00061    background: #fbf9f5;
00062    border: 1px solid #392b26;
00063    border-radius: 2px;
00064    box-shadow: 0 7px 18px rgba(40, 28, 23, 0.16);
00065    padding: 27px 27px 26px;
00066  }
00067
00068  .login-logo {
00069    width: 32px;
00070    height: 32px;
00071    border-radius: 50%;
00072    background: #8c332c;
00073    color: #f8f3eb;
00074    display: flex;
```

```
00075    align-items: center;
00076    justify-content: center;
00077    margin: 0 auto 8px;
00078  }
00079
00080  .login-card h1 {
00081    margin: 0;
00082    text-align: center;
00083    font-family: Georgia, "Times New Roman", serif;
00084    font-size: 21px;
00085    font-weight: 400;
00086    letter-spacing: -0.5px;
00087  }
00088
00089  .login-subtitle {
00090    margin: 4px 0 17px;
00091    text-align: center;
00092    font-size: 7px;
00093    color: #594943;
00094  }
00095
00096  .login-divider {
00097    height: 1px;
00098    background: #dfd3c7;
00099    margin-bottom: 21px;
00100  }
00101
00102  .form-group {
00103    margin-bottom: 15px;
00104  }
00105
00106  .form-group label {
00107    display: block;
00108    margin-bottom: 5px;
00109    font-size: 7px;
00110    font-weight: 700;
00111    color: #302521;
00112  }
00113
00114  .form-group input {
00115    width: 100%;
00116    height: 30px;
00117    box-sizing: border-box;
00118    border: 1px solid #81736b;
00119    border-radius: 3px;
00120    background: #f7f2e9;
00121    color: #332823;
00122    padding: 0 9px;
00123    font-family: "Courier New", monospace;
00124    font-size: 9px;
00125    outline: none;
00126  }
00127
00128  .form-group input:focus {
00129    border-color: #8c332c;
00130  }
00131
00132  .password-input {
00133    position: relative;
00134  }
00135
00136  .password-input input {
00137    padding-right: 32px;
00138  }
00139
00140  .password-input button {
00141    position: absolute;
00142    right: 7px;
00143    top: 50%;
00144    transform: translateY(-50%);
00145    border: none;
00146    background: transparent;
00147    color: #766861;
00148    padding: 2px;
00149    cursor: pointer;
00150    display: flex;
00151    align-items: center;
00152  }
00153
00154  .access-button {
00155    width: 100%;
00156    height: 33px;
00157    margin-top: 4px;
```

```
00158     border: none;
00159     border-radius: 3px;
00160     background: #3d2b25;
00161     color: #fffaf4;
00162     font-size: 8px;
00163     font-weight: 700;
00164     cursor: pointer;
00165   }
00166
00167   .access-button:hover {
00168     background: #4b342d;
00169   }
00170
00171   .login-footer {
00172     position: fixed;
00173     right: 7px;
00174     bottom: 0;
00175     left: 7px;
00176     z-index: 10;
00177     min-height: 30px;
00178     padding-bottom: env(safe-area-inset-bottom);
00179     border-top: 1px solid #b9aca0;
00180     background: #f5f0e7;
00181     display: flex;
00182     align-items: center;
00183     gap: 9px;
00184     padding-left: 23px;
00185     font-family: "Courier New", monospace;
00186     font-size: 7px;
00187     color: #51443d;
00188   }
00189
00190   @media (max-width: 600px) {
00191     .login-header {
00192       height: auto;
00193       min-height: 44px;
00194       gap: 8px;
00195       margin: 12px 12px 0;
00196     }
00197
00198     .header-description { text-align: right; }
00199     .login-card { padding: 24px 20px; }
00200     .form-group label { font-size: 10px; }
00201
00202     .form-group input {
00203       min-height: 42px;
00204       font-size: 16px;
00205     }
00206
00207     .access-button {
00208       min-height: 42px;
00209       font-size: 11px;
00210     }
00211
00212     .login-footer {
00213       right: 12px;
00214       left: 12px;
00215       padding-left: 10px;
00216       font-size: 9px;
00217     }
00218   }
```

case-vault-frontend/src/pages/Login.jsx

ROLE: Credential form and authentication error feedback.

KEY DECLARATIONS: Login, [showPassphrase, setShowPassphrase], [email, setEmail], [password, setPassword], [error, setError], [submitting, setSubmitting], navigate, handleLogin

SOURCE CONTENT | 133 lines | utf-8-sig | SHA-256 5d0b632c828e470ae9a1f74dc10bc124a468349819c0e36cf213b9bfe4ae0930

```
00001  import { useState } from "react";
00002  import { useNavigate } from "react-router-dom";
00003  import {
00004    Fingerprint,
00005    ShieldCheck,
00006    Eye,
00007    EyeOff
00008  } from "lucide-react";
00009  import "./Login.css";
00010  import { useAuth } from "../auth/context";
00011  import PhilippineClock from "../components/PhilippineClock";
00012
00013  function Login() {
00014    const [showPassphrase, setShowPassphrase] = useState(false);
00015    const [email, setEmail] = useState("");
00016    const [password, setPassword] = useState("");
00017    const [error, setError] = useState("");
00018    const [submitting, setSubmitting] = useState(false);
00019    const { login } = useAuth();
00020    const navigate = useNavigate();
00021
00022    const handleLogin = async (e) => {
00023      e.preventDefault();
00024      setError("");
00025      setSubmitting(true);
00026      try {
00027        await login(email.trim(), password);
00028        navigate("/welcome", { replace: true });
00029      } catch (requestError) {
00030        setError(requestError.message);
00031      } finally {
00032        setSubmitting(false);
00033      }
00034    };
00035
00036    return (
00037      <div className="login-page">
00038
00039        <header className="login-header">
00040          <div className="header-brand">
00041            <div className="header-icon">
00042              <Fingerprint size={22} />
00043            </div>
00044
00045            <span>CASE-VAULT</span>
00046          </div>
00047
00048          <span className="header-description">
00049            FORENSIC ARCHIVE LEDGER
00050          </span>
00051        </header>
00052
00053        <main className="login-main">
00054          <section className="login-card">
00055
00056            <div className="login-logo">
00057              <ShieldCheck size={22} />
00058            </div>
00059
00060            <h1>CASE-VAULT</h1>
00061
00062            <p className="login-subtitle">
00063              FORENSIC ARCHIVE LEDGER
00064            </p>
00065
00066            <div className="login-divider" />
00067
00068            <form onSubmit={handleLogin}>
00069
00070              <div className="form-group">
00071                <label htmlFor="login-email">EMAIL ADDRESS</label>
```

```
00072
00073                 <input
00074                   id="login-email"
00075                   type="email"
00076                   value={email}
00077                   onChange={(event) => setEmail(event.target.value)}
00078                   autoComplete="username"
00079                   required
00080                 />
00081               </div>
00082
00083               <div className="form-group">
00084                 <label htmlFor="login-password">PASSWORD</label>
00085
00086                 <div className="password-input">
00087                   <input
00088                     type={showPassphrase ? "text" : "password"}
00089                     id="login-password"
00090                     value={password}
00091                     onChange={(event) => setPassword(event.target.value)}
00092                     autoComplete="current-password"
00093                     required
00094                   />
00095
00096                   <button
00097                     type="button"
00098                     onClick={() =>
00099                       setShowPassphrase(!showPassphrase)
00100                     }
00101                     aria-label="Toggle passphrase visibility"
00102                   >
00103                     {showPassphrase ? (
00104                       <EyeOff size={15} />
00105                     ) : (
00106                       <Eye size={15} />
00107                     )}
00108                   </button>
00109                 </div>
00110               </div>
00111
00112               {error && <p role="alert" style={{ color: "#a6372e" }}>{error}</p>}
00113
00114               <button className="access-button" type="submit" disabled={submitting}>
00115                 {submitting ? "SIGNING IN…" : "SIGN IN"}
00116               </button>
00117
00118             </form>
00119
00120           </section>
00121         </main>
00122
00123         <footer className="login-footer">
00124           <span>CRYPTOGRAPHIC CLOCK:</span>
00125
00126           <PhilippineClock />
00127         </footer>
00128
00129       </div>
00130     );
00131   }
00132
00133   export default Login;
```

case-vault-frontend/src/pages/PasswordSettings.css

ROLE: Stylesheet for PasswordSettings UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 190 lines | utf-8-sig | SHA-256 70dac007cf31f6398e90a70b43baeac7cad7c69f3a0ac339c711b62681c636f2

```
00001  .password-settings-backdrop {
00002    position: fixed;
00003    inset: 0;
00004    z-index: 1000;
00005    display: grid;
00006    place-items: center;
00007    overflow-y: auto;
00008    padding: 24px;
00009    background: rgb(25 21 18 / 82%);
00010  }
00011
00012  .password-settings-dialog {
00013    width: min(100%, 430px);
00014    max-height: calc(100dvh - 48px);
00015    overflow-y: auto;
00016    padding: 22px;
00017    border: 1px solid #d9ccbd;
00018    border-radius: 10px;
00019    background: #fffdfa;
00020    box-shadow: 0 22px 64px rgb(0 0 0 / 25%);
00021    color: #30251f;
00022  }
00023
00024  .password-settings-header {
00025    display: flex;
00026    align-items: flex-start;
00027    justify-content: space-between;
00028    gap: 12px;
00029    margin-bottom: 18px;
00030  }
00031  .password-settings-header span {
00032    color: #9b7860;
00033    font-family: "JetBrains Mono", monospace;
00034    font-size: 9px;
00035    font-weight: 700;
00036    letter-spacing: 0.11em;
00037  }
00038  .password-settings-header h1 {
00039    margin: 5px 0 0;
00040    font-family: "Playfair Display", Georgia, serif;
00041    font-size: 22px;
00042    font-weight: 400;
00043    line-height: 1.2;
00044  }
00045  .password-settings-close {
00046    display: grid;
00047    flex: none;
00048    width: 26px;
00049    height: 26px;
00050    place-items: center;
00051    border: 0;
00052    border-radius: 4px;
00053    background: transparent;
00054    color: #9b897a;
00055    cursor: pointer;
00056  }
00057  .password-settings-close:hover { background: #f3ece3; color: #49362c; }
00058
00059  .password-settings-identity {
00060    display: flex;
00061    align-items: center;
00062    gap: 11px;
00063    padding: 12px;
00064    border: 1px solid #e6dbce;
00065    border-radius: 5px;
00066    background: #f8f4ef;
00067  }
00068  .password-settings-identity-icon {
00069    display: grid;
00070    flex: none;
00071    width: 34px;
00072    height: 34px;
00073    place-items: center;
00074    border-radius: 5px;
```

```
    background: #eee4d8;
    color: #9a7052;
  }
  .password-settings-identity strong,
  .password-settings-identity small { display: block; }
  .password-settings-identity strong { font-size: 12px; }
  .password-settings-identity small { margin-top: 3px; color: #8b7d70; font-size: 10px; }
  .password-settings-description {
    margin: 13px 0 17px;
    color: #817367;
    font-size: 11px;
    line-height: 1.55;
  }

  .password-settings-group { margin-bottom: 13px; }
  .password-settings-group label {
    display: block;
    margin-bottom: 6px;
    color: #645448;
    font-size: 10px;
    font-weight: 700;
  }
  .password-settings-field { position: relative; }
  .password-settings-field input {
    width: 100%;
    height: 38px;
    padding: 0 40px 0 11px;
    border: 1px solid #dfd3c6;
    border-radius: 4px;
    background: #fff;
    color: #30251f;
    font: inherit;
    font-size: 11px;
  }
  .password-settings-field input::placeholder { color: #a69a8e; }
  .password-settings-field button {
    position: absolute;
    top: 0;
    right: 0;
    display: grid;
    width: 38px;
    height: 38px;
    place-items: center;
    border: 0;
    background: transparent;
    color: #8b8075;
    cursor: pointer;
  }
  .password-settings-field button:hover { color: #8c332c; }
  .password-settings-close:focus-visible,
  .password-settings-field input:focus-visible,
  .password-settings-field button:focus-visible,
  .password-settings-actions button:focus-visible {
    outline: 2px solid #a78364;
    outline-offset: 2px;
  }
  .password-settings-help {
    margin: 5px 0 0;
    color: #8b7d70;
    font-size: 10px;
    line-height: 1.4;
  }
  .password-settings-note {
    display: flex;
    align-items: flex-start;
    gap: 8px;
    margin: 5px 0 0;
    padding: 10px;
    border-radius: 4px;
    background: #f4ede2;
    color: #947f68;
    font-size: 10px;
    line-height: 1.4;
  }
  .password-settings-note svg { flex: none; }
  .password-settings-error,
  .password-settings-success {
    margin: 12px 0 0;
    padding: 10px;
    border: 1px solid #d5a39d;
    border-radius: 4px;
    background: #f8ebe7;
    color: #8c332c;
```

```
00158    font-size: 11px;
00159  }
00160  .password-settings-success { border-color: #a3b894; background: #edf2e8; color: #48643e; }
00161  .password-settings-actions {
00162    display: flex;
00163    justify-content: flex-end;
00164    gap: 8px;
00165    margin-top: 20px;
00166    padding-top: 17px;
00167    border-top: 1px solid #e8ded2;
00168  }
00169  .password-settings-actions button {
00170    display: inline-flex;
00171    align-items: center;
00172    justify-content: center;
00173    gap: 6px;
00174    min-height: 37px;
00175    padding: 0 13px;
00176    border-radius: 4px;
00177    font: inherit;
00178    font-size: 11px;
00179    cursor: pointer;
00180  }
00181  .password-settings-cancel { border: 1px solid #e2d7cb; background: #fffdfa; color: #766759; }
00182  .password-settings-cancel:hover:not(:disabled) { background: #f5eee5; }
00183  .password-settings-submit { border: 1px solid #3c2b25; background: #3c2b25; color: #fffdfa; }
00184  .password-settings-submit:hover:not(:disabled) { background: #5b4034; }
00185  .password-settings-actions button:disabled { opacity: 0.6; cursor: not-allowed; }
00186
00187  @media (max-width: 480px) {
00188    .password-settings-backdrop { padding: 12px; }
00189    .password-settings-dialog { max-height: calc(100dvh - 24px); padding: 18px; }
00190  }
```

case-vault-frontend/src/pages/PasswordSettings.jsx

ROLE: Own-password change form with reveal controls and client validation.

KEY DECLARATIONS: PasswordSettings, navigate, location, currentInput, [passwords, setPasswords], [visible, setVisible], [error, setError], [message, setMessage], [busy, setBusy], isAdmin, roleTitle, background, previousHidden, previousOverflow, close, handleKeys, controls, first, last, changePassword; ...

SOURCE CONTENT | 136 lines | utf-8-sig | SHA-256 d4612266a86639466d108c404b2e2da519dd3ce49bb8fdb079da50eb1fab5e6a

```
00001  import { useEffect, useRef, useState } from "react";
00002  import { useLocation, useNavigate } from "react-router-dom";
00003  import { Eye, EyeOff, KeyRound, ShieldCheck, X } from "lucide-react";
00004  import { useAuth } from "../auth/context";
00005  import { api } from "../lib/api";
00006  import { displayRoleName } from "../lib/roles";
00007  import "./PasswordSettings.css";
00008
00009  function PasswordSettings() {
00010    const navigate = useNavigate();
00011    const location = useLocation();
00012    const { user } = useAuth();
00013    const currentInput = useRef(null);
00014    const [passwords, setPasswords] = useState({ current: "", next: "", confirm: "" });
00015    const [visible, setVisible] = useState({ current: false, next: false, confirm: false });
00016    const [error, setError] = useState("");
00017    const [message, setMessage] = useState("");
00018    const [busy, setBusy] = useState(false);
00019    const isAdmin = user?.role_name === "admin";
00020    const roleTitle = isAdmin ? "Admin" : displayRoleName(user?.role_name);
00021
00022    useEffect(() => {
00023      const background = document.querySelector(".vault-app");
00024      const previousHidden = background?.getAttribute("aria-hidden");
00025      const previousOverflow = document.body.style.overflow;
00026      background?.setAttribute("inert", "");
00027      background?.setAttribute("aria-hidden", "true");
00028      document.body.style.overflow = "hidden";
00029      currentInput.current?.focus();
00030      return () => {
00031        background?.removeAttribute("inert");
00032        if (previousHidden === null) background?.removeAttribute("aria-hidden");
00033        else background?.setAttribute("aria-hidden", previousHidden);
00034        document.body.style.overflow = previousOverflow;
00035      };
00036    }, []);
00037
00038    const close = () => {
00039      if (busy) return;
00040      if (location.state?.backgroundLocation) navigate(-1);
00041      else navigate("/welcome", { replace: true });
00042    };
00043
00044    const handleKeys = (event) => {
00045      if (event.key === "Escape") {
00046        event.preventDefault();
00047        close();
00048      }
00049      if (event.key !== "Tab") return;
00050      const controls = [...event.currentTarget.querySelectorAll("button:not(:disabled), input:not(:disabled)")];
00051      const first = controls[0];
00052      const last = controls.at(-1);
00053      if (event.shiftKey && document.activeElement === first) {
00054        event.preventDefault();
00055        last?.focus();
00056      } else if (!event.shiftKey && document.activeElement === last) {
00057        event.preventDefault();
00058        first?.focus();
00059      }
00060    };
00061
00062    const changePassword = async (event) => {
00063      event.preventDefault();
00064      if (busy) return;
00065      setError("");
00066      setMessage("");
00067      if (passwords.next !== passwords.confirm) {
00068        setError("New passwords do not match.");
00069        return;
00070      }
```

```
00071      setBusy(true);
00072      try {
00073        await api("/users/me/password", { method: "PATCH", body: {
00074          current_password: passwords.current,
00075          new_password: passwords.next,
00076        } });
00077        setPasswords({ current: "", next: "", confirm: "" });
00078        setVisible({ current: false, next: false, confirm: false });
00079        setMessage("Your password was changed.");
00080      } catch (requestError) {
00081        setError(requestError.message);
00082      } finally {
00083        setBusy(false);
00084      }
00085    };
00086
00087    const passwordField = (key, label, placeholder, autoComplete) => (
00088      <div className="password-settings-group" key={key}>
00089        <label htmlFor={`${key}-password`}>{label}</label>
00090        <div className="password-settings-field">
00091          <input id={`${key}-password`} ref={key === "current" ? currentInput : undefined}
00092            type={visible[key] ? "text" : "password"} autoComplete={autoComplete}
00093            minLength={key === "current" ? undefined : 8} maxLength={key === "current" ? undefined : 128}
00094            required disabled={busy} placeholder={placeholder}
00095            aria-describedby={key === "next" ? "password-rules" : undefined}
00096            value={passwords[key]} onChange={(event) => setPasswords({ ...passwords, [key]: event.target.value })} />
00097          <button type="button" aria-label={visible[key] ? `Hide ${label.toLowerCase()}` : `Show
  ...   ${label.toLowerCase()}`}
00098            aria-pressed={visible[key]} onClick={() => setVisible({ ...visible, [key]: !visible[key] })}>
00099            {visible[key] ? <EyeOff size={16} /> : <Eye size={16} />}
00100          </button>
00101        </div>
00102        {key === "next" && <p className="password-settings-help" id="password-rules">Use 8–128 characters. Common
  ...   passwords and predictable sequences are not allowed.</p>}
00103      </div>
00104    );
00105
00106    return <div className="password-settings-backdrop">
00107      <section className="password-settings-dialog" role="dialog" aria-modal="true"
00108        aria-labelledby="password-dialog-title" aria-describedby="password-dialog-description"
00109        onKeyDown={handleKeys}>
00110        <div className="password-settings-header">
00111          <div><span>{isAdmin ? "PRIVILEGED ACCOUNT" : "ACCOUNT SECURITY"}</span>
00112            <h1 id="password-dialog-title">Change {roleTitle} Password</h1></div>
00113          <button type="button" className="password-settings-close" aria-label="Close password settings"
  ...   onClick={close} disabled={busy}><X size={17} /></button>
00114        </div>
00115        <div className="password-settings-identity">
00116          <span className="password-settings-identity-icon"><ShieldCheck size={19} /></span>
00117          <div><strong>{user?.name}</strong><small>{user?.email}</small><small>{displayRoleName(user?.role_name)}</sma
  ...   ll></div>
00118        </div>
00119        <p className="password-settings-description" id="password-dialog-description">Enter your current password and
  ...   choose a new password for this account.</p>
00120        <form onSubmit={changePassword}>
00121          {passwordField("current", "Current password", "Enter current password", "current-password")}
00122          {passwordField("next", "New password", "Enter new password", "new-password")}
00123          {passwordField("confirm", "Confirm new password", "Re-enter new password", "new-password")}
00124          <div className="password-settings-note"><KeyRound size={15} /><span>Your password change is recorded in the
  ...   activity ledger. Passwords are never shown there.</span></div>
00125          {error && <p className="password-settings-error" role="alert">{error}</p>}
00126          {message && <p className="password-settings-success" role="status">{message}</p>}
00127          <div className="password-settings-actions">
00128            <button type="button" className="password-settings-cancel" onClick={close} disabled={busy}>Cancel</button>
00129            <button type="submit" className="password-settings-submit" disabled={busy}><KeyRound size={14} />{busy ?
  ...   "Saving…" : "Confirm Change"}</button>
00130          </div>
00131        </form>
00132      </section>
00133    </div>;
00134  }
00135
00136  export default PasswordSettings;
```

case-vault-frontend/src/pages/SecureSubmission.css

ROLE: Stylesheet for SecureSubmission UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 796 lines | utf-8-sig | SHA-256 9ce77d8c1c24b1d8bcb5f725617c0d64b3d87ac5faeb74bc6eb7b34f6c0b9273

```
00001
00002  .submission-page {
00003    width: 100%;
00004    max-width: 1500px;
00005    margin: 0 auto;
00006    padding: 8px 0 30px;
00007    color: #302920;
00008  }
00009
00010  .submission-back {
00011    display: inline-flex;
00012    align-items: center;
00013    gap: 8px;
00014    margin-bottom: 22px;
00015    padding: 8px 0;
00016    border: 0;
00017    background: transparent;
00018    color: #776d60;
00019    font-size: 12px;
00020    font-weight: 600;
00021  }
00022
00023  .submission-back:hover {
00024    color: #7d352f;
00025  }
00026
00027  .submission-heading {
00028    display: flex;
00029    align-items: flex-end;
00030    justify-content: space-between;
00031    gap: 20px;
00032    margin-bottom: 27px;
00033  }
00034
00035  .submission-eyebrow,
00036  .submission-section-label {
00037    color: #90795f;
00038    font-family: "JetBrains Mono", monospace;
00039    font-size: 9px;
00040    font-weight: 600;
00041    letter-spacing: 1.1px;
00042  }
00043
00044  .submission-heading h1 {
00045    margin: 10px 0 8px;
00046    color: #30271f;
00047    font-family: "Newsreader", Georgia, serif;
00048    font-size: clamp(28px, 3vw, 39px);
00049    font-weight: 500;
00050    letter-spacing: -0.7px;
00051  }
00052
00053  .submission-heading p {
00054    max-width: 650px;
00055    margin: 0;
00056    color: #7c7367;
00057    font-size: 12px;
00058    line-height: 1.8;
00059  }
00060
00061  .submission-security-label {
00062    display: inline-flex;
00063    flex-shrink: 0;
00064    align-items: center;
00065    gap: 8px;
00066    padding: 10px 12px;
00067    border: 1px solid #d9cbb8;
00068    background: #f0e7d9;
00069    color: #765541;
00070    font-family: "JetBrains Mono", monospace;
00071    font-size: 9px;
00072    letter-spacing: 0.5px;
00073  }
00074
```

```
00075  .submission-main-grid {
00076    display: grid;
00077    grid-template-columns: minmax(0, 1.65fr) minmax(260px, 0.85fr);
00078    align-items: start;
00079    gap: 20px;
00080  }
00081
00082  .submission-form-column,
00083  .submission-side-column {
00084    display: flex;
00085    flex-direction: column;
00086    gap: 20px;
00087    min-width: 0;
00088  }
00089
00090  .submission-panel {
00091    min-width: 0;
00092    padding: 24px;
00093    border: 1px solid #ded5c7;
00094    background: #fcfaf5;
00095  }
00096
00097  .submission-panel-heading {
00098    display: flex;
00099    align-items: flex-start;
00100    gap: 13px;
00101    margin-bottom: 25px;
00102  }
00103
00104  .submission-step-number {
00105    display: grid;
00106    flex-shrink: 0;
00107    width: 35px;
00108    height: 35px;
00109    place-items: center;
00110    border: 1px solid #d9c6ae;
00111    background: #f1e7d8;
00112    color: #795843;
00113    font-family: "JetBrains Mono", monospace;
00114    font-size: 12px;
00115  }
00116
00117  .submission-panel-heading h2,
00118  .submission-summary-heading h2 {
00119    margin: 7px 0 5px;
00120    color: #342c23;
00121    font-family: "Newsreader", Georgia, serif;
00122    font-size: 23px;
00123    font-weight: 500;
00124  }
00125
00126  .submission-panel-heading p {
00127    margin: 0;
00128    color: #81776a;
00129    font-size: 11px;
00130    line-height: 1.7;
00131  }
00132
00133  .submission-fields {
00134    display: grid;
00135    grid-template-columns: repeat(2, minmax(0, 1fr));
00136    gap: 20px 16px;
00137  }
00138
00139  .submission-field {
00140    display: flex;
00141    flex-direction: column;
00142    gap: 9px;
00143    min-width: 0;
00144  }
00145
00146  .submission-field > span,
00147  .submission-field-label {
00148    color: #66594a;
00149    font-size: 11px;
00150    font-weight: 600;
00151  }
00152
00153  .submission-field > span b,
00154  .submission-field-label b {
00155    color: #974c3d;
00156  }
00157
```

```
.submission-case-message {
  color: #81776a;
  font-size: 10px;
  line-height: 1.6;
}

.submission-case-message a,
.submission-case-message button {
  border: 0;
  background: transparent;
  color: #8c332c;
  font: inherit;
  font-weight: 600;
  text-decoration: underline;
  cursor: pointer;
}

.submission-field input,
.submission-field select,
.submission-field textarea {
  width: 100%;
  min-width: 0;
  border: 1px solid #ddd2c2;
  border-radius: 2px;
  outline: none;
  background: #fffdf8;
  color: #42372c;
  font-size: 11px;
}

.submission-field input,
.submission-field select {
  min-height: 42px;
  padding: 0 12px;
}

.submission-field select {
  padding-right: 28px;
}

.submission-field textarea {
  min-height: 100px;
  padding: 12px;
  resize: vertical;
  line-height: 1.7;
}

.submission-field input::placeholder,
.submission-field textarea::placeholder {
  color: #b0a496;
}

.submission-field input:focus,
.submission-field select:focus,
.submission-field textarea:focus {
  border-color: #9c7b5e;
  box-shadow: 0 0 0 2px rgb(156 123 94 / 10%);
}

.submission-field-full {
  grid-column: 1 / -1;
}

.submission-field > small {
  align-self: flex-end;
  color: #9b8e7e;
  font-size: 9px;
}

.submission-hidden-input {
  display: none;
}

.submission-dropzone {
  display: flex;
  min-height: 230px;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  padding: 25px;
  border: 1px dashed #cdbba4;
  background: #faf6ee;
  text-align: center;
```

```
00241    cursor: pointer;
00242  }
00243
00244  .submission-dropzone:hover,
00245  .submission-dropzone-active {
00246    border-color: #8c5c48;
00247    background: #f5ecdf;
00248  }
00249
00250  .submission-dropzone:focus-visible {
00251    outline: 2px solid #8c5c48;
00252    outline-offset: 3px;
00253  }
00254
00255  .submission-drop-icon {
00256    display: grid;
00257    width: 54px;
00258    height: 54px;
00259    margin-bottom: 15px;
00260    place-items: center;
00261    border: 1px solid #d9c7b0;
00262    background: #f0e4d3;
00263    color: #805c44;
00264  }
00265
00266  .submission-dropzone > strong {
00267    color: #4a3c30;
00268    font-family: "Newsreader", Georgia, serif;
00269    font-size: 19px;
00270    font-weight: 500;
00271  }
00272
00273  .submission-dropzone > span {
00274    margin-top: 8px;
00275    color: #8e8171;
00276    font-size: 11px;
00277  }
00278
00279  .submission-file-rules {
00280    display: flex;
00281    flex-wrap: wrap;
00282    justify-content: center;
00283    gap: 8px;
00284    margin-top: 22px;
00285  }
00286
00287  .submission-file-rules span {
00288    padding: 6px 8px;
00289    border: 1px solid #e4d8c8;
00290    color: #8b7862;
00291    font-family: "JetBrains Mono", monospace;
00292    font-size: 8px;
00293    letter-spacing: 0.4px;
00294  }
00295
00296  .submission-selected-file {
00297    display: flex;
00298    align-items: center;
00299    gap: 13px;
00300    min-width: 0;
00301    padding: 18px;
00302    border: 1px solid #d8c8b3;
00303    background: #f8f0e4;
00304  }
00305
00306  .submission-selected-file-icon {
00307    display: grid;
00308    flex-shrink: 0;
00309    width: 44px;
00310    height: 48px;
00311    place-items: center;
00312    border: 1px solid #ddcbb3;
00313    background: #eee0cd;
00314    color: #795b42;
00315  }
00316
00317  .submission-selected-file-info {
00318    display: flex;
00319    flex: 1;
00320    flex-direction: column;
00321    gap: 6px;
00322    min-width: 0;
00323  }
```

```
00324
00325  .submission-selected-file-info > strong {
00326    overflow-wrap: anywhere;
00327    color: #493a2e;
00328    font-size: 11px;
00329  }
00330
00331  .submission-selected-file-info > span {
00332    color: #8c7b68;
00333    font-size: 10px;
00334  }
00335
00336  .submission-selected-file-info > small {
00337    color: #907c63;
00338    font-size: 9px;
00339    line-height: 1.6;
00340  }
00341
00342  .submission-remove-file {
00343    display: grid;
00344    flex-shrink: 0;
00345    width: 30px;
00346    height: 30px;
00347    place-items: center;
00348    border: 1px solid #dfcfc0;
00349    background: transparent;
00350    color: #805e4c;
00351  }
00352
00353  .submission-remove-file:hover {
00354    background: #eee0d2;
00355  }
00356
00357  .submission-file-security {
00358    display: flex;
00359    align-items: flex-start;
00360    gap: 11px;
00361    margin-top: 17px;
00362    padding: 14px;
00363    border: 1px solid #dce1d3;
00364    background: #f0f2e9;
00365    color: #5f754f;
00366  }
00367
00368  .submission-file-security > svg {
00369    flex-shrink: 0;
00370    margin-top: 2px;
00371  }
00372
00373  .submission-file-security p {
00374    display: flex;
00375    flex-direction: column;
00376    gap: 5px;
00377    margin: 0;
00378  }
00379
00380  .submission-file-security strong {
00381    color: #506244;
00382    font-size: 11px;
00383  }
00384
00385  .submission-file-security span {
00386    color: #79816e;
00387    font-size: 10px;
00388    line-height: 1.7;
00389  }
00390
00391  .submission-summary-panel {
00392    padding: 22px;
00393  }
00394
00395  .submission-summary-heading {
00396    display: flex;
00397    align-items: flex-start;
00398    gap: 12px;
00399    margin-bottom: 22px;
00400    color: #805f46;
00401  }
00402
00403  .submission-summary-heading > svg {
00404    margin-top: 2px;
00405  }
00406
```

```
00407  .submission-summary-heading h2 {
00408    font-size: 21px;
00409  }
00410
00411  .submission-summary-row {
00412    display: flex;
00413    flex-direction: column;
00414    gap: 7px;
00415    padding: 13px 0;
00416    border-top: 1px solid #ebe2d6;
00417  }
00418
00419  .submission-summary-row > span {
00420    color: #958674;
00421    font-family: "JetBrains Mono", monospace;
00422    font-size: 8px;
00423    letter-spacing: 0.6px;
00424  }
00425
00426  .submission-summary-row > strong {
00427    overflow-wrap: anywhere;
00428    color: #514337;
00429    font-size: 11px;
00430    font-weight: 600;
00431  }
00432
00433  .submission-summary-divider {
00434    height: 1px;
00435    margin: 6px 0 18px;
00436    background: #ded2c2;
00437  }
00438
00439  .submission-integrity-preview {
00440    display: flex;
00441    align-items: center;
00442    gap: 11px;
00443  }
00444
00445  .submission-integrity-icon {
00446    display: grid;
00447    flex-shrink: 0;
00448    width: 38px;
00449    height: 38px;
00450    place-items: center;
00451    border: 1px solid #dfd0bb;
00452    background: #f3e9da;
00453    color: #806047;
00454  }
00455
00456  .submission-integrity-preview > div:last-child {
00457    display: flex;
00458    flex-direction: column;
00459    gap: 6px;
00460    min-width: 0;
00461  }
00462
00463  .submission-integrity-preview strong {
00464    color: #4b3e31;
00465    font-size: 10px;
00466  }
00467
00468  .submission-integrity-preview span {
00469    color: #9a8a77;
00470    font-size: 9px;
00471  }
00472
00473  .submission-summary-notice {
00474    display: flex;
00475    align-items: flex-start;
00476    gap: 8px;
00477    margin-top: 17px;
00478    padding: 12px;
00479    border: 1px solid #e7dac1;
00480    background: #faf3e5;
00481    color: #8b7146;
00482    font-size: 10px;
00483    line-height: 1.7;
00484  }
00485
00486  .submission-summary-notice svg {
00487    flex-shrink: 0;
00488    margin-top: 1px;
00489  }
```

```
00490
00491  .submission-workflow-panel {
00492    padding: 22px;
00493    border: 1px solid #d9cbbb;
00494    background: #eee5d7;
00495  }
00496
00497  .submission-workflow-panel h3 {
00498    margin: 9px 0 19px;
00499    color: #3f3227;
00500    font-family: "Newsreader", Georgia, serif;
00501    font-size: 21px;
00502    font-weight: 500;
00503  }
00504
00505  .submission-workflow-item {
00506    display: flex;
00507    align-items: flex-start;
00508    gap: 9px;
00509    margin: 13px 0;
00510    color: #6c5c4b;
00511    font-size: 10px;
00512    line-height: 1.6;
00513  }
00514
00515  .submission-workflow-item svg {
00516    flex-shrink: 0;
00517    margin-top: 1px;
00518    color: #827151;
00519  }
00520
00521  .submission-workflow-panel > p {
00522    margin: 18px 0 0;
00523    padding-top: 15px;
00524    border-top: 1px solid #d9cbbb;
00525    color: #857666;
00526    font-size: 10px;
00527    line-height: 1.8;
00528  }
00529
00530  .submission-error {
00531    display: flex;
00532    align-items: flex-start;
00533    gap: 10px;
00534    margin-top: 20px;
00535    padding: 14px 16px;
00536    border: 1px solid #e3c0b5;
00537    background: #f8eae5;
00538    color: #8b3d30;
00539    font-size: 11px;
00540    line-height: 1.7;
00541  }
00542
00543  .submission-error svg {
00544    flex-shrink: 0;
00545    margin-top: 1px;
00546  }
00547
00548  .submission-form-footer {
00549    display: flex;
00550    align-items: center;
00551    justify-content: space-between;
00552    gap: 18px;
00553    margin-top: 22px;
00554    padding: 19px 0 0;
00555    border-top: 1px solid #ddd2c3;
00556  }
00557
00558  .submission-footer-note {
00559    display: flex;
00560    align-items: center;
00561    gap: 9px;
00562    color: #8e7b65;
00563  }
00564
00565  .submission-footer-note > span {
00566    font-family: "JetBrains Mono", monospace;
00567    font-size: 8px;
00568    letter-spacing: 0.5px;
00569  }
00570
00571  .submission-footer-note > span > span {
00572    padding: 0 3px;
```

```
00573  }
00574
00575  .submission-footer-actions,
00576  .submission-success-actions {
00577    display: flex;
00578    flex-wrap: wrap;
00579    align-items: center;
00580    gap: 10px;
00581  }
00582
00583  .submission-primary-button,
00584  .submission-secondary-button {
00585    display: inline-flex;
00586    align-items: center;
00587    justify-content: center;
00588    gap: 8px;
00589    min-height: 42px;
00590    padding: 0 15px;
00591    border: 1px solid transparent;
00592    border-radius: 2px;
00593    font-size: 10px;
00594    font-weight: 600;
00595  }
00596
00597  .submission-primary-button {
00598    border-color: #65362f;
00599    background: #65362f;
00600    color: #fffaf2;
00601  }
00602
00603  .submission-primary-button:hover {
00604    background: #4b2924;
00605  }
00606
00607  .submission-secondary-button {
00608    border-color: #d7c9b7;
00609    background: #f9f5ed;
00610    color: #705a47;
00611  }
00612
00613  .submission-secondary-button:hover {
00614    background: #eee3d4;
00615  }
00616
00617  .submission-success {
00618    max-width: 850px;
00619    margin: 20px auto;
00620    padding: clamp(24px, 5vw, 48px);
00621    border: 1px solid #d9d0c1;
00622    background: #fcfaf5;
00623    text-align: center;
00624  }
00625
00626  .submission-success-icon {
00627    display: grid;
00628    width: 66px;
00629    height: 66px;
00630    margin: 0 auto 20px;
00631    place-items: center;
00632    border: 1px solid #c8d6bd;
00633    border-radius: 50%;
00634    background: #edf2e7;
00635    color: #5c784d;
00636  }
00637
00638  .submission-success h2 {
00639    margin: 10px 0;
00640    color: #352a21;
00641    font-family: "Newsreader", Georgia, serif;
00642    font-size: 34px;
00643    font-weight: 500;
00644  }
00645
00646  .submission-success > p {
00647    max-width: 500px;
00648    margin: 0 auto 24px;
00649    color: #7c7266;
00650    font-size: 12px;
00651    line-height: 1.8;
00652  }
00653
00654  .submission-reference {
00655    display: flex;
```

```
00656     flex-direction: column;
00657     gap: 9px;
00658     margin: 0 auto 25px;
00659     padding: 17px;
00660     border: 1px solid #e1d5c4;
00661     background: #f4ecdf;
00662   }
00663
00664   .submission-reference > span,
00665   .submission-success-details > div > span {
00666     color: #8e7c65;
00667     font-family: "JetBrains Mono", monospace;
00668     font-size: 8px;
00669     letter-spacing: 0.7px;
00670   }
00671
00672   .submission-reference > strong {
00673     overflow-wrap: anywhere;
00674     color: #634333;
00675     font-family: "JetBrains Mono", monospace;
00676     font-size: 17px;
00677     letter-spacing: 1px;
00678   }
00679
00680   .submission-success-details {
00681     display: grid;
00682     grid-template-columns: repeat(2, minmax(0, 1fr));
00683     gap: 0 20px;
00684     margin-bottom: 20px;
00685     text-align: left;
00686   }
00687
00688   .submission-success-details > div {
00689     display: flex;
00690     flex-direction: column;
00691     gap: 8px;
00692     min-width: 0;
00693     padding: 15px 0;
00694     border-bottom: 1px solid #e8dfd2;
00695   }
00696
00697   .submission-success-details > div > strong {
00698     overflow-wrap: anywhere;
00699     color: #4a3c30;
00700     font-size: 11px;
00701   }
00702
00703   .submission-demo-notice {
00704     display: flex;
00705     align-items: flex-start;
00706     gap: 9px;
00707     padding: 13px;
00708     border: 1px solid #e7d7b9;
00709     background: #faf2e2;
00710     color: #876b3d;
00711     font-size: 10px;
00712     line-height: 1.7;
00713     text-align: left;
00714   }
00715
00716   .submission-demo-notice svg {
00717     flex-shrink: 0;
00718     margin-top: 1px;
00719   }
00720
00721   .submission-success-actions {
00722     justify-content: center;
00723     margin-top: 25px;
00724   }
00725
00726   @media (max-width: 1050px) {
00727     .submission-main-grid {
00728       grid-template-columns: minmax(0, 1fr);
00729     }
00730
00731     .submission-side-column {
00732       display: grid;
00733       grid-template-columns: repeat(2, minmax(0, 1fr));
00734       align-items: start;
00735     }
00736   }
00737
00738   @media (max-width: 680px) {
```

```
00739     .submission-heading {
00740       align-items: flex-start;
00741       flex-direction: column;
00742     }
00743
00744     .submission-panel {
00745       padding: 18px;
00746     }
00747
00748     .submission-side-column {
00749       grid-template-columns: minmax(0, 1fr);
00750     }
00751
00752     .submission-fields {
00753       grid-template-columns: minmax(0, 1fr);
00754     }
00755
00756     .submission-field-full {
00757       grid-column: auto;
00758     }
00759
00760     .submission-form-footer {
00761       align-items: flex-start;
00762       flex-direction: column;
00763     }
00764
00765     .submission-footer-actions {
00766       width: 100%;
00767     }
00768
00769     .submission-footer-actions > button {
00770       flex: 1;
00771     }
00772   }
00773
00774   @media (max-width: 430px) {
00775     .submission-heading h1 {
00776       font-size: 29px;
00777     }
00778
00779     .submission-success-details {
00780       grid-template-columns: minmax(0, 1fr);
00781     }
00782
00783     .submission-success-actions {
00784       align-items: stretch;
00785       flex-direction: column;
00786     }
00787
00788     .submission-success-actions > button {
00789       width: 100%;
00790     }
00791
00792     .submission-dropzone {
00793       min-height: 205px;
00794       padding: 18px 12px;
00795     }
00796   }
```

case-vault-frontend/src/pages/SecureSubmission.jsx

ROLE: Case-linked PDF upload form, 10 MiB client limit, and submission feedback.

KEY DECLARATIONS: MAX_FILE_SIZE, SecureSubmission, navigate, [params], canCreateCase, requestedCaseId, fileInputRef, [caseId, setCaseId], [cases, setCases], [casesLoading, setCasesLoading], [casesLoadedFor, setCasesLoadedFor], [casesError, setCasesError], [casesReload, setCasesReload], caseListLoading, availableCases, selectedCase, [submitting, setSubmitting], [evidenceTitle, setEvidenceTitle], [evidenceType, setEvidenceType], [description, setDescription]; ...

SOURCE CONTENT | 590 lines | utf-8-sig | SHA-256 4b3a245f44c4f43eca8e09230b61100f5ce6a3d308b4da124fa961e87da4ddee

```
00001
00002  import { useEffect, useRef, useState } from "react";
00003  import {
00004    Upload,
00005    FileText,
00006    ShieldCheck,
00007    LockKeyhole,
00008    CheckCircle2,
00009    AlertTriangle,
00010    X,
00011    Fingerprint,
00012    FolderOpen,
00013    Clock3,
00014  } from "lucide-react";
00015  import { Link, useNavigate, useSearchParams } from "react-router-dom";
00016  import VaultLayout from "../layouts/VaultLayout";
00017  import { useAuth } from "../auth/context";
00018  import "./SecureSubmission.css";
00019  import { api } from "../lib/api";
00020
00021  const MAX_FILE_SIZE = 10 * 1024 * 1024;
00022
00023  function SecureSubmission({ embedded = false, onUploaded }) {
00024    const navigate = useNavigate();
00025    const [params] = useSearchParams();
00026    const { user } = useAuth();
00027    const canCreateCase = user.permissions.includes("case:create");
00028    const requestedCaseId = params.get("caseId") || "";
00029    const fileInputRef = useRef(null);
00030
00031    const [caseId, setCaseId] = useState(requestedCaseId);
00032    const [cases, setCases] = useState([]);
00033    const [casesLoading, setCasesLoading] = useState(true);
00034    const [casesLoadedFor, setCasesLoadedFor] = useState(null);
00035    const [casesError, setCasesError] = useState("");
00036    const [casesReload, setCasesReload] = useState(0);
00037    const caseListLoading = casesLoading || casesLoadedFor !== requestedCaseId;
00038    const availableCases = caseListLoading || casesError ? [] : cases;
00039    const selectedCase = availableCases.find((item) => item.id === caseId);
00040    const [submitting, setSubmitting] = useState(false);
00041    const [evidenceTitle, setEvidenceTitle] = useState("");
00042    const [evidenceType, setEvidenceType] = useState("Device Extraction Report");
00043    const [description, setDescription] = useState("");
00044    const [sourceDevice, setSourceDevice] = useState("");
00045    const [notes, setNotes] = useState("");
00046    const [file, setFile] = useState(null);
00047    const [dragging, setDragging] = useState(false);
00048    const [error, setError] = useState("");
00049    const [submitted, setSubmitted] = useState(false);
00050    const [reference, setReference] = useState("");
00051
00052    useEffect(() => {
00053      let active = true;
00054      api("/cases").then((records) => {
00055        if (active) {
00056          setCases(records);
00057          setCasesError("");
00058          setCasesLoadedFor(requestedCaseId);
00059          setCaseId((current) => {
00060            const preferred = requestedCaseId || current;
00061            return records.some((item) => item.id === preferred) ? preferred : "";
00062          });
00063        }
00064      }).catch((requestError) => {
00065        if (active) {
00066          setCases([]);
00067          setCaseId("");
00068          setCasesError(requestError.message);
```

```
00069          setCasesLoadedFor(requestedCaseId);
00070        }
00071      }).finally(() => { if (active) setCasesLoading(false); });
00072      return () => { active = false; };
00073    }, [requestedCaseId, casesReload]);
00074
00075    const retryCases = () => {
00076      setCasesLoading(true);
00077      setCasesError("");
00078      setCasesReload((current) => current + 1);
00079    };
00080
00081    const selectFile = (selectedFile) => {
00082      setError("");
00083      setSubmitted(false);
00084
00085      if (!selectedFile) return;
00086
00087      if (
00088        selectedFile.type !== "application/pdf" ||
00089        !selectedFile.name.toLowerCase().endsWith(".pdf")
00090      ) {
00091        setError("Only PDF files are accepted.");
00092        return;
00093      }
00094
00095      if (selectedFile.size > MAX_FILE_SIZE) {
00096        setError("The selected file exceeds the 10 MB limit.");
00097        return;
00098      }
00099
00100      if (selectedFile.size === 0) {
00101        setError("The selected file is empty.");
00102        return;
00103      }
00104
00105      setFile(selectedFile);
00106
00107      if (!evidenceTitle.trim()) {
00108        setEvidenceTitle(selectedFile.name.replace(/\.pdf$/i, ""));
00109      }
00110    };
00111
00112    const formatSize = (bytes) => {
00113      if (bytes < 1024) return `${bytes} B`;
00114      if (bytes < 1024 * 1024) return `${(bytes / 1024).toFixed(1)} KB`;
00115      return `${(bytes / (1024 * 1024)).toFixed(2)} MB`;
00116    };
00117
00118    const handleSubmit = async (event) => {
00119      event.preventDefault();
00120      setError("");
00121
00122      if (!file) {
00123        setError("Please select a PDF evidence file before submitting.");
00124        return;
00125      }
00126
00127      if (!selectedCase) { setError("Choose an existing case first."); return; }
00128
00129      if (!evidenceTitle.trim()) {
00130        setError("Please enter an evidence title.");
00131        return;
00132      }
00133
00134      const form = new FormData();
00135      form.append("case_id", caseId);
00136      form.append("evidence_type", evidenceType);
00137      form.append("title", evidenceTitle.trim());
00138      form.append("description", description.trim());
00139      form.append("source_device", sourceDevice.trim());
00140      form.append("notes", notes.trim());
00141      form.append("file", file);
00142      setSubmitting(true);
00143      try {
00144        const created = await api("/evidence", { method: "POST", body: form });
00145        setReference(created.id);
00146        setSubmitted(true);
00147        onUploaded?.();
00148      } catch (requestError) {
00149        setError(requestError.message);
00150      } finally {
00151        setSubmitting(false);
```

```
00152      }
00153    };
00154
00155    const resetForm = () => {
00156      setCaseId("");
00157      setEvidenceTitle("");
00158      setEvidenceType("Device Extraction Report");
00159      setDescription("");
00160      setSourceDevice("");
00161      setNotes("");
00162      setFile(null);
00163      setError("");
00164      setSubmitted(false);
00165      setReference("");
00166
00167      if (fileInputRef.current) {
00168        fileInputRef.current.value = "";
00169      }
00170    };
00171
00172    const goTo = (tab) => {
00173      const routes = {
00174        Overview: "/welcome",
00175        "Case Library": "/cases",
00176        "Case Detail": "/cases/detail",
00177        "Secure Submission": "/submission",
00178        "Audit Trail": "/audit",
00179        "Access Control": "/access-control",
00180      };
00181
00182      if (routes[tab]) navigate(routes[tab]);
00183    };
00184
00185    const content = (
00186        <div className="submission-page">
00187
00188
00189          <div className="submission-heading">
00190            <div>
00191              <div className="submission-eyebrow">
00192                ARCHIVE OPERATIONS / EVIDENCE INTAKE
00193              </div>
00194              <h1>Secure Record Submission</h1>
00195              <p>
00196                Register a forensic evidence record and prepare it for secure
00197                archival review.
00198              </p>
00199            </div>
00200
00201            <div className="submission-security-label">
00202              <LockKeyhole size={15} />
00203              SECURE INTAKE
00204            </div>
00205          </div>
00206
00207          {submitted ? (
00208            <section className="submission-success">
00209              <div className="submission-success-icon">
00210                <CheckCircle2 size={32} />
00211              </div>
00212              <span className="submission-eyebrow">UPLOAD COMPLETE</span>
00213              <h2>Evidence Saved</h2>
00214              <p>
00215                The PDF and evidence metadata were saved to the Case Vault backend.
00216              </p>
00217
00218              <div className="submission-reference">
00219                <span>EVIDENCE IDENTIFIER</span>
00220                <strong>{reference}</strong>
00221              </div>
00222
00223              <div className="submission-success-details">
00224                <div>
00225                  <span>CASE IDENTIFIER</span>
00226                  <strong>{cases.find((item) => item.id === caseId)?.case_number || caseId}</strong>
00227                </div>
00228                <div>
00229                  <span>EVIDENCE TITLE</span>
00230                  <strong>{evidenceTitle}</strong>
00231                </div>
00232                <div>
00233                  <span>SELECTED FILE</span>
00234                  <strong>{file?.name}</strong>
```

```
00235                 </div>
00236                 <div>
00237                   <span>FILE SIZE</span>
00238                   <strong>{file ? formatSize(file.size) : "—"}</strong>
00239                 </div>
00240               </div>
00241
00242               <div className="submission-demo-notice">
00243                 <AlertTriangle size={16} />
00244                 <span>
00245                   Integrity can be checked from the case detail page.
00246                 </span>
00247               </div>
00248
00249               <div className="submission-success-actions">
00250                 <button
00251                   type="button"
00252                   className="submission-secondary-button"
00253                   onClick={resetForm}
00254                 >
00255                   Create Another Record
00256                 </button>
00257                 <button
00258                   type="button"
00259                   className="submission-primary-button"
00260                   onClick={() => embedded
00261                     ? document.getElementById("admin-case-library")?.scrollIntoView()
00262                     : navigate("/cases")}
00263                 >
00264                   Return to Case Library
00265                 </button>
00266               </div>
00267             </section>
00268           ) : (
00269             <form className="submission-form" onSubmit={handleSubmit}>
00270               <div className="submission-main-grid">
00271                 <div className="submission-form-column">
00272                   <section className="submission-panel">
00273                     <div className="submission-panel-heading">
00274                       <div className="submission-step-number">01</div>
00275                       <div>
00276                         <span className="submission-section-label">
00277                           RECORD METADATA
00278                         </span>
00279                         <h2>Evidence Information</h2>
00280                         <p>Provide the details associated with this record.</p>
00281                       </div>
00282                     </div>
00283
00284                     <div className="submission-fields">
00285                       <div className="submission-field">
00286                         <label className="submission-field-label" htmlFor="submission-associated-case">Associated Case
  ...    <b>*</b></label>
00287                         <select
00288                           id="submission-associated-case"
00289                           value={caseId}
00290                           onChange={(event) => setCaseId(event.target.value)}
00291                           disabled={caseListLoading || Boolean(casesError) || availableCases.length === 0 ||
  ...   submitting}
00292                           required
00293                         >
00294                           <option value="" disabled>Select a case</option>
00295                           {availableCases.map((item) => <option key={item.id} value={item.id}>
00296                             {item.case_number} — {item.case_type}
00297                           </option>)}
00298                         </select>
00299                         {caseListLoading && <div className="submission-case-message" role="status">Loading
  ...   cases…</div>}
00300                         {!caseListLoading && casesError && <div className="submission-case-message" role="alert">
00301                           Could not load cases: {casesError} <button type="button" onClick={retryCases}>Retry</button>
00302                         </div>}
00303                         {!caseListLoading && !casesError && availableCases.length === 0 &&
00304                           <div className="submission-case-message" role="status">
00305                             No cases available. Create a case first.
00306                             {canCreateCase && <> <Link to="/cases/new">Create a case</Link></>}
00307                           </div>}
00308                       </div>
00309
00310                       <label className="submission-field">
00311                         <span>Evidence Title <b>*</b></span>
00312                         <input
00313                           type="text"
00314                           value={evidenceTitle}
```

```
00315                         onChange={(event) => setEvidenceTitle(event.target.value)}
00316                         placeholder="e.g. Device Extraction Report"
00317                         minLength={2}
00318                         maxLength={255}
00319                         required
00320                       />
00321                     </label>
00322
00323                     <label className="submission-field">
00324                       <span>Evidence Classification <b>*</b></span>
00325                       <select
00326                         value={evidenceType}
00327                         onChange={(event) => setEvidenceType(event.target.value)}
00328                         required
00329                       >
00330                         <option>Device Extraction Report</option>
00331                         <option>System Log Report</option>
00332                         <option>Network Analysis Report</option>
00333                         <option>Mobile Artifact Report</option>
00334                         <option>Incident Documentation</option>
00335                         <option>Other Forensic Document</option>
00336                       </select>
00337                     </label>
00338
00339                     <label className="submission-field">
00340                       <span>Source Device / Origin</span>
00341                       <input
00342                         type="text"
00343                         value={sourceDevice}
00344                         onChange={(event) => setSourceDevice(event.target.value)}
00345                         placeholder="e.g. Device reference or source identifier"
00346                         maxLength={200}
00347                       />
00348                     </label>
00349
00350                     <label className="submission-field submission-field-full">
00351                       <span>Description (optional)</span>
00352                       <textarea
00353                         value={description}
00354                         onChange={(event) => setDescription(event.target.value)}
00355                         placeholder="Describe the evidence and its relevance to the case..."
00356                         rows={4}
00357                         maxLength={2000}
00358                       />
00359                       <small>{description.length}/2000 characters</small>
00360                     </label>
00361
00362                     <label className="submission-field submission-field-full">
00363                       <span>Internal Notes</span>
00364                       <textarea
00365                         value={notes}
00366                         onChange={(event) => setNotes(event.target.value)}
00367                         placeholder="Optional handling notes or review instructions..."
00368                         rows={3}
00369                         maxLength={2000}
00370                       />
00371                     </label>
00372                   </div>
00373                 </section>
00374
00375                 <section className="submission-panel">
00376                   <div className="submission-panel-heading">
00377                     <div className="submission-step-number">02</div>
00378                     <div>
00379                       <span className="submission-section-label">
00380                         DIGITAL ARTIFACT
00381                       </span>
00382                       <h2>Evidence File</h2>
00383                       <p>
00384                         Select the PDF document to prepare for archival intake.
00385                       </p>
00386                     </div>
00387                   </div>
00388
00389                   <input
00390                     ref={fileInputRef}
00391                     className="submission-hidden-input"
00392                     type="file"
00393                     accept=".pdf,application/pdf"
00394                     onChange={(event) => selectFile(event.target.files?.[0])}
00395                   />
00396
00397                   {!file ? (
```

```
                    <div
                      className={`submission-dropzone ${
                        dragging ? "submission-dropzone-active" : ""
                      }`}
                      role="button"
                      tabIndex={0}
                      onClick={() => fileInputRef.current?.click()}
                      onKeyDown={(event) => {
                        if (event.key === "Enter" || event.key === " ") {
                          event.preventDefault();
                          fileInputRef.current?.click();
                        }
                      }}
                      onDragOver={(event) => {
                        event.preventDefault();
                        setDragging(true);
                      }}
                      onDragLeave={() => setDragging(false)}
                      onDrop={(event) => {
                        event.preventDefault();
                        setDragging(false);
                        selectFile(event.dataTransfer.files?.[0]);
                      }}
                    >
                      <div className="submission-drop-icon">
                        <Upload size={25} />
                      </div>
                      <strong>Drag and drop your PDF here</strong>
                      <span>or click to browse files on your computer</span>
                      <div className="submission-file-rules">
                        <span>PDF ONLY</span>
                        <span>MAXIMUM 10 MB</span>
                      </div>
                    </div>
                  ) : (
                    <div className="submission-selected-file">
                      <div className="submission-selected-file-icon">
                        <FileText size={23} />
                      </div>
                      <div className="submission-selected-file-info">
                        <strong>{file.name}</strong>
                        <span>
                          {formatSize(file.size)} · PDF DOCUMENT
                        </span>
                        <small>
                          Ready to upload to the server.
                        </small>
                      </div>
                      <button
                        type="button"
                        className="submission-remove-file"
                        aria-label="Remove selected file"
                        onClick={() => {
                          setFile(null);
                          if (fileInputRef.current) {
                            fileInputRef.current.value = "";
                          }
                        }}
                      >
                        <X size={17} />
                      </button>
                    </div>
                  )}

                  <div className="submission-file-security">
                    <ShieldCheck size={17} />
                    <p>
                      <strong>File validation</strong>
                      <span>
                        The server parses PDF content and stores a SHA-256 hash.
                      </span>
                    </p>
                  </div>
                </section>
              </div>

              <aside className="submission-side-column">
                <section className="submission-panel submission-summary-panel">
                  <div className="submission-summary-heading">
                    <Fingerprint size={20} />
                    <div>
                      <span className="submission-section-label">
                        INTAKE SUMMARY
```

```
                      </span>
                      <h2>Record Overview</h2>
                    </div>
                  </div>

                  <div className="submission-summary-row">
                    <span>Case Identifier</span>
                    <strong>{selectedCase?.case_number || "No case selected"}</strong>
                  </div>
                  <div className="submission-summary-row">
                    <span>Classification</span>
                    <strong>{evidenceType}</strong>
                  </div>
                  <div className="submission-summary-row">
                    <span>File Attached</span>
                    <strong>{file ? "Yes" : "No"}</strong>
                  </div>
                  <div className="submission-summary-row">
                    <span>File Size</span>
                    <strong>{file ? formatSize(file.size) : "—"}</strong>
                  </div>
                  <div className="submission-summary-row">
                    <span>Source Device</span>
                    <strong>{sourceDevice.trim() || "Not provided"}</strong>
                  </div>

                  <div className="submission-summary-divider" />

                  <div className="submission-integrity-preview">
                    <div className="submission-integrity-icon">
                      <LockKeyhole size={17} />
                    </div>
                    <div>
                      <strong>Integrity verification</strong>
                      <span>Available after upload</span>
                    </div>
                  </div>

                  <div className="submission-summary-notice">
                    <Clock3 size={15} />
                    The backend stores a version record and SHA-256 hash when the PDF is uploaded.
                  </div>
                </section>

                <section className="submission-workflow-panel">
                  <span className="submission-section-label">
                    SUBMISSION WORKFLOW
                  </span>
                  <h3>Before you submit</h3>
                  <div className="submission-workflow-item">
                    <CheckCircle2 size={15} />
                    <span>Complete the required metadata</span>
                  </div>
                  <div className="submission-workflow-item">
                    <CheckCircle2 size={15} />
                    <span>Select a PDF evidence file</span>
                  </div>
                  <div className="submission-workflow-item">
                    <FolderOpen size={15} />
                    <span>Review the associated case</span>
                  </div>
                  <p>
                    Submission writes an evidence record and an audit event.
                  </p>
                </section>
              </aside>
            </div>

            {error && (
              <div className="submission-error" role="alert">
                <AlertTriangle size={17} />
                {error}
              </div>
            )}

            <div className="submission-form-footer">
              <div className="submission-footer-note">
                <LockKeyhole size={15} />
                <span>
                  SERVER VALIDATION <span>·</span> PDF ONLY
                </span>
              </div>
```

```
00564                <div className="submission-footer-actions">
00565                  <button
00566                    type="button"
00567                    className="submission-secondary-button"
00568                    onClick={resetForm}
00569                  >
00570                    Clear Form
00571                  </button>
00572                  <button
00573                    type="submit"
00574                    className="submission-primary-button"
00575                    disabled={submitting || !selectedCase}
00576                  >
00577                    <ShieldCheck size={16} />
00578                    {submitting ? "Uploading…" : "Upload Evidence"}
00579                  </button>
00580                </div>
00581              </div>
00582            </form>
00583          )}
00584        </div>
00585    );
00586
00587    return embedded ? content : <VaultLayout activeTab="Secure Submission" onTabChange={goTo}>{content}</VaultLayout>;
00588  }
00589
00590  export default SecureSubmission;
```

case-vault-frontend/src/pages/Welcome.css

ROLE: Stylesheet for Welcome UI. Defines layout, colors, responsive behavior, and component states.

SOURCE CONTENT | 345 lines | utf-8-sig | SHA-256 a5bf35ac2e0cfb2d9cb6e00da728c26b4985957528b032e88aaf4a4a77392b4f

```
00001
00002  .welcome-content {
00003    display: grid;
00004    grid-template-columns: minmax(0, 2.1fr) minmax(255px, 0.85fr);
00005    grid-template-areas:
00006      "access sidebar"
00007      "pathways sidebar";
00008    align-items: start;
00009    gap: 18px 20px;
00010    width: 100%;
00011    max-width: 1200px;
00012    margin: 0 auto;
00013  }
00014
00015  .access-panel {
00016    grid-area: access;
00017    min-width: 0;
00018    min-height: 182px;
00019    padding: 24px;
00020    background: #fbf9f5;
00021    border: 1px solid #716256;
00022    border-radius: 3px;
00023  }
00024
00025  .access-heading {
00026    display: flex;
00027    align-items: center;
00028    justify-content: space-between;
00029    gap: 20px;
00030  }
00031
00032  .access-title-row {
00033    display: flex;
00034    align-items: center;
00035    gap: 13px;
00036    min-width: 0;
00037  }
00038
00039  .success-icon {
00040    flex: 0 0 auto;
00041    color: #35784c;
00042    background: #e7f0e8;
00043    border-radius: 50%;
00044    padding: 4px;
00045    width: 30px;
00046    height: 30px;
00047  }
00048
00049  .access-title-row h1 {
00050    margin: 0;
00051    color: #2a211c;
00052    font-family: "Playfair Display", Georgia, serif;
00053    font-size: clamp(23px, 2vw, 30px);
00054    font-weight: 400;
00055    line-height: 1.25;
00056  }
00057
00058  .access-title-row p {
00059    margin: 5px 0 0;
00060    color: #78685c;
00061    font-family: "JetBrains Mono", monospace;
00062    font-size: 10px;
00063    line-height: 1.6;
00064  }
00065
00066  .session-badge {
00067    flex: 0 0 auto;
00068    padding: 7px 11px;
00069    border: 1px solid #91b59a;
00070    border-radius: 2px;
00071    background: #e5eee5;
00072    color: #285d39;
00073    font-family: "JetBrains Mono", monospace;
00074    font-size: 9px;
```

```
00075    font-weight: 600;
00076    letter-spacing: 0.015em;
00077    text-align: center;
00078  }
00079
00080  .panel-divider {
00081    height: 1px;
00082    margin: 19px 0 13px;
00083    background: #ded4c7;
00084  }
00085
00086  .access-description {
00087    margin: 0;
00088    color: #4c4037;
00089    font-size: 11px;
00090    line-height: 1.8;
00091  }
00092
00093  .right-column {
00094    grid-area: sidebar;
00095    display: flex;
00096    flex-direction: column;
00097    gap: 13px;
00098    min-width: 0;
00099  }
00100
00101  .session-card {
00102    padding: 15px;
00103    background: #fbf9f5;
00104    border: 1px solid #716256;
00105    border-radius: 3px;
00106  }
00107
00108  .session-card h2 {
00109    margin: 0 0 14px;
00110    color: #2d231d;
00111    font-family: "Playfair Display", Georgia, serif;
00112    font-size: 17px;
00113    font-weight: 400;
00114  }
00115
00116  .session-row {
00117    display: flex;
00118    align-items: baseline;
00119    justify-content: space-between;
00120    gap: 14px;
00121    margin-top: 11px;
00122    color: #77685d;
00123    font-size: 11px;
00124  }
00125
00126  .session-row strong {
00127    max-width: 65%;
00128    overflow-wrap: anywhere;
00129    color: #2e241e;
00130    font-family: "JetBrains Mono", monospace;
00131    font-size: 10px;
00132    font-weight: 600;
00133    text-align: right;
00134  }
00135
00136  .session-row strong.online {
00137    color: #2e7046;
00138  }
00139
00140  .integrity-card {
00141    padding: 14px;
00142    background: #f8f6ef;
00143    border: 1px solid #86a98c;
00144    border-radius: 3px;
00145  }
00146
00147  .integrity-title {
00148    display: flex;
00149    align-items: center;
00150    gap: 8px;
00151    color: #315d3b;
00152    font-size: 11px;
00153    font-weight: 700;
00154  }
00155
00156  .integrity-title svg {
00157    flex: 0 0 auto;
```

```
}

.integrity-card p {
  margin: 12px 0 0;
  color: #4d6550;
  font-size: 11px;
  line-height: 1.7;
}

.pathway-section {
  grid-area: pathways;
  min-width: 0;
}

.pathway-section > h2 {
  margin: 0 0 10px;
  color: #4a392d;
  font-family: "Playfair Display", Georgia, serif;
  font-size: 12px;
  font-weight: 400;
}

.pathway-grid {
  display: grid;
  grid-template-columns: repeat(3, minmax(0, 1fr));
  gap: 12px;
}

.pathway-card {
  min-width: 0;
  min-height: 136px;
  padding: 13px;
  display: flex;
  flex-direction: column;
  align-items: flex-start;
  background: #fbf9f5;
  border: 1px solid #ded3c4;
  border-radius: 3px;
}

.pathway-card:hover {
  border-color: #b5a28c;
  box-shadow: 0 5px 14px rgb(55 37 24 / 7%);
}

.pathway-icon {
  width: 24px;
  height: 24px;
  margin-bottom: 8px;
  display: grid;
  place-items: center;
  background: #f2ece2;
  color: #47372b;
  border: 1px solid #ebe1d4;
  border-radius: 3px;
}

.pathway-card h3 {
  margin: 0 0 6px;
  color: #30241d;
  font-family: "Playfair Display", Georgia, serif;
  font-size: 14px;
  font-weight: 400;
  line-height: 1.45;
}

.pathway-card p {
  margin: 0 0 10px;
  color: #78685c;
  font-size: 11px;
  line-height: 1.65;
}

.open-tab {
  display: inline-flex;
  align-items: center;
  gap: 7px;
  margin-top: auto;
  padding: 4px 0;
  border: 0;
  background: transparent;
  color: #8c332c;
  font-size: 10px;
```

```
    font-weight: 700;
    letter-spacing: 0.015em;
  }

  .open-tab:focus-visible {
    outline: 2px solid #8c332c;
    outline-offset: 4px;
  }

  @media (max-width: 1050px) {
    .welcome-content {
      grid-template-columns: minmax(0, 1fr) minmax(235px, 0.7fr);
      gap: 18px;
    }

    .pathway-grid {
      grid-template-columns: repeat(2, minmax(0, 1fr));
    }

    .pathway-card:last-child {
      grid-column: 1 / -1;
    }

    .access-heading {
      align-items: flex-start;
      flex-direction: column;
    }
  }

  @media (max-width: 760px) {
    .welcome-content {
      grid-template-columns: minmax(0, 1fr);
      grid-template-areas:
        "access"
        "sidebar"
        "pathways";
    }

    .access-panel {
      padding: 20px;
    }

    .access-title-row h1 {
      font-size: 21px;
    }

    .access-description {
      font-size: 12px;
    }

    .right-column {
      display: grid;
      grid-template-columns: repeat(2, minmax(0, 1fr));
      align-items: stretch;
    }

    .session-card,
    .integrity-card {
      padding: 15px;
    }

    .pathway-grid {
      grid-template-columns: repeat(2, minmax(0, 1fr));
    }

    .pathway-card:last-child {
      grid-column: auto;
    }
  }

  @media (max-width: 500px) {
    .right-column,
    .pathway-grid {
      grid-template-columns: minmax(0, 1fr);
    }

    .access-title-row {
      align-items: flex-start;
    }

    .access-title-row h1 {
      font-size: 19px;
    }
```

```
00324
00325     .access-title-row p {
00326       font-size: 8px;
00327     }
00328
00329     .session-badge {
00330       max-width: 100%;
00331       font-size: 8px;
00332     }
00333
00334     .session-row {
00335       font-size: 12px;
00336     }
00337
00338     .session-row strong {
00339       font-size: 10px;
00340     }
00341
00342     .pathway-card {
00343       min-height: 150px;
00344     }
00345   }
```

case-vault-frontend/src/pages/Welcome.jsx

ROLE: Nonadmin welcome dashboard with session and case/evidence summaries.

KEY DECLARATIONS: routes, Welcome, navigate, [cases, setCases], [evidenceCount, setEvidenceCount], [loading, setLoading], [error, setError], counts, pathways

SOURCE CONTENT | 72 lines | utf-8-sig | SHA-256 43e7b02fdc2e38f5fe04667760086b72be675cdf8a9c1866e9e39596607ea012

```
00001  import { useEffect, useState } from "react";
00002  import { useNavigate } from "react-router-dom";
00003  import { Gauge, Database, ArrowRight, CircleCheck, ShieldCheck, FileText } from "lucide-react";
00004  import VaultLayout from "../layouts/VaultLayout";
00005  import { useAuth } from "../auth/context";
00006  import { api } from "../lib/api";
00007  import { displayRoleName } from "../lib/roles";
00008  import "./Welcome.css";
00009
00010  const routes = {
00011    Overview: "/welcome", "Case Library": "/cases", "Case Detail": "/cases/detail",
00012    "Secure Submission": "/submission", "Audit Trail": "/audit", "Access Control": "/access-control",
00013  };
00014
00015  function Welcome() {
00016    const navigate = useNavigate();
00017    const { user } = useAuth();
00018    const [cases, setCases] = useState([]);
00019    const [evidenceCount, setEvidenceCount] = useState(null);
00020    const [loading, setLoading] = useState(true);
00021    const [error, setError] = useState("");
00022
00023    useEffect(() => {
00024      let active = true;
00025      api("/cases").then(async (records) => {
00026        const counts = await Promise.all(records.map((record) =>
00027          api(`/evidence/by-case/${record.id}`).then((items) => items.length)));
00028        if (active) { setCases(records); setEvidenceCount(counts.reduce((sum, count) => sum + count, 0)); }
00029      }).catch((requestError) => { if (active) setError(requestError.message); })
00030        .finally(() => { if (active) setLoading(false); });
00031      return () => { active = false; };
00032    }, []);
00033
00034    const pathways = [
00035      { icon: Gauge, title: "Case Overview", description: "Browse active cases and review their current status.", tab:
  ...   "Case Library", permission: "case:view" },
00036      { icon: Database, title: "Secure Submission", description: "Submit a PDF evidence record to an existing case.",
  ...   tab: "Secure Submission", permission: "evidence:upload" },
00037      { icon: FileText, title: "Admin Dashboard", description: "Manage accounts and review archive activity.", tab:
  ...   "Access Control", permission: "user:manage" },
00038    ].filter((item) => !item.permission || user.permissions.includes(item.permission));
00039
00040    return <VaultLayout activeTab="Overview" onTabChange={(tab) => navigate(routes[tab])}>
00041      <div className="welcome-content">
00042        <section className="access-panel">
00043          <div className="access-heading"><div className="access-title-row"><CircleCheck className="success-icon"
  ...   size={25} />
00044            <div><h1>VAULT ACCESS GRANTED</h1><p>SECURE SESSION FOR {user.name.toUpperCase()} ·
  ...   {displayRoleName(user.role_name).toUpperCase()}</p></div>
00045          </div><span className="session-badge">SESSION ACTIVE</span></div>
00046          <div className="panel-divider" />
00047          <p className="access-description">Welcome to the Case Vault forensic archive. Your assigned role controls
  ...   access to case records and evidence. Authorized actions are recorded in the activity ledger.</p>
00048          {error && <p role="alert">{error}</p>}
00049        </section>
00050        <aside className="right-column"><section className="session-card">
00051          <h2>Session Dossier</h2>
00052          <div className="session-row"><span>Account</span><strong>{user.name}</strong></div>
00053          <div className="session-row"><span>Assigned
  ...   role</span><strong>{displayRoleName(user.role_name)}</strong></div>
00054          <div className="session-row"><span>Cases</span><strong>{loading || error ? "—" :
  ...   cases.length}</strong></div>
00055          <div className="session-row"><span>Open cases</span><strong>{loading || error ? "—" : cases.filter((item) =>
  ...    item.status.toLowerCase() === "open").length}</strong></div>
00056          <div className="session-row"><span>Evidence records</span><strong>{loading || error ? "—" :
  ...   evidenceCount}</strong></div>
00057          <div className="session-row"><span>Status</span><strong className="online">ONLINE</strong></div>
00058        </section><section className="integrity-card">
00059          <div className="integrity-title"><ShieldCheck size={15} /><span>EVIDENCE VERIFICATION</span></div>
00060          <p>Check a stored file against its recorded hash from the case detail page.</p>
00061        </section></aside>
```

```
00062        <section className="pathway-section"><h2>CHOOSE A DOSSIER PATHWAY</h2><div className="pathway-grid">
00063          {pathways.map((pathway) => { const Icon = pathway.icon; return <article className="pathway-card"
  ...   key={pathway.title}>
00064            <div className="pathway-icon"><Icon size={17} /></div><h3>{pathway.title}</h3><p>{pathway.description}</p>
00065            <button type="button" className="open-tab" onClick={() => navigate(routes[pathway.tab])}>OPEN TAB
  ...   <ArrowRight size={13} /></button>
00066          </article>; })}
00067        </div></section>
00068      </div>
00069    </VaultLayout>;
00070  }
00071
00072  export default Welcome;
```

case-vault-frontend/vite.config.js

ROLE: Vite/React build configuration and development /api reverse proxy.

SOURCE CONTENT | 9 lines | utf-8-sig | SHA-256 d87a7e4c00cef4c2e4e4cafc1254200272a1eb78803a669a13302132d0f49b56

```
00001
00002  import { defineConfig } from "vite";
00003  import react from "@vitejs/plugin-react";
00004  import tailwindcss from "@tailwindcss/vite";
00005
00006  export default defineConfig({
00007    plugins: [react(), tailwindcss()],
00008    server: { proxy: { "/api": { target: "http://127.0.0.1:8000", changeOrigin: true, rewrite: (path) =>
  ...  path.replace(/^\/api/, "") } } },
00009  });
```

pytest.ini

ROLE: Pytest discovery/configuration for the backend tests.

SOURCE CONTENT | 2 lines | utf-8-sig | SHA-256 ddfcf6e0017476e9b9e8e55559c80e166c21f4f1ac242c7468dc85ad9dc69e52

```
00001   [pytest]
00002   testpaths = tests
```

requirements-dev.txt

ROLE: Additional dependencies for the test suite.

SOURCE CONTENT | 3 lines | utf-8-sig | SHA-256 354af8f2cc1e3af850291090fcdabbf7a96f5dd1708bcc350d74dd02bbe7d2f3

```
00001   -r requirements.txt
00002   httpx==0.28.1
00003   pytest==8.4.2
```

requirements.txt

ROLE: Backend runtime dependency pins. File is UTF-16; its original bytes are embedded unchanged.

SOURCE CONTENT | 39 lines | utf-16 | SHA-256 28aedb6d417b870596242fe6cbdb9b958f5dca6490171a16b7acd138acdff47d

```
00001  annotated-doc==0.0.5
00002  annotated-types==0.8.0
00003  anyio==4.15.1
00004  bcrypt==4.0.1
00005  beanie==1.27.0
00006  certifi==2026.7.22
00007  cffi==2.1.1
00008  click==8.5.0
00009  cryptography==50.0.1
00010  dnspython==2.8.0
00011  ecdsa==0.19.2
00012  email-validator==2.3.0
00013  fastapi==0.141.1
00014  h11==0.16.0
00015  httptools==0.8.0
00016  idna==3.20
00017  lazy-model==0.2.0
00018  motor==3.7.1
00019  passlib==1.7.4
00020  pyasn1==0.6.4
00021  pycparser==3.0
00022  pydantic==2.13.5
00023  pydantic-settings==2.15.0
00024  pydantic_core==2.46.5
00025  pymongo==4.18.2
00026  python-dotenv==1.2.3
00027  python-jose==3.5.0
00028  python-multipart==0.0.32
00029  PyYAML==6.0.3
00030  rsa==4.9.1
00031  six==1.17.0
00032  starlette==1.7.0
00033  toml==0.10.2
00034  typing-inspection==0.4.4
00035  typing_extensions==4.16.0
00036  uvicorn==0.54.0
00037  watchfiles==1.3.0
00038  websockets==17.1
00039  pypdf==6.19.0
```

scripts/test_connection.py

ROLE: Manual database connection probe using private configured URI.

SOURCE CONTENT | 12 lines | utf-8-sig | SHA-256 efe3a00c85a6293a7aed854164a24f52bd6761b1e8e7ea7a5bdba99566832dad

```
00001  import certifi
00002  from pymongo import MongoClient
00003  from app.core.config import settings
00004
00005  uri = settings.MONGO_URI
00006
00007  client = MongoClient(uri, tlsCAFile=certifi.where())
00008  try:
00009      print(client.admin.command("ping"))
00010      print("Connected successfully!")
00011  except Exception as e:
00012      print("Connection failed:", e)
```

scripts/test_mongo.py

ROLE: Additional manual MongoDB connection/diagnostic script.

KEY DECLARATIONS: test

SOURCE CONTENT | 37 lines | utf-8-sig | SHA-256 251de768821f68ace762ff12bf31d17f3aaf630bdd558fd943393fe2a2fc6e12

```
00001  import asyncio
00002  import certifi
00003  from urllib.parse import urlsplit, quote_plus
00004  from motor.motor_asyncio import AsyncIOMotorClient
00005  from app.core.config import settings
00006
00007
00008  async def test():
00009      print("Testing MongoDB connection...")
00010
00011      parsed = urlsplit(settings.MONGO_URI)
00012
00013      uri = (
00014          f"mongodb+srv://"
00015          f"{quote_plus(parsed.username)}:"
00016          f"{quote_plus(parsed.password)}@"
00017          f"{parsed.hostname}/?"
00018          f"{parsed.query}"
00019      )
00020
00021      client = AsyncIOMotorClient(
00022          uri,
00023          tlsCAFile=certifi.where(),
00024          serverSelectionTimeoutMS=10000,
00025      )
00026
00027      try:
00028          result = await client.admin.command("ping")
00029          print("SUCCESS:", result)
00030      except Exception as e:
00031          print("ERROR:")
00032          print(repr(e))
00033      finally:
00034          client.close()
00035
00036
00037  asyncio.run(test())
```

tests/test_integration_mongo.py

ROLE: End-to-end test suite using an isolated transaction-capable MongoDB test database.

KEY DECLARATIONS: pdf_bytes, auth, expect, exercise_database, test_full_backend_against_transaction_capable_mongo

SOURCE CONTENT | 428 lines | utf-8-sig | SHA-256 65660f28b077e9e309bb718c00b7b473191221fd50014a111668ed7eb955de10

```
00001  """Run only with TEST_MONGO_URI. Every run creates and drops a new test database."""
00002  import asyncio
00003  import io
00004  import os
00005  from datetime import datetime, timedelta
00006  from uuid import uuid4
00007
00008  import httpx
00009  import pytest
00010  from bson import ObjectId
00011  from pypdf import PdfWriter
00012  from motor.motor_asyncio import AsyncIOMotorClient
00013
00014  from app.core.config import settings
00015  from app.core import database as database_module
00016  from app.core.database import get_client
00017  from app.main import app
00018  from app.models.audit_transaction import AuditTransaction
00019  from app.models.evidence import Evidence
00020  from app.models.evidence_version import EvidenceVersion
00021  from app.models.permission import Permission
00022  from app.models.role_permission import RolePermission
00023  from app.models.user import User
00024  from app.services.migration_service import run_migration
00025  from app.services.seed_service import run_seed
00026  from app.services.session_service import SESSION_LEASE
00027
00028
00029  def pdf_bytes():
00030      output = io.BytesIO()
00031      writer = PdfWriter()
00032      writer.add_blank_page(width=100, height=100)
00033      writer.write(output)
00034      return output.getvalue()
00035
00036
00037  def auth(token):
00038      return {"Authorization": f"Bearer {token}"}
00039
00040
00041  def expect(response, status):
00042      assert response.status_code == status, response.text
00043      return response.json() if response.content and response.headers.get("content-type",
  ...  "").startswith("application/json") else response
00044
00045
00046  async def exercise_database(monkeypatch):
00047      test_uri = os.environ["TEST_MONGO_URI"]
00048      test_db = f"cv_test_{uuid4().hex[:24]}"
00049      assert test_db != settings.DB_NAME
00050      original_uri, original_db = settings.MONGO_URI, settings.DB_NAME
00051      probe = AsyncIOMotorClient(test_uri, serverSelectionTimeoutMS=10000)
00052      try:
00053          assert (await probe.admin.command("hello")).get("setName"), "MongoDB replica set required"
00054      finally:
00055          probe.close()
00056      settings.MONGO_URI = test_uri
00057      settings.DB_NAME = test_db
00058      client = None
00059      try:
00060          await run_seed()
00061          client = get_client()
00062          db = client[test_db]
00063          transport = httpx.ASGITransport(app=app)
00064          async with httpx.AsyncClient(transport=transport, base_url="http://test") as api:
00065              login = expect(await api.post("/auth/login", json={
00066                  "email": "admin@casevault.org", "password": "ChangeMe123!"}), 200)
00067              admin_token = login["access_token"]
00068              admin = auth(admin_token)
00069              second_admin_login = expect(await api.post("/auth/login", json={
00070                  "email": "admin@casevault.org", "password": "ChangeMe123!"}), 409)
00071              assert "already signed in" in second_admin_login["detail"]
```

```
            access = expect(await api.get("/users/me/access", headers=admin), 200)
            assert access["role_name"] == "admin" and "user:manage" in access["permissions"]
            roles = expect(await api.get("/roles", headers=admin), 200)
            role_ids = {role["name"]: role["id"] for role in roles}
            assign_permission = await Permission.find_one(Permission.code == "tag:assign")
            create_permission = await Permission.find_one(Permission.code == "tag:create")
            analyst_assign_link = await RolePermission.find_one(
                RolePermission.role_id == role_ids["analyst"],
                RolePermission.permission_id == str(assign_permission.id))
            await analyst_assign_link.delete()  # Simulate a database seeded before analysts could assign tags.
            await RolePermission(role_id=role_ids["reviewer"], permission_id=str(create_permission.id)).insert()
            await run_migration()
            await run_migration()
            session_indexes = await db.active_sessions.list_indexes().to_list(None)
            assert any(list(index["key"].items()) == [("expires_at", 1)]
                       and index.get("expireAfterSeconds") == 0 for index in session_indexes)
            assert await RolePermission.find_one(RolePermission.role_id == role_ids["analyst"],
                                                 RolePermission.permission_id == str(assign_permission.id)) is not
  ...   None
            assert await RolePermission.find_one(RolePermission.role_id == role_ids["reviewer"],
                                                 RolePermission.permission_id == str(create_permission.id)) is None
            async def create_user(name, role):
                data = expect(await api.post("/users", headers=admin, json={
                    "name": name, "email": f"{name}@example.org", "password": "TestPass123!",
                    "role_id": role_ids[role]}), 201)
                token = expect(await api.post("/auth/login", json={
                    "email": data["email"], "password": "TestPass123!"}), 200)["access_token"]
                return data, auth(token)

            analyst_user, analyst = await create_user("analyst", "analyst")
            reviewer_user, reviewer = await create_user("reviewer", "reviewer")
            analyst_access = expect(await api.get("/users/me/access", headers=analyst), 200)
            reviewer_access = expect(await api.get("/users/me/access", headers=reviewer), 200)
            assert "tag:create" in analyst_access["permissions"] and "tag:assign" in analyst_access["permissions"]
            assert "tag:assign" in reviewer_access["permissions"] and "tag:create" not in
  ...   reviewer_access["permissions"]
            case_a = expect(await api.post("/cases", headers=analyst, json={
                "case_number": "CV-A", "case_type": "Digital"}), 201)
            case_b = expect(await api.post("/cases", headers=analyst, json={
                "case_number": "CV-B", "case_type": "Digital"}), 201)
            case_c = expect(await api.post("/cases", headers=admin, json={
                "case_number": "CV-C", "case_type": "Digital"}), 201)
            await db.cases.update_one({"_id": ObjectId(case_a["id"])},
                                      {"$set": {"submission_date": datetime(2026, 10, 16, 0, 0)}})
            await db.cases.update_one({"_id": ObjectId(case_b["id"])},
                                      {"$set": {"submission_date": datetime(2026, 10, 17, 0, 0)}})
            await db.cases.update_one({"_id": ObjectId(case_c["id"])},
                                      {"$set": {"submission_date": datetime(2026, 10, 16, 23, 59, 59)}})
            found = expect(await api.get("/cases", headers=analyst, params={
                "analyst_id": analyst_user["id"], "submitted_from": "2026-10-16",
                "submitted_to": "2026-10-16", "status": "open", "case_type": "Digital",
                "q": "CV-"}), 200)
            assert [item["id"] for item in found] == [case_a["id"]]
            expect(await api.get("/cases", headers=admin, params={
                "submitted_from": "2026-10-17", "submitted_to": "2026-10-16"}), 422)

            for headers in (admin, analyst, reviewer):
                assert expect(await api.get("/tags", headers=headers), 200) == []
            expect(await api.post("/tags", headers=reviewer, json={"name": "lab-review"}), 403)
            tag = expect(await api.post("/tags", headers=analyst, json={"name": " lab-review "}), 201)
            second_tag = expect(await api.post("/tags", headers=admin, json={"name": "needs-review"}), 201)
            assert tag["name"] == "lab-review"
            duplicate_name = expect(await api.post("/tags", headers=analyst,
                                                   json={"name": "lab-review"}), 409)
            assert "already exists" in duplicate_name["detail"]
            expect(await api.post("/tags", headers=analyst, json={"name": "  "}), 422)
            expect(await api.post(f"/cases/{case_a['id']}/tags", headers=analyst,
                                  json={"tag_id": tag["id"]}), 201)
            duplicate_link = expect(await api.post(f"/cases/{case_a['id']}/tags", headers=reviewer,
                                                   json={"tag_id": tag["id"]}), 409)
            assert "already assigned" in duplicate_link["detail"]
            expect(await api.post(f"/cases/{case_a['id']}/tags", headers=admin,
                                  json={"tag_id": second_tag["id"]}), 201)
            expect(await api.post(f"/cases/{case_b['id']}/tags", headers=reviewer,
                                  json={"tag_id": tag["id"]}), 201)
            assert {item["id"] for item in expect(await api.get(f"/cases/{case_a['id']}/tags",
                                                                headers=analyst), 200)} == {tag["id"], second_tag["id"]}
            expect(await api.delete(f"/cases/{case_a['id']}/tags/{tag['id']}", headers=analyst), 204)
            assert [item["id"] for item in expect(await api.get(f"/cases/{case_a['id']}/tags",
                                                                headers=analyst), 200)] == [second_tag["id"]]
            assert [item["id"] for item in expect(await api.get(f"/cases/{case_b['id']}/tags",
                                                                headers=reviewer), 200)] == [tag["id"]]
            expect(await api.delete(f"/cases/{case_a['id']}/tags/{second_tag['id']}", headers=reviewer), 204)
```

```
00153             expect(await api.delete(f"/cases/{case_b['id']}/tags/{tag['id']}", headers=admin), 204)
00154             assert expect(await api.get(f"/cases/{case_a['id']}/tags", headers=analyst), 200) == []
00155             assert {item["id"] for item in expect(await api.get("/tags", headers=admin), 200)} == {tag["id"],
  ...   second_tag["id"]}
00156             tag_audits = await AuditTransaction.find({"action": {"$in": ["tag_assigned", "tag_removed"]}}).to_list()
00157             assert len(tag_audits) == 6
00158             assert any(entry.action == "tag_assigned" and entry.actor_user_id == analyst_user["id"]
00159                        and entry.case_id == case_a["id"] and entry.metadata["tag_id"] == tag["id"]
00160                        and entry.occurred_at for entry in tag_audits)
00161             assert any(entry.action == "tag_removed" and entry.actor_user_id == analyst_user["id"]
00162                        and entry.case_id == case_a["id"] and entry.metadata["tag_id"] == tag["id"]
00163                        and entry.occurred_at for entry in tag_audits)
00164             assert any(entry.action == "tag_removed" and entry.actor_user_id == reviewer_user["id"]
00165                        and entry.case_id == case_a["id"] and entry.metadata["tag_id"] == second_tag["id"]
00166                        and entry.occurred_at for entry in tag_audits)
00167             assert any(entry.action == "tag_removed" and entry.actor_user_id == access["id"]
00168                        and entry.case_id == case_b["id"]
00169                        and entry.metadata["tag_id"] == tag["id"] and entry.occurred_at for entry in tag_audits)
00170             assert all(entry.actor_user_id and entry.case_id and entry.metadata["tag_id"]
00171                        and entry.occurred_at for entry in tag_audits)
00172             expect(await api.delete(f"/tags/{tag['id']}", headers=analyst), 403)
00173             expect(await api.delete(f"/tags/{tag['id']}", headers=reviewer), 403)
00174             expect(await api.post(f"/cases/{case_a['id']}/tags", headers=analyst,
00175                                   json={"tag_id": tag["id"]}), 201)
00176             expect(await api.post(f"/cases/{case_b['id']}/tags", headers=reviewer,
00177                                   json={"tag_id": tag["id"]}), 201)
00178             expect(await api.delete(f"/tags/{tag['id']}", headers=admin), 204)
00179             assert [item["id"] for item in expect(await api.get("/tags", headers=analyst), 200)] ==
  ...   [second_tag["id"]]
00180             assert expect(await api.get(f"/cases/{case_a['id']}/tags", headers=admin), 200) == []
00181             assert expect(await api.get(f"/cases/{case_b['id']}/tags", headers=admin), 200) == []
00182             expect(await api.post(f"/cases/{case_a['id']}/tags", headers=admin,
00183                                   json={"tag_id": tag["id"]}), 404)
00184             expect(await api.delete(f"/tags/{tag['id']}", headers=admin), 404)
00185             deleted_audits = await AuditTransaction.find({"action": "tag_deleted"}).to_list()
00186             assert len(deleted_audits) == 1
00187             assert deleted_audits[0].actor_user_id == access["id"]
00188             assert deleted_audits[0].metadata["tag_id"] == tag["id"]
00189             assert deleted_audits[0].metadata["removed_assignments"] == 2
00190             removal_audits = await AuditTransaction.find({"action": "tag_removed",
00191                                                           "metadata.tag_id": tag["id"]}).to_list()
00192             assert {entry.case_id for entry in removal_audits} == {case_a["id"], case_b["id"]}
00193             assert len(removal_audits) == 4
00194             expect(await api.patch(f"/cases/{case_a['id']}", headers=analyst,
00195                                    json={"status": "closed"}), 403)
00196             expect(await api.patch(f"/cases/{case_a['id']}", headers=reviewer,
00197                                    json={"status": "closed"}), 200)
00198             expect(await api.delete(f"/cases/{case_a['id']}", headers=analyst), 403)
00199             expect(await api.delete(f"/cases/{case_a['id']}", headers=reviewer), 403)
00200
00201             file = pdf_bytes()
00202             def upload(data=file, name="report.pdf"):
00203                 return {"file": (name, data, "application/pdf")}
00204             denied_upload = await api.post("/evidence", headers=reviewer,
00205                                            data={"case_id": case_a["id"], "evidence_type": "Log",
00206                                                  "title": "Initial report"}, files=upload())
00207             assert "evidence:upload" in expect(denied_upload, 403)["detail"]
00208             assert not await Evidence.find_all().count()
00209             expect(await api.post("/evidence", headers=analyst,
00210                                   data={"case_id": case_a["id"], "evidence_type": "L",
00211                                         "title": "Initial report"}, files=upload()), 422)
00212             expect(await api.post("/evidence", headers=analyst,
00213                                   data={"case_id": case_a["id"], "evidence_type": "Log",
00214                                         "title": "X" * 256}, files=upload()), 422)
00215             expect(await api.post("/evidence", headers=analyst,
00216                                   data={"case_id": case_a["id"], "evidence_type": "Log",
00217                                         "title": "Initial report"},
00218                                   files=upload(b"%PDF-1.7\ninvalid")), 400)
00219             assert await db.fs.files.count_documents({}) == 0
00220             item = expect(await api.post("/evidence", headers=analyst,
00221                                          data={"case_id": case_a["id"], "evidence_type": "Log",
00222                                                "title": "Initial report", "description": "Saved description",
00223                                                "source_device": "Lab laptop", "notes": "Review copy"},
  ...   files=upload()), 201)
00224             assert item["case_id"] == case_a["id"]
00225             assert item["id"] in [entry["id"] for entry in expect(
00226                 await api.get(f"/evidence/by-case/{case_a['id']}", headers=analyst), 200)]
00227             assert item["id"] not in [entry["id"] for entry in expect(
00228                 await api.get(f"/evidence/by-case/{case_b['id']}", headers=analyst), 200)]
00229             assert item["description"] == "Saved description"
00230             assert item["source_device"] == "Lab laptop" and item["notes"] == "Review copy"
00231             evidence_id = item["id"]
00232             first = (await EvidenceVersion.find(EvidenceVersion.evidence_id == evidence_id).to_list())[0]
```

```
            version_id = str(first.id)
            status_path = f"/evidence/{evidence_id}/versions/{version_id}/verification-status"
            initial_status = expect(await api.get(status_path, headers=reviewer), 200)
            assert initial_status["status"] == "Not checked" and initial_status["checked_at"] is None
            expect(await api.get(status_path), 403)
            original_download = await api.get(f"/evidence/{evidence_id}/versions/{version_id}/download",
                                              headers=reviewer)
            assert original_download.status_code == 200 and original_download.content == file
            assert expect(await api.get(f"/evidence/{evidence_id}/versions/{version_id}/verify",
                                        headers=reviewer), 200)["intact"] is True
            checked_status = expect(await api.get(status_path, headers=reviewer), 200)
            assert checked_status["status"] == "Intact" and checked_status["checked_at"]
            assert checked_status["actor_user_id"] == reviewer_user["id"]
            chunk = await db.fs.chunks.find_one({"files_id": ObjectId(first.storage_path)})
            changed = bytearray(chunk["data"])
            changed[0] = ord("X")
            await db.fs.chunks.update_one({"_id": chunk["_id"]}, {"$set": {"data": bytes(changed)}})
            check = expect(await api.get(f"/evidence/{evidence_id}/versions/{version_id}/verify",
                                         headers=reviewer), 200)
            assert check["intact"] is False and check["is_tamper_flagged"] is True
            assert expect(await api.get(status_path, headers=reviewer), 200)["status"] == "Mismatch detected"
            modified_download = await api.get(f"/evidence/{evidence_id}/versions/{version_id}/download",
                                              headers=reviewer)
            assert modified_download.status_code == 200
            assert modified_download.content != file and modified_download.content[0] == ord("X")
            assert await AuditTransaction.find(AuditTransaction.action == "tamper_flagged").count() == 1

            # An unavailable stored file is a failed attempt, never a completed comparison.
            verified_before = await AuditTransaction.find(AuditTransaction.action == "evidence_verified").count()
            missing_path = str(ObjectId())
            await db.evidence_versions.update_one({"_id": first.id}, {"$set": {"storage_path": missing_path}})
            try:
                failure = expect(await api.get(f"/evidence/{evidence_id}/versions/{version_id}/verify",
                                               headers=reviewer), 503)
                assert "could not be read" in failure["detail"]
                assert await AuditTransaction.find(AuditTransaction.action == "evidence_verified").count() ==
  ...   verified_before
                assert (await EvidenceVersion.get(version_id)).is_tamper_flagged is True
                assert expect(await api.get(status_path, headers=reviewer), 200)["status"] == "Check failed"
                latest = expect(await api.get("/audit/integrity/latest", headers=admin), 200)
                assert latest["action"] == "evidence_verification_failed"
                assert latest["evidence_id"] == evidence_id and latest["metadata"]["version_id"] == version_id
                expect(await api.get("/audit/integrity/latest", headers=analyst), 403)
            finally:
                await db.evidence_versions.update_one({"_id": first.id},
                                                      {"$set": {"storage_path": first.storage_path}})

            original_insert = AuditTransaction.insert
            async def failing_insert(self, *args, **kwargs):
                if self.action == "evidence_version_added":
                    raise RuntimeError("deliberate audit failure")
                return await original_insert(self, *args, **kwargs)
            before_files = await db.fs.files.count_documents({})
            with monkeypatch.context() as patch:
                patch.setattr(AuditTransaction, "insert", failing_insert)
                with pytest.raises(RuntimeError, match="deliberate audit failure"):
                    await api.post(f"/evidence/{evidence_id}/versions", headers=analyst,
                                   files=upload())
            assert await db.fs.files.count_documents({}) == before_files
            assert await EvidenceVersion.find(EvidenceVersion.evidence_id == evidence_id).count() == 1
            assert (await Evidence.get(evidence_id)).current_version_id == version_id
            assert (await Evidence.get(evidence_id)).next_version_no == 2

            responses = await asyncio.gather(*[
                api.post(f"/evidence/{evidence_id}/versions", headers=analyst, files=upload())
                for _ in range(2)])
            numbers = sorted(expect(response, 201)["version_no"] for response in responses)
            assert numbers == [2, 3]
            assert await EvidenceVersion.find(EvidenceVersion.evidence_id == evidence_id).count() == 3
            assert await db.fs.files.count_documents({}) == 3
            assert await AuditTransaction.find(AuditTransaction.action == "evidence_version_added").count() == 2

            expect(await api.get(f"/evidence/by-case/{case_a['id']}", headers=analyst), 200)
            expect(await api.get(f"/evidence/{evidence_id}", headers=analyst), 200)
            expect(await api.get(f"/evidence/{evidence_id}/versions", headers=analyst), 200)
            expect(await api.get(f"/evidence/{evidence_id}/versions/{version_id}/download",
                                 headers=analyst), 200)
            expect(await api.patch("/users/me/password", headers=analyst, json={
                "current_password": "TestPass123!", "new_password": "NewTestPass123!"}), 204)
            logs = expect(await api.get("/audit", headers=admin), 200)
            actions = {entry["action"] for entry in logs}
            assert {"cases_listed", "evidence_listed", "evidence_viewed", "versions_listed",
                    "evidence_downloaded", "tag_created", "tag_assigned", "tag_removed",
```

```
                "password_changed"} <= actions
            log_text = str(logs)
            assert "TestPass123!" not in log_text and "NewTestPass123!" not in log_text
            assert admin_token not in log_text and file[:50].hex() not in log_text

            expect(await api.delete(f"/evidence/{evidence_id}", headers=analyst), 403)
            expect(await api.delete(f"/evidence/{evidence_id}", headers=reviewer), 403)
            expect(await api.delete(f"/evidence/{evidence_id}", headers=admin), 204)
            assert (await Evidence.get(evidence_id)).deleted_at is not None
            assert await db.fs.files.count_documents({}) == 3
            for method, path in [
                ("get", f"/evidence/{evidence_id}"),
                ("get", f"/evidence/{evidence_id}/versions"),
                ("get", f"/evidence/{evidence_id}/versions/{version_id}/download"),
                ("get", f"/evidence/{evidence_id}/versions/{version_id}/verify"),
            ]:
                expect(await getattr(api, method)(path, headers=admin), 404)
            expect(await api.post(f"/evidence/{evidence_id}/versions", headers=admin,
                                  files=upload()), 404)
            expect(await api.get(f"/evidence/deleted/{evidence_id}", headers=admin), 200)
            expect(await api.get(f"/evidence/deleted/{evidence_id}", headers=analyst), 403)
            expect(await api.delete(f"/cases/{case_a['id']}", headers=admin), 204)
            assert await db.cases.count_documents({"_id": ObjectId(case_a["id"])}) == 1
            active_case_ids = [entry["id"] for entry in expect(await api.get("/cases", headers=analyst), 200)]
            assert case_a["id"] not in active_case_ids and case_b["id"] in active_case_ids
            assert await db.evidence_versions.count_documents({"evidence_id": evidence_id}) == 3
            expect(await api.get(f"/evidence/by-case/{case_a['id']}", headers=admin), 404)
            expect(await api.get(f"/cases/deleted/{case_a['id']}", headers=admin), 200)
            assert await AuditTransaction.find(AuditTransaction.action == "case_deleted").count() == 1
            assert await AuditTransaction.find(AuditTransaction.action == "evidence_deleted").count() == 1

            still_active = expect(await api.post("/evidence", headers=analyst,
                                                 data={"case_id": case_b["id"], "evidence_type": "Log",
                                                       "title": "Parent deletion check"}, files=upload()), 201)
            expect(await api.delete(f"/cases/{case_b['id']}", headers=admin), 204)
            assert (await Evidence.get(still_active["id"])).deleted_at is None
            expect(await api.get(f"/evidence/{still_active['id']}", headers=admin), 404)
            expect(await api.get(f"/evidence/by-case/{case_b['id']}", headers=admin), 404)
            expect(await api.post(f"/evidence/{still_active['id']}/versions", headers=admin,
                                  files=upload()), 404)
            expect(await api.get(f"/evidence/deleted/{still_active['id']}", headers=admin), 200)
            expect(await api.post("/auth/logout", headers=analyst), 204)
            expect(await api.get("/users/me/access", headers=analyst), 401)
            resumed_analyst = expect(await api.post("/auth/login", json={
                "email": analyst_user["email"], "password": "NewTestPass123!"}), 200)
            assert expect(await api.get("/users/me", headers=auth(resumed_analyst["access_token"])), 200)["id"] ==
  ...   analyst_user["id"]

            paused_user, paused_token = await create_user("paused", "analyst")
            expect(await api.delete(f"/users/{paused_user['id']}", headers=admin), 405)
            assert (await User.get(paused_user["id"])).is_active is True
            assert (await User.get(paused_user["id"])).deleted_at is None
            expect(await api.patch(f"/users/{paused_user['id']}", headers=admin,
                                   json={"is_active": False}), 200)
            assert await db.active_sessions.find_one({"_id": paused_user["id"]}) is None
            expect(await api.get("/users/me", headers=paused_token), 403)
            expect(await api.patch(f"/users/{paused_user['id']}", headers=admin,
                                   json={"is_active": True}), 200)
            expect(await api.get("/users/me", headers=paused_token), 401)
            expect(await api.post("/auth/login", json={
                "email": paused_user["email"], "password": "TestPass123!"}), 200)

            race_user = expect(await api.post("/users", headers=admin, json={
                "name": "Race User", "email": "race@example.org", "password": "TestPass123!",
                "role_id": role_ids["analyst"]}), 201)
            race_credentials = {"email": race_user["email"], "password": "TestPass123!"}
            race_results = await asyncio.gather(
                api.post("/auth/login", json=race_credentials),
                api.post("/auth/login", json=race_credentials))
            assert sorted(result.status_code for result in race_results) == [200, 409]
            first_token = next(result.json()["access_token"] for result in race_results if result.status_code ==
  ...   200)
            assert expect(await api.get("/users/me", headers=auth(first_token)), 200)["id"] == race_user["id"]
            assert await db.active_sessions.count_documents({"_id": race_user["id"]}) == 1

            await db.active_sessions.update_one({"_id": race_user["id"]},
                                                {"$set": {"last_seen_at": datetime.utcnow() - SESSION_LEASE +
  ...   timedelta(seconds=30)}})
            expect(await api.post("/auth/heartbeat", headers=auth(first_token)), 204)
            renewed = await db.active_sessions.find_one({"_id": race_user["id"]})
            assert renewed["last_seen_at"] > datetime.utcnow() - timedelta(seconds=30)
            expect(await api.post("/auth/login", json=race_credentials), 409)

```

```
            await db.active_sessions.update_one({"_id": race_user["id"]},
                                                {"$set": {"last_seen_at": datetime.utcnow() - SESSION_LEASE -
  ...   timedelta(seconds=1)}})
            expect(await api.post("/auth/heartbeat", headers=auth(first_token)), 401)
            lease_replacement = expect(await api.post("/auth/login", json=race_credentials), 200)
            expect(await api.get("/users/me", headers=auth(first_token)), 401)
            assert expect(await api.get("/users/me", headers=auth(lease_replacement["access_token"])), 200)["id"] ==
  ...    race_user["id"]

            await db.active_sessions.update_one({"_id": race_user["id"]},
                                                {"$set": {"expires_at": datetime.utcnow() - timedelta(seconds=1)}})
            replacement = expect(await api.post("/auth/login", json=race_credentials), 200)
            expect(await api.get("/users/me", headers=auth(lease_replacement["access_token"])), 401)
            expect(await api.get("/users/me", headers=auth(replacement["access_token"])), 200)
            expect(await api.post("/auth/logout", headers=auth(replacement["access_token"])), 204)
            legacy_token = expect(await api.post("/auth/login", json=race_credentials), 200)["access_token"]
            await db.active_sessions.update_one({"_id": race_user["id"]},
                                                {"$unset": {"last_seen_at": ""},
                                                 "$set": {"started_at": datetime.utcnow() - SESSION_LEASE -
  ...   timedelta(seconds=1)}})
            expect(await api.get("/users/me", headers=auth(legacy_token)), 401)
            expect(await api.post("/auth/login", json=race_credentials), 200)
    finally:
        cleanup_client = client or database_module._client
        try:
            if cleanup_client is not None:
                await cleanup_client.drop_database(test_db)
        finally:
            if cleanup_client is not None:
                cleanup_client.close()
            settings.MONGO_URI, settings.DB_NAME = original_uri, original_db
            database_module._client = None


@pytest.mark.skipif(not os.environ.get("TEST_MONGO_URI"), reason="TEST_MONGO_URI not set; no isolated MongoDB test
  ...   target")
def test_full_backend_against_transaction_capable_mongo(monkeypatch):
    asyncio.run(exercise_database(monkeypatch))
```

tests/test_unit.py

ROLE: Fast focused tests for PDF validation, filters, passwords, audit, and permissions.

KEY DECLARATIONS: pdf_bytes, test_pdf_parser_rejects_malformed_content, test_pdf_upload_limit_is_10_mib, test_combined_case_filters_use_creator_and_utc_day_bounds, test_reversed_date_range_returns_422, test_audit_stream_pushes_new_entries_without_logging_each_check, test_online_user_ids_uses_current_session_lease, test_user_chosen_password_rejects_common_choices, test_password_lengths_and_admin_temporary_exception, test_only_admin_can_set_common_temporary_password, test_full_128_character_password_is_hashed_and_legacy_hashes_still_verify, test_validation_errors_do_not_echo_submitted_password, test_create_user_requires_every_field, test_create_user_rejects_whitespace_only_fields

SOURCE CONTENT | 245 lines | utf-8-sig | SHA-256 d27dc7e87eae102141d82628fe03c88c0138670853ff2708b2b92156ab7c3b45

```
00001  import asyncio
00002  import io
00003  from datetime import date, datetime
00004  from types import SimpleNamespace
00005
00006  import pytest
00007  from fastapi import HTTPException, UploadFile
00008  from fastapi.exceptions import RequestValidationError
00009  from pydantic import ValidationError
00010  from pypdf import PdfWriter
00011
00012  from app.routers import audit, cases, evidence, users
00013  from app.core.password_policy import is_common_password
00014  from app.core.security import hash_password, pwd_context, verify_password
00015  from app.services import session_service
00016  from app.schemas.user import ChangePasswordRequest, UserCreate
00017  from app.main import safe_validation_error
00018
00019
00020  def pdf_bytes():
00021      output = io.BytesIO()
00022      writer = PdfWriter()
00023      writer.add_blank_page(width=100, height=100)
00024      writer.write(output)
00025      return output.getvalue()
00026
00027
00028  def test_pdf_parser_rejects_malformed_content():
00029      valid = UploadFile(filename="report.pdf", file=io.BytesIO(), headers={"content-type": "application/pdf"})
00030      evidence._validate_pdf(valid, pdf_bytes())
00031      with pytest.raises(HTTPException) as error:
00032          evidence._validate_pdf(valid, b"%PDF-1.7\nnot a PDF")
00033      assert error.value.status_code == 400
00034
00035
00036  def test_pdf_upload_limit_is_10_mib():
00037      file = UploadFile(filename="report.pdf", file=io.BytesIO(), headers={"content-type": "application/pdf"})
00038      assert evidence.MAX_FILE_SIZE == 10 * 1024 * 1024
00039      with pytest.raises(HTTPException) as error:
00040          evidence._validate_pdf(file, b"x" * (evidence.MAX_FILE_SIZE + 1))
00041      assert error.value.status_code == 413
00042      assert "10 MB" in error.value.detail
00043
00044
00045  def test_combined_case_filters_use_creator_and_utc_day_bounds(monkeypatch):
00046      captured = {}
00047
00048      class Finder:
00049          def __init__(self, query):
00050              captured.update(query)
00051
00052          async def to_list(self):
00053              return []
00054
00055      monkeypatch.setattr(cases.Case, "find", lambda query: Finder(query))
00056
00057      async def log(*args, **kwargs):
00058          captured["audit"] = (args, kwargs)
00059
00060      monkeypatch.setattr(cases, "log_action", log)
00061      user = SimpleNamespace(id="actor")
00062      result = asyncio.run(cases.list_cases(
00063          status="open", case_type="Digital", q="CV-01", analyst_id="analyst-id",
```

```
00064          submitted_from=date(2026, 10, 16), submitted_to=date(2026, 10, 16),
00065          current_user=user))
00066      assert result == []
00067      assert captured["created_by"] == "analyst-id"
00068      assert captured["submission_date"] == {
00069          "$gte": datetime(2026, 10, 16), "$lt": datetime(2026, 10, 17)}
00070      assert captured["status"] == "open"
00071      assert captured["case_type"] == "Digital"
00072      assert captured["case_number"]["$regex"] == "CV\\-01"
00073      assert "CV-01" not in str(captured["audit"])
00074
00075
00076  def test_reversed_date_range_returns_422():
00077      with pytest.raises(HTTPException) as error:
00078          asyncio.run(cases.list_cases(
00079              status=None, case_type=None, q=None, analyst_id=None,
00080              submitted_from=date(2026, 10, 17), submitted_to=date(2026, 10, 16),
00081              current_user=SimpleNamespace(id="actor")))
00082      assert error.value.status_code == 422
00083
00084
00085  def test_audit_stream_pushes_new_entries_without_logging_each_check(monkeypatch):
00086      entries = [SimpleNamespace(id="first", actor_user_id="actor", case_id=None,
00087                                 evidence_id=None, action="case_created", metadata={},
00088                                 occurred_at=datetime(2026, 10, 18, 1, 0))]
00089      logged = []
00090      presence = ["admin"]
00091
00092      class Finder:
00093          def __init__(self):
00094              self.count = 500
00095
00096          def sort(self, *args):
00097              return self
00098
00099          def limit(self, count):
00100              self.count = count
00101              return self
00102
00103          async def to_list(self):
00104              return list(reversed(entries))[:self.count]
00105
00106      async def log(*args, **kwargs):
00107          logged.append((args, kwargs))
00108
00109      async def advance(_seconds):
00110          entries.append(SimpleNamespace(id="second", actor_user_id="analyst", case_id="case-1",
00111                                         evidence_id=None, action="evidence_uploaded", metadata={},
00112                                         occurred_at=datetime(2026, 10, 18, 1, 1)))
00113          presence.append("analyst")
00114
00115      async def online():
00116          return list(presence)
00117
00118      monkeypatch.setattr(audit.AuditTransaction, "find_all", lambda: Finder())
00119      monkeypatch.setattr(audit, "log_action", log)
00120      monkeypatch.setattr(audit, "online_user_ids", online)
00121      monkeypatch.setattr(audit.asyncio, "sleep", advance)
00122
00123      async def check():
00124          async def connected():
00125              return False
00126
00127          request = SimpleNamespace(is_disconnected=connected,
00128                                    headers={"authorization": "Bearer test-token"})
00129          response = await audit.stream_audit(request, limit=500, user=SimpleNamespace(id="admin"))
00130          first = await anext(response.body_iterator)
00131          first_presence = await anext(response.body_iterator)
00132          second = await anext(response.body_iterator)
00133          second_presence = await anext(response.body_iterator)
00134          await response.body_iterator.aclose()
00135          assert '"id": "first"' in first
00136          assert 'event: presence' in first_presence and '"admin"' in first_presence
00137          assert '"id": "second"' in second
00138          assert '"id": "first"' in second
00139          assert 'event: presence' in second_presence and '"analyst"' in second_presence
00140
00141      asyncio.run(check())
00142      assert len(logged) == 1
00143      assert logged[0][0] == ("admin", "audit_listed")
00144
00145
00146  def test_online_user_ids_uses_current_session_lease(monkeypatch):
```

```
    captured = {}

    class Cursor:
        async def to_list(self, length):
            assert length is None
            return [{"_id": "reviewer"}, {"_id": "analyst"}]

    class Sessions:
        def find(self, query, projection):
            captured.update(query)
            assert projection == {"_id": 1}
            return Cursor()

    monkeypatch.setattr(session_service, "active_sessions", lambda: Sessions())
    assert asyncio.run(session_service.online_user_ids()) == ["analyst", "reviewer"]
    assert "$or" in captured and "expires_at" in captured


@pytest.mark.parametrize("password", [
    "password123", "P@ssw0rd123!", "Admin2026!", "qwerty123", "12345678",
    "123456789123", "abcdabcd", "aaaaaaaa",
])
def test_user_chosen_password_rejects_common_choices(password):
    assert is_common_password(password)
    with pytest.raises(ValidationError):
        ChangePasswordRequest(current_password="OldPass123!", new_password=password)


def test_password_lengths_and_admin_temporary_exception():
    temporary = {"name": "Test User", "email": "test@example.com",
                 "password": "password123", "role_id": "role-id"}
    assert UserCreate.model_validate(temporary).password == "password123"
    for length in (7, 129):
        with pytest.raises(ValidationError):
            UserCreate.model_validate({**temporary, "password": "x" * length})
        with pytest.raises(ValidationError):
            ChangePasswordRequest(current_password="old", new_password="x" * length)
    long_password = ("R4ndomPassphrase!" * 8)[:128]
    assert len(ChangePasswordRequest(current_password="old", new_password=long_password).new_password) == 128


def test_only_admin_can_set_common_temporary_password(monkeypatch):
    async def role(role_id):
        return SimpleNamespace(name="admin" if role_id == "admin-role" else "analyst")

    async def absent(_email):
        return None

    async def create(data, _actor):
        return SimpleNamespace(id="new-user", name=data.name, email=data.email,
                               role_id=data.role_id, is_active=True,
                               created_at=datetime(2026, 10, 18), updated_at=datetime(2026, 10, 18))

    monkeypatch.setattr(users.Role, "get", role)
    monkeypatch.setattr(users, "User", SimpleNamespace(email="email", find_one=absent))
    monkeypatch.setattr(users, "create_user_account", create)
    data = UserCreate(name="Test User", email="test@example.com",
                      password="password123", role_id="role-id")
    with pytest.raises(HTTPException) as error:
        asyncio.run(users.create_user(data, current_user=SimpleNamespace(role_id="custom-role")))
    assert error.value.status_code == 422
    response = asyncio.run(users.create_user(data, current_user=SimpleNamespace(role_id="admin-role")))
    assert response.name == "Test User"


def test_full_128_character_password_is_hashed_and_legacy_hashes_still_verify():
    password = "a" * 72 + "X" * 56
    digest = hash_password(password)
    assert verify_password(password, digest)
    assert not verify_password("a" * 72 + "Y" * 56, digest)
    assert verify_password("legacy-pass", pwd_context.hash("legacy-pass", scheme="bcrypt"))


def test_validation_errors_do_not_echo_submitted_password():
    error = RequestValidationError([{"loc": ("body", "new_password"),
                                     "msg": "Password is too common", "type": "value_error",
                                     "input": "password123"}])
    response = asyncio.run(safe_validation_error(None, error))
    assert response.status_code == 422
    assert b"password123" not in response.body
    assert b"Password is too common" in response.body


```

```
@pytest.mark.parametrize("field", ["name", "email", "password", "role_id"])
def test_create_user_requires_every_field(field):
    data = {"name": "Test User", "email": "test@example.com",
            "password": "TestPass123!", "role_id": "role-id"}
    data.pop(field)
    with pytest.raises(ValidationError):
        UserCreate.model_validate(data)


@pytest.mark.parametrize("field", ["name", "email", "password", "role_id"])
def test_create_user_rejects_whitespace_only_fields(field):
    data = {"name": "Test User", "email": "test@example.com",
            "password": "TestPass123!", "role_id": "role-id"}
    data[field] = "        "
    with pytest.raises(ValidationError):
        UserCreate.model_validate(data)
```