# **COMP1531**

1.3 - Testing, Teamwork, Project

How did you test in COMP1511?

#### ctest.c

```
1 #include <stdio.h>
 2 #include <assert.h>
 3
   double sum(double a, double b) {
        return a + b;
 5
 6 }
 8 int main() {
        assert(sum(1, \overline{2}) == \overline{3});
 9
        assert(sum(2, 2) == 4);
10
        assert(sum(3, 2) == 5);
11
12
        printf("All tests passed\n");
13 }
```

Let's first look at python functions

```
1 double sum(double a, double b) {
2    return a + b;
3 }

1 def sum(a, b):
2    return a + b
```

Q. What are the key differences?

Let's first look at python functions

```
1 double sum(double a, double b) {
2    return a + b;
3 }

1 def sum(a, b):
2    return a + b
```

- Q. What are the key differences?
  - No semi-colons
  - No braces
  - No typing
  - "def" to say define function

Q. How would we test this python function?

```
1 def sum(a, b):
2    return a + b
```

Q. How would we test this python function?

cstyletest.c

```
1 def sum(a, b):
2    return a + b
3
4 assert sum(1, 4) == 3
```

Let's clean this up and wrap it in a function, though!

```
1 def sum(a, b):
2    return a + b
3
4 def testSmallNumbers():
5    sum(1, 4) == 3
6
7 testSmallNumbers()
```

## **Basic Python testing**

Let's take a look at **pytest** 

### What is pytest?

- pytest is a library that helps us write small tests, but can also be used to write larger and more complex tests
- pytest comes with a binary that we run on command line
- pytest detects any **function** prefixed with **test** and runs that function, processing the assertions inside

### pytest - basic

#### test1\_nopytest.py

```
1 def sum(x, y):
2    return x * y
3
4 def test_sum1():
5    assert sum(1, 2) == 3
6
7 test_sum1()
```

1 \$ python3 test1\_nopytest.p

#### test1\_pytest.py

```
1 import pytest
2
3 def sum(x, y):
4    return x * y
5
6 def test_sum1():
7    assert sum(1, 2) == 3, "1 + 2 == 3
```

```
1 $ pytest-3 test1_pytest.py
```

### pytest - more complicated

A more complicated test test\_multiple.py

```
1 import pytest
 2
 3 \text{ def sum}(x, y):
       return x + y
 4
 5
 6 def test small():
       assert sum(1, 2) == 3, "1, 2 == "
 7
       assert sum(3, 5) == 8, "3, 5 == "
 8
       assert sum(4, 9) == 13, "4, 9 == "
 9
10
11
  def test small negative():
       assert sum(-1, -2) == -3, "-1, -2 == "
12
       assert sum(-3, -5) == -8, "-3, -5 == "
13
       assert sum(-4, -9) == -13, "-4, -9 == "
14
15
16 def test large():
       assert sum(84*52, 99*76) == 84*52 + 99*76, 84*52, 99*76 == "
17
       assert sum(23*98, 68*63) == 23*98 + 68*63, "23*98, 68*63 == "
18
```

### pytest - prefixes

If you just run

\$ pytest-3

Without any files, it will automatically look for any files in that directory in shape:

- test\_\*.py
- \*\_test.py

### pytest - particular files

You can run specific functions without your test files with the **-k** command. For example, we if want to run the following:

- test\_small
- test\_small\_negative
- test\_large

We could run

**\$ pytest-3 -k small** or try

\$ pytest-3 -k small -v

### pytest - markers

We can also use a range of **decorators** to specify tests in python:

```
1 import pytest
                                                               1 @pytest.mark.up
                                                               2 def test 3(supply point):
 3 def pointchange(point, change):
                                                                         assert pointchange(supply point, 100) == (101, 102
           x, y = point
                                                               5 @pytest.mark.down
           x += change
                                                               6 def test 4(supply point):
           y += change
                                                                         assert pointchange(supply point, -5) == (-4, -3)
           return (x, y)
 9 @pytest.fixture
                                                               9 @pytest.mark.skip
10 def supply point():
                                                              10 def test 5(supply point):
                                                                          assert False == True, "This test is skipped"
11
           return (1, 2)
                                                              11
                                                              12
12
13 @pytest.mark.up
                                                              13 @pytest.mark.xfail
14 def test 1(supply point):
                                                              14 def test 6(supply point):
           assert pointchange(supply point, 1) == (2, 3)
                                                                         assert False == True, "This test's output is muted
15
                                                              15
16
17 @pytest.mark.up
18 def test 2(supply point):
           assert pointchange(supply point, 5) == (6, 7)
19
```

### pytest - more

There are a number of tutorials online for pytest.

This is a very straightforward one.

## importing and modules

### calmath.py

### importto.py

```
1 def daysIntoYear(month, day):
       total = day
       if month > 0:
           total += 31
       if month > 1:
           total += 28
       if month > 2:
           total += 31
       if month > 3:
10
           total += 30
11
       if month > 4:
12
           total += 31
13
       if month > 5:
14
           total += 30
15
       if month > 6:
           total += 31
17
       if month > 7:
           total += 30
18
19
       if month > 8:
20
           total += 31
21
       if month > 9:
22
           total += 30
23
       if month > 10:
24
           total += 31
25
       return total
26
27 def quickTest():
       print(f"month 0, day 0 = \{daysIntoYear(0,0)\}")
28
29
       print(f"month 11, day 31 = {daysIntoYear(11,31)}")
31 #if name == ' main ':
        quickTest()
32 #
33
34 quickTest()
```

```
import sys

import calmath

if len(sys.argv) != 3:
    print("Usage: importto.py month dayofmonth")

else:
    print(calmath.daysIntoYear(int(sys.argv[1]), \
    int(sys.argv[2])))
```

• Why do we want to work in teams?

• What are **benefits** of working in teams?

 What are downsides of working in teams? (as opposed to by yourself)

 What are downsides of working in teams? (as opposed to by yourself)

You do not scale.

David Whiteing, ex-CIO of Combank https://www.youtube.com/watch?

v=tQNjhDPCaDI

#### **Scenario**

Your 4th group member hasn't turned up for 1.5 weeks and isn't replying to their emails. What do you do?

#### Scenario

Your group is split into two pairs of people. One pair wants to build the navigation bar at the top of the page. One wants it on the side. How do you decide what to do?

The project is a 9 week timeframe where your team has been contracted as backend developers to provide a web server for a client.

- The front end has been outsourced to another contractor, and you've been told it will not be completed until mid-October
- Specifications may change over that period

### **Project schedule**

Week	Topic
1	
2	Iteration 1 released
3	
4	Iteration 1 review; Iteration 2 released
5	
6	
7	Iteration 2 review; Iteration 3 released
8	
9	
10	Iteration 3 review

- Iteration 1:
  - User stories
  - Requirements
  - Testing
- Iteration 2:
  - Web-server
  - Development
  - Testing
- Iteration 3:
  - More features
  - Deployment

### **Project schedule**

- Groups formed during your week 2 tutorial
- Project iteration 1 released Sunday night, along with marking criteria.
  - Discussed in Tuesday's lecture
- Marks awarded for each part of the iteration

#### In your groups of 4-5

#### You must all:

- Contribute equally (via git)
- Write code
- Write documentation (e.g. user stories)

If students don't contribute equally, marks will be deducted for individuals.

We will use a peer assessment tool