

SMART CONTRACT CODE REVIEW AND SECURITY ANALYSIS REPORT





TOKEN OVERVIEW

Fees

• Buy fees: 5%

• Sell fees: 5%

Fees privileges

Can change buy fees up to 10% and sell fees up to 10%

Ownership

Owned

Minting

No mint function

Max Tx Amount / Max Wallet Amount

· Can't change max tx amount and / or max wallet amount

Blacklist

Blacklist function not detected

Other privileges

- · Can exclude / include from fees
- Contract owner has to call EnableTrading function to enable trade

TABLE OF CONTENTS

- 1 DISCLAIMER
- 2 INTRODUCTION
- **3** WEBSITE + SOCIALS
- (4-5) AUDIT OVERVIEW
- 6-9 OWNER PRIVILEGES
- (10) CONCLUSION AND ANALYSIS
- (11) TOKEN DETAILS
- DRAGON TOKEN ANALYTICS & TOP 10 TOKEN HOLDERS
- (13) TECHNICAL DISCLAIMER

DISCLAIMER

The information provided on this analysis document is only for general information and should not be used as a reason to invest.

FreshCoins Team will take no payment for manipulating the results of this audit.

The score and the result will stay on this project page information on our website https://freshcoins.io

FreshCoins Team does not guarantees that a project will not sell off team supply, or any other scam strategy (RUG or Honeypot etc)



INTRODUCTION

FreshCoins (Consultant) was contracted by

Dragon (Customer) to conduct a Smart Contract Code Review and Security

Analysis.

0x0d14F1978119010495A02285fA767bcA92F63De3

Network: Binance Smart Chain (BSC)

This report presents the findings of the security assessment of Customer's smart contract and its code review conducted on 11/01/2024



WEBSITE DIAGNOSTIC

https://www.dragonbnb.vip/



0-49



50-89



90-100



Performance



Accessibility



Best Practices



SEO



Progressive Web App

Socials



Twitter

https://twitter.com/DragonBNB342687



Telegram

https://t.me/DragonBNBtg

AUDIT OVERVIEW





Static Scan
Automatic scanning for common vulnerabilities



ERC Scan
Automatic checks for ERC's conformance

- 1 High
- 0 Medium
- O Low
- Optimizations
- o Informational



| No. | Issue description | Checking Status | |
|-----|--------------------------------|-----------------|--|
| 1 | Compiler Errors / Warnings | Passed | |
| 2 | Reentrancy and Cross-function | Passed | |
| 3 | Front running | Passed | |
| 4 | Timestamp dependence | Passed | |
| 5 | Integer Overflow and Underflow | Passed | |
| 6 | Reverted DoS | Passed | |
| 7 | DoS with block gas limit | Low | |
| 8 | Methods execution permissions | Passed | |
| 9 | Exchange rate impact | Passed | |
| 10 | Malicious Event | Passed | |
| 11 | Scoping and Declarations | Passed | |
| 12 | Uninitialized storage pointers | Passed | |
| 13 | Design Logic | Passed | |
| 14 | Safe Zeppelin module | Passed | |

OWNER PRIVILEGES

- Contract owner can't mint tokens after initial contract deploy
- Contract owner can't exclude an address from transactions
- Contract owner can exclude/include wallet from tax

```
function excludeFromFee(address account) public onlyOwner {
    __isExcludedFromFee[account] = true;
}

function includeInFee(address account) public onlyOwner {
    __isExcludedFromFee[account] = false;
}
```

Contract owner can exclude/include wallet from rewards

```
function excludeFromReward(address account) public onlyOwner {
                require(!_isExcluded[account], "Account is already excluded");
                if (\_rOwned[account] > 0) {
                         _tOwned[account] = tokenFromReflection(_rOwned[account]);
                isExcluded[account] = true;
                excluded.push(account);
function includeInReward(address account) external onlyOwner {
                require(_isExcluded[account], "Account is not excluded");
                for (uint256 i = 0; i < _excluded.length; i++) {
                        if ( excluded[i] == account) {
                                  _excluded[i] = _excluded[_excluded.length - 1];
                                 _{touspec}touspector _{touspec}touspecto
                                isExcluded[account] = false;
                                   _excluded.pop();
                                 break;
                        }
```

Contract owner has to call EnableTrading function to enable trade

Please note that any wallet excluded from fees retains the ability to engage in trading, even in situations where trading has been disabled

```
function EnableTrading() external onlyOwner {
    require(!tradingEnabled, "Cannot re-enable trading");
    tradingEnabled = true;
    swapEnabled = true;
    genesis_block = block.number;
}
```

Contract owner has ability to retrieve any token held by the contract

Native tokens excluded

```
function rescueETH() external {
    uint256 contractETHBalance = address(this).balance;
    payable(marketingWallet).transfer(contractETHBalance);
}

function rescueERC20Tokens(address _tokenAddr,address _to, uint256 _amount) public onlyOwner {
    require(_tokenAddr!= address(this), "Owner can't claim contract's balance of its own tokens");
    IERC20(_tokenAddr).transfer(_to, _amount);
}
```

Contract owner can change marketingWallet address

Current value:

```
function updateMarketingWallet(address newWallet) external onlyOwner {
    require(newWallet != address(0),"Fee Address cannot be zero address");
    require(!newWallet.isContract(), "Fee Address cannot be a contract");
    marketingWallet = newWallet;
}
```

Contract owner can change buy fees up to 10% and sell fees up to 10%

```
function updateBuyTaxes(
    uint256 _rfi,
    uint256 _marketing,
    uint256 _liquidity
 ) public onlyOwner {
    require(( rfi + marketing + liquidity) <= 10, "Must keep fees at 10% or less");
    taxes = Taxes(_rfi, _marketing, _liquidity);
    emit FeesChanged();
function updateSellTaxes(
    uint256 _rfi,
    uint256 _marketing,
    uint256 _liquidity
 ) public onlyOwner {
    require((_rfi + _marketing + _liquidity) <= 10, "Must keep fees at 10% or less");
    sellTaxes = Taxes(_rfi, _marketing, _liquidity);
    emit FeesChanged();
```

Contract owner can change swap settings

```
function updateSwapTokensAtAmount(uint256 amount) external onlyOwner {
    require(amount <= 100000000000, "Cannot set swap threshold amount higher than 1% of tokens");
    require(amount >= 10000000000, "Cannot set swap threshold amount lower than 0.01% of tokens");
    swapTokensAtAmount = amount * 10**_decimals;
}

function updateSwapEnabled(bool _enabled) external onlyOwner {
    swapEnabled = _enabled;
}
```

Contract owner can renounce ownership

```
function renounceOwnership() public virtual onlyOwner {
    _setOwner(address(0));
}
```

Contract owner can transfer ownership

```
function transferOwnership(address newOwner) public virtual onlyOwner {
    require(newOwner!= address(0), "Ownable: new owner is the zero address");
    _setOwner(newOwner);
}

function _setOwner(address newOwner) private {
    address oldOwner = _owner;
    _owner = newOwner;
    emit OwnershipTransferred(oldOwner, newOwner);
}
```

Recommendation:

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. The risk can be prevented by temporarily locking the contract or renouncing ownership.



CONCLUSION AND ANALYSIS



Smart Contracts within the scope were manually reviewed and analyzed with static tools.



Audit report overview contains all found security vulnerabilities and other issues in the reviewed code.



Found 1 HIGH issues during the first review.

TOKEN DETAILS

Details

Buy fees: 5%

Sell fees: 5%

Max TX: N/A

Max Sell: N/A

Honeypot Risk

Ownership: Owned

Blacklist: Not detected

Modify Max TX: Not detected

Modify Max Sell: Not detected

Disable Trading: Not detected

Rug Pull Risk

Liquidity: N/A

Holders: 100% unlocked tokens



DRAGON TOKEN ANALYTICS& TOP 10 TOKEN HOLDERS



| Rank | Address | Quantity (Token) | Percentage |
|------|--------------------|-----------------------|------------|
| 1 | 0xbcd4247e4A11dA 🗗 | 1,209,026,280,000,000 | 92.0000% |
| 2 | 0x8343c26b0DA112 🗗 | 65,707,950,000,000 | 5.0000% |
| 3 | 0xb153dA0697BccD 🗗 | 39,424,770,000,000 | 3.0000% |
| | | | |

TECHNICAL DISCLAIMER

Smart contracts are deployed and executed on the blockchain platform. The platform, its programming language, and other software related to the smart contract can have its vulnerabilities that can lead to hacks. The audit can't guarantee the explicit security of the audited project / smart contract.

