

SMART CONTRACT CODE REVIEW AND SECURITY ANALYSIS REPORT





\$PLEIN



TABLE OF CONTENTS

- 1 DISCLAIMER
- 2 INTRODUCTION
- 3-4 AUDIT OVERVIEW
- (5-6) OWNER PRIVILEGES
- 7 CONCLUSION AND ANALYSIS
- (8) TOKEN DETAILS
- 9 PLEIN TOKEN ANALYTICS & TOP 10 TOKEN HOLDERS
- 10 TECHNICAL DISCLAIMER

DISCLAIMER

The information provided on this analysis document is only for general information and should not be used as a reason to invest.

FreshCoins Team will take no payment for manipulating the results of this audit.

The score and the result will stay on this project page information on our website https://freshcoins.io

FreshCoins Team does not guarantees that a project will not sell off team supply, or any other scam strategy (RUG or Honeypot etc)



INTRODUCTION

FreshCoins (Consultant) was contracted by
PLEINCOIN (Customer) to conduct a Smart Contract Code Review and
Security Analysis.

0x5F5FC90f82B2B7a094F0aED120D2456c7d4435f1

Network: Binance Smart Chain (BSC)

This report presents the findings of the security assessment of Customer's smart contract and its code review conducted on 10/05/2022



AUDIT OVERVIEW





Static Scan Automatic scanning for common vulnerabilities



ERC Scan
Automatic checks for ERC's conformance

- 0 High
- 0 Medium
- O Low
- Optimizations
- o Informational



No.	Issue description	Checking Status	
1	Compiler Errors / Warnings	Passed	
2	Reentrancy and Cross-function	Passed	
3	Front running	Passed	
4	Timestamp dependence	Passed	
5	Integer Overflow and Underflow	Passed	
6	Reverted DoS	Passed	
7	DoS with block gas limit	Passed	
8	Methods execution permissions	Passed	
9	Exchange rate impact	Passed	
10	Malicious Event	Passed	
11	Scoping and Declarations	Passed	
12	Uninitialized storage pointers	Passed	
13	Design Logic	Passed	
14	Safe Zeppelin module	Passed	

OWNER PRIVILEGES

Contract owner can't mint tokens after initial contract deploy

Contract owner can't exclude an address from transactions

Contract owner can exclude/include wallet from tax

```
function excludeFromFee(address account) public onlyOwner {
    __isExcludedFromFee[account] = true;
}

function includeInFee(address account) public onlyOwner {
    __isExcludedFromFee[account] = false;
}
```

Contract owner can exclude/include wallet from rewards

```
function excludeFromReward(address account) public onlyOwner() {
    require(!_isExcluded[account], "Account is already excluded");
    if(_rOwned[account] > 0) {
      _tOwned[account] = tokenFromReflection(_rOwned[account]);
    _isExcluded[account] = true;
    _excluded.push(account);
function includeInReward(address account) external onlyOwner() {
    require(_isExcluded[account], "Account is already included");
    for (uint256 i = 0; i < _excluded.length; i++) {
     if (_excluded[i] == account) {
        excluded[i] = excluded[ excluded.length - 1];
       _{tOwned[account] = 0;}
       isExcluded[account] = false;
        _excluded.pop();
        break;
     }
```

Contract owner can change swap settings

```
function setSwapAndLiquifyEnabled(bool _enabled) public onlyOwner {
    swapAndLiquifyEnabled = _enabled;
    emit SwapAndLiquifyEnabledUpdated(_enabled);
}
```

Contract owner can change fees up to 100%

```
function setTaxFeePercent(uint256 taxFee) external onlyOwner() {
    _taxFee = taxFee;
}

function setLiquidityFeePercent(uint256 liquidityFee) external onlyOwner() {
    _liquidityFee = liquidityFee;
}

function setBurnFeePercent(uint256 burnFee) external onlyOwner() {
    _burnFee = burnFee;
}

function setMarketingAndDevFeePercent(uint256 mFee) external onlyOwner() {
    marketingAndDevelopment = mFee;
}
```

Contract owner can change max tx amount (without min threshold)

Contract owner can change max wallet amount limitations (without threshold)

```
function setMaxWalletAmount(uint256 setMaxWallet) public onlyOwner {
    _maxWalletToken = setMaxWallet;
}
```

Contract owner can renounce ownership

```
function renounceOwnership() public virtual onlyOwner {
    emit OwnershipTransferred(_owner, address(0));
    _owner = address(0);
}
```

Contract owner can transfer ownership

```
function transferOwnership(address newOwner) public virtual onlyOwner {
    require(newOwner != address(0), "Ownable: new owner is the zero address");
    emit OwnershipTransferred(_owner, newOwner);
    _owner = newOwner;
}
```



CONCLUSION AND ANALYSIS



Smart Contracts within the scope were manually reviewed and analyzed with static tools.



Audit report overview contains all found security vulnerabilities and other issues in the reviewed code.



Found no issue during the first review.

TOKEN DETAILS

Details

Buy fees: 7%

Sell fees: 7%

Max TX: N/A

Max Sell: N/A

Honeypot Risk

Ownership: Owned

Blacklist: Not detected

Modify Max TX: Detected

Modify Max Sell: Not detected

Disable Trading: Not detected


Rug Pull Risk

Liquidity: N/A

Holders: Clean



PLEIN TOKEN ANALYTICS & TOP 10 TOKEN HOLDERS



Rank	Address	Quantity (Token)	Percentage
1	0x05b8551d2f355d00841178464ad448cfcc30293f	1,680,900,000	84.9798%
2	0xfc5d5f73d0f25d5df44a35dbeecdf57ba1c29faf	296,700,000	15.0000%
3	0x709335c3e4a9d0071e9e7bbccd899a4331245038	400,000	0.0202%

TECHNICAL DISCLAIMER

Smart contracts are deployed and executed on the blockchain platform. The platform, its programming language, and other software related to the smart contract can have its vulnerabilities that can lead to hacks. The audit can't guarantee the explicit security of the audited project / smart contract.

