

SMART CONTRACT CODE REVIEW AND SECURITY ANALYSIS REPORT





TOKEN OVERVIEW

Fees

• Buy fees: 0%

• Sell fees: 6%

Fees privileges

• Can change buy fees up to 3% and sell fees up to 7%

Ownership

Owned

Minting

No mint function

Max Tx Amount / Max Wallet Amount

· Can't change max tx amount and / or max wallet amount

Blacklist

Blacklist function not detected

Other privileges

- · Can exclude / include from fees
- · Can exclude / include from rewards

TABLE OF CONTENTS

- 1 DISCLAIMER
- 2 INTRODUCTION
- **3** WEBSITE + SOCIALS
- 4-5 AUDIT OVERVIEW
- 6-9 OWNER PRIVILEGES
- (10) CONCLUSION AND ANALYSIS
- (11) TOKEN DETAILS
- PEACHCAT TOKEN ANALYTICS & TOP 10 TOKEN HOLDERS
- (13) TECHNICAL DISCLAIMER

DISCLAIMER

The information provided on this analysis document is only for general information and should not be used as a reason to invest.

FreshCoins Team will take no payment for manipulating the results of this audit.

The score and the result will stay on this project page information on our website https://freshcoins.io

FreshCoins Team does not guarantees that a project will not sell off team supply, or any other scam strategy (RUG or Honeypot etc)



INTRODUCTION

FreshCoins (Consultant) was contracted by

Peach Cat Coin (Customer) to conduct a Smart Contract Code Review and

Security Analysis.

0x337Bd62bA86EFE51d94be0B108ceF1c388E0A6b4

Network: Binance Smart Chain (BSC)

This report presents the findings of the security assessment of Customer's smart contract and its code review conducted on 10/07/2023



WEBSITE DIAGNOSTIC

https://www.peachcatcoin.com/



0-49



50-89



90-100



Performance



Accessibility



Best Practices



SEO



Progressive Web App

Socials



Twitter

https://twitter.com/PeachCatCoin



Telegram

https://t.me/PeachCatCoin

AUDIT OVERVIEW





Static Scan Automatic scanning for common vulnerabilities



ERC Scan
Automatic checks for ERC's conformance

- 0 High
- 0 Medium
- O Low
- Optimizations
- 0 Informational



No.	Issue description	Checking Status	
1	Compiler Errors / Warnings	Passed	
2	Reentrancy and Cross-function	Passed	
3	Front running	Passed	
4	Timestamp dependence	Passed	
5	Integer Overflow and Underflow	Passed	
6	Reverted DoS	Passed	
7	DoS with block gas limit	Passed	
8	Methods execution permissions	Passed	
9	Exchange rate impact	Passed	
10	Malicious Event	Passed	
11	Scoping and Declarations	Passed	
12	Uninitialized storage pointers	Passed	
13	Design Logic	Passed	
14	Safe Zeppelin module	Passed	

OWNER PRIVILEGES

- Contract owner can't mint tokens after initial contract deploy
- Contract owner can't exclude an address from transactions
- Contract owner can exclude/include wallet from tax

```
function excludeFromFees(address account, bool excluded) external onlyOwner {
    require(_isExcludedFromFees[account] != excluded, "Account is already the value of 'excluded'");
    _isExcludedFromFees[account] = excluded;
    emit ExcludeFromFees(account, excluded);
}
```

Contract owner can exclude/include wallet from rewards

```
function excludeFromReward(address account) public onlyOwner() {
                 require(!_isExcluded[account], "Account is already excluded");
                if(rOwned[account] > 0) {
                         _tOwned[account] = tokenFromReflection(_rOwned[account]);
                 _isExcluded[account] = true;
                 excluded.push(account);
function includeInReward(address account) external onlyOwner() {
                require(_isExcluded[account], "Account is already included");
                for (uint256 i = 0; i < _excluded.length; i++) {
                        if ( excluded[i] == account) {
                                 _excluded[i] = _excluded[_excluded.length - 1];
                                 _{touspec}touspector _{touspec}touspecto
                                 isExcluded[account] = false;
                                  _excluded.pop();
                                 break;
                        }
               }
```

Contract owner can change swap settings

```
function setSwapTokensAtAmount(uint256 newAmount) external onlyOwner() {
    require(newAmount > totalSupply() / 1e5, "SwapTokensAtAmount must be greater than 0.001% of total
supply");
    swapTokensAtAmount = newAmount;
    emit SwapTokensAtAmountUpdated(newAmount);
}

function setSwapEnabled(bool _enabled) external onlyOwner {
    swapEnabled = _enabled;
    emit SwapEnabledUpdated(_enabled);
}
```

Contract owner can change buy fees up to 3%, sell fees up to 7%

```
function setBuyFeePercentages(uint256 _taxFeeonBuy, uint256 _buybackBurnFeeOnBuy, uint256 _market-
ingFeeonBuy) external onlyOwner {
   taxFeeonBuy = taxFeeonBuy;
   buybackBurnFeeOnBuy = buybackBurnFeeOnBuy;
   marketingFeeonBuy = _marketingFeeonBuy;
   totalBuyFees = _taxFeeonBuy + _buybackBurnFeeOnBuy + _marketingFeeonBuy;
   require(totalBuyFees <= 3, "Buy fees cannot be greater than 3%");
   emit BuyFeesChanged(taxFeeonBuy, buybackBurnFeeOnBuy, marketingFeeonBuy);
function setSellFeePercentages(uint256 _taxFeeonSell, uint256 _buybackBurnFeeOnSell, uint256 _marketing-
FeeonSell) external onlyOwner {
   taxFeeonSell = taxFeeonSell;
   buybackBurnFeeOnSell = _buybackBurnFeeOnSell;
   marketingFeeonSell = _marketingFeeonSell;
   totalSellFees = _taxFeeonSell + _buybackBurnFeeOnSell + _marketingFeeonSell;
   require(totalSellFees <= 7, "Sell fees cannot be greater than 7%");
   emit SellFeesChanged(taxFeeonSell, buybackBurnFeeOnSell, marketingFeeonSell);
```

Contract owner can change marketingWallet address

Current value:

marketingWallet: 0x4aebb14982a2fef964256133bb7b5adf72b6e845

```
function changeMarketingWallet(address _marketingWallet) external onlyOwner {
    require(_marketingWallet != marketingWallet, "Marketing wallet is already that address");
    require(_marketingWallet!=address(0), "Marketing wallet is the zero address");
    marketingWallet = _marketingWallet;
    emit MarketingWalletChanged(marketingWallet);
}
```

Contract owner can withdraw tokens from smart contract

Native tokens excluded

```
function claimStuckTokens(address token) external onlyOwner {
    require(token != address(this), "Owner cannot claim native tokens");
    if (token == address(0x0)) {
        payable(msg.sender).sendValue(address(this).balance);
        return;
    }
    IERC20 ERC20token = IERC20(token);
    uint256 balance = ERC20token.balanceOf(address(this));
    ERC20token.transfer(msg.sender, balance);
}
```

Contract owner can enable / disabled wallet to wallet transfer fee

```
function enableWalletToWalletTransferWithoutFee(bool enable) external onlyOwner {
    require(walletToWalletTransferWithoutFee != enable, "Wallet to wallet transfer without fee is already set
to that value");
    walletToWalletTransferWithoutFee = enable;
    emit WalletToWalletTransferWithoutFeeEnabled(enable);
}
```

Contract owner can transfer ownership

```
function transferOwnership(address newOwner) public virtual onlyOwner {
    require(newOwner != address(0), "Ownable: new owner is the zero address");
    emit OwnershipTransferred(_owner, newOwner);
    _owner = newOwner;
}
```

Contract owner can renounce ownership

```
function renounceOwnership() public virtual onlyOwner {
    emit OwnershipTransferred(_owner, address(0));
    _owner = address(0);
}
```

Recommendation:

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. The risk can be prevented by temporarily locking the contract or renouncing ownership.



CONCLUSION AND ANALYSIS



Smart Contracts within the scope were manually reviewed and analyzed with static tools.



Audit report overview contains all found security vulnerabilities and other issues in the reviewed code.



Found no HIGH issues during the first review.

TOKEN DETAILS

Details

Buy fees: 0%

Sell fees: 6%

Max TX: N/A

Max Sell: N/A

Honeypot Risk

Ownership: Owned

Blacklist: Not detected

Modify Max TX: Not detected

Modify Max Sell: Not detected

Disable Trading: Not detected


Rug Pull Risk

Liquidity: N/A

Holders: 90% unlocked tokens



PEACHCAT TOKEN ANALYTICS & TOP 10 TOKEN HOLDERS



Rank	Address	Quantity (Token)	Percentage
1	0x8c28d9269c0da9f75e5643459429db54e13bfac8	378,621,000,000,000	90.0000%
2	■ Pinksale: PinkLock V2	42,069,000,000,000	10.0000%

TECHNICAL DISCLAIMER

Smart contracts are deployed and executed on the blockchain platform. The platform, its programming language, and other software related to the smart contract can have its vulnerabilities that can lead to hacks. The audit can't guarantee the explicit security of the audited project / smart contract.

