

Childhood Immunization Schedule in Taiwan (Effective January 1, 2025)

2026.07 Version

Vaccine \ Age	< 24 hours	1 month	2 months	4 months	5 months	6 months	12 months	15 months	18 months	24 months	27 months	30 months	5 years to school entry	1-6 th grade elementary school students
Hepatitis B (HepB)	HepB1	HepB2				HepB3								
Bacillus Calmette-Guérin (BCG) ¹					BCG									
Diphtheria, tetanus, acellular pertussis, inactivated polio and Haemophilus influenzae type b conjugate (DTaP-Hib-IPV)			DTaP-Hib-IPV1	DTaP-Hib-IPV2		DTaP-Hib-IPV3			DTaP-Hib-IPV4					
Pneumococcal conjugate vaccine (PCV13)			PCV13 1	PCV13 2			PCV13 3							
Varicella							Var							
Measles, Mumps, Rubella (MMR)							MMR1						MMR2	
Japanese Encephalitis (JE) ²								JE1			JE2			
Influenza ³						← Two doses for the initial vaccination, followed by one dose annually. →								
Hepatitis A (HepA) ⁴									HepA1		HepA2			
Diphtheria and tetanus toxoids with acellular pertussis and inactivated polio (DTaP-IPV)													DTaP-IPV	

- Beginning in 2016, the BCG immunization schedule was changed from administration at least 24 hours after birth to administration at 5 months of age. The recommended age for vaccination is between 5 and 8 months.
- Beginning on May 22, 2017, the cell culture-derived live-attenuated Japanese encephalitis vaccine (Chimeric virus) (JE-CV_LiveAtd vaccine) was adopted. The first dose is administered at 15 months of age, followed by the second dose 12 months after.

3. Children aged 8 years or younger who are receiving the influenza vaccine for the first time should receive two doses, administered at least four weeks apart. Children aged 9 and older require only one dose for their initial vaccination. Under the current policy, elementary school students participating in the school-based vaccination program receive one dose of the publicly funded vaccine. For children aged 8 years or younger who are receiving the influenza vaccine for the first time, parents may arrange for a second dose at their own expense at least 4 weeks after the first dose administered at school if they consider it necessary.
4. Beginning in January 2018, the publicly funded hepatitis A vaccination program was expanded to include children born on or after January 1, 2017, who are at least 12 months old. It also covers catch-up vaccination for preschoolers whose household registration is in the original publicly funded hepatitis A vaccination areas, including 30 mountainous townships, 9 non-mountainous townships adjacent to mountainous townships, and Kinmen and Lianjiang Counties. Furthermore, as of April 8, 2019, eligibility has been further expanded to elementary school students in sixth grade or below from low income and near-poor households. Beginning in 2025, the hepatitis A vaccination schedule for young children has been adjusted so that the first dose is administered at 18 months of age and the second dose at 27 months of age.