| | 2 | | | | | • | | 50
 | ,,, | 100 | | 77. | 10
 | | | | | 020
 | | | | | | | | | |
 | | | | | | | | | |
 | | | | 2 ¹²
2 ¹ |
 | | | | |
|-----------------------|--|--|---|---------------|--|--|---
--	--	--	--
--	--	---	--
--	---	---	--
--	--	--	---------
---	--	--	--
---	------------------------------------	------------	-----
Total Barstock		BarStock Efficie	
 | ., | | | |
 | | | | |
 | | 1 " | 11/ 8/C | 111 | | 2///14 | |
 | | 2 | | - | 1 9/C | 1 | | |)
pate | Order City
 | 0-1-0-1 | Order No. | Part No. | | Work C
 | Con | | | | | | | |
| S | | | | S | ETTICIEN | | |
 | _ | | | |
 | | | | |
 | | | XIK | 1 | | NR | | 100
 | | | | | M | 7 | | Name | Emp. | ı
 | | 83 | O | | rder P
 | trol l | | | | | | | |
| #DIV/0! | | #DIV/0! | | 0 | Ş | | |
 | | | | |
 | | | 100 | |
 | | | 506 | | | 300 | | ;
 | 3.00 | | | , , | 113 | | bec | 7lt | Clock |
 | | 25 | 543 | | roduc
 | Control Devices | | | | | | | | |
| | | AGI | | -I of | | | 0 |
 | | 18.5 | | |
 | | | | |
 | í. | | | | | 4 | |
 | | - | بو | | 1 | | inning b | | |
 | | 200 | 7 | $\ $ | tion Re
 | es l | | | |
| | | uai Effici | | al Count | Actua | 1.0 | 0 | -
 | - | ŀ | r | |
 | | | - | 37. | _
 | 5 | | _ | - | | | - |
 | - | 11 | - | 1 | 1 | | alance | | | -
 | J (| | 1 | | cord.
 | C | | | |
| | | ency | | red Pcs | al Efficiency | | |
 | - | | | | i
 | il. | 100 | 2 | | -
 | | - | 37 | _ | - | 22 | - | 1
 | 1 | 7 | _ | + | 2. | | | | |
 | | ٠, | | _ |
 | | | | |
| | 挡 | | 生 | | | | 告 | 一
 | 当 | 进 | 一 | 土 | 土
 | 井 | 一 | | # | 11:
 | · # | 7 # | * | 11: | 7 # | 31: | # | 3/
 | 1 | | - | 0 | 11. | | THE | | 1 | Г
 | -1 | <u>u</u> | 1 [| U | 31
 | | | | |
| | | IO//VIC | | | V. | 10/01 | DIV/OI | DIV/O!
 | JIV/OI | IO//IC | IO//IC | IO//VIC | DIV/O!
 | DIV/0! | DIV/0! | DIV/OI . | DIV/0i | יס/עום
 | DIV/OI | ⊡IV/0! | DIV/0! | DIV/OI | DIV/O | DIV/0! | DIV/0i | :DIV/0!
 | i0//VIG | :DIV/0! | i0/VIQ | 10/VIQ | DIV/O | יטעוני | | lioday
(bars) | ieces | Manage Control
 | 0 | Rema | anned F | 1000 | DV DTD
 | Machine No. | | | |
| O1 | zł. | ယ | 2 | _ | Dow | c | 0 | 0
 | 0 | 0 | 0 | 0 |
 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | Ö | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0 | 0 0 | 0 | | Hours | Planned |
 | ads | aining | Pcs/Hr | |
 | No. | | | |
| Units/ | OF OF | Setup | Too | Mainte | n Time Co | | #DIV/0! | #DIV/0!
 | #DIV/0! | #DIV/0! | #DIVIO! | #DIV/0! | #DIV/0!
 | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/IO | #DIV/o!
 | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0!
 | #DIV/0! | #DIV/0! | #DIV/oi | #DIV/or | #DIV/01 | #51V/01 | 0 | | |
 | | #DIVIO | 100 | aH |
 | 6 | | | |
| er
Tooling/
S/U | idle | ling | nance | des | | #DIV/0! | #DIV/0! | #DIV/0!
 | #DIV/0! | #DIV/D! | #DIV/0i | #DIV/0! | #DIV/oi
 | #DIV/O! | #DIV/OI | 井ついつ | #DIV/OI | 歩いる
 | #DIV/o! | #DIV/0! | #DIV/0! | 指 NVioi | #DIV/o! | #DIV/oi | #DIV/O! | #DIV/OI
 | #DIV/oi | #DIVIO | 井口へのこ | #577/0! | #7000 | 0 | Due Рс | Ralann | | L:
 | | | - | 1 6 | A. C.
 | | | | |
| 0 | 0 | 0 | 0 | 0 | Hours | - | 0 | 0
 | 0 | 0 | Q | 0 | 0
 | 0 | 0 | 0 | 5 0 | 0
 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1
 | 1 | 1 | 1 | | - | 1 | District California | VERT LOS FI | | Con
 | 1 | Wgt/Po | Bars/Loa | SAMBAA |
 | | | | |
| | 58.4 | 56-14 | Submitte | Date Par | | | #DIV/0! | #DIV/0i
 | #DIV/0! | #DIV/0i | #DIV/0! | #DIV/0! | #DIV/o
 | #DIV/or | #DIVIO | #510/01 | #70.00 | #5000
 | #57/6 | #5IV/0! | #DIVIO | #DIV/0! | #DIV/01 | #DIV/OI | #DIVIO | #DIV/OI
 | #07/70 | #5776 | 井口いる | #01470 | 地でいる | 5 | THE PROPERTY OF THE PARTY OF TH | 心間 泛和山 | A | ponent |
 | | Ö. | 77 | | | | | |
| | 7+1 | 8:40 | | | | | #DIV/0! | #DIV/0!
 | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0! | #DIV/0!
 | #DIV/DI | #DIV/oi | -1- | - 1 | - 1
 | | - | | | _ | | |
 | | | | | _ | _ | - - | | | THE PERSON NAMED OF THE PE | % Mach
 | | 100 | | Pcs/Bar | Total Load | i otal Bai | a l | 187 |
| 1 | | | | | TI
Ti | | |
 | | | | |
 | | | | |
 | | | | | | | | *
 | 1 | | | | | | | | |
 | No. | 19 | - | |
 | | | e e | |
| | 3 | V | . Z | oved. | st Par | _ | |
 | | | _ | |
 | | _ | | |
 | | | | | | | |
 | | | | | | | NC. | | | 0
 | | 9 | 0. | .0 |
 | -1 | | | |
| | 1 | 1 | Check | Material | t Inspe | 0 | | -
 | | - | | - - | -
 | - | - | - | - | 1
 | and . | - | 1. | - | + | - | - | -
 | - | | - | - | | | -11 | | _ |
 | | | | |
 | of eight in | | | |
| | <i>i</i> | N | inspec | | | 0 | |
 | | | | | -
 | | | | - | | | | | |
 | 1 | Y | A. | 1 | X | 1 | |
 | / | - | F | - | | 1 | * | | |
 | | | | (0 |
 | 0 | | | |
| | Ŧ | T | Lior
Lior | | Record | | |
 | | 20 T | | |
 | | | | |
 | | - | 1 | | | 1 | \ |
 | | | 1 | 1 | 1 | | | / | |
 | | | Setu | Setup Ac | eting Alli
 | | | | |
| (d | #06
UM 10E | Out of the contract of the con |) | | | Pag | | |
 | | | | | 10 per 1
 | | | | |
 | 9 | P | 1 | - | | Λ | | | •
 | 101. | 1 | 1 1 | | The state of the s | z | 1 | ļļ | |
 | p.% | tual Hrs | owed Hr. | | | | |
| | | | Notes | | | ge 1 | |
 | | | | |
 | ž. | | | |
 | | 1 | 1 | | - | | |
 | \ | | | 100 | 104 | 1 | 1200 | sato | |
 | | | | | Į,
 | | | | | | | | | |
| | e de la companya della companya della companya de la companya della companya dell | | | | | | | |
 | | | | |
 | | | | |
 | - | 1 | | - | 1 | | | | 1
 | 1 | - | 7 | | - | | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
 | | | 6 | 1 | | | | |
| | 5 Units/S/U 0 | Pcs #DIV/0! 5 Alternate - Tooling/ 0 5-8-14 7+14 4 465 1 3+ | #DIV/0! Actual Efficiency #DIV/0! 3 Setup Idle 0 56-14 8:404 0.85 0 34 0.85 | 1 | 0 Total Counted Pcs 1 Maintenance 0 Date Part Time Approved Material Inspector | #DIV/0! Actual Efficiency Down Time Codes Hours First Part Inspection Record Material Inspector First Part Inspection Record Material Inspector First Part Inspection Record First Part Inspection Record First Part Inspection Record First Part Inspection Record Material Inspector First Part Inspection Record Material Inspector First Part Inspection Record First Part Inspe | iency Actual Efficiency Down Time Codes Hours First Part Inspection Record O Total Counted Pcs 1 Maintenance 0 Date Part Inspection Record #DIV/0! Actual Efficiency #DIV/0! 3 Setup Idle 0 56-14 8:404 (165) Alternate - Tooling/ 0 56-14 71-14 (165) Alternate - Tooling/ 0 56-14 71-14 (165) Alternate - Tooling/ 0 56-14 71-14 (165) | #DIV/0 0 #DIV/0 0 #DIV/0 #DIV | #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! #DIV/0! 0 Page Pag | #DIV/0! 0 #DIV/0! 0 #DIV/0! #D | #DIV/0! 0 #DIV/0! 0 #DIV/0! #D | #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! #DIV/0 | #DIV/0! 0 #DIV/0! 0 #DIV/0! #D | #DIV/0! 0 #DIV/0! 0 #DIV/0! #D | #DIV/0! 0 #DIV/0! 0 #DIV/0! #D | #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! DIV/0! D | #DIV/0! 0 #DIV/0! 4DIV/0! 0 #DIV/0! #D | #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! #DIV/0! #DIV/0! | #DIV/0! 0 #DIV/0! 4DIV/0! 4DIV/0! #DIV/0! #DIV | #DIV/0! 0 #DIV/0! 0 #DIV/0! #D | #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! #DIV/0! | Self 2 2 25 25 25 25 25 25 25 | #DIVIDI 0 #DIVIDI #DIV | #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! 0 #DIV/0! | SONCO 4 2,2.27 \$DN/00 0 \$DN/00 \$DN/00 0 \$DN/00 \$DN/00 | #201/00 0 #201/00 0 #201/00 0 #201/00 | Part | #50/Viol 0 #50/Viol 0 #50/Viol 90/Viol | ## ## ## ## ## ## ## ## ## ## ## ## ## | #20,V/01 0 #20, | 10 | 1/3/1 1/2 1/2 20 20 1/2 20 20 20 20 20 20 20 | 1731 172 1820/10 0 201/10 201/10 0 201/10 201/10 0 201/10 201/10 0 201/10 201/ | 1/3/1 1/2 1/2 20 20 20 20 20 20 20 | | Octook Freed Seatup Total Freedrage Patamet Comm Balance Patamet Machinal Mac | Colock Frod. Setup Total Total Elatance Colon. Balance Dan August March March | Cock Prod. Seaup Total Total Total Total Cum Editions Plannel Cum Editions Editions | Clock Frod Setup Total Total Flatness Fla | Planned Feaths Planned Planned | Part Part | Production Record Rev Later An | | | |