Occupational Specialism
Task 2 Code

Contents

File structure

```
∨ components
  <> english.html
  <> geography.html
  <> history.html
  <> historynotes.html
  <> index.html
  <> maths.html
  <> science.html
  <> sciencenotes.html
∨ css
  # history.css
  # mystyle.css
  # science.css
∨ img
  🖼 beach.jpg
  🖼 Caffine.png
  🖼 Car1.jpeg
  🖼 Car2.jpg
  🖼 Car3.jpg
  🖼 Dish.jpg
  🖼 English.jpg
  🖼 Flag_of_France.png
  🖼 Flag_of_Japan.png
  🖼 Flag_of_Poland.png
  🖼 Flag_of_Spain.png
  🖼 Geography.jpg
  🖼 History.jpg
  🖼 king.jpg
  🖼 Maths.jpg
  🖼 Science.jpg
  🖼 Tank.jpg
  🖼 Thomas.jpg
  🖼 Tutor1.jpg
  🖼 Tutor2.jpg
  🖼 Tutor3.jpg
> js
```

Components

Index

```html
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="Jamie Dowle">
    <meta name="generator" content="GibJohn Tutoring    ">
    <title>GibJohn Tutoring</title>
```

```html
    <link rel="canonical" href="https://getbootstrap.com/docs/5.1/examples/album/">

  <!-- Font Awesome -->
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.11.2/css/all.css" />
  <!-- Google Fonts Roboto -->
  <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;500;700&display=swap" />
  <!-- MDB -->
  <link rel="stylesheet" href="css/mdb.min.css" />
  <!-- Custom styles -->
  <link rel="stylesheet" href="D:\Code\css\mystyle.css" />
  <link rel="stylesheet" href="css/admin.css" />
  <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.min.js" integrity="sha512-d9xgZrVZpmmQlfonhQUvTR7lMPtO7NkZMkA0ABN3PHCbKA5nqylQ/yWlFAyY6hYgdF1Qh6nYiuADWwKB4C2WSw==" crossorigin="anonymous"></script>

  <!-- Bootstrap core CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" crossorigin="anonymous"></script>


    <style>
      .bd-placeholder-img {
        font-size: 1.125rem;
        text-anchor: middle;
        -webkit-user-select: none;
        -moz-user-select: none;
        user-select: none;
      }

      @media (min-width: 768px) {
        .bd-placeholder-img-lg {
          font-size: 3.5rem;
        }
      }
    </style>


  </head>
  <body>
```

```html
<header>
<!-- Nav bar / dropdown menu-->
  <div class="collapse bg-dark" id="navbarHeader">
    <div class="container">
      <div class="row">
        <div class="col-sm-8 col-md-7 py-4">
          <h4 class="text-white">About</h4>
          <p class="text-
muted">GibJohn Tutoring, Where tutoring meets your need. With GibJohn you are
guaranteed higher grades.</p>
        </div>
        <div class="col-sm-4 offset-md-1 py-4">
          <h4 class="text-white">Contact</h4>
          <ul class="list-unstyled">
            <li><a href="#" class="text-white">Follow on Twitter</a></li>
            <li><a href="#" class="text-white">Email me</a></li>
            <br>
            <br>
            <li><a href="#" class="text-white">Settings</a></li>
          </ul>
        </div>
      </div>
    </div>
  </div>

  <div class="navbar navbar-dark bg-dark shadow-sm">
    <a href="index.html">GibJohn Tutoring</a>
    <div class="container">
      <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" fill="n
one" stroke="currentColor" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" aria-hidden="true" class="me-
2" viewBox="0 0 24 24"><path d="M23 19a2 2 0 0 1-2 2H3a2 2 0 0 1-2-
2V8a2 2 0 0 1 2-2h4l2-
3h6l2 3h4a2 2 0 0 1 2 2z"/><circle cx="12" cy="13" r="4"/></svg>
      </a>
      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarHeader" aria-
controls="navbarHeader" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
    </div>
  </div>
</header>

<main>

  <section class="py-5 text-center container">
```

```html
    <div class="row py-lg-5">
      <div class="col-lg-6 col-md-8 mx-auto">
        <h1 class="fw-light" >GibJohn Tutoring</h1>
        <p class="lead text-muted">Where Tutoring meets your needs</p>

        <!-- search box -->
        <div class="input-group rounded">
          <input type="search" class="form-
control rounded" placeholder="Search For Lessons" aria-label="Search" aria-
describedby="search-addon" />
          <span class="input-group-text border-0" id="search-addon">
            <i class="fas fa-search"></i>
          </span>
        </div>

      </div>
      <p>
      </p>
    </div>
  </div>
</section>

<!-- Lessons -->
<div class="album py-5 bg-light">
  <div class="container">

    <div class="row row-cols-1 row-cols-sm-2 row-cols-md-3 g-3">
      <div class="col">
        <div class="card text-white bg-dark mb-3">
          <img class="bd-placeholder-img card-img-
top" src="D:\Code\img\Flag_of_Poland.png" alt="Card image cap" >
          <div class="card-body">
            <p class="card-
text">Our language teachers will help you become fluent in Polish all you have
 to do is try</p>
            <div class="d-flex justify-content-between align-items-center">
              <div class="btn-group">
                <button type="button" class="btn btn-sm btn-outline-
light">View</button>
              </div>
            </div>
          </div>
        </div>
      </div>
      <div class="col">
        <div class="card text-white bg-dark mb-3">
          <img class="bd-placeholder-img card-img-
top" src="D:\Code\img\Flag_of_Spain.png" alt="Card image cap" >
```

```html
            <div class="card-body">
              <p class="card-
text">Our language teachers will help you become fluent in Spanish all you hav
e to do is try</p>
              <div class="d-flex justify-content-between align-items-center">
                <div class="btn-group">
                  <button type="button" class="btn btn-sm btn-outline-
light">View</button>
                </div>
              </div>
            </div>
          </div>
        </div>
        <div class="col">
          <div class="card text-white bg-dark mb-3">
            <img class="bd-placeholder-img card-img-
top" src="D:\Code\img\Flag_of_France.png" alt="Card image cap" >
            <div class="card-body">
              <p class="card-
text">Our language teachers will help you become fluent in French all you have
 to do is try</p>
              <div class="d-flex justify-content-between align-items-center">
                <div class="btn-group">
                  <button type="button" class="btn btn-sm btn-outline-
light">View</button>
                </div>
              </div>
            </div>
          </div>
        </div>
        <div class="col">
          <div class="card text-white bg-dark mb-3">
            <img class="bd-placeholder-img card-img-
top" src="D:\Code\img\History.jpg" alt="Card image cap" >
            <div class="card-body">
              <p class="card-
text">At GibJohn Tutoring we have the best history teachers and they are are w
aiting to teach you</p>
              <div class="d-flex justify-content-between align-items-center">
                <div class="btn-group">
                  <a class="btn btn-sm btn-outline-
light" href="historynotes.html" role="button">View</a>
                </div>

                <div class="btn-group">
                  <a class="btn btn-sm btn-outline-
light" href="history.html" role="button">Quiz</a>
                </div>
```

```html
          </div>
        </div>
      </div>
    </div>
    <div class="col">
      <div class="card text-white bg-dark mb-3">
        <img class="bd-placeholder-img card-img-
top" src="D:\Code\img\Flag_of_Japan.png" alt="Card image cap" >
        <div class="card-body">
          <p class="card-
text">Our language teachers will help you become fluent in Japanese all you ha
ve to do is try</p>
          <div class="d-flex justify-content-between align-items-center">
            <div class="btn-group">
              <button type="button" class="btn btn-sm btn-outline-
light">View</button>
            </div>
          </div>
        </div>
      </div>
    </div>
    <div class="col">
      <div class="card text-white bg-dark mb-3">
        <img class="bd-placeholder-img card-img-
top" src="D:\Code\img\Geography.jpg" alt="Card image cap" >
        <div class="card-body">
          <p class="card-
text">Our geography teachers will help you understand how our wonderful world
works and all its wonders.</p>
          <div class="d-flex justify-content-between align-items-center">
            <div class="btn-group">
              <a class="btn btn-sm btn-outline-
light" href="geography.html" role="button">View</a>
            </div>
              <a class="btn btn-sm btn-outline-
light" href="geography.html" role="button">Quiz</a>
            </div>
          </div>
        </div>
      </div>
    </div>
    <div class="col">
      <div class="card text-white bg-dark mb-3">
        <img class="bd-placeholder-img card-img-
top" src="D:\Code\img\Maths.jpg" alt="Card image cap" >
        <div class="card-body">
          <p class="card-
text">Finding maths difficult, come study with our best math tutors, that will
 help you understand the subject</p>
```

```html
            <div class="d-flex justify-content-between align-items-center">
              <div class="btn-group">
                <a class="btn btn-sm btn-outline-
light" href="maths.html" role="button">View</a>
              </div>
                <a class="btn btn-sm btn-outline-
light" href="maths.html" role="button">Quiz</a>
              </div>
            </div>
          </div>
        </div>
        <div class="col">
          <div class="card text-white bg-dark mb-3">
            <img class="bd-placeholder-img card-img-
top" src="D:\Code\img\Science.jpg" alt="Card image cap" >
            <div class="card-body">
              <p class="card-
text">We have teachers that can teach Science this includes all subjects such
as, Biology, Chemesty, Physics</p>
              <div class="d-flex justify-content-between align-items-center">
                <div class="btn-group">
                  <a class="btn btn-sm btn-outline-
light" href="sciencenotes.html" role="button">View</a>
                </div>
                  <a class="btn btn-sm btn-outline-
light" href="science.html" role="button">Quiz</a>
                </div>
              </div>
            </div>
          </div>
        </div>
        <div class="col">
          <div class="card text-white bg-dark mb-3">
            <img class="bd-placeholder-img card-img-
top" src="D:\Code\img\English.jpg" alt="Card image cap" >
            <div class="card-body">
              <p class="card-
text">Feeling like your grammer is lacking? Worry not come and brush up on you
r skills with our English teachers</p>
              <div class="d-flex justify-content-between align-items-center">
                <div class="btn-group">
                  <a class="btn btn-sm btn-outline-
light" href="english.html" role="button">View</a>
                </div>
                  <a class="btn btn-sm btn-outline-
light" href="english.html" role="button">Quiz</a>
                </div>
              </div>
            </div>
          </div>
```

```
            </div>
          </div>
        </div>
      </div>

      <script src="https://apps.elfsight.com/p/platform.js" defer></script>
      <div class="elfsight-app-42b26c3b-eacd-4c07-a44a-84c2c1db99af"></div>


      <div class="bg-dark text-secondary px-4 py-5 text-center">
        <footer class="text-muted py-5">
          <div class="container">
            <p class="float-end mb-1">
              <a href="#">Back to top</a>
            </p>
            <p class="mb-
1">Didn't find what you was looking for? Try searching it using the search bar
 at the top of the page!</p>
            <p class="mb-
0">We hope you stay safe out there, the world is a scary place. Maybe stop her
e and rest for a while or continue on your vast journey of life</a>.</p>
          </div>
        </footer>
</div>
</main>

    <script src="../assets/dist/js/bootstrap.bundle.min.js"></script>


  </body>
</html>
```

English

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="Jamie Dowle">
    <meta name="generator" content="GibJohn Tutoring     ">
    <title>English Tutoring</title>

    <link rel="canonical" href="https://getbootstrap.com/docs/5.1/examples/alb
um/">


    <!-- Font Awesome -->
```

```html
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.11.2/css/all.css" />
    <!-- Google Fonts Roboto -->
    <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;500;700&display=swap" />
    <!-- MDB -->
    <link rel="stylesheet" href="css/mdb.min.css" />
    <!-- Custom styles -->
    <link rel="stylesheet" href="D:\Code\css\mystyle.css" />
    <link rel="stylesheet" href="css/admin.css" />
    <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.min.js" integrity="sha512-d9xgZrVZpmmQlfonhQUvTR7lMPtO7NkZMkA0ABN3PHCbKA5nqylQ/yWlFAyY6hYgdF1Qh6nYiuADWwKB4C2WSw==" crossorigin="anonymous"></script>


    <!-- Bootstrap core CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" crossorigin="anonymous"></script>


    <style>
      .bd-placeholder-img {
        font-size: 1.125rem;
        text-anchor: middle;
        -webkit-user-select: none;
        -moz-user-select: none;
        user-select: none;
      }

      @media (min-width: 768px) {
        .bd-placeholder-img-lg {
          font-size: 3.5rem;
        }
      }
    </style>


  </head>
  <body>

<header>
  <div class="collapse bg-dark" id="navbarHeader">
```

```html
    <div class="container">
      <div class="row">
        <div class="col-sm-8 col-md-7 py-4">
          <h4 class="text-white">About</h4>
          <p class="text-
muted">GibJohn Tutoring, Where tutoring meets your need. With GibJohn you are
guaranteed higher grades.</p>
        </div>
        <div class="col-sm-4 offset-md-1 py-4">
          <h4 class="text-white">Contact</h4>
          <ul class="list-unstyled">
            <li><a href="#" class="text-white">Follow on Twitter</a></li>
            <li><a href="#" class="text-white">Email me</a></li>
            <br>
            <br>
            <li><a href="#" class="text-white">Settings</a></li>
          </ul>
        </div>
      </div>
    </div>
  </div>
  <div class="navbar navbar-dark bg-dark shadow-sm">
    <a href="index.html">GibJohn Tutoring</a>
    <div class="container">
        <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" fill="n
one" stroke="currentColor" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" aria-hidden="true" class="me-
2" viewBox="0 0 24 24"><path d="M23 19a2 2 0 0 1-2 2H3a2 2 0 0 1-2-
2V8a2 2 0 0 1 2-2h4l2-
3h6l2 3h4a2 2 0 0 1 2 2z"/><circle cx="12" cy="13" r="4"/></svg>
    </a>
    <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarHeader" aria-
controls="navbarHeader" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    </div>
  </div>
</header>

<main>

  <section class="py-5 text-center container">
    <div class="row py-lg-5">
      <div class="col-lg-6 col-md-8 mx-auto">
        <h1 class="fw-light">GibJohn Tutoring</h1>
        <p class="lead text-muted">English Quiz</p>
```

```html
        <div id="quiz"></div>
        <button id="submit">Submit Quiz</button>
        <div id="results"></div>

        <!-- JS -->
        <script>
        (function(){
            function buildQuiz(){
              // variable to store the HTML output
              const output = [];

              // for each question...
              myQuestions.forEach(
                (currentQuestion, questionNumber) => {

                  // variable to store the list of possible answers
                  const answers = [];

                  // and for each available answer...
                  for(letter in currentQuestion.answers){

                    // ...add an HTML radio button
                    answers.push(
                      `<label>
                        <input type="radio" name="question${questionNumber}" value="${letter}">
                        ${letter} :
                        ${currentQuestion.answers[letter]}
                      </label>`
                    );
                  }

                  // add this question and its answers to the output
                  output.push(
                    `<div class="question"> ${currentQuestion.question} </div>
                    <div class="answers"> ${answers.join('')} </div>`
                  );
                }
              );

              // finally combine our output list into one string of HTML and put it on the page
              quizContainer.innerHTML = output.join('');
            }

            function showResults(){

              // gather answer containers from our quiz
```

```javascript
            const answerContainers = quizContainer.querySelectorAll('.answer
s');

            // keep track of user's answers
            let numCorrect = 0;

            // for each question...
            myQuestions.forEach( (currentQuestion, questionNumber) => {

              // find selected answer
              const answerContainer = answerContainers[questionNumber];
              const selector = `input[name=question${questionNumber}]:checke
d`;
              const userAnswer = (answerContainer.querySelector(selector) ||
 {}).value;

              // if answer is correct
              if(userAnswer === currentQuestion.correctAnswer){
                // add to the number of correct answers
                numCorrect++;

                // color the answers green
                answerContainers[questionNumber].style.color = 'lightgreen';
              }
              // if answer is wrong or blank
              else{
                // color the answers red
                answerContainers[questionNumber].style.color = 'red';
              }
            });

            // show number of correct answers out of total
            resultsContainer.innerHTML = `${numCorrect} out of ${myQuestions
.length}`;
        }

        const quizContainer = document.getElementById('quiz');
        const resultsContainer = document.getElementById('results');
        const submitButton = document.getElementById('submit');
        const myQuestions = [
        {
            question: "I'm very happy _____ in India. I really miss being
there.",
            answers: {
              a: "to live",
              b: "to have lived",
              c: "to be lived",
              d: "to be living"
```

```
      },
      correctAnswer: "b"
    },
    {
      question: "They didn't reach an agreement _____ their differe
nces.",
      answers: {
        a: "on account of",
        b: "due",
        c: "becuase"
      },
      correctAnswer: "a"
    },
    {
      question: "I wish I _____ those words. But now it's too late."
,
      answers: {
        a: "not having said",
        b: "have never said",
        c: "never said",
        d: "had never said"
      },
      correctAnswer: "d"
    },
    {
      question: "The woman, who has been missing for 10 days, is bel
ieved _____.",
      answers: {
        a: "to being abducted",
        b: "to have been abducted",
        c: "to be abducting",
        d: "to have been abducting"
      },
      correctAnswer: "b"
    },
    {
      question: "She was working on her computer with her baby next
to _____.",
      answers: {
        a: "her",
        b: "herself",
        c: "her own",
        d: "hers"
      },
      correctAnswer: "a"
    },
  ];
```

```
        // Kick things off
        buildQuiz();

        // Event listeners
        submitButton.addEventListener('click', showResults);
    })();
    </script>
</body>
</html>
```

Geography

```html
!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="Jamie Dowle">
    <meta name="generator" content="GibJohn Tutoring    ">
    <title>Geography Tutoring</title>

    <link rel="canonical" href="https://getbootstrap.com/docs/5.1/examples/album/">

  <!-- Font Awesome -->
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.11.2/css/all.css" />
  <!-- Google Fonts Roboto -->
  <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;500;700&display=swap" />
  <!-- MDB -->
  <link rel="stylesheet" href="css/mdb.min.css" />
  <!-- Custom styles -->
  <link rel="stylesheet" href="D:\Code\css\mystyle.css" />
  <link rel="stylesheet" href="css/admin.css" />
  <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.min.js" integrity="sha512-
d9xgZrVZpmmQlfonhQUvTR7lMPtO7NkZMkA0ABN3PHCbKA5nqylQ/yWlFAyY6hYgdF1Qh6nYiuADWw
KB4C2WSw==" crossorigin="anonymous"></script>


  <!-- Bootstrap core CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin=
"anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-
```

```html
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" crossorigin=
"anonymous"></script>


    <style>
      .bd-placeholder-img {
        font-size: 1.125rem;
        text-anchor: middle;
        -webkit-user-select: none;
        -moz-user-select: none;
        user-select: none;
      }

      @media (min-width: 768px) {
        .bd-placeholder-img-lg {
          font-size: 3.5rem;
        }
      }
    </style>


  </head>
  <body>

<header>
  <div class="collapse bg-dark" id="navbarHeader">
    <div class="container">
      <div class="row">
        <div class="col-sm-8 col-md-7 py-4">
          <h4 class="text-white">About</h4>
          <p class="text-
muted">GibJohn Tutoring, Where tutoring meets your need. With GibJohn you are
guaranteed higher grades.</p>
        </div>
        <div class="col-sm-4 offset-md-1 py-4">
          <h4 class="text-white">Contact</h4>
          <ul class="list-unstyled">
            <li><a href="#" class="text-white">Follow on Twitter</a></li>
            <li><a href="#" class="text-white">Email me</a></li>
            <br>
            <br>
            <li><a href="#" class="text-white">Settings</a></li>
          </ul>
        </div>
      </div>
    </div>
  </div>
  <div class="navbar navbar-dark bg-dark shadow-sm">
    <a href="index.html">GibJohn Tutoring</a>
```

```html
    <div class="container">
        <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" fill="n
one" stroke="currentColor" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" aria-hidden="true" class="me-
2" viewBox="0 0 24 24"><path d="M23 19a2 2 0 0 1-2 2H3a2 2 0 0 1-2-
2V8a2 2 0 0 1 2-2h4l2-
3h6l2 3h4a2 2 0 0 1 2 2z"/><circle cx="12" cy="13" r="4"/></svg>
    </a>
    <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarHeader" aria-
controls="navbarHeader" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
  </div>
 </div>
</header>

<main>

 <section class="py-5 text-center container">
  <div class="row py-lg-5">
   <div class="col-lg-6 col-md-8 mx-auto">
    <h1 class="fw-light">GibJohn Tutoring</h1>
    <p class="lead text-muted">Geography Quiz</p>

    <div id="quiz"></div>
    <button id="submit">Submit Quiz</button>
    <div id="results"></div>

    <!-- JS -->
    <script>
    (function(){
        function buildQuiz(){
          // variable to store the HTML output
          const output = [];

          // for each question...
          myQuestions.forEach(
            (currentQuestion, questionNumber) => {

              // variable to store the list of possible answers
              const answers = [];

              // and for each available answer...
              for(letter in currentQuestion.answers){

                // ...add an HTML radio button
                answers.push(
```

```javascript
                    `<label>
                        <input type="radio" name="question${questionNumber}" value="${letter}">
                        ${letter} :
                        ${currentQuestion.answers[letter]}
                    </label>`
                );
            }

            // add this question and its answers to the output
            output.push(
                `<div class="question"> ${currentQuestion.question} </div>
                <div class="answers"> ${answers.join('')} </div>`
            );
        }
    );

    // finally combine our output list into one string of HTML and put it on the page
    quizContainer.innerHTML = output.join('');
}

function showResults(){

    // gather answer containers from our quiz
    const answerContainers = quizContainer.querySelectorAll('.answers');

    // keep track of user's answers
    let numCorrect = 0;

    // for each question...
    myQuestions.forEach( (currentQuestion, questionNumber) => {

        // find selected answer
        const answerContainer = answerContainers[questionNumber];
        const selector = `input[name=question${questionNumber}]:checked`;
        const userAnswer = (answerContainer.querySelector(selector) || {}).value;

        // if answer is correct
        if(userAnswer === currentQuestion.correctAnswer){
            // add to the number of correct answers
            numCorrect++;

            // color the answers green
            answerContainers[questionNumber].style.color = 'lightgreen';
```

```javascript
          }
          // if answer is wrong or blank
          else{
            // color the answers red
            answerContainers[questionNumber].style.color = 'red';
          }
        });

        // show number of correct answers out of total
        resultsContainer.innerHTML = `${numCorrect} out of ${myQuestions
.length}`;
      }

      const quizContainer = document.getElementById('quiz');
      const resultsContainer = document.getElementById('results');
      const submitButton = document.getElementById('submit');
      const myQuestions = [
      {
        question: "Which is the smallest ocean?",
        answers: {
          a: "Artic",
          b: "Pacific",
          c: "Indian",
        },
        correctAnswer: "a"
      },
      {
        question: "Which river run by most countries?",
        answers: {
          a: "Molonglo",
          b: "Tirane",
          c: "Danube"
        },
        correctAnswer: "c"
      },
      {
        question: "Sedimentary, metamorphic, and igneous are the name
of?",
        answers: {
          a: "Metals",
          b: "Rocks",

        },
        correctAnswer: "b"
      },
      {
        question: "How many tectonic plates are there in the earth?",
        answers: {
```

```
                        a: "6",
                        b: "7",
                        c: "8",
                    },
                    correctAnswer: "b"
                },
                {
                    question: "What shift at about the same rate as your fingernai
ls grow?",
                    answers: {
                        a: "Continents",
                        b: "Planets",
                        c: "Plates",
                    },
                    correctAnswer: "a"
                },

            ];

            // Kick things off
            buildQuiz();

            // Event listeners
            submitButton.addEventListener('click', showResults);
        })();
        </script>
</body>
</html>
```

Maths

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="Jamie Dowle">
    <meta name="generator" content="GibJohn Tutoring    ">
    <title>Maths Tutoring</title>

    <link rel="canonical" href="https://getbootstrap.com/docs/5.1/examples/alb
um/">

  <!-- Font Awesome -->
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.11.2/cs
s/all.css" />
  <!-- Google Fonts Roboto -->
  <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Roboto
:wght@300;400;500;700&display=swap" />
```

```html
<!-- MDB -->
<link rel="stylesheet" href="css/mdb.min.css" />
<!-- Custom styles -->
<link rel="stylesheet" href="D:\Code\css\mystyle.css" />
<link rel="stylesheet" href="css/admin.css" />
<script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.min
.js" integrity="sha512-
d9xgZrVZpmmQlfonhQUvTR7lMPtO7NkZMkA0ABN3PHCbKA5nqylQ/yWlFAyY6hYgdF1Qh6nYiuADWw
KB4C2WSw==" crossorigin="anonymous"></script>


<!-- Bootstrap core CSS -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin=
"anonymous">
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.
bundle.min.js" integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" crossorigin=
"anonymous"></script>


<style>
    .bd-placeholder-img {
        font-size: 1.125rem;
        text-anchor: middle;
        -webkit-user-select: none;
        -moz-user-select: none;
        user-select: none;
    }

    @media (min-width: 768px) {
        .bd-placeholder-img-lg {
            font-size: 3.5rem;
        }
    }
</style>


</head>
<body>

<header>
    <div class="collapse bg-dark" id="navbarHeader">
        <div class="container">
            <div class="row">
                <div class="col-sm-8 col-md-7 py-4">
                    <h4 class="text-white">About</h4>
```

```html
        <p class="text-
muted">GibJohn Tutoring, Where tutoring meets your need. With GibJohn you are
guaranteed higher grades.</p>
      </div>
      <div class="col-sm-4 offset-md-1 py-4">
        <h4 class="text-white">Contact</h4>
        <ul class="list-unstyled">
          <li><a href="#" class="text-white">Follow on Twitter</a></li>
          <li><a href="#" class="text-white">Email me</a></li>
          <br>
          <br>
          <li><a href="#" class="text-white">Settings</a></li>
        </ul>
      </div>
    </div>
  </div>
</div>
  <div class="navbar navbar-dark bg-dark shadow-sm">
    <a href="index.html">GibJohn Tutoring</a>
    <div class="container">
      <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" fill="n
one" stroke="currentColor" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" aria-hidden="true" class="me-
2" viewBox="0 0 24 24"><path d="M23 19a2 2 0 0 1-2 2H3a2 2 0 0 1-2-
2V8a2 2 0 0 1 2-2h4l2-
3h6l2 3h4a2 2 0 0 1 2 2z"/><circle cx="12" cy="13" r="4"/></svg>
      </a>
      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarHeader" aria-
controls="navbarHeader" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
    </div>
  </div>
</header>

<main>

  <section class="py-5 text-center container">
    <div class="row py-lg-5">
      <div class="col-lg-6 col-md-8 mx-auto">
        <h1 class="fw-light">GibJohn Tutoring</h1>
        <p class="lead text-muted">Maths Quiz</p>

        <div id="quiz"></div>
        <button id="submit">Submit Quiz</button>
        <div id="results"></div>
```

```html
<!-- JS -->
<script>
(function(){
    function buildQuiz(){
      // variable to store the HTML output
      const output = [];

      // for each question...
      myQuestions.forEach(
        (currentQuestion, questionNumber) => {

          // variable to store the list of possible answers
          const answers = [];

          // and for each available answer...
          for(letter in currentQuestion.answers){

            // ...add an HTML radio button
            answers.push(
              `<label>
                <input type="radio" name="question${questionNumber}" value="${letter}">
                ${letter} :
                ${currentQuestion.answers[letter]}
              </label>`
            );
          }

          // add this question and its answers to the output
          output.push(
            `<div class="question"> ${currentQuestion.question} </div>
            <div class="answers"> ${answers.join('')} </div>`
          );
        }
      );

      // finally combine our output list into one string of HTML and put it on the page
      quizContainer.innerHTML = output.join('');
    }

    function showResults(){

      // gather answer containers from our quiz
      const answerContainers = quizContainer.querySelectorAll('.answers');

      // keep track of user's answers
```

```javascript
            let numCorrect = 0;

            // for each question...
            myQuestions.forEach( (currentQuestion, questionNumber) => {

                // find selected answer
                const answerContainer = answerContainers[questionNumber];
                const selector = `input[name=question${questionNumber}]:checke
d`;

                const userAnswer = (answerContainer.querySelector(selector) ||
 {}).value;

                // if answer is correct
                if(userAnswer === currentQuestion.correctAnswer){
                    // add to the number of correct answers
                    numCorrect++;

                    // color the answers green
                    answerContainers[questionNumber].style.color = 'lightgreen';
                }
                // if answer is wrong or blank
                else{
                    // color the answers red
                    answerContainers[questionNumber].style.color = 'red';
                }
            });

            // show number of correct answers out of total
            resultsContainer.innerHTML = `${numCorrect} out of ${myQuestions
.length}`;
        }

        const quizContainer = document.getElementById('quiz');
        const resultsContainer = document.getElementById('results');
        const submitButton = document.getElementById('submit');
        const myQuestions = [
        {
            question: "If Logx (1 / 8) = - 3 / 2, then x is equal to",
            answers: {
                a: "-4",
                b: "4",
                c: "1 / 4",
                d: "10"
            },
            correctAnswer: "b"
        },
        {
            question: "20 % of 2 is equal to",
```

```javascript
      answers: {
        a: "20",
        b: "4",
        c: "0.4"
      },
      correctAnswer: "c"
    },
    {
      question: "The exam scores of all 500 students were recorded and it was determined that these scores were normally distributed. If Jane's score is 0.8 standard deviation above the mean, then how many, to the nearest unit, students scored above Jane?",
      answers: {
        a: "11",
        b: "48",
        c: "-12",
        d: "22"
      },
      correctAnswer: "d"
    },
    {
      question: "If f(x) is an odd function, then | f(x) | is",
      answers: {
        a: "an odd function",
        b: "an even functionno",
        c: "neither odd nor even",
        d: "even and odd"
      },
      correctAnswer: "b"
    },
    {
      question: "The probability that an electronic device produced by a company does not function properly is equal to 0.1. If 10 devices are bought, then the probability, to the nearest thousandth, that 7 devices function properly is",
      answers: {
        a: "0.057",
        b: "0.478",
        c: "0.001",
        d: "0"
      },
      correctAnswer: "a"
    },

  ];

  // Kick things off
  buildQuiz();
```

```
        // Event listeners
        submitButton.addEventListener('click', showResults);
      })();
    </script>
</body>
</html>
```

History

```html
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="Jamie Dowle">
    <meta name="generator" content="GibJohn Tutoring   ">
    <title>History Tutoring</title>

    <link rel="canonical" href="https://getbootstrap.com/docs/5.1/examples/album/">

  <!-- Font Awesome -->
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.11.2/css/all.css" />
  <!-- Google Fonts Roboto -->
  <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;500;700&display=swap" />
  <!-- MDB -->
  <link rel="stylesheet" href="css/mdb.min.css" />
  <!-- Custom styles -->
  <link rel="stylesheet" href="D:\Code\css\mystyle.css" />
  <link rel="stylesheet" href="css/admin.css" />
  <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.min.js" integrity="sha512-
d9xgZrVZpmmQlfonhQUvTR7lMPtO7NkZMkA0ABN3PHCbKA5nqylQ/yWlFAyY6hYgdF1Qh6nYiuADWw
KB4C2WSw==" crossorigin="anonymous"></script>


  <!-- Bootstrap core CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin=
"anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" crossorigin=
"anonymous"></script>
```

```html
    <style>
      .bd-placeholder-img {
        font-size: 1.125rem;
        text-anchor: middle;
        -webkit-user-select: none;
        -moz-user-select: none;
        user-select: none;
      }

      @media (min-width: 768px) {
        .bd-placeholder-img-lg {
          font-size: 3.5rem;
        }
      }
    </style>


  </head>
  <body>

<header>
  <div class="collapse bg-dark" id="navbarHeader">
    <div class="container">
      <div class="row">
        <div class="col-sm-8 col-md-7 py-4">
          <h4 class="text-white">About</h4>
          <p class="text-
muted">GibJohn Tutoring, Where tutoring meets your need. With GibJohn you are
guaranteed higher grades.</p>
        </div>
        <div class="col-sm-4 offset-md-1 py-4">
          <h4 class="text-white">Contact</h4>
          <ul class="list-unstyled">
            <li><a href="#" class="text-white">Follow on Twitter</a></li>
            <li><a href="#" class="text-white">Email me</a></li>
            <br>
            <br>
            <li><a href="#" class="text-white">Settings</a></li>
          </ul>
        </div>
      </div>
    </div>
  </div>
  <div class="navbar navbar-dark bg-dark shadow-sm">
    <a href="index.html">GibJohn Tutoring</a>
    <div class="container">
      <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" fill="n
one" stroke="currentColor" stroke-linecap="round" stroke-
```

```
linejoin="round" stroke-width="2" aria-hidden="true" class="me-
2" viewBox="0 0 24 24"><path d="M23 19a2 2 0 0 1-2 2H3a2 2 0 0 1-2-
2V8a2 2 0 0 1 2-2h4l2-
3h6l2 3h4a2 2 0 0 1 2 2z"/><circle cx="12" cy="13" r="4"/></svg>
        </a>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarHeader" aria-
controls="navbarHeader" aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
      </div>
    </div>
</header>

<main>

  <section class="py-5 text-center container">
    <div class="row py-lg-5">
      <div class="col-lg-6 col-md-8 mx-auto">
        <h1 class="fw-light">GibJohn Tutoring</h1>
        <p class="lead text-muted">History Quiz</p>

        <div id="quiz"></div>
        <button id="submit">Submit Quiz</button>
        <div id="results"></div>

        <!-- JS -->
        <script>
        (function(){
            function buildQuiz(){
              // variable to store the HTML output
              const output = [];

              // for each question...
              myQuestions.forEach(
                (currentQuestion, questionNumber) => {

                  // variable to store the list of possible answers
                  const answers = [];

                  // and for each available answer...
                  for(letter in currentQuestion.answers){

                    // ...add an HTML radio button
                    answers.push(
                      `<label>
                        <input type="radio" name="question${questionNumber}" v
alue="${letter}">
```

```
                ${letter} :
                ${currentQuestion.answers[letter]}
              </label>`
          );
        }


        // add this question and its answers to the output
        output.push(
          `<div class="question"> ${currentQuestion.question} </div>
          <div class="answers"> ${answers.join('')} </div>`
        );
      }
    );


    // finally combine our output list into one string of HTML and p
ut it on the page
    quizContainer.innerHTML = output.join('');
  }

  function showResults(){

    // gather answer containers from our quiz
    const answerContainers = quizContainer.querySelectorAll('.answer
s');

    // keep track of user's answers
    let numCorrect = 0;

    // for each question...
    myQuestions.forEach( (currentQuestion, questionNumber) => {

      // find selected answer
      const answerContainer = answerContainers[questionNumber];
      const selector = `input[name=question${questionNumber}]:checke
d`;

      const userAnswer = (answerContainer.querySelector(selector) ||
 {}).value;

      // if answer is correct
      if(userAnswer === currentQuestion.correctAnswer){
        // add to the number of correct answers
        numCorrect++;

        // color the answers green
        answerContainers[questionNumber].style.color = 'lightgreen';
      }
      // if answer is wrong or blank
      else{
```

```
                // color the answers red
                answerContainers[questionNumber].style.color = 'red';
            }
        });

        // show number of correct answers out of total
        resultsContainer.innerHTML = `${numCorrect} out of ${myQuestions
.length}`;
    }

    const quizContainer = document.getElementById('quiz');
    const resultsContainer = document.getElementById('results');
    const submitButton = document.getElementById('submit');
    const myQuestions = [
        {
            question: "What country lost the most lives in World War II?",
            answers: {
                a: "Soviet Union",
                b: "United States",
                c: "Great Britain",
                d: "Germany"
            },
            correctAnswer: "a"
        },
        {
            question: "What was the name of the B-
29 bomber that dropped the first atomic bomb on Hiroshima?",
            answers: {
                a: "Slow But Deadly",
                b: "Enola Gay",
                c: "Puff the magic dragon"
            },
            correctAnswer: "b"
        },
        {
            question: "After World War II, Germany was divided into how ma
ny zones of occupation?",
            answers: {
                a: "1",
                b: "2",
                c: "3",
                d: "4"
            },
            correctAnswer: "d"
        },
        {
            question: "On which beach did the Americans run into a firesto
rm of resistance during the D-Day landings?",
```

```
        answers: {
          a: "Utah",
          b: "Juno",
          c: "Sword",
          d: "Omaha"
        },
        correctAnswer: "d"
      },
      {
        question: "In which battle did the Axis powers lose about a qu
arter of their total troops on the Eastern Front?",
        answers: {
          a: "Battle of Stalingrad",
          b: "Battle of the bulge",
          c: "Battle of midway",
          d: "Battle of berlin"
        },
        correctAnswer: "a"
      },
      {
        question: "How long did the Arab-Israeli War of 1967 last?",
        answers: {
          a: "1 day",
          b: "6 days",
          c: "2 weeks",
          d: "1 month"
        },
        correctAnswer: "b"
      },
      {
        question: "What was the number of the British Armored Division
 known as The Desert Rats?",
        answers: {
          a: "1st",
          b: "3rd",
          c: "5th",
          d: "7th"
        },
        correctAnswer: "d"
      },
      {
        question: "Where was the Bay of Pigs whose invasion sparked a
world crisis in the 60s?",
        answers: {
          a: "Russia",
          b: "Mexico",
          c: "Cuba",
          d: "Germany"
```

```
        },
        correctAnswer: "c"
      },
      {
        question: "The Taliban were a guerrilla group in which country
?",
        answers: {
          a: "Afghanistan",
          b: "Mexico",
          c: "Russia",
          d: "Vietnam"
        },
        correctAnswer: "a"
      },
      {
        question: "Muhammad Ali refused to fight in which war?",
        answers: {
          a: "Falklands",
          b: "WWII",
          c: "Gulf",
          d: "Vietnam"
        },
        correctAnswer: "d"
      }

    ];

    // Kick things off
    buildQuiz();

    // Event listeners
    submitButton.addEventListener('click', showResults);
  })();
</script>
</body>
</html>
```

Historynotes

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="Jamie Dowle">
    <meta name="generator" content="GibJohn Tutoring    ">
    <title>History Notes</title>
```

```html
    <!-- Font Awesome -->
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.11.2/css/all.css" />
    <!-- Google Fonts Roboto -->
    <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;500;700&display=swap" />
    <!-- MDB -->
    <link rel="stylesheet" href="css/mdb.min.css" />
    <!-- Custom styles -->
    <link rel="stylesheet" href="D:\Code\css\mystyle.css" />
    <link rel="stylesheet" href="C:\Users\realf\Documents\GitHub\Alexander-the-great\Code\css\history.css" />
    <link rel="stylesheet" href="css/admin.css" />
    <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.min.js" integrity="sha512-d9xgZrVZpmmQlfonhQUvTR7lMPtO7NkZMkA0ABN3PHCbKA5nqylQ/yWlFAyY6hYgdF1Qh6nYiuADWwKB4C2WSw==" crossorigin="anonymous"></script>


    <!-- Bootstrap core CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" crossorigin="anonymous"></script>



    <style>
      .bd-placeholder-img {
        font-size: 1.125rem;
        text-anchor: middle;
        -webkit-user-select: none;
        -moz-user-select: none;
        user-select: none;
      }

      @media (min-width: 768px) {
        .bd-placeholder-img-lg {
          font-size: 3.5rem;
        }
      }
    </style>


  </head>
  <body>
```

```html
<header>
<!-- Nav bar / dropdown menu-->
  <div class="collapse bg-dark" id="navbarHeader">
    <div class="container">
      <div class="row">
        <div class="col-sm-8 col-md-7 py-4">
          <h4 class="text-white">About</h4>
          <p class="text-
muted">GibJohn Tutoring, Where tutoring meets your need. With GibJohn you are
guaranteed higher grades.</p>
        </div>
        <div class="col-sm-4 offset-md-1 py-4">
          <h4 class="text-white">Contact</h4>
          <ul class="list-unstyled">
            <li><a href="#" class="text-white">Follow on Twitter</a></li>
            <li><a href="#" class="text-white">Email me</a></li>
            <br>
            <br>
            <li><a href="#" class="text-white">Settings</a></li>
          </ul>
        </div>
      </div>
    </div>
  </div>

  <div class="navbar navbar-dark bg-dark shadow-sm">
    <a href="index.html">GibJohn Tutoring</a>
    <div class="container">
      <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" fill="n
one" stroke="currentColor" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" aria-hidden="true" class="me-
2" viewBox="0 0 24 24"><path d="M23 19a2 2 0 0 1-2 2H3a2 2 0 0 1-2-
2V8a2 2 0 0 1 2-2h4l2-
3h6l2 3h4a2 2 0 0 1 2 2z"/><circle cx="12" cy="13" r="4"/></svg>
      </a>
      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarHeader" aria-
controls="navbarHeader" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
    </div>
  </div>
</header>

<main>

  <section class="py-5 text-center container">
    <div class="row py-lg-5">
```

```html
        <div class="col-lg-6 col-md-8 mx-auto">
          <h1 class="fw-light" >GibJohn Tutoring</h1>
          <p class="lead text-muted">Where Tutoring meets your needs</p>

          <!-- search box -->
          <div class="input-group rounded">
            <input type="search" class="form-
control rounded" placeholder="Search For Lessons" aria-label="Search" aria-
describedby="search-addon" />
            <span class="input-group-text border-0" id="search-addon">
              <i class="fas fa-search"></i>
            </span>
          </div>

        </div>
        <p>
        </p>
      </div>
    </div>
  </section>

  <body>

<main>
  <h1 class="visually-hidden">History</h1>



  <div class="b-example-divider"></div>

  <div class="px-4 pt-5 my-5 text-center border-bottom">
    <h1 class="display-4 fw-bold">FUN Learning</h1>
    <div class="col-lg-6 mx-auto">
      <p class="lead mb-
4">At GibJohn Tutoring we like to have fun whilst learning! No boring standard
 teaching, we prefer being right there! With the use of VR and AR that is all
possible stay tuned to find out more!</p>
      <div class="d-grid gap-2 d-sm-flex justify-content-sm-center mb-5">
        <button type="button" class="btn btn-primary btn-lg px-4 me-sm-
3">View</button>
      </div>
    </div>
    <div class="overflow-hidden" style="max-height: 30vh;">
      <div class="container px-5">
        <img src="D:\Code\img\king.jpg" class="img-fluid border rounded-
3 shadow-lg mb-4" alt="Example image" width="700" height="500" loading="lazy">
      </div>
    </div>
  </div>
```

```html
    <div class="b-example-divider"></div>

    <div class="container col-xxl-8 px-4 py-5">
      <div class="row flex-lg-row-reverse align-items-center g-5 py-5">
        <div class="col-10 col-sm-8 col-lg-6">
          <img src="D:\Code\img\Tank.jpg" class="d-block mx-lg-auto img-
fluid" alt="Bootstrap Themes" width="700" height="500" loading="lazy">
        </div>
        <div class="col-lg-6">
          <h1 class="display-5 fw-bold lh-1 mb-3">Little Willie</h1>
          <p class="lead">Little Willie was developed in 1915 by British scienti
sts and inventors, and it was the first of the World War 1 tanks. It weighed 1
6 tons, measured 8 metres long and could travel at 3.2 kmh. One of the most wi
dely produced World War 1 tanks was the Mark I.</p>
          <div class="d-grid gap-2 d-md-flex justify-content-md-start">
            <button type="button" class="btn btn-primary btn-lg px-4 me-md-
2">View</button>
          </div>
        </div>
      </div>
    </div>

    <div class="b-example-divider"></div>


    <div class="container my-5">
      <div class="row p-4 pb-0 pe-lg-0 pt-lg-5 align-items-center rounded-
3 border shadow-lg">
        <div class="col-lg-7 p-3 p-lg-5 pt-lg-3">
          <h1 class="display-4 fw-bold lh-1">D-Day</h1>
          <p class="lead">Omaha Beach is a landing area in Normandy, northern Fr
ance, used by Allied forces in the WWII D-
Day invasion. Today, the beach is dotted with the remains of German bunkers.</
p>
          <div class="d-grid gap-2 d-md-flex justify-content-md-start mb-4 mb-
lg-3">
            <button type="button" class="btn btn-primary btn-lg px-4 me-md-2 fw-
bold">View</button>
          </div>
        </div>
        <div class="col-lg-4 offset-lg-1 p-0 overflow-hidden shadow-lg">
          <img class="rounded-lg-
3" src="D:\Code\img\beach.jpg" alt="" width="520"  loading="lazy">
        </div>
      </div>
    </div>

    <div class="b-example-divider"></div>
```

```html
    <div class="bg-dark text-secondary px-4 py-5 text-center">
      <footer class="text-muted py-5">
        <div class="container">
          <p class="float-end mb-1">
            <a href="#">Back to top</a>
          </p>
          <p class="mb-
1">Didn't find what you was looking for? Try searching it using the search bar
 at the top of the page!</p>
          <p class="mb-
0">We hope you stay safe out there, the world is a scary place. Maybe stop her
e and rest for a while or continue on your vast journey of life</a>.</p>
        </div>
      </footer>
</div>

  <div class="b-example-divider mb-0"></div>
</main>


    <script src="../assets/dist/js/bootstrap.bundle.min.js"></script>


  </body>
</html>
```

Science

```html
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="Jamie Dowle">
    <meta name="generator" content="GibJohn Tutoring    ">
    <title>Science Tutoring</title>

    <link rel="canonical" href="https://getbootstrap.com/docs/5.1/examples/alb
um/">

  <!-- Font Awesome -->
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.11.2/cs
s/all.css" />
  <!-- Google Fonts Roboto -->
  <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Roboto
:wght@300;400;500;700&display=swap" />
  <!-- MDB -->
  <link rel="stylesheet" href="css/mdb.min.css" />
```

```html
    <!-- Custom styles -->
    <link rel="stylesheet" href="D:\Code\css\mystyle.css" />
    <link rel="stylesheet" href="css/admin.css" />
    <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.min
.js" integrity="sha512-
d9xgZrVZpmmQlfonhQUvTR7lMPtO7NkZMkA0ABN3PHCbKA5nqylQ/yWlFAyY6hYgdF1Qh6nYiuADWw
KB4C2WSw==" crossorigin="anonymous"></script>


    <!-- Bootstrap core CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin=
"anonymous">
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.
bundle.min.js" integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" crossorigin=
"anonymous"></script>


    <style>
      .bd-placeholder-img {
        font-size: 1.125rem;
        text-anchor: middle;
        -webkit-user-select: none;
        -moz-user-select: none;
        user-select: none;
      }

      @media (min-width: 768px) {
        .bd-placeholder-img-lg {
          font-size: 3.5rem;
        }
      }
    </style>


  </head>
  <body>

<header>
    <div class="collapse bg-dark" id="navbarHeader">
      <div class="container">
        <div class="row">
          <div class="col-sm-8 col-md-7 py-4">
            <h4 class="text-white">About</h4>
            <p class="text-
muted">GibJohn Tutoring, Where tutoring meets your need. With GibJohn you are
guaranteed higher grades.</p>
```

```html
        </div>
        <div class="col-sm-4 offset-md-1 py-4">
          <h4 class="text-white">Contact</h4>
          <ul class="list-unstyled">
            <li><a href="#" class="text-white">Follow on Twitter</a></li>
            <li><a href="#" class="text-white">Email me</a></li>
            <br>
            <br>
            <li><a href="#" class="text-white">Settings</a></li>
          </ul>
        </div>
      </div>
    </div>
  </div>
  <div class="navbar navbar-dark bg-dark shadow-sm">
    <a href="index.html">GibJohn Tutoring</a>
    <div class="container">
      <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" fill="none" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke-width="2" aria-hidden="true" class="me-2" viewBox="0 0 24 24"><path d="M23 19a2 2 0 0 1-2 2H3a2 2 0 0 1-2-2V8a2 2 0 0 1 2-2h4l2-3h6l2 3h4a2 2 0 0 1 2 2z"/><circle cx="12" cy="13" r="4"/></svg>
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarHeader" aria-controls="navbarHeader" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
  </div>
  </div>
</header>

<main>

  <section class="py-5 text-center container">
    <div class="row py-lg-5">
      <div class="col-lg-6 col-md-8 mx-auto">
        <h1 class="fw-light">GibJohn Tutoring</h1>
        <p class="lead text-muted">Science Quiz</p>

        <div id="quiz"></div>
        <button id="submit">Submit Quiz</button>
        <div id="results"></div>

        <!-- JS -->
        <script>
        (function(){
```

```javascript
function buildQuiz(){
  // variable to store the HTML output
  const output = [];

  // for each question...
  myQuestions.forEach(
    (currentQuestion, questionNumber) => {

      // variable to store the list of possible answers
      const answers = [];

      // and for each available answer...
      for(letter in currentQuestion.answers){

        // ...add an HTML radio button
        answers.push(
          `<label>
            <input type="radio" name="question${questionNumber}" value="${letter}">
            ${letter} :
            ${currentQuestion.answers[letter]}
          </label>`
        );
      }

      // add this question and its answers to the output
      output.push(
        `<div class="question"> ${currentQuestion.question} </div>
        <div class="answers"> ${answers.join('')} </div>`
      );
    }
  );

  // finally combine our output list into one string of HTML and put it on the page
  quizContainer.innerHTML = output.join('');
}

function showResults(){

  // gather answer containers from our quiz
  const answerContainers = quizContainer.querySelectorAll('.answers');

  // keep track of user's answers
  let numCorrect = 0;

  // for each question...
```

```javascript
            myQuestions.forEach( (currentQuestion, questionNumber) => {

              // find selected answer
              const answerContainer = answerContainers[questionNumber];
              const selector = `input[name=question${questionNumber}]:checke
d`;

              const userAnswer = (answerContainer.querySelector(selector) ||
 {}).value;

              // if answer is correct
              if(userAnswer === currentQuestion.correctAnswer){
                // add to the number of correct answers
                numCorrect++;

                // color the answers green
                answerContainers[questionNumber].style.color = 'lightgreen';
              }
              // if answer is wrong or blank
              else{
                // color the answers red
                answerContainers[questionNumber].style.color = 'red';
              }
            });

            // show number of correct answers out of total
            resultsContainer.innerHTML = `${numCorrect} out of ${myQuestions
.length}`;
          }

        const quizContainer = document.getElementById('quiz');
        const resultsContainer = document.getElementById('results');
        const submitButton = document.getElementById('submit');
        const myQuestions = [
          {
            question: "Where in a cell are the chromosomes?",
            answers: {
              a: "Cell membrane",
              b: "Cytoplasm",
              c: "Nucleus",
              d: "Ribosomes"
            },
            correctAnswer: "c"
          },
          {
            question: "Human stem cells may come from _____.",
            answers: {
              a: "embryos",
              b: "Sperm",
```

```
              c: "the spine"
            },
            correctAnswer: "a"
          },
          {
            question: "Which of the following is a non metal that remains
liquid at room temperature",
            answers: {
              a: "Phosphorous",
              b: "Chlorine",
              c: "Bromine",
              d: "Helium"
            },
            correctAnswer: "c"
          },
          {
            question: "Which of the following is used in pencils?",
            answers: {
              a: "Phosphorous",
              b: "Silicon",
              c: "Charcoal",
              d: "Graphite"
            },
            correctAnswer: "d"
          },
          {
            question: "What is the atomic mass for water? H = 1, O = 16",
            answers: {
              a: "16",
              b: "18",
              c: "17",
              d: "19"
            },
            correctAnswer: "b"
          },
          {
            question: "Which of the gas is not known as green house gas?",
            answers: {
              a: "Methane",
              b: "Hydrogen",
              c: "Carbon dioxide",
              d: "Nitrous oxide"
            },
            correctAnswer: "b"
          },
          {
            question: "Bromine is a ____",
            answers: {
```

```javascript
        a: "black solid",
        b: "colourless gas",
        c: "red liquid",
        d: "highly inflammable gas"
      },
      correctAnswer: "c"
    },
    {
      question: "The hardest substance available on earth is",
      answers: {
        a: "Gold",
        b: "Iron",
        c: "Platinum",
        d: "Diamond"
      },
      correctAnswer: "d"
    },
    {
      question: "When an iron nail gets rusted, iron oxide is formed
",
      answers: {
        a: "without any change in the weight of the nail",
        b: "with decrease in the weight of the nail",
        c: "with increase in the weight of the nail",
        d: "without any change in colour or weight of the nail"
      },
      correctAnswer: "c"
    },
    {
      question: " Most soluble in water is",
      answers: {
        a: "camphor",
        b: "sulphur",
        c: "common salt",
        d: "sugar"
      },
      correctAnswer: "d"
    }

  ];

  // Kick things off
  buildQuiz();

  // Event listeners
  submitButton.addEventListener('click', showResults);
})();
</script>
```

```
</body>
</html>
```

Sciencenotes

```html
<!doctype html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <title>Science Notes</title>

  <!-- Font Awesome -->
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.11.2/css/all.css" />
  <!-- Google Fonts Roboto -->
  <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;500;700&display=swap" />
  <!-- MDB -->
  <link rel="stylesheet" href="css/mdb.min.css" />
  <!-- Custom styles -->
  <link rel="stylesheet" href="D:\Code\css\mystyle.css" />
  <link rel="stylesheet" href="C:\Users\realf\Documents\GitHub\Alexander-the-great\Code\css\science.css" />
  <link rel="stylesheet" href="css/admin.css" />
  <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.9.4/Chart.min.js"
    integrity="sha512-d9xgZrVZpmmQlfonhQUvTR7lMPtO7NkZMkA0ABN3PHCbKA5nqylQ/yWlFAyY6hYgdF1Qh6nYiuADWwKB4C2WSw=="
    crossorigin="anonymous"></script>

  <!-- Bootstrap core CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"
    integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
    crossorigin="anonymous"></script>

  <style>
    .bd-placeholder-img {
      font-size: 1.125rem;
      text-anchor: middle;
      -webkit-user-select: none;
      -moz-user-select: none;
```

```
      user-select: none;
    }

    @media (min-width: 768px) {
      .bd-placeholder-img-lg {
        font-size: 3.5rem;
      }
    }

    .b-example-divider {
      height: 3rem;
      background-color: rgba(0, 0, 0, .1);
      border: solid rgba(0, 0, 0, .15);
      border-width: 1px 0;
      box-
shadow: inset 0 .5em 1.5em rgba(0, 0, 0, .1), inset 0 .125em .5em rgba(0, 0, 0
, .15);
    }

    .b-example-vr {
      flex-shrink: 0;
      width: 1.5rem;
      height: 100vh;
    }

    .bi {
      vertical-align: -.125em;
      fill: currentColor;
    }

    .nav-scroller {
      position: relative;
      z-index: 2;
      height: 2.75rem;
      overflow-y: hidden;
    }

    .nav-scroller .nav {
      display: flex;
      flex-wrap: nowrap;
      padding-bottom: 1rem;
      margin-top: -1px;
      overflow-x: auto;
      text-align: center;
      white-space: nowrap;
      -webkit-overflow-scrolling: touch;
    }
  </style>
```

```html
    <!-- Custom styles for this template -->
    <link href="D:\Code\css\science.css" rel="stylesheet">
</head>

<body>

    <header>
        <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-dark">
            <div class="container-fluid">
                <a class="navbar-brand" href="index.html">GibJohn Tutoring</a>
                <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarCollapse"
                    aria-controls="navbarCollapse" aria-expanded="false" aria-
label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse" id="navbarCollapse">
                    <ul class="navbar-nav me-auto mb-2 mb-md-0">
                        <li class="nav-item">
                            <a class="nav-link disabled">Science Notes</a>
                        </li>
                    </ul>
                    <form class="d-flex" role="search">
                        <input class="form-control me-
2" type="search" placeholder="Search" aria-label="Search">
                        <button class="btn btn-outline-
light" type="submit">Search</button>
                    </form>
                </div>
            </div>
        </nav>
    </header>

    <main>

        <div id="myCarousel" class="carousel slide" data-bs-ride="carousel">
            <div class="carousel-indicators">
                <button type="button" data-bs-target="#myCarousel" data-bs-slide-
to="0" class="active" aria-current="true"
                    aria-label="Slide 1"></button>
                <button type="button" data-bs-target="#myCarousel" data-bs-slide-
to="1" aria-label="Slide 2"></button>
                <button type="button" data-bs-target="#myCarousel" data-bs-slide-
to="2" aria-label="Slide 3"></button>
            </div>
            <div class="carousel-inner">
                <div class="carousel-item active">
```

```html
        <img class="first-
slide" src="D:\Code\img\Car3.jpg" alt="Second slide">
        <svg class="bd-placeholder-
img" width="100%" height="100%" xmlns="http://www.w3.org/2000/svg"
          aria-
hidden="true" preserveAspectRatio="xMidYMid slice" focusable="false">
          <rect width="100%" height="100%" fill="#777" />
        </svg>

        <div class="container">
          <div class="carousel-caption text-start">
            <h1>Learn Chemisty with GibJohn</h1>
            <h6>For all your science needs</h6>
          </div>
        </div>
      </div>

      <div class="carousel-item">
        <img class="second-
slide" src="D:\Code\img\Car1.jpeg" alt="Second slide">
        <svg class="bd-placeholder-
img" width="100%" height="100%" xmlns="http://www.w3.org/2000/svg"
          aria-
hidden="true" preserveAspectRatio="xMidYMid slice" focusable="false">
          <rect width="100%" height="100%" fill="#777" />
        </svg>

        <div class="container">
          <div class="carousel-caption">
            <h1>Learn Biology with GibJohn</h1>
            <h6>For all your science needs</h6>
          </div>
        </div>
      </div>
      <div class="carousel-item">
        <img class="third-
slide" src="D:\Code\img\Car2.jpg" alt="Second slide">
        <svg class="bd-placeholder-
img" width="100%" height="100%" xmlns="http://www.w3.org/2000/svg"
          aria-
hidden="true" preserveAspectRatio="xMidYMid slice" focusable="false">
          <rect width="100%" height="100%" fill="#777" />
        </svg>

        <div class="container">
          <div class="carousel-caption text-end">
            <h1>Learn Physics with GibJohn</h1>
            <h6>For all your science needs</h6>
```

```html
                </div>
              </div>
            </div>
          </div>
          <button class="carousel-control-prev" type="button" data-bs-
target="#myCarousel" data-bs-slide="prev">
            <span class="carousel-control-prev-icon" aria-hidden="true"></span>
            <span class="visually-hidden">Previous</span>
          </button>
          <button class="carousel-control-next" type="button" data-bs-
target="#myCarousel" data-bs-slide="next">
            <span class="carousel-control-next-icon" aria-hidden="true"></span>
            <span class="visually-hidden">Next</span>
          </button>
        </div>



        <div class="container marketing">

          <!-- Three columns of text below the carousel -->
          <div class="row">
            <div class="col-lg-4">
              <img src="D:\Code\img\Tutor1.jpg" class="rounded-
circle" alt="Rounded Image" width="200" height="200">
              <h2 class="fw-normal">Chemisty</h2>
              <p>Chemisty tutors for you</p>
              <p><a class="btn btn-
secondary" href="#">View details &raquo;</a></p>
            </div><!-- /.col-lg-4 -->
            <div class="col-lg-4">
              <img src="D:\Code\img\Tutor2.jpg" class="rounded-
circle" alt="Rounded Image" width="200" height="200">
              <h2 class="fw-normal">Biology</h2>
              <p>Biology tutors for you</p>
              <p><a class="btn btn-
secondary" href="#">View details &raquo;</a></p>
            </div><!-- /.col-lg-4 -->
            <div class="col-lg-4">
              <img src="D:\Code\img\Tutor3.jpg" class="rounded-
circle" alt="Rounded Image" width="200" height="200">
              <h2 class="fw-normal">Physics</h2>
              <p>Physics tutors for you</p>
              <p><a class="btn btn-
secondary" href="#">View details &raquo;</a></p>
            </div><!-- /.col-lg-4 -->
          </div><!-- /.row -->
```

```html
    <!-- START THE FEATURETTES -->

    <hr class="featurette-divider">

    <div class="row featurette">
      <div class="col-md-7">
        <h2 class="featurette-heading fw-normal lh-
1">Biology <span class="text-muted">Growing Bacteria</span></h2>
        <p class="lead">Most bacteria collected in your environment will not
 be harmful. However, once they multiply
          into millions of colonies in a Petri dish they become more of a ha
zard. Be sure to protect open cuts with
          rubber gloves and never ingest or breathe in growing bacteria. Kee
p your Petri dishes sealed in the
          zipper-lock bags for the entire experiment. </p>
        <div class="d-grid gap-2 d-md-flex justify-content-md-start">
          <button type="button" class="btn btn-primary btn-lg px-4 me-md-
2">View</button>
        </div>
      </div>
      <div class="col-md-5">
        <img class="rounded-lg-
3" src="D:\Code\img\Dish.jpg" alt="" width="520" loading="lazy">

      </div>
    </div>

    <hr class="featurette-divider">

    <div class="row featurette">
      <div class="col-md-7 order-md-2">
        <h2 class="featurette-heading fw-normal lh-
1">Chemisty <span class="text-muted">How is caffeine bonded?</span>
        </h2>
        <p class="lead">The nitrogen atoms in the caffeine molecule are all
essentially planar. Even though some are
          often drawn with three single bonds, the lone pairs on these atoms
 are involved in resonance with adjacent
          double-
bonded carbon atoms, and thus adopt an sp2 orbital hybridisation.</p>
        <div class="d-grid gap-2 d-md-flex justify-content-md-start">
          <button type="button" class="btn btn-primary btn-lg px-4 me-md-
2">View</button>
        </div>
      </div>
      <div class="col-md-5">
        <img class="rounded-lg-
3" src="D:\Code\img\Caffine.png" alt="" width="520" loading="lazy">
```

```html
        </div>
      </div>

      <hr class="featurette-divider">

      <div class="row featurette">
        <div class="col-md-7">
          <h2 class="featurette-heading fw-normal lh-
1">Physics <span class="text-muted">Thomas Edison</span></h2>
          <p class="lead">Thomas Alva Edison was an American inventor and busi
nessman. He developed many devices in
            fields such as electric power generation, mass communication, soun
d recording, and motion pictures.</p>
          <div class="d-grid gap-2 d-md-flex justify-content-md-start">
            <button type="button" class="btn btn-primary btn-lg px-4 me-md-
2">View</button>
          </div>
        </div>
        <div class="col-md-5">
          <img class="rounded-lg-
3" src="D:\Code\img\Thomas.jpg" alt="" width="520" loading="lazy">
        </div>
      </div>

      <hr class="featurette-divider">

      <!-- /END THE FEATURETTES -->

    </div><!-- /.container -->


    <!-- FOOTER -->

    <div class="bg-dark text-secondary px-4 py-5 text-center">
      <footer class="text-muted py-5">
        <div class="container">
          <p class="float-end mb-1">
            <a href="#">Back to top</a>
          </p>
          <p class="mb-
1">Didn't find what you was looking for? Try searching it using the search bar
 at the top of the
            page!</p>
          <p class="mb-
0">We hope you stay safe out there, the world is a scary place. Maybe stop her
e and rest for a
            while or continue on your vast journey of life</a>.</p>
        </div>
```

```
        </footer>
      </div>
    </main>


  <script src="../assets/dist/js/bootstrap.bundle.min.js"></script>


</body>

</html>
```

CSS

History

```
@media (min-width: 992px) {
    .rounded-lg-3 { border-radius: .3rem; }
  }
```

Mystyle

```
body{
    font-size: 20px;
    font-family: sans-serif;
    color: #333;
}
.question{
    font-weight: 600;
}
.answers {
  margin-bottom: 20px;
}
.answers label{
  display: block;
}
#submit{
    font-family: sans-serif;
    font-size: 20px;
    background-color: #279;
    color: #fff;
    border: 0px;
    border-radius: 3px;
    padding: 20px;
    cursor: pointer;
    margin-bottom: 20px;
}
#submit:hover{
    background-color: #38a;
```

```css
}

.navbar a {
    float: left;
    font-size: 16px;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
  }



.carousel-caption {
    bottom: 3rem;
    z-index: 10;
}
.text-start {
    text-align: left!important;
}
.carousel-caption {
    position: absolute;
    right: 15%;
    bottom: 1.25rem;
    left: 15%;
    padding-top: 1.25rem;
    padding-bottom: 1.25rem;
    color: #fff;
    text-align: center;
}
*, ::after, ::before {
    box-sizing: border-box;
}
user agent stylesheet
div {
    display: block;
}
```

Science

```css
/* GLOBAL STYLES
-------------------------------------------------- */
/* Padding below the footer and lighter body text */

h1 {
  color: rgb(0, 0, 0);
  opacity: 1


}
```

```css
body {
    padding-top: 3rem;
    padding-bottom: 3rem;
    color: #000000;
}



/* CUSTOMIZE THE CAROUSEL
-------------------------------------------------- */

/* Carousel base class */
.carousel {
  margin-bottom: 4rem;




}
/* Since positioning the image, we need to help out the caption */
.carousel-caption {
  bottom: 3rem;
  z-index: 10;
  color: rgb(0, 0, 0);

}

/* Declare heights because of positioning of img element */
.carousel-item {
  height: 32rem;



}



/* Featurettes
------------------------- */

.featurette-divider {
  margin: 5rem 0; /* Space out the Bootstrap <hr> more */
}

/* Thin out the marketing headings */
/* rtl:begin:remove */
.featurette-heading {
  letter-spacing: -.05rem;
```

```css
}

.rounded-circle {
  display: block;
  margin-left: auto;
  margin-right: auto;
  width: 50%;

}


/* rtl:end:remove */

/* RESPONSIVE CSS
-------------------------------------------------- */

@media (min-width: 40em) {
  /* Bump up size of carousel content */
  .carousel-caption p {
    margin-bottom: 1.25rem;
    font-size: 1.25rem;
    line-height: 1.4;
  }

  .featurette-heading {
    font-size: 50px;

  }
}

@media (min-width: 62em) {
  .featurette-heading {
    margin-top: 7rem;

  }
}

.first-slide {
  -webkit-filter: blur(5px); /* Safari 6.0 - 9.0 */
  filter: blur(5px);
}
.second-slide {
  -webkit-filter: blur(5px); /* Safari 6.0 - 9.0 */
  filter: blur(5px);
}

.third-slide {
```

```
    -webkit-filter: blur(5px); /* Safari 6.0 - 9.0 */
    filter: blur(5px);
}

.fw-normal{
    text-align: center;


}

p{
    text-align: center;


}
```

Img

beach	19/05/2022 09:39 AM	JPG File	32 KB
Caffine	19/05/2022 10:01 AM	PNG File	9 KB
Car1	19/05/2022 10:26 AM	JPEG File	122 KB
Car2	19/05/2022 10:37 AM	JPG File	176 KB
Car3	19/05/2022 10:27 AM	JPG File	136 KB
Dish	19/05/2022 10:06 AM	JPG File	73 KB
English	12/05/2022 09:39 AM	JPG File	139 KB
Flag_of_France	12/05/2022 09:36 AM	PNG File	1 KB
Flag_of_Japan	11/05/2022 11:22 AM	PNG File	7 KB
Flag_of_Poland	12/05/2022 09:29 AM	PNG File	1 KB
Flag_of_Spain	12/05/2022 09:35 AM	PNG File	5 KB
Geography	12/05/2022 09:49 AM	JPG File	366 KB
History	12/05/2022 09:51 AM	JPG File	673 KB
king	19/05/2022 09:41 AM	JPG File	54 KB
Maths	12/05/2022 09:52 AM	JPG File	144 KB
Science	12/05/2022 09:37 AM	JPG File	63 KB
Tank	19/05/2022 09:36 AM	JPG File	208 KB
Thomas	19/05/2022 09:58 AM	JPG File	42 KB
Tutor1	19/05/2022 09:17 AM	JPG File	5 KB
Tutor2	19/05/2022 09:25 AM	JPG File	5 KB
Tutor3	19/05/2022 09:23 AM	JPG File	6 KB