
# SOC L1 Alert Reporting




I can see by the image that triaging works down multiple layers. Such as troubleshooting 1st line to 2nd line and so on. These layers enable the correct escalation processes so that the work can ultimately be done. It starts with L1 and is either solved or escalated.

Alert Reporting: Ultimately, when an alert is identified, it is reported, regardless of how severe. Whether it is automated or manually detected, any alert must be reported.

Alert Escalation: If L1 cannot solve the issue, then it must be escalated to the next line. In this case it is 2nd Line. Same goes for them if they are unable to solve, it escalates once more.

Communication: Communicating with other departments, this may be going to IT to request admin access to a staff portal, however HR must approve it first.

What is the process of passing suspicious alerts to L2 analysts for review?

Alert Escalation.

What is the process of formally describing alert details and findings?

Alert Reporting.

Reporting guides can help analysts identify alerts. For example:

Provide context for escalation: Well written and thorough reports help escalation teams deal with the query faster.

Save findings for the record: Raw logs kept for a certain time frame; however, alerts are kept indefinitely. This is why it is best to keep all the context inside the alert, especially if a similar issue arises it can be used as a point of reference.

Improve investigation skills: If you cannot explain it simply, understand it well enough. Report writing is a constantly developing skill.



| Time | Name | Severity | Status | Verdict | Assignee | Actions |
|---|---|---|---|---|---|---|
| Mar 27th 2025 at 19:56 | Spike of Domain Discovery Commands | Medium | Awaiting action | None | None | |
| Mar 27th 2025 at 19:25 | Email Marked as Phishing after Delivery | Medium | Awaiting action | None | None | |
| Mar 27th 2025 at 19:10 | Web Scanning of Corporate Resources | Low | In Progress | True Positive | E.Fleming (L2) | |
| Mar 27th 2025 at 18:30 | Sensitive Document Share to External | Medium | In Progress | True Positive | E.Fleming (L2) | |
| Mar 27th 2025 at 18:02 | Fast Beaconing to Untrusted Domain | High | Closed | False Positive | S.Todd (L1) | |


According to the SOC dashboard, which user email leaked the sensitive documents?

I selected the relevant alert – Sensitive Document Share to External.





It appears the user in question is: m.boslan@tryhackme.thm (Martin Boslan).

Looking at the new alerts, who is the “sender” of the suspicious, likely phishing email?




I have found the senders address to be: support@microsoft.com

Open the phishing alert, read its details, and try to understand the activity. Using the 5 Ws template, what flag did you receive when writing a good report?




I used the 5 Ws in this way.

Who: Eddie Huffman, IT Manager<e.huffman@tryhackme.thm>


What: Received a REPORT.rar file from Microsoft Support.


When: On March 27th 2025 at 19:25

Where: Microsoft Supportsupport@microsoft.com

Why: Eddie Huffman (IT) Received an attached file listed as REPORT.rar file from Microsoft Supportsupport@microsoft.com with the email listed as: 600% price increase; urgent notice; download the report; read the details;

Failed security checks: SPF/Fail; DKIM/Fail;





Flag: THM{nice_attempt_faking_microsoft_support}

Escalating alerts requires reassignment of the alert to someone else. Sometimes a formal written escalation request is necessary.

## Escalation Steps:




## Requesting L2 Support:




This is very similar, almost identical steps taken in an L1 ITSD environment as part of my job.


Who is your current L2 in the SOC dashboard that you can assign / escalate to?

I open a currently unassigned ticket, as not to unintentionally ruin another analysts work or cause disruption to their tickets.





I can see that an L2 contact is E.Fleming.

What flag did you receive after correctly escalating the alert from previous task to L2?




THM{good_job_escalating_your_first_alert}

Now, investigate the second new alert and provide a detailed alert comment.




Who: Host DMZ-MSEXCHANGE-2013 | NT AUTHORITY\SYSTEM

What: Spike in Domain Discovery Commands


When: MAR 27th 2025 19:56

Where: C:\Windows\System32\cmd.exe

Why: Commands used: dir hostname whoami /priv net group "Domain Admins" /domain nltest /dclist:tryhackme.thm | potentially compromised system using privilege

commands to obtain information. C:\Users\Public\revshell.exe was used as well as C:\Windows\System32\cmd.exe.

True positive: C:\Windows\System32\inetsrv\w3wp.exe on an older domain version.




THM{looks_like_webshell_via_old_exchange}

Communication cases – REQUIRED.

You need to escalate an urgent, critical alert but L2 is unavailable or does not respond in 30 minutes.

The alert about Slack/Teams account compromise requires you to validate the login with the affected user.

You receive an overwhelming number of alerts during a short period of time, some of which are critical.

After a few days, you realised you misclassified the alert and likely missed a malicious action.

You can not complete the alert triage since the SIEM logs are not parsed correctly or are not searchable.

Should you first try contact your manager in case of a critical threat?

Nay – You must first reach out to escalation L2 contacts if available.

Should you immediately contact your L2 if you think you missed the attack?

Yea – As per correct process, L2 is the next point of contact.