You're almost there — sign up to start building in Notion today. Sign up or login

Solana Off-Chain Message Signing (OCMS)

Last updated: June 3, 2026

The Ecosystem is adding Support for Off-chain Message Signing to ensure standard, readable messages can be displayed uniformly across wallets/signers. The initiative includes:

- Developing a new v1 to off-chain message signing that addresses concerns with v0
- Adding new `signOffChainMessage` method to wallet standard, Wallets, Dapps (original proposal) that implements the v1 standard
- Creating a low-friction opt-in on-board pathway for dApps
- Existing `signMessage` is unchanged

Meeting Notes / Decision Logs

OCMS Meeting June 3, 2026 Notes

Key Links/Docs

- SRFC Offchain Message Signing v1
- Off-chain Message Signing SDK
- `signOffChainMessage` Feature Proposal

Action Plan & Status

1. Land `signOffChainMessage` in *Wallet Standard* (v1 only) — foundational, unblocks everything downstream.
2. Consume the new feature in Wallet Adapter, Wallet Plugin, Wallet UI, and ConnectorKit.
3. Wallets and auth libraries (eg Supabase) implement.
4. Publish docs/sample apps and run developer outreach once wallet support is available.
5. Dapp Adoption

Task	Item	Ow
1	Create V1 Standard	An
2	`@solana/offchain-messages` TS Library - Codecs, Verification, Helpers	An
3	Add `signOffChainMessage` to **Wallet Standard** (v1 only) [**BLOCKING]**	An
4	Add `signOffChainMessage` to **Wallet Adapter** (+ close existing PR)	An
5	Add `signOffChainMessage` to **Wallet Plugin**	An
6	Add `signOffChainMessage` to **Wallet UI**	Be
7	Add `signOffChainMessage` to **ConnectorKit**	SF
8	Wallet Integration	Wa
9	Supabase integration	Su
10	`signOffChainMessage` docs & sample apps	SF
11	Developer awareness & dApp integration outreach	SF
12	dApp integration	dA