
Verification Tee

Style number	**VT-TS-001**
Revision	**R1 — Ready for manufacturer review**
Issued	**2026-10-12**
Garment	**Boxy T-shirt (template tshirt-boxy v1)**
Construction	**pullover · crew neck, dropped shoulder, short sleeve, straight hem**
Season	**—**
Collection / set	**—**
Sizes	**XS, S, M, L, XL (base M)**
Colorways	**Main**

Revision notes
Verification run: first issue for sampling.



Front

Appearance preview (ghost mockup)







Back

Mockups are appearance previews. They do not simulate fit or drape and are not color standards.

Technical flats

Numbered callouts refer to the table below. Drawn at nominal scale for size M; flats are not patterns.



FRONT



BACK

#	View	Item	Specification
1	front	Chest logo	Screen print · 24 × 18 cm · Top of artwork: 5 cm below, centered from Center chest
2	front	Pattern — sun-dot-tile	All-over pattern (Sublimation), repeat width 8 cm, on Left sleeve (wearer’s left)
3	front	Hem coverstitch	Coverstitch appearance, thread Forest. 2-needle coverstitch, 6.4 mm gauge, 12 SPI on bottom and sleeve hems.
4	front	Neckline stones	26 × rhinestone SS16 (3.9 mm), Crystal, hotfix
5	front	Sleeve studs	4 × stud 6 mm (6 mm), Nickel, prong set
6	front	Metal badge plate	Metal badge plate, Brushed silver, 40.8 mm. Visual placement only.
7	back	Back badge	Screen print · 26 × 26 cm · Top of artwork: 3 cm below, centered from Upper back
8	back	Pattern — sun-dot-tile	All-over pattern (Sublimation), repeat width 8 cm, on Left sleeve (wearer’s left)
9	back	Hem coverstitch	Coverstitch appearance, thread Forest. 2-needle coverstitch, 6.4 mm gauge, 12 SPI on bottom and sleeve hems.

Colorways & color references

Screen colors are display approximations only. Physical color must be approved against the referenced standard or a lab dip. No color-standard codes are generated by this application.

Component	Main
Front body	Optic white Heavyweight cotton jersey
Back body	Optic white Heavyweight cotton jersey
Left sleeve (wearer’s left)	Optic white Cotton mesh
Right sleeve (wearer’s right)	Forest Heavyweight cotton jersey
Neck rib	Optic white 1x1 cotton rib

Palette

Color	Screen value	Color standard (user supplied)	Approval status
Optic white	#F4F3EF	Not supplied	not submitted
Forest	#1F5C3F	Not supplied	not submitted

Materials & bill of materials

Fabric consumption is never inferred from the drawing; quantities shown are as entered. Counted quantities come directly from placed items.

Materials

Material	Type	Composition	Weight	Finish	Supplier / ref	Used on	Notes
Heavyweight cotton jersey	fabric	100% cotton	240 g/m²	—	Example Mill / EM-J240	Front body, Back body, Right sleeve (wearer’s right)	
1x1 cotton rib	rib	95% cotton, 5% elastane	280 g/m²	—	Example Mill / EM-R11	Neck rib	
Cotton mesh	fabric	100% cotton	180 g/m²	—	Example Mill / EM-M180	Left sleeve (wearer’s left)	

Bill of materials

Category	Component	Material / trim	Description	Qty	Unit	Qty type	Colorways	Supplier ref	Notes
fabric	Front body, Back body, Right sleeve (wearer’s right)	**Heavyweight cotton jersey**	100% cotton · 240 g/m²	—	m	not entered	All	EM-J240	
fabric	Left sleeve (wearer’s left)	**Cotton mesh**	100% cotton · 180 g/m²	—	m	not entered	All	EM-M180	
rib	Neck rib	**1x1 cotton rib**	95% cotton, 5% elastane · 280 g/m²	—	m	not entered	All	EM-R11	
thread	3 seams	**Thread — Forest**	Match to color standard	—	cones	not entered	All	—	
embellishment	Front body	**Rhinestone SS16 — Crystal**	3.9 mm, hotfix	26	pcs	counted	All	—	
embellishment	Left sleeve (wearer’s left)	**Stud 6 mm — Nickel**	6 mm, prong set	4	pcs	counted	All	—	
hardware	Front body	**Metal badge plate — Brushed silver**	40.8 mm	1	pcs	counted	All	—	

Artwork, placement & application

Placement offsets are measured from the named reference point on the finished garment. Appearance previews are not machine files (no embroidery DST or separations are produced).



Artwork	Chest logo · ID VT-ART-01
Source file	sunset-logo.svg (SVG, kept as uploaded)
Method	Screen print
Finished size	**24 W × 18 H cm**
Placement	Top of artwork: 5 cm below, centered from Center chest
Reference	Center chest — Center front, 80 mm below the neck seam (template reference).
Rotation	0°
Tolerance	± 0.5 cm
View / panels	front · Front body (clipped to these panels)
Colors	—
Notes	—



Artwork	Back badge
Source file	est-badge.svg (SVG, kept as uploaded)
Method	Screen print
Finished size	**26 W × 26 H cm**
Placement	Top of artwork: 3 cm below, centered from Upper back
Reference	Upper back — Center back, 112 mm below the neck seam (template reference).
Rotation	0°
Tolerance	± 0.5 cm
View / panels	back · Back body (clipped to these panels)
Colors	—
Notes	—

Patterns


Pattern	Method	Repeat width	Rotation / offset	Panels	Erased areas	Notes
Pattern — sun-dot-tile	Sublimation	8 cm	0° · 0, 0 cm	Left sleeve (wearer’s left)	1 edit(s)	

Embellishments & hardware


Item	Type	Size	Finish	Qty	Attachment / note
Neckline stones	rhinestone SS16	3.9 mm	Crystal	26	hotfix · counted from placements.
Sleeve studs	stud 6 mm	6 mm	Nickel	4	prong set · counted from placements.
Metal badge plate	Metal badge plate	40.8 mm	Brushed silver	1	Visual placement only.

Measurement diagrams

Points of measure (POM) for the garment laid flat. Diagrams show where to measure; they are not drawn to the size table values.



FRONT



BACK

POM	Description	How to measure
A	Body length from HPS	From high point shoulder (where shoulder seam meets neck rib) straight down to the bottom edge of the hem, garment laid flat.
B	Chest width (1" below armhole)	Straight across the front, edge to edge, 25 mm below the underarm point.
C	Sweep (bottom width)	Straight across the bottom edge of the hem, edge to edge, relaxed.
D	Across shoulder	From shoulder point to shoulder point (where shoulder seam meets armhole seam).
E	Sleeve length from shoulder point	Along the top fold of the sleeve from shoulder point to sleeve hem edge.
F	Sleeve opening (half)	Straight across the sleeve hem edge, laid flat.
G	Armhole (straight)	Straight line from shoulder point to underarm point along the armhole seam.

Measurement diagrams (continued)

POM	Description	How to measure
H	Neck width (seam to seam)	Straight across from high point shoulder to high point shoulder at the neck seam.
I	Front neck drop	From an imaginary line between both HPS down to the center front neck seam.
J	Back neck drop	From an imaginary line between both HPS down to the center back neck seam.
K	Neck rib height	Rib width at center front, from seam to finished edge.
L	Bicep (half)	From the underarm point perpendicular to the top sleeve fold.

Size specification (centimetres)

Base size M. * = template default value, † = POM not yet confirmed. Values are as entered — no grading rules are applied by this application. V1 does not simulate fit or drape.

POM	Description	Tol −	Tol +	XS	S	M (base)	L	XL	Status
A	Body length from HPS	1.27	1.27	68	69	**70**	71.5	73	Confirmed
B	Chest width (1" below armhole)	1.27	1.27	55.2	57.2	**59.2**	61.2	63.2	Confirmed
C	Sweep (bottom width)	1.27	1.27	55.2	57.2	**59.2**	61.2	63.2	Confirmed
D	Across shoulder	0.95	0.95	53.6	55.6	**57.6**	59.6	61.6	Confirmed
E	Sleeve length from shoulder point	0.64	0.64	20.9	21.3	**21.7**	22.1	22.5	Confirmed
F	Sleeve opening (half)	0.64	0.64	17.1	17.6	**18.1**	18.6	19.1	Confirmed
G	Armhole (straight)	0.64	0.64	22.2	22.7	**23.2**	23.7	24.2	Confirmed
H	Neck width (seam to seam)	0.64	0.64	18.4	18.7	**19**	19.3	19.6	Confirmed
I	Front neck drop	0.32	0.32	10.6	10.8	**11**	11.2	11.4	Confirmed
J	Back neck drop	0.32	0.32	1.8	1.8	**1.8**	1.8	1.8	Confirmed
K	Neck rib height	0.16	0.16	2.2	2.2	**2.2**	2.2	2.2	Confirmed
L	Bicep (half)	0.64	0.64	17.46	18.1	**18.57**	19.05	19.69	Confirmed

Construction notes & details

New note


4-thread overlock on shoulders and side seams; shoulders taped.

Stitching


Dashes on the flats are illustrative. Stitch type, SPI, and seam construction are defined only by the notes below.

Layer	Seams	Appearance	Thread color	Manufacturing notes
Hem coverstitch	Right sleeve hem, Left sleeve hem, Bottom hem	Coverstitch	Forest	2-needle coverstitch, 6.4 mm gauge, 12 SPI on bottom and sleeve hems.

Detail views



Right sleeve hem (front)



Left sleeve hem (front)



Bottom hem (front)

Garment structure

Boxy T-shirt: pullover; crew neck, dropped shoulder, short sleeve, straight hem. Decorative items (including decorative zippers or hardware) do not change this construction unless a separate garment template is used.

Revision history

Revision	Date	Type	Notes
R1	2026-10-12	Ready for manufacturer review	Verification run: first issue for sampling.

This document is a specification issued for review and sampling. It is not a manufacturer approval and does not replace physical sample approval.

Specification checks

All required checks passed at the time of issue.

Recommended (7)

Section	Item
colors	Color “Optic white” has no color-standard reference. Add the code you have verified (screen color is not a match).
colors	Color “Forest” has no color-standard reference. Add the code you have verified (screen color is not a match).
artwork	“Back badge”: no artwork ID yet.
bom	BOM “Heavyweight cotton jersey”: quantity not entered (consumption is never inferred from the drawing).
bom	BOM “Cotton mesh”: quantity not entered (consumption is never inferred from the drawing).
bom	BOM “1x1 cotton rib”: quantity not entered (consumption is never inferred from the drawing).
bom	BOM “Thread — Forest”: quantity not entered.