Week 3 Exercise: Strings, Tuples, Lists and More

Name: Jammal Wright

#### Instructions

This assignment has two sections. The first section includes 5 multiple choice questions. The second part of the assignment is a coding exercise.

If you have any questions on how to start or if you get stuck, refer to the discussion board and ask your questions there. You are allowed to use your notes, lectures and the internet. Students can work together on the question portion and discuss the coding exercise. For the coding exercise, you are allowed to talk to other classmates but you cannot have the same code.

Once complete, please save your assignment as a PDF and submit it both to the online course and tag your instructor on Github.

#### Multiple Choice (1 point each)

Please mark your response in bold.

- 1. An IF statement in Python can:
- a. Only perform one conditional test
- b. Returns the indented actions if the test is True, or None if it is not True
- c. Can contain as many branches of logic as the programmer wants
- d. Executes the next line of code only if the test is True, then moves to always execute the remaining code
- 2. What will this code execute?

```
age = 21

if age > 18:

label = 'adult'

label = 'kid'
```

```
print(label)
```

# a. kid

- b. adult
- c. adult (new line) kid
- d. nothing
- 3. What will the following code print?

```
temp = 22
precipitation = 'wet'

if precipitation != 'wet':
  weather = 'dry'
  else:
  if temp > 32:
    weather = 'rain'
  elif temp < 32:
    weather = 'sleet'
  elif temp < 28:
    weather = 'mix'
  else:
    weather = 'snow'</pre>
```

## a. sleet

- b. mix
- c. snow

- d. `dry'
- 4. Which of these best describes how the range function works?

## a. It generates a list of values that the for loop can then iterate over.

- b. It pre-generates the code required to execute the for loop according to the range() parameters
- c. If just runs the specified code as many times as necessary to create the right output.
- d. It returns an iterable object that returns the next value for each time through the loop.
- 5. What is another name for the inline if statement?

### a. Ternary operator

- b. Conditional
- c. Three-part if
- d. None of these

### **Coding Exercise (5 points)**

This week we went over tuples, strings and Booleans. Write a code that takes 2 boolean parameters and returns a variable. A k-map, Karanugh map which is a method of simplifying Boolean algebra expressions, is given below.

Python\_Fun

True False

True False True

False True True

Show the output of your test code.

```
>>> True and True
True
>>> not False
True
                          False
>>>
      True
True False
                             True
False True
                             True
SyntaxError: unexpected indent
>>> True False
True False
False True
                             True
                             True
SyntaxError: invalid syntax
>>> True and False
False
>>> True and False
False
>>> True False
SyntaxError: invalid syntax
>>> True and False and True
False
>>> False and True and True
False
>>> True and True
True
>>> True and True and True
True
>>> False and False and False
False
>>> False and True and False
False
>>>
```