


2. Where, Groupby, having, orderby, set operations(union,intersect), aggregate functions(min,max,count,sum,avg)




The screenshot shows a database IDE with a SQL editor on the left and a results pane on the right. The SQL editor contains two commands:

```
1 • CREATE DATABASE student_db;  
2 • USE student_db;
```

The results pane shows the execution of these commands:

#	Time	Action	Message	Duration / Fetch
1	14:33:57	CREATE DATABASE student_db	1 row(s) affected	0.015 sec
2	14:33:57	USE student_db	0 row(s) affected	0.000 sec



The screenshot shows a database IDE with a SQL editor on the left and a results pane on the right. The SQL editor contains three commands:

```
1 • CREATE DATABASE student_db;  
2 • USE student_db;  
3 • CREATE TABLE student_marks1 (  
4     roll_no INT PRIMARY KEY,  
5     name VARCHAR(50),  
6     subject VARCHAR(50),  
7     marks DECIMAL(5,2)  
8 );
```

The results pane shows the execution of these commands:

#	Time	Action	Message	Duration / Fetch
1	14:33:57	CREATE DATABASE student_db	1 row(s) affected	0.015 sec
2	14:33:57	USE student_db	0 row(s) affected	0.000 sec
3	14:36:17	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(...	0 row(s) affected	0.047 sec

Limit to 1000 rows

```
1 • CREATE DATABASE student_db;
2 • USE student_db;
3 • CREATE TABLE student_marks1 (
4     roll_no INT PRIMARY KEY,
5     name VARCHAR(50),
6     subject VARCHAR(50),
7     marks DECIMAL(5,2)
8 );
9 • INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES
10 (1, 'Ravi', 'Math', 85.50),
11 (2, 'Sita', 'Math', 92.75),
12 (3, 'Anil', 'Math', 78.40),
13 (4, 'Priya', 'Math', 88.90),
14 (5, 'Vijay', 'Math', 80.25),
15 (6, 'subbusir', 'aws', 98.50),
16 (7, 'dwaraka', 'dbms', 95.75),
17 (8, 'ranjani', 'english', 97.40),
18 (9, 'kavithamam', 'aws1', 99.90),
19 (10, 'seetha', 'azure', 82.25);
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
✓ 1	14:33:57	CREATE DATABASE student_db	1 row(s) affected	0.015 sec
✓ 2	14:33:57	USE student_db	0 row(s) affected	0.000 sec
✓ 3	14:36:17	CREATE TABLE student_marks1 (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2))	0 row(s) affected	0.047 sec
✓ 4	14:36:44	INSERT INTO student_marks1 (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), ...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.031 sec

20 • SELECT * FROM student_marks1;

Result Grid

	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	3	Anil	Math	78.40
	4	Priya	Math	88.90
	5	Vijay	Math	80.25
	6	subbusir	aws	98.50
	7	dwaraka	dbms	95.75
	8	ranjani	english	97.40
	9	kavithamam	aws1	99.90
	10	seetha	azure	82.25
*	NULL	NULL	NULL	NULL

student_marks11 x Apply Revert

Result Grid

Form Editor

Field Types

```
22 FROM student_marks1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	total_students
▶	10

Result 2 x Read Only

Result Grid
Form Editor
Field Types

```
22 FROM student_marks1;  
23 • SELECT SUM(marks) AS total_marks  
24 FROM student_marks1;  
25 • SELECT AVG(marks) AS average_marks  
26 FROM student_marks1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	total_marks
▶	899.60

Result 5 x Read Only

Result Grid
Form Editor
Field Types

```
25 • SELECT AVG(marks) AS average_marks
26 FROM student_marks1;
```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:		Result Grid
	average_marks					
▶	89.960000					

Result 6 x Read Only

```
27 • SELECT MAX(marks) AS highest_marks
28 FROM student_marks1;
```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:		Result Grid
	highest_marks					
▶	99.90					

Result 7 x Read Only

```
29 • SELECT MIN(marks) AS lowest_marks
30 FROM student_marks1;
```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	lowest_marks
▶	78.40

Result Grid

Form Editor

Field Types

Result 8 x

Read Only

```
31 • SELECT *
32 FROM student_marks1
```

Result Grid   Filter Rows: Edit:    Export/Import:  

	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	4	Priya	Math	88.90
	6	subbusir	aws	98.50
	7	dwaraka	dbms	95.75
	8	ranjani	english	english
	9	kavithamam	aws1	99.90
*	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

student_marks19 x

Apply

Revert

```
33 WHERE marks > 85;  
34 • SELECT *  
35 FROM student_marks1
```

Result Grid

Filter Rows:

Edit:

Export/Import:

<

```
37 • SELECT *  
38 FROM student_marks1
```

Result Grid

```
40 • SELECT *
41 FROM student_marks1
42 WHERE marks BETWEEN 80 AND 90;
```

Result Grid



Filter Rows:

Edit:



Export/Import:



Result
Grid



Form
Editor



Field
Types

	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	4	Priya	Math	88.90
	5	Vijay	Math	80.25
	10	seetha	azure	82.25
*	NULL	NULL	NULL	NULL

student_marks1 12 x

Apply

Revert

```
43 • SELECT *
44 FROM student_marks1
```

Result Grid



Filter Rows:

Edit:



Export/Import:



Result
Grid



Form
Editor



Field
Types

	roll_no	name	subject	marks
▶	4	Priya	Math	88.90
*	NULL	NULL	NULL	NULL

student_marks1 13 x

Apply

Revert