

# Neuromas PubMed

*Janis Corona*

*12/9/2019*

**This script takes ten articles from the abstracts on earache articles from NCBI's PubMed**

This creates a directory to stem the abstracts and preprocess from the csv file into a corpus of 20 files in a folder called Earache.

```
Auto <- read.csv('neuroma_PubMed_abstracts.csv', sep=',',
                header=TRUE, na.strings=c(' ', ''))

auto <- Auto[complete.cases(Auto$abstract),]

dir.create('./neuromas')

ea <- as.character(auto$abstract)
setwd('./neuromas')

for (j in 1:length(ea)){
  write(ea[j], paste(paste('EA',j, sep='.'), '.txt', sep=''))
}
setwd('../')
```

This code preprocesses and stems the corpus

```
library(tm)
library(SnowballC)
library(wordcloud)
library(ggplot2)

neuromas <- Corpus(DirSource("neuromas"))

neuromas

## <<SimpleCorpus>>
## Metadata: corpus specific: 1, document level (indexed): 0
## Content: documents: 20

#neuromas <- tm_map(neuromas, removePunctuation)
#neuromas <- tm_map(neuromas, removeNumbers)
neuromas <- tm_map(neuromas, tolower)
neuromas <- tm_map(neuromas, removeWords, stopwords("english"))
neuromas <- tm_map(neuromas, stripWhitespace)
neuromas <- tm_map(neuromas, stemDocument)

dtmneuromas <- DocumentTermMatrix(neuromas)
```

```
freq <- colSums(as.matrix(dtmneuromas))
```

This code orders words stemmed by frequency and finds input correlations

```
FREQ <- data.frame(freq)
ord <- order(freq, decreasing=TRUE)

freq[head(ord, 25)]
```

```
##      morton      neuroma      patient      nerv      pain
##      39         37         35         33         31
##      clinic    forefoot    inject    keywords:    neuroma;
##      29         25         25         19         18
##      month      foot      treatment intermetatars    studi
##      18         17         17         17         14
##      use        neuroma.    plantar    signific    assess
##      14         14         13         13         12
##      anl       diagnosi    differ    level      results:
##      12         12         11         11         11
```

```
findAssocs(dtmneuromas, "plantar", corlimit=0.5)
```

```
## $plantar
##      may      allow      anatom      foot;
##      0.84      0.80      0.80      0.80
##      digit    condit      (34      (mppdn)
##      0.78      0.75      0.72      0.72
##      (mppdn).  0.4-1.4).    0.8      1-8)
##      0.72      0.72      0.72      0.72
##      19-27)    2-9).    adjac      adult
##      0.72      0.72      0.72      0.72
##      analysed. anatomy; applications.    boni
##      0.72      0.72      0.72      0.72
##      border    branch    clear      consensus.
##      0.72      0.72      0.72      0.72
##      consist    cours    course.    cross-sect
##      0.72      0.72      0.72      0.72
##      cuneiform. defined.    depict      detect
##      0.72      0.72      0.72      0.72
##      direct    distally,    entir      first
##      0.72      0.72      0.72      0.72
##      hallux.    hallux;    healthi    high-resolut
##      0.72      0.72      0.72      0.72
##      joint,     joplin    known      landmark
##      0.72      0.72      0.72      0.72
##      long       map      materi      medial
##      0.72      0.72      0.72      0.72
##      metatarsophalang mm2      mppdn      musculoskelet
##      0.72      0.72      0.72      0.72
##      nerves)    position,    precis      proper
##      0.72      0.72      0.72      0.72
```


##	radiologist	respect	rise	sesamoid
##	0.72	0.72	0.72	0.72
##	specimen	trauma,	undertaken	volunt
##	0.72	0.72	0.72	0.72
##	along	(rang	locat	head
##	0.70	0.68	0.60	0.58
##	divid	area	key	ultrasound
##	0.53	0.53	0.53	0.51

```
findAssocs(dtmneuromas, "pain", corlimit=0.5)
```

```
## $pain
##      sever      left      (3/10).      (nsaids).      1/10).
##      0.82      0.80      0.79      0.79      0.79
##      10. 50-year-old abduction, allodynia      anti
##      0.79      0.79      0.79      0.79      0.79
##      antidepress      aspect      away      back      block
##      0.79      0.79      0.79      0.79      0.79
##      block;      buttocks.      central      cm.      contract
##      0.79      0.79      0.79      0.79      0.79
##      cyst      detected.      dorsolater      drug electric-lik
##      0.79      0.79      0.79      0.79      0.79
##      eversion,      exam      experienc      extension.      flexion,
##      0.79      0.79      0.79      0.79      0.79
##      foot,      gluteal      goe      hip      incis
##      0.79      0.79      0.79      0.79      0.79
##      incision. inflammatori      injected. intercourse.      leg.
##      0.79      0.79      0.79      0.79      0.79
##      length      limp      manner      midlin      mild
##      0.79      0.79      0.79      0.79      0.79
##      mixtur      motor      movement.      muscl      neoplasm
##      0.79      0.79      0.79      0.79      0.79
##      nervous      neuropath      nonsteroid      nsaids,      observed.
##      0.79      0.79      0.79      0.79      0.79
##      ovarian      palpat      parallel      pharmacolog      physic
##      0.79      0.79      0.79      0.79      0.79
##      pinprick      plexus      point      pregabalin.      prescrib
##      0.79      0.79      0.79      0.79      0.79
##      rare.      reappear      refer      removed.      repetit
##      0.79      0.79      0.79      0.79      0.79
##      rest      reveal      root      root.      s2.
##      0.79      0.79      0.79      0.79      0.79
##      sacral schwannoma.      schwanomma      sciatic      sensat
##      0.79      0.79      0.79      0.79      0.79
##      shown      sit      start      stimul      surgery,
##      0.79      0.79      0.79      0.79      0.79
##      systems.      take      thigh      touch,      trigger
##      0.79      0.79      0.79      0.79      0.79
##      upon      woman      persist      lower      surgeri
##      0.79      0.79      0.78      0.77      0.77
##      leg      reduct      temperatur      toe      excis
##      0.75      0.69      0.69      0.69      0.69
##      (vas      day      patient      analog      despit
##      0.69      0.69      0.66      0.66      0.65
```

```
##      later      visual    peripher    histori      old
##      0.65      0.64      0.63      0.61      0.61
## previous    sensori      year      (vas)      free
##      0.61      0.61      0.61      0.61      0.61
##      nerv      pain.
##      0.57      0.53
```

```
wf <- data.frame(word=names(freq), freq=freq)
p <- ggplot(subset(wf, freq>16), aes(word, freq))
p <- p + geom_bar(stat= 'identity')
p <- p + theme(axis.text.x=element_text(angle=90, hjust=1))
p
```



```
wordcloud(names(freq), freq, min.freq=15, colors=brewer.pal(3, 'Dark2'))
```



```
wordcloud(names(freq), freq, max.words=30, colors=brewer.pal(6, 'Dark2'))
```



The above stemmed the corpus, this will lemmatize the original csv file

and add the field to the table and write out to csv, followed by plot the word count frequencies that were lemmatized and the word clouds

```
library(textstem)

lemma <- lemmatize_strings(auto$abstract, dictionary=lexicon::hash_lemmas)

Lemma <- as.data.frame(lemma)
Lemma <- cbind(Lemma, auto)

colnames(Lemma) <- c('lemmatizedAbstract', 'abstract', 'source')

write.csv(Lemma, 'Lemmatizedneuromas.csv', row.names=FALSE)
```

```
dir.create('./neuromas-Lemma')

ea <- as.character(Lemma$lemmatizedAbstract)
setwd('./neuromas-Lemma')

for (j in 1:length(ea)){
  write(ea[j], paste(paste('EAL',j, sep='.'), '.txt', sep=''))
}
setwd('../')
```

```
library(tm)
library(SnowballC)
library(wordcloud)
library(ggplot2)
```

```
neuromas <- Corpus(DirSource("neuromas-Lemma"))
```

```
neuromas
```

```
## <<SimpleCorpus>>
## Metadata: corpus specific: 1, document level (indexed): 0
## Content: documents: 20
```

```
#neuromas <- tm_map(neuromas, removePunctuation)
#neuromas <- tm_map(neuromas, removeNumbers)
neuromas <- tm_map(neuromas, tolower)
neuromas <- tm_map(neuromas, removeWords, stopwords("english"))
neuromas <- tm_map(neuromas, stripWhitespace)
```

```
dtmneuromas <- DocumentTermMatrix(neuromas)
dtmneuromas
```

```
## <<DocumentTermMatrix (documents: 20, terms: 1087)>>
## Non-/sparse entries: 1883/19857
## Sparsity : 91%
## Maximal term length: 19
## Weighting : term frequency (tf)
```

```
freq <- colSums(as.matrix(dtmneuromas))
```

```
FREQ <- data.frame(freq)
ord <- order(freq, decreasing=TRUE)
```

```
freq[head(ord, 25)]
```

```
##      neuroma      nerve      patient      morton's
##      38         35         33         29
##      pain      forefoot      injection      clinical
##      27         25         25         24
##      month      ultrasound      keyword:      neuroma;
##      20         20         19         18
##      foot      treatment      intermetatarsal      follow
##      17         17         17         16
##      study      plantar      significant      use
##      14         13         13         13
##      neuroma.      guide      case      control
##      13         13         12         12
##      group
##      12
```

```

pain <- as.data.frame(findAssocs(dtmneuromas, "pain", corlimit=0.70))

ultrasounds <- as.data.frame(findAssocs(dtmneuromas, "ultrasound", corlimit=0.75))

treatment <- as.data.frame(findAssocs(dtmneuromas, "treatment", corlimit=0.55))

pain

```

```

##                pain
## leave          0.86
## severe         0.85
## 10.            0.85
## abduction,     0.85
## allodynia      0.85
## anti           0.85
## antidepressant 0.85
## aspect         0.85
## away           0.85
## back           0.85
## block          0.85
## block;         0.85
## buttock.       0.85
## central        0.85
## cm.            0.85
## contraction    0.85
## detect.        0.85
## dorsolateral   0.85
## drug           0.85
## electric       0.85
## eversion,      0.85
## exam           0.85
## extension.     0.85
## flexion,       0.85
## foot,          0.85
## gluteal        0.85
## hip            0.85
## incision       0.85
## incision.      0.85
## inflammatory   0.85
## inject.        0.85
## intercourse.   0.85
## late           0.85
## leg.           0.85
## length         0.85
## limp           0.85
## manage         0.85
## manner         0.85
## midline        0.85
## mild           0.85
## mixture        0.85
## motor          0.85
## movement.      0.85

```



## muscle	0.85
## neoplasm	0.85
## nervous	0.85
## neurologic	0.85
## neuropathic	0.85
## nonsteroidal	0.85
## nsaids	0.85
## nsaids,	0.85
## observe.	0.85
## ovarian	0.85
## palpation	0.85
## parallel	0.85
## patient's	0.85
## persistent	0.85
## pharmacological	0.85
## physical	0.85
## pinprick	0.85
## plexus	0.85
## point	0.85
## pregabalin.	0.85
## prescribe	0.85
## rare.	0.85
## reappear	0.85
## refer	0.85
## remove.	0.85
## repetitive	0.85
## rest	0.85
## reveal	0.85
## root	0.85
## root.	0.85
## s2.	0.85
## sacral	0.85
## schwannoma.	0.85
## schwanommas	0.85
## sciatic	0.85
## sensation	0.85
## severity	0.85
## sit	0.85
## start	0.85
## stimulation	0.85
## stimulator	0.85
## surgery,	0.85
## system.	0.85
## take	0.85
## thigh	0.85
## touch,	0.85
## trigger	0.85
## upon	0.85
## woman	0.85
## leg	0.81
## old	0.81
## low	0.80
## excision	0.75
## day	0.75

## several	0.75
## despite	0.71

# ultrasounds


##	ultrasound
## point:?	0.87
## work	0.87
## include	0.83
## guide	0.79
## ultrasonography	0.79
## 0.5	0.79
## 0.5,	0.79
## 001;	0.79
## 002;	0.79
## 010;	0.79
## 018	0.79
## 020	0.79
## 047	0.79
## 1.8	0.79
## 1.9	0.79
## 2.0,	0.79
## 3.0	0.79
## 3.1	0.79
## 31.2	0.79
## 31.5	0.79
## 37.7	0.79
## 38.5	0.79
## 38.8	0.79
## 5.2	0.79
## 5.5	0.79
## 5.6	0.79
## age	0.79
## appropriate	0.79
## day,	0.79
## disability	0.79
## evaluator	0.79
## initial	0.79
## injection.?	0.79
## interventional	0.79
## manchester	0.79
## mepivacaine	0.79
## mfpds	0.79
## mfpds:	0.79
## patient,	0.79
## patient.?	0.79
## randomise	0.79
## stage	0.79
## triamcinolone	0.79
## va:	0.79
## versus	0.79
## web	0.79
## blind	0.77

## treatment

##	treatment
## randomize	0.80
## last	0.73
## case	0.65
## anesthetic	0.59
## 2015.	0.58
## 283	0.58
## august	0.58
## benefit	0.58
## bibliographic	0.58
## cochrane	0.58
## collect.	0.58
## conservative,	0.58
## conservative;	0.58
## criterion.	0.58
## dare.	0.58
## different	0.58
## english	0.58
## evaluation	0.58
## find,	0.58
## include.	0.58
## inclusion	0.58
## independently.	0.58
## infiltrative	0.58
## infiltrative.	0.58
## infiltrative;	0.58
## library,	0.58
## medline,	0.58
## meet	0.58
## operative	0.58
## operative,	0.58
## outcome	0.58
## patients'	0.58
## primary	0.58
## quality,	0.58
## ratio	0.58
## rcts	0.58
## result.	0.58
## retrieve	0.58
## reviewer	0.58
## risk	0.58
## satisfaction	0.58
## series	0.58
## surgery;	0.58
## title	0.58
## trial	0.58
## type	0.58
## 48.	0.58
## alone	0.58
## alone.	0.58
## baseline	0.58
## baseline,	0.58

```
## collect      0.58
## comparison   0.58
## corticosteroid; 0.58
## experimental 0.58
## forty        0.58
## injection,    0.58
## interphalangeal 0.58
## local        0.58
## neuroma:      0.58
## obtain       0.58
## orthopaedic   0.58
## placebo      0.58
## plus         0.58
## receive       0.58
## request       0.58
## researcher    0.58
## superior     0.58
## unclear.     0.58
## value.       0.58
```

```
wf <- data.frame(word=names(freq), freq=freq)
p <- ggplot(subset(wf, freq>15), aes(word, freq))
p <- p + geom_bar(stat= 'identity')
p <- p + theme(axis.text.x=element_text(angle=90, hjust=1))
p
```



```
wordcloud(names(freq), freq, min.freq=14,colors=brewer.pal(3,'Dark2'))
```

```
## Warning in wordcloud(names(freq), freq, min.freq = 14, colors =  
## brewer.pal(3, : patient could not be fit on page. It will not be plotted.
```



```
wordcloud(names(freq), freq, max.words=40,colors=brewer.pal(6,'Dark2'))
```

```
## Warning in wordcloud(names(freq), freq, max.words = 40, colors =  
## brewer.pal(6, : intermetatarsal could not be fit on page. It will not be  
## plotted.  
  
## Warning in wordcloud(names(freq), freq, max.words = 40, colors =  
## brewer.pal(6, : injection could not be fit on page. It will not be plotted.  
  
## Warning in wordcloud(names(freq), freq, max.words = 40, colors =  
## brewer.pal(6, : morton's could not be fit on page. It will not be plotted.  
  
## Warning in wordcloud(names(freq), freq, max.words = 40, colors =  
## brewer.pal(6, : recommendation could not be fit on page. It will not be  
## plotted.  
  
## Warning in wordcloud(names(freq), freq, max.words = 40, colors =  
## brewer.pal(6, : pain could not be fit on page. It will not be plotted.
```

```
## Warning in wordcloud(names(freq), freq, max.words = 40, colors =  
## brewer.pal(6, : patient could not be fit on page. It will not be plotted.
```

