Sample_queries

Query showing how many times each medicine has been prescribed to each pet.

```
SELECT p.idPets AS pet_id,
p.name AS pet_name,
COUNT(pre.idPrescriptions) AS number_of_prescriptions,
m.name AS medications_name
FROM pets p
JOIN visits v ON v.idPets = p.idPets
JOIN visits_history vh ON vh.idVisits = v.idVisits
JOIN prescriptions pre ON pre.idPrescriptions = vh.idPrescriptions
JOIN prescriptions_medications prem ON prem.idPrescriptions = pre.idPrescriptions
JOIN medications m ON m.idMedications = prem.idMedications
GROUP BY m.idMedications, p.idPets
ORDER BY p.idPets;
```

Query showing all pets that had more than 2 diagnoses in their visit history.

```
SELECT p.idPets AS pet_id,
p.name AS pet_name
FROM pets p
JOIN visits v ON v.idPets = p.idPets
JOIN visits_history vh ON vh.idVisits = v.idVisits
JOIN diagnoses_visits_history dvh ON dvh.idVisits = vh.idVisits
JOIN diagnoses diag ON diag.idDiagnoses = dvh.idDiagnoses
GROUP BY p.idPets, p.name
HAVING COUNT(diag.idDiagnoses) > 2
ORDER BY p.idPets;
```

Query showing how many visits each doctor had for each species of pet in 2025.

```
SELECT d.idEmployees AS doctor_id,
CONCAT(e.first_name, ' ',e.last_name) AS doctor_name,
p.species AS pet_species,
COUNT(v.idVisits) AS total_visits
FROM pets p
JOIN visits v ON v.idPets = p.idPets
JOIN doctors d ON d.idEmployees = v.idEmployees
JOIN employees e ON e.idEmployees = d.idEmployees
WHERE YEAR(v.date) = 2025
GROUP BY d.idEmployees, p.species
ORDER BY total_visits;
```

Query showing the number of employees of each type

```
SELECT 'Doctor' AS employee_type,
COUNT(*) AS number_of_employees
FROM doctors
UNION ALL
SELECT 'Receptionist' AS employee_type,
COUNT(*) AS number_of_employees
FROM receptionists
UNION ALL
SELECT 'Pharmacist' AS employee_type,
COUNT(*) AS number_of_employees
FROM pharmacists
UNION ALL
SELECT 'Manual Worker' AS employee_type,
COUNT(*) AS number_of_employees
FROM manual_workers
UNION ALL
SELECT 'Cleaning Staff' AS employee_type,
COUNT(*) AS number_of_employees
FROM cleaning_staff;
```

Query categorizing each pet based on number of visits they had.

```
SELECT p.idPets AS pet_id,
p.name AS pet_name,
CASE
    WHEN COUNT(v.idVisits) > 10 THEN 'more than 10'
  WHEN COUNT(v.idVisits) > 5 THEN 'more than 5 but less than 10'
  ELSE '5 or less'
END AS 'number_of_visits'
FROM pets p
LEFT JOIN visits v ON p.idPets = v.idPets
GROUP BY p.idPets, p.name;
```

Query showing the owner and the number of pets they have

```
SELECT o.idOwners AS owner_id,
CONCAT(o.first_name, ' ',o.last_name) AS owner_name,
(SELECT COUNT(*) FROM pets p WHERE p.idOwners = o.idOwners) AS number_of_pets
FROM owners o
ORDER BY number_of_pets;
```

Query showing the average cost of a visit to each doctor

```
SELECT e.idEmployees AS employee_id,
CONCAT(e.first_name, ' ',e.last_name) AS doctor_name,
ROUND(AVG(v.cost),2) AS average_visit_cost
FROM employees e
JOIN doctors d ON d.idEmployees = e.idEmployees
LEFT JOIN visits v ON v.idEmployees = d.idEmployees
GROUP BY e.idEmployees;
```

Query showing all 24h on call manual workers with their specialty and hourly rate.

```
SELECT manu.idEmployees AS employee_id,
manu.specialty AS specialty,
e.hourly_rate
FROM manual_workers manu
```

```
JOIN employees e ON e.idEmployees = manu.idEmployees
WHERE manu.on_call_24h = 1
ORDER BY e.hourly_rate DESC;
```

Query showing the 3 most commonly prescribed medications

```
SELECT  m.name AS medication_name,
COUNT(prem.idMedications) AS number_of_prescriptions
FROM medications m
JOIN prescriptions_medications prem ON prem.idMedications = m.idMedications
GROUP BY m.idMedications
ORDER BY number_of_prescriptions DESC
LIMIT 3;
```