Lab 1

Project Name: Integrated Analysis of Lifestyle, Nutrition, and Physical Activity .

Student Name : Fatima shaker Alharthi 446000667
Jana Abdul Rauf Saati 446017177
Lamar Abdel Aziz Alqurashi 446003107

- **Data Source Description Table**

Source Name	Type	Format	Records	Note
Fitbit Activity (DailyActivity _merged)	CVS	Structured	457	The dataset used is the file (DailyActivity _merged)
Sleep Health and Lifestyle	CVS	Structured	374	
Daily Food and Nutrition	CVS	Structured	645	

- **Data Profiling Table**

Dataset 1: Fitbit Activity Dataset (DailyActivity_merged)

Attribute	Data Type	Null%	Duplicates
ID	Integer	0.00%	NO
ActivityData	String	0.00%	NO
TotalSteps	Integer	0.00%	NO
TotalDistance	Float	0.00%	NO
TrackerDistance	Float	0.00%	NO
LoggedAtivities	Float	0.00%	No

There are anthar more.....

Dataset 2**:** Sleep Health and Lifestyle Dataset

Attribute	Data Type	Null%	Duplicates
Person_ID	Integer	0.00%	No
Gender	String	0.00%	No
Age	Integer	0.00%	No
Occupation	String	0.00%	No
Sleep_Duration	Float	0.00%	No
Quality of Sleep	Integer	0.00%	No

There are anthar more……

Dataset 3**:** Daily Food and Nutrition Datase

Attribute	Data Type	Null%	Duplicates
Food_Item	String	0.00%	Yes
Category	String	0.00%	Yes
Calories	Integer	0.00%	Yes
Protein	Float	0.00%	Yes
Carbohydrates	Float	0.00%	Yes
Fat	Float	0.00%	yes

There are anthar more……

Dataset 2**:** Sleep Health and Lifestyle Dataset

Attribute	Data Type	Null%	Duplicates
Person_ID	Integer	0.00%	No
Gender	String	0.00%	No
Age	Integer	0.00%	No
Occupation	String	0.00%	No
Sleep_Duration	Float	0.00%	No
Quality of Sleep	Integer	0.00%	No

There are anthar more……

Dataset 3**:** Daily Food and Nutrition Datase

Attribute	Data Type	Null%	Duplicates
Food_Item	String	0.00%	Yes
Category	String	0.00%	Yes
Calories	Integer	0.00%	Yes
Protein	Float	0.00%	Yes
Carbohydrates	Float	0.00%	Yes
Fat	Float	0.00%	yes

There are anthar more……

Lab 2

Project Name: Integrated Analysis of Lifestyle, Nutrition, and Physical Activity .

Student Name : Fatima shaker Alharthi 446000667 Group 7
Jana Abdul Rauf Saati 446017177 Group5
Lamar Abdel Aziz Alqurashi 446003107 Group5

Unstructured Data Analysis Table :

Attribute	Data Type	structured / unstructued	Justification
ProductID	String	Structued	Unique product identifier with fixed format
Helpfulness _Score	Integer	Structued	Numeric score representing helpfulness
Rating	Integer	Structued	Numerical rating (1–5)
Review_Title	String	Unstructued	Free-text title written by user
Text	String	Unstructued	Full user review written in natural language

Transformation Plan Table :

Step	Technique	Expected Structured Output
1	Text Cleaning(remove punctuation,symbols)	Clean_Text
2	Lowercasing &Normaliztion	Normalized_Text
3	Stopword Removal	Refined_Text
4	Sentiment Analysis	Sentiment_Label (Psitive/Negative /Neutral)
5	Sentiment Scoring	Sentiment_Score (1,0,-1)

Proposed Structured Output Teble :

Field Name	Data Type	Source	Description
ProductID	String	Original	Product identifier
Helpfulness Score	Integer	Original	Helpfulness count
Rating	Integer	Original	User rating
Clean_Text	String	Transformed	Cleaned review text
Sentiment _Label	String	Transformed	racted sentiment categ
Sentiment Score	String	Transformed	umeric sentiment valu

Lab 3

Project Name: Integrated Analysis of Lifestyle, Nutrition, and Physical Activity .

Student Name : Fatima shaker Alharthi 446000667 Group 7
Jana Abdul Rauf Saati 446017177 Group5
Lamar Abdel Aziz Alqurashi 446003107 Group5

Attribute	Problem Type	Issue Description	Impact	Source
All attributes	Duplicate	Exact duplicate rows detected in dataset	Data redundancy and biased analysis results	Review Dataset
All attributes	Duplicate	54 duplicate rows detected	Data redundancy and biased analysis	Food Dataset
Calories (kcal)	Outliers	Contains extreme values (0 and very high values)	Skews statistical analysis	Food Dataset
Text	Semantic	Significant variation in text length across reviews (min=57, max=5288)	Leads to inconsistency in text analysis and model performance	Review Dataset
Text	Unstructured	Contains free-text data with no predefined format	Difficult to analyze and requires preprocessing	Review Dataset
All Nutrients	Semantic	Several records have a value of 0 for calories and all nutrients, which is logically impossible for food.	Leads to misleading conclusions about nutritional content.	Food Dataset

Attribute	Problem Type	Issue Description	Impact	Source
Sleep Disorder	Completeness	Contains 219 missing values	Reduces data quality and affects analysis	Sleep Dataset
Blood Pressure	Invalid data types	Stored in a format not suitable for numerical analysis (e.g., 120/80 as a single string)	Cannot perform separate or accurate numerical analysis	Sleep Dataset
TotalSteps	Outliers	Contains extreme values such as 0 or very high steps	Affects accuracy of analysis	Activity Dataset
LoggedActivitiesDistance	Semantic	More than 75% of the entries are zero, making this column provide very little useful information.	Leads to inconsistent analysis results if included in the model.	Activity Dataset
Sleep Disorder	Semantic conflicts	Missing values are unclear whether "Na" means no disorder (healthy) or missing data	Leads to incorrect analysis results	Sleep Dataset
Activity Date	Invalid data types	Stored as string instead of datetime	Cannot perform time-based analysis	Activity Dataset
TotalDistance / TotalSteps	Semantic	Presence of zero values in activity columns for records that are supposed to track daily physical movement.	Skews the average activity levels and may represent periods where the tracker was not worn.	Activity Dataset

Profiling Summary Table (Sleep Health Dataset)

Attribute	Null	Duplicates	pattern Issues	Key Candidate
Person ID	0%	No	None	Yes
Gender	0%	Yes	None	No
Age	0%	Yes	None	No
Blood Pressure	0%	Yes	Stored as Text(Object)	No
Daily Steps	0%	Yes	Otliers	No
Sleep Disorder	58.5%	Yes	Missing Values	No

Profiling Summary Table (Food Reviews Dataset)

Attribute	Null	Duplicates	pattern Issues	Key Candidate
Product ID	0%	Yes	Frequent repetiton(Many reviews per ID)	No
Helpfulness _Score	0%	Yes	Zero Inflation (Most values are 0)	No
Rating	0%	Yes	No issues (Normal scaling between 1-5)	No
Review_Title	0%	Yes	Unstructured text	No
Text	0%	Yes	Unstructured text (Long descriptions)	No

Profiling Summary Table (Activity Dataset)

Attribute	Null	Duplicates	pattern Issues	Key Candidate
ID	0%	No	None	Yes
Activity Data	0%	Yes	Stored as Text(Object)	No
TotalSteps	0%	Yes	Outliers	No
TotalDistance	0%	Yes	Zero Values	No
LoggedActivitiesDistance	0%	Yes	Mostly Zero	No
SedentaryMinutes	0%	Yes	Outliers	No

Profiling Summary Table (Food Dataset)

Attribute	Null	Duplicates	pattern Issues	Key Candidate
Food_Item	0%	Yes	Frequent repetitive names	No
Calories(kcal)	0%	Yes	Outliers(Maxis 680 vs 75% is 200)	No
Protein(g)	0%	Yes	Semantic(Contains logically invalid 0 values)	No
Fat(g)	0%	Yes	Semantic(Contains logically invalid 0 values)	No
Sugars(g)	0%	Yes	Semantic(Contains logically invalid 0 values)	No
Sodium(mg)	0%	Yes	Semantic(Contains logically invalid 0 values)	No

Cleaning strategy table(daily food&nutrition)

Issue	Cleaning Technique	Rule Applied	Justification	Expected Outcome
Lack of Unique Identifier	Surrogate Key Generation	Generate a new unique sequence column (Review_ID)	To uniquely identify each record for data integration	A structured table with a functional Primary Key
Duplicates	De-duplication	Remove identical rows based on all attributes	Redundant data affects the accuracy of warehouse analysis	A clean dataset with unique entries only
Outliers (Calories)	Capping / Filtering	Replace values > 600 with the median value	Extreme values distort statistical summaries and averages	Normal distribution of caloric data
Semavtic(Zero Values)	Imputation	Replace 0 values in Protein/Fat with the mean	Logically, food items must contain nutrients; 0 is an error	Logically consistent nutritional data

Cleaning strategy table(food reviews dataset)

Issue	Cleaning Technique	Rule Applied	Justification	Expected Outcome
Lack of Unique Identifier	Surrogate Key Generation	Generate a new unique sequence column (Review_ID)	To uniquely identify each individual review and ensure data integrity	A functional Primary Key for every record
Data Duplicates	De-duplication	Remove rows where Review_Title and Text are identical	To prevent redundant records from skewing the analysis results	A dataset containing only unique customer reviews
Zero Inflation (Helpfulness)	Data Transformation	Creat a binry flag (Helpful=1/Not Helpful=0)	Most values are 0; converting to a flag simplifies the metric for analysis	Improved usability of the helpfulness attribute
Unstructured Text	Text Encoding / Vectorization	Apply TF-IDF or Word Embedding on Text column	To transform textual content into numerical vectors for processing	Machine-readable numerical data for integration

Cleaning strategy table(activity dataset)

Issue	Cleaning Technique	Rule Applied	Justification	Expected Outcome
Incorrect Data Type	Format Standardization	Convert ActivityDate from String/Object to DateTime	To allow time-series analysis and date filtering	Dates are stored in a standard searchable format
Outliers (TotalSteps)	Capping / Winsorization	Cap extreme steps at the 99th percentile	Very high step counts are often errors or sensor glitches	A more realistic distribution of daily physical activity
Invalid Zero Values	Row Deletion / Filtering	Remove records where TotalDistance is 0 but steps > 0	It is logically impossible to have steps without distance	Logically consistent activity records
Redundant Columns	Feature Selection	Drop LoggedActivitiesDistance column	This column provides no meaningful information for analysis	A leaner, more efficient dataset for the warehouse

Cleaning strategy table(sleep healthy dataset)

Issue	Cleaning Technique	Rule Applied	Justification	Expected Outcome
Missing Values (58.5%)	Imputation (Constant)	Fill Nulls with "None" in Sleep Disorder	Nulls indicate no disorder exists for the person	Complete data without missing categories
Structural (BP Format)	Feature Splitting	Split Blood Pressure into Systolic and Diastolic	To transform text (120/80) into numerical values	Two new numerical columns for calculation
Incorrect Data Type	Casting / Conversion	Convert split BP columns to Integer type	Mathematical models require numeric input, not text	Numeric BP data ready for modeling
Outliers (Daily Steps)	Statistical Filtering (IQR)	Remove values outside [Q1 - 1.5 \times IQR] and [Q3 + 1.5 \times IQR]	To ensure step data represents typical lifestyle patterns without sensor errors	A statistically sound distribution of daily steps

Lab 4

Project Name: Integrated Analysis of Lifestyle, Nutrition, and Physical Activity .

Student Name : Fatima shaker Alharthi 446000667 Group 7
Jana Abdul Rauf Saati 446017177 Group5
Lamar Abdel Aziz Alqurashi 446003107 Group5

Comprehensive Schema Matching Table

Source A Attribute (dailyActivity_ merged)	Source B Attribute (Sleep_health_ and_lifestyle)	Match Type	Confidence	Justification
Id	Person ID	Match	High	Both serve as a unique identifier for individuals in datasets.
TotalSteps	Daily Steps	Match	High	Identical semantic meaning; both record the total steps taken daily.
VeryActiveMinutes	Physical Activity Level	Partial Match	Medium	These minutes are a core of the physical activity level representing the high-intensity component.
FairlyActiveMinutes	Physical Activity Level	Partial Match	Medium	This attribute is a key constituent of the physical activity level, reflecting the moderate-intensity portion.
LightlyActive Minutes	Physical Activity Level	Partial Match	Medium	These minutes serve as a supplementary part of the physical activity level, contributing to the total movement.

Source A Attribute (dailyActivity_ merged)	Source B Attribute (Sleep_health_and_l ifestyle)	Match Type	Confidence	Justification
SedentaryMinutes	Physical Activity Level	Partial Match	Medium	Sedentary minutes represent inactivity, which is part of the overall physical activity profile.
ActivityDate	Gender	No Match	-	;No semantic link Source A tracks dates while Source B tracks demographics
TotalDistance	Age	No Match	-	No logical :التبرير connection; Source A records movement and Source B records user age
TrackerDistance	Occupation	No Match	-	Unrelated -attributes; device recorded data versus job information
LoggedActivitiesDis tance	Sleep Duration	No Match	-	No functional similarity between activity logs and sleep duration.
VeryActiveDistance	Sleep Duration	No Match	-	No logical connection; activity distance vs. subjective sleep quality.

Source A Attribute (dailyActivity_ merged)	Source B Attribute (Sleep_health_and_lifestyle)	Match Type	Confidence	Justification
LoggedActivitiesDistance	Sleep Duration	No Match	-	No logical connection between manual activity logs and sleep hours.
VeryActiveDistance	Quality of Sleep	No Match	-	No link between physical distance and subjective sleep assessment
ModeratelyActiveDistance	Stress Level	No Match	-	No logical connection; physical distance vs. psychological stress metrics.
LightActiveDistance	BMI Category	No Match	-	No logical connection; light activity metrics vs. body mass index classification.
SedentaryActiveDistance	Blood Pressure	No Match	-	No logical connection; inactive movement logs vs. clinical blood pressure data.
Calories	Heart Rate	No Match	-	No logical connection; energy expenditure vs. heart rate (Pulse).
(No Match)	Sleep Disorder	No Match		This attribute is unique to Source

Lab 5

Project Name: Integrated Analysis of Lifestyle, Nutrition, and Physical Activity .

Student Name : Fatima shaker Alharthi 446000667 Group 7
Jana Abdul Rauf Saati 446017177 Group5
Lamar Abdel Aziz Alqurashi 446003107 Group5

Schema Mapping Table

Source A Attribute (dailyActivity_ merged)	Source B Attribute (Sleep_health_ and_lifestyle)	Mapping Type	Short Description
Id	Person ID	1:1	Direct mapping of the unique identifier from FitBit to the Sleep dataset.
TotalSteps	Daily Steps	1:1	Transferring the total steps recorded by the tracker to the health record.
VeryActiveMinutes, FairlyActiveMinutes, LightlyActiveMinutes	Physical Activity Level	N:1	Consolidating specific activity durations from FitBit into a single level in the Sleep dataset.

Three Mapping Rules

Rule #	Rule Expression (SQL-style)	Explanation
1	SELECT Id AS Person_ID FROM dailyActivity_merged	Maps the unique identifier **Id** to the target attribute **Person_ID**.
2	SELECT TotalSteps AS Daily_Steps FROM dailyActivity_merged	Maps the activity column **TotalSteps** to the health column **Daily_Steps**.
3	SELECT CASE WHEN VeryActiveMinutes > 30 THEN 'High' ELSE 'Low' END AS Physical_Activity_Level	Converts numeric activity minutes into a categorical **Activity Level (High/Low)**.

Lab 6

Project Name: Integrated Analysis of Lifestyle, Nutrition, and Physical Activity .

Student Name : Fatima shaker Alharthi 446000667 Group 7
Jana Abdul Rauf Saati 446017177 Group5
Lamar Abdel Aziz Alqurashi 446003107 Group5

Template 1 – Star Schema Design Table

Table Type	Table Name	Key(s)	Main Attributes (summary)	Description
Fact	FACT_HEALTH_ACTIVITY	Fact_ID PK, Person_ID FK, Food_ID FK, Review_ID FK	DailySteps, PhysicalActivityLevel, SleepDuration, StressLevel, Calories, SentimentScore	Stores measurable values related to activity, sleep, nutrition, and review sentiment
Dimension	DIM_PERSON	Person_ID PK	Gender, Age, Occupation, BMI_Category	Stores descriptive information about individuals
Dimension	DIM_FOOD	Food_ID PK	Meal_Type, Food_Item, Category	Stores descriptive food information
Dimension	DIM_REVIEW	Review_ID PK	ProductID, Rating, Helpfulness_Score, Sentiment_Label	Stores structured review information after text transformation

Template 2 – Data Loading Log

Table Name	Rows Inserted	Source(s) Used	Notes / Simplifications
DIM_PERSON	50	Sleep Health and Lifestyle Dataset	Used descriptive person attributes
DIM_FOOD	**50**	Daily Food and Nutrition Dataset	Used descriptive food attributes
DIM_REVIEW	**50**	Food Reviews Dataset	Used transformed review and sentiment attributes
FACT_HEALTH_ACTIVITY	**50**	Fitbit + Sleep Health + Daily Food + Food Reviews	Combined and integrated measures from multiple datasets after cleaning and transformation

CREATE DATABASE & DIM_PERSON

```
CREATE DATABASE Projectt;
show databases;
USE Projectt;
CREATE TABLE DIM_PERSON (
    Person_ID INT PRIMARY KEY,
    Gender VARCHAR(20),
    Age INT,
    Occupation VARCHAR(100),
    BMI_Category VARCHAR(50)
);
```

Create table DIM_FOOD and DIM_REVIEW

```
CREATE TABLE DIM_FOOD (
    Food_ID INT PRIMARY KEY,
    Meal_Type VARCHAR(50),
    Food_Item VARCHAR(100),
    Category VARCHAR(100)
);

CREATE TABLE DIM_REVIEW (
    Review_ID INT PRIMARY KEY,
    ProductID VARCHAR(50),
    Rating INT,
    Helpfulness_Score INT,
    Sentiment_Label VARCHAR(20)
);
```

Create table FACT_HEALTH_ACTIVITY with foreign keys

```
CREATE TABLE FACT_HEALTH_ACTIVITY (
    Fact_ID INT PRIMARY KEY,
    Person_ID INT,
    Food_ID INT,
    Review_ID INT,
    DailySteps INT,
    PhysicalActivityLevel INT,
    SleepDuration DECIMAL(4,2),
    StressLevel INT,
    Calories INT,
    SentimentScore INT,

    FOREIGN KEY (Person_ID) REFERENCES DIM_PERSON(Person_ID),
    FOREIGN KEY (Food_ID) REFERENCES DIM_FOOD(Food_ID),
    FOREIGN KEY (Review_ID) REFERENCES DIM_REVIEW(Review_ID)
```

Display DIM_PERSON table

Result Grid | Filter Rows: | Edit:

Person_ID	Gender	Age	Occupation	BMI_Category
3	Male	28	Doctor	Normal
4	Male	28	Sales Representative	Obese
5	Male	28	Sales Representative	Obese
6	Male	28	Software Engineer	Obese
7	Male	29	Teacher	Obese
8	Male	29	Doctor	Normal
9	Male	29	Doctor	Normal

DIM_PERSON 2

Display DIM_FOOD table

Result Grid | Filter Rows: | Edit:

Food_ID	Meal_Type	Food_Item	Category
1	Breakfast	Scrambled Eggs (2 large)	Protein/Dairy
2	Breakfast	Whole Wheat Toast (1 slice)	Grain
3	Breakfast	Coffee (black)	Beverage
4	Breakfast	Banana	Fruit
5	Lunch	Grilled Chicken Salad	Meal/Protein
6	Snack	Apple	Fruit
7	Dinner	Salmon (4oz grilled)	Protein/Fish

DIM_FOOD 3

Display DIM_REVIEW table


Review_ID	ProductID	Rating	Helpfulness_Score	Sentiment_Label
1	CFB001E4K	5	1	Positive
2	CFB00813G	1	0	Negative
3	CFB000LQO	5	1	Positive
4	CFB000UAO	2	3	Negative
5	CFB006K2Z	5	0	Positive
6	CFB006K2Z	4	0	Positive
7	CFB006K2Z	5	0	Positive

DIM_REVIEW 4

Display final FACT_HEALTH_ACTIVITY table

Fact_ID	Person_ID	Food_ID	Review_ID	DailySteps	PhysicalActivityLevel	SleepDuration	StressLevel	Calories	Ser
1	1	1	1	4200	42	6.10	6	180	1
2	2	2	2	10000	60	6.20	8	80	-1
3	3	3	3	10000	60	6.20	8	5	1
4	4	4	4	3000	30	5.90	8	105	-1
5	5	5	5	3000	30	5.90	8	350	1
6	6	6	6	3000	30	5.90	8	95	1

Health and Lifestyle Star Schema



Lab 7

Project Name: Integrated Analysis of Lifestyle, Nutrition, and Physical Activity .

Student Name : Fatima shaker Alharthi 446000667 Group 7
Jana Abdul Rauf Saati 446017177 Group5
Lamar Abdel Aziz Alqurashi 446003107 Group5

Template A - Query Log

Query#	Business Question	Tool Used	Result Summary
1	Which meal type has the highest average calories?	SQL	Identified the meal type with the highest average calorie intake
2	How do stress levels and sleep duration vary across BMI categories?	SQL	Compared stress levels and sleep duration among different BMI categories to identify health and lifestyle paterns.
3	Which meal type receives the most positive reviews?	SQL	Identified the meal type with the highest number of positive reviews
4	Which occupation has the highest total calories and daily steps?	SQL	Identified occupations with the highest total calorie consumption and physical activity levels.

Query 1

```
122 •   SELECT
123         DIM_FOOD.Meal_Type,
124         AVG(FACT_HEALTH_ACTIVITY.Calories) AS Avg_Calories
125     FROM FACT_HEALTH_ACTIVITY
126     JOIN DIM_FOOD
127     ON FACT_HEALTH_ACTIVITY.Food_ID = DIM_FOOD.Food_ID
128     GROUP BY DIM_FOOD.Meal_Type
129     ORDER BY Avg_Calories DESC;
```

Output 1

Meal_Type	Avg_Calories
Lunch	914.0000
Snack	852.9167
Breakfast	791.2941
Dinner	789.4167

Query 2

```
    SELECT
    DIM_PERSON.BMI_Category,
    MAX(FACT_HEALTH_ACTIVITY.StressLevel) AS Highest_Stress,
    MIN(FACT_HEALTH_ACTIVITY.StressLevel) AS Lowest_Stress,
    MAX(FACT_HEALTH_ACTIVITY.SleepDuration) AS Max_Sleep,
    MIN(FACT_HEALTH_ACTIVITY.SleepDuration) AS Min_Sleep
FROM
    FACT_HEALTH_ACTIVITY
JOIN
    DIM_PERSON ON FACT_HEALTH_ACTIVITY.Person_ID = DIM_PERSON
GROUP BY
    DIM_PERSON.BMI_Category;
```

Output 2

BMI_Category	Highest_Stress	Lowest_Stress	Max_Sleep	Min_Sleep
Overweight	6	6	6.10	6.10
Normal	58	0	10.20	0.60
Obese	8	7	6.30	5.90

Query 3

```
•   SELECT
        DIM_FOOD.Meal_Type,
        COUNT(DIM_REVIEW.Sentiment_Label) AS Positive_Reviews
    FROM FACT_HEALTH_ACTIVITY
    JOIN DIM_FOOD
    ON FACT_HEALTH_ACTIVITY.Food_ID = DIM_FOOD.Food_ID
    JOIN DIM_REVIEW
    ON FACT_HEALTH_ACTIVITY.Review_ID = DIM_REVIEW.Review_ID
    WHERE DIM_REVIEW.Sentiment_Label = 'Positive'
    GROUP BY DIM_FOOD.Meal_Type
    ORDER BY Positive_Reviews DESC;
```

Output 3


Meal_Type	Positive_Reviews
Breakfast	13
Snack	11
Dinner	11
Lunch	9

Query 4


```
370 •   SELECT
371         DIM_PERSON.Occupation,
372         SUM(FACT_HEALTH_ACTIVITY.Calories) AS Total_Calories,
373         SUM(FACT_HEALTH_ACTIVITY.DailySteps) AS Total_Steps
374     FROM
375         FACT_HEALTH_ACTIVITY
376     JOIN
377         DIM_PERSON ON FACT_HEALTH_ACTIVITY.Person_ID = DIM_PERSON.Person_ID
378     GROUP BY
379         DIM_PERSON.Occupation
380     ORDER BY
381         Total_Steps DESC;
382
```

Output 4


Occupation	Total_Calories	Total_Steps
Doctor	34593	306507
Engineer	4228	20805
Nurse	1605	11279
Software Engineer	275	7200
Sales Representative	455	6000
Teacher	230	3500




presents a visual representation of the average calories for each meal type



presents a visual representation of stress levels and sleep duration across different BMI categories



presents a visual representation of the number of positive reviews for each meal typy



presents a visual representation of total calories and daily steps across different occupations