

3rd session

fingers, hand and foot occurring aswell - started once i was on quetiapine and discontinued diazepam for sleep

- generally the worry cycle is a lot when i haven't ate - repetitive songs, or phrases stuck in my head
What am I doing that is not helping me progress:
- googling everything
 - Selfhelp
- Thinking the worst case scenario for each bad thing I think of
- Avoidant behaviour (already was socially avoidant before)
- Not sticking to a proper bed time
- Being in my head all the time and overthinking rather than being engaged in the world around me.
- Switching between tasks - lack of concentration when in a conversation, - in my head
- How do I know something makes me anxious?
 - generally I will start repeating songs in my head, phrases ect
 - Tense shoulders
 - increased tremor
 - tense abdomen
 - more intrusive harm based thoughts
- Increased fidgeting/hypervigilant
 - Identify these movements:
 - moving feet together
 - moving task switching
 - crossing over toes
 - touching hair
 - scratching back
 - holding my hands together
 - scratching my ears
 - switching between tasks
 - Stretching my back/neck
- Do simple tasks first in the morning:
 - Clean room
 - The more you do this the more sense of control you will gain
 - meditate
 - exercise
 - Optimise your morning routine
 - Optimize sleep routine
- The main concept is, I want to reduce my response to these thoughts cause I know the probability that It will happen is very low but in the moment it feels so real.
- The main thing is I am constantly worried about a thought coming into my head rather than the thought itself.
- Something that stuck with me from
- Noticed that I got really sad/anxious when:
 - My parents left Wellington when the intrusive harm thoughts arose after i cried that day
 - The thought of my dad leaving for japan when i was a child came up when he left me at home for 3 hours

- When my GF left back for Wellington after seeing me for 3 days/ almost felt like crying and sad for the next 2 days

- More anxious when I haven't ate on time/stomach rumbles (before would skip breakfast and even lunch ect) before I would just get a little snappy.

- increase in intrusive harmful thoughts/anxious when I don't get the right amount of sleep

Need to engage my logical mind, when I am in bed in the morning, I generally go in and out of sleep and have scary thoughts/ continuations of nightmares from intrusive thoughts negative self talk:

- is this going to get worse.
- will the rest of my life be like this?
- should I try forget the past or should I face my fears and conquer them? will think increase my anxiety

Rank	Thought	Neutralising behaviour/thoughts	Physical sensation symptoms	Comment
1	Thought that I could want to take action on the intrusive thoughts of Harming, kill or sexually abusing my parents, brother or girlfriend, friends or myself or would stop listening to parents?	I refocus on what I'm doing or try think of a positive thought That I had with them, look away, reassure its just OCD, avoiding cooking or using knives, forks/anything sharp or anything that could do harm	Tensed up shoulders, Nasal sinuses filling up and head feeling heavy, and tingling sensation	Definitely wo in the mornin Walking to th toilet in the morning next my parents room?
2	The thought that I would act on my intrusive thoughts about harming anyone/could I be a psychopath(Sometimes think of movies like american psycho, Jeffry Dhama or nickolas cruz ect) - images from movie scenes come into mind	reassure myself this doesn't happen/avoid thinking about it, check that I am empathetic, reassure that I don't have specific plans and try recall instances where I have been emotional, avoiding cooking or using knives, forks/anything sharp or anything that could do harm	Tensed up shoulders, Nasal sinuses filling up and head feeling heavy, and tingling sensation	
3	Thought that I will get Tics and will want to twist my neck hit self or tourettes syndrome or saying out something that I don't want to say?(Did have some twitching movements when waking up in the morning with 7 hours sleep, also change in medication)	reassure myself this won't happen to me/avoid thinking about it, switching thoughts and refocusing on breathing, go on google, focus on something else, became a little too hypervigilant about my movements and restless legs?	Tensed up shoulders, Nasal sinuses filling up and head feeling heavy	started happening at taking quetapine an stopped the diazapam an melatonin als had some ba sleep (7h) an still happend when i got 9 and a half ho sleep
4	Thought that I lose my inner voice and starting getting other voices that will tell me to do stuff or just seeing people that talk out loud in public scares me.	Reassure myself that this doesn't happen because thats just, reassure myself that I have become hypervigilant of my innervoice or dreams wehre there have been voices talking(small snippets)	Tensed up shoulders, back of head/ spine area hot	

Rank	Thought	Neutralising behaviour/thoughts	Physical sensation symptoms	Comments
5	Thought that Hearing or Reading about other OCD cases then it becoming my ocd? eg: read about a mexican man with some condition about blades on his hands and how he was scared ect in the book brain lock and thought this could happen to me, blades/ sharp edward scissor hands ect...	reassure myself this doesn't happen or refocus on other things, /avoid reading about OCD, avoid looking at my hands cause I thought if I avoid looking I won't get the thought. Reassuring myself that its probably made up	Nasal sinuses filling up and head feeling heavy, became more aware of my hands in a way,	
6	Thought that not being able to solve a problem/complete a task or not being perfect and getting frustrated and would lead me to doing self harm. - eg: stabbing a fork through my hand/eye or getting aggressive towards someone for nothing.	reassure myself I don't have to be perfect, and intentionally try break up the routine a little and not stick exactly to schedule this doesn't happen/avoid thinking about it. Telling myself there is always ways a plan b plan c if I cant solve it. and give myself examples from before when I just didn't care ad stopped worrying	Nasal sinuses filling up and head feeling heavy, sweat, tense back of head/ spine area hot	now thinking about it why would I do th was anxious the time caus of parents arguing?/ I have never really been a angry person
7	Thought that Parents arguing or previous trauma of parents arguing, worried about them worrying about me, or mum telling me about when dad got angry at her ect... and then I start worrying that I have childhood trauma and start recalling other arguments between them or past childhood events.	Avoid talking too much with mum and dad and brother, certain thoughts of self harm came up? like would I want harm myself cause of this.	Nasal sinuses filling up and head feeling heavy, tinnitus, distressed, body heating up just writing about this, difficult to concentrate,- after about 3 hours looking back its almost ridiculous how I thought this.	Could be wor digging into?
8	Reading or coming across certain words "Harold- Harm, Sally - Suicide, " like reading articles or books has become scary cause what or how ill interpret it, like my mind is looking to connect it in a bad way eg: Atomic habits -> cue, craving, reward ect. was reading and then I was thinking if thats how people become pedos and get stuck in that loop and that could happen to me.	Stopped reading books	Nasal sinuses filling up tingling sensation across back of neck.	

Rank	Thought	Neutralising behaviour/thoughts	Physical sensation symptoms	Comments
9	Thought of Guilty/Shame feeling that I had watched porn while being with my long distance GF who wants to wait until marriage to have intercourse.	seeking reassurance from my parents, who said to me it is normal and that I don't need to tell her everything, telling myself that I she doesn't need to know.	Nasal sinuses filling up and head feeling heavy, sweat	Actually told GF about this and she actually didn't care suprising but still keep double guessing my
10	Just reading about different types of OCD and the different types and getting scared that I could start getting those types of OCDs	Avoiding reading, going online forums reddit ect and learning about it	Physical sense of overwhelming and brain shutdown, tingling sensation in back and neck heating up	
11	Thought that I could turn into a person that is aroused by watching/making/uploading illegal content	Stopped watching porn and reassure myself and say that I have a GF	Got nauseous and tingling sensation	
12	Thought that if I start watching pornography(scared that I'll get addicted again or watch illegal content and get addicted)	Stopped watching porn and thinking about it all together	Felt really anxious the next day and bad sleep, plus different variations of the word "porn" repeating in my head - to which I repurposed it to repeat purpose	
13	Thought that other people could talk about their trauma and it would apply to me and I would start worrying about their trauma?	Avoiding talking to people, was always socially avoidant of people prior to the incident(semi-introvert)		
14	fear of watching youtube videos, UFC fighting, Police cam footage, ect eg: Jordan Peterson one with someone about childhood trauma https://www.youtube.com/watch?v=ed1KGYC1oXM	Not watching the content that I used to watch, Just skipping parts of the videos because I'm scared that I will start thinking about it again later on.	Physical sense of overwhelming and brain shutdown	

Rank	Thought	Neutralising behaviour/thoughts	Physical sensation symptoms	Comments
15	Thought that Watching Movies or TV(Literally stopped watching horror, psycho murder. action ect nothing anymore) would make me turn into the characters in the movies (was a person who has never cried watching movies because i know a movie is a movie)	Avoiding watching any movies or TV in general, only been watching like self help about Overcoming trauma/depression on youtube but even that has been.	Tensed up shoulders, toes curled up	Watched some Netflix reality TV with my C nothing in this was really triggering or scary which was actually a big accomplishment
16	Combination of Intrusive sexual + violent thoughts about harming others- generally involves seeing some sharp(knife), pointy, object and how it could do hurt to people or just thinking about something wrong to do.	avoiding looking for too long so I don't get a thought- switching tasks, or I try think of a good previous interaction to replace the thought. Avoid going to town, socialising, not going to events ect.		
17	Thought of Harm or sexual idea about people - eg thought "I want axe that person?" and then i start thinking why did i have that thought?? i would normally not have those thoughts	avoiding looking for too long so I don't get a thought, or I try think of a good previous interaction to counteract the thought eg" hug"	Tensed up shoulders	
18	Thoughts of physically Harming or sexually abusing a child? or could they have been abused by someone else ?	avoiding looking for too long so I don't get a thought, or I try think of a good previous interaction to counteract eg" hug"	Tensed up shoulders	
23	The thought that I will harm myself if I stay at home alone. (loss of sense of control?)	Come to the restaurant with my parents and they also have a camera installed at home now so they ask me to stay where I can be seen.	Tense shoulders	Most I have stayed home alone is 3 hours after incident and for someone who would prefer staying home alone before it was quite the change
19	Browsing through social media cause I'm just scared of getting an intrusive thought/harmful thoughts and it repeating in my mind, previously would see harmful stuff on twitter and was literally not scared at all.	Stopped scrolling on social media(probably a good thing)	Tense shoulders	Can kind of cope with this now but still a little anxious about seeing posts
20	Thought of going back to work	Avoiding going to work(unpaid leave) but I am planning to go back next week()	Tense shoulders	I know I have to go back if I want to progress. The

Rank	Thought	Neutralising behaviour/thoughts	Physical sensation symptoms	Comments
				mind doesn't want to.
21	Opening/ Replying work emails	Stopped opening my emails, or scheduled a time to open them at night when I was calmer	Tense shoulders	Did this for about 10 minutes, not anxiety provoking
22	Listening to music without lyrics/words because my mind interprets it in a bad way.	Not listening to music with words(just instrumental/different language), trying to relate to other stuff(probably not good for serotonin levels)	Tense shoulders	
24	Certain Letters or words - and the first thing that comes to mind was a violent word: eg playing a letter game "k" - my mind instantly said "kill" like am i a psychopath for thinking that ?	Reassuring myself that I am not violent/sexual and look for another word for the game, googling about what makes a psychopath a psychopath ect https://www.youtube.com/watch?v=U5i3Zfv8W34 then started picking the arguments made in the video apart	Tense shoulders	
26	Thought that I would act on an intrusive thought while driving or sitting in the passengers seat of a car that would lead to us crashing	Stopped driving.Avoid going places, try stay home, avoid thinking about the thought by focusing on the what I have to do for the day.	Tense shoulders	

Really Addresses my sense of control, I want to get that sense of self control back

What I have had dreams about:

fightes - people from my school fighting in a carpark and then feeling guilty of not doing anything about it?
person getting burnt?

What is meaningful in my life:

Taking on responsibility

Family

GF

Being a good father to my future kids

Building a business

Career

Moving to melbourne

Embrace the suffering

There is no permanent security outside of your ability to contend and adapt