

Business Requirements Document — Global & Shared Flows

Platform: Zebu Helpdesk — Staff Portal (Flutter, Android/iOS) **Module:** Global & Shared Flows **Document Version:** 1.0 (Initial Edition) **Date:** August 2026 **Status:** In Progress (case-by-case) **Classification:** Internal Use Only

Document Control

Field	Value
Document Title	Global & Shared Flows — Business Requirements Document
Module Scope	The app-wide and cross-module behaviours that are re-used across many screens rather than owned by one feature: the attachment viewer , tappable links/images in message HTML, push notifications , the app-wide offline banner , the shared Filter & Sort sheet , the shared pickers , the shared paginated list contract, session expiry , and app-wide keyboard dismissal. Other BRDs reference these cases instead of re-specifying them. This document specifies functional behaviour only — visual styling (colours, themes, animation) is out of scope.
Audience	Quality Assurance, Product Management, Engineering
Source Truth	Flutter source at <code>lib/widgets/attachment_viewer.dart</code> , <code>lib/widgets/attachment_tile.dart</code> , <code>lib/widgets/thread_html.dart</code> , <code>lib/core/push/push_service.dart</code> , <code>lib/widgets/offline_banner.dart</code> , <code>lib/app.dart</code> , <code>lib/widgets/filter_sheet.dart</code> , <code>lib/widgets/pickers.dart</code> , <code>lib/widgets/paged_list_view.dart</code> , <code>lib/core/auth/auth_controller.dart</code>

6. Functional Requirements

6.1 GL-001 — Attachment viewer

Field	Value
Description	Tapping an attachment (in a ticket/task conversation, an FAQ article, or a canned response) opens it in the best in-app viewer for its type; unpreviewable types are downloaded and opened with the device's default app. All bytes are fetched through the authenticated API.
Acceptance Criteria	- Each attachment is shown as a row with its file-type icon (or an inline thumbnail for images), its name, and its size (when known) - Tapping an attachment opens it by type: • Image → a fullscreen pinch-to-zoom viewer • PDF → an in-app PDF reader (scroll + pinch-zoom) • Video → an in-app video player • Text / source code → an in-app monospaced, selectable text viewer • Any other type → the file bytes are downloaded (showing an "Opening {name}..." progress toast) and opened with the OS default app; if no app can open it, a toast reads No app found to open {name} - Every viewer shows a loading indicator while fetching, and an error state with Retry if the fetch fails - Every viewer has an Open externally action that launches the file's URL in an external app/browser - Image thumbnails in the tile load the authed bytes, falling back to a type icon while loading or on error - On a failed download/open, a toast reads Couldn't open {name}
Priority	High

6.2 GL-002 — Tappable links and inline images in message HTML

Field	Value
Description	Message bodies rendered from HTML (ticket/task conversation entries) make links and inline images interactive.
Acceptance Criteria	- Tapping a link inside a message body opens it in an in-app browser view, falling back to the system browser if that is unavailable - Tapping an inline image inside a message body opens it in the fullscreen image viewer (GL-001)
Priority	Medium

6.3 GL-003 — Push notifications

Field	Value
Description	The app registers for push notifications after sign-in, shows incoming alerts, and routes a tapped notification to the relevant ticket or task. The whole pipeline no-ops gracefully when push is not configured.
Acceptance Criteria	- On first reaching the main app (post-authentication), the OS "Allow notifications" permission is requested and the device's push token is registered with the backend - The token is re-registered if it refreshes; on sign-out the device is unregistered from the backend before local credentials are cleared - A notification arriving while the app is foregrounded is shown as a local notification and immediately refreshes the unread badge count - Tapping a notification opens the referenced object — the task detail for a task notification, otherwise the ticket detail — whether the app was foregrounded, backgrounded, or launched cold by the tap - When push is not configured (no Firebase config present), none of the above runs and the app behaves normally without notifications
Priority	High

6.4 GL-004 — App-wide offline banner

Field	Value
Description	A connectivity strip appears above every screen when the device is offline.
Acceptance Criteria	- When the device is positively known to be offline, a strip reading No internet connection is shown above the current screen content on every screen - The strip is hidden when connectivity is up (or while connectivity is still being determined) - The strip does not block interaction with the screen below it
Priority	Medium

6.5 GL-005 — Filter & Sort sheet

Field	Value
Description	The shared sheet opened from a list's filter button, used by the Tickets and Tasks lists. It edits a draft selection and applies it only on Apply.

Field	Value
Acceptance Criteria	- The list search bar's trailing filter button shows a small dot when any filter is active; tapping it opens the Filters sheet - The sheet has a Create date section (a single-select chip row of date-range presets), a Sort by section (a single-select chip row of the list's sort options), and one section per available facet - A facet with a short option list (≤ 6 options) renders as a single-select chip row including an All chip; a facet with a long option list renders as a tappable selector that expands an inline searchable dropdown (with an "All ..." option and a "No matches" state) - The sheet edits a draft — nothing on the list changes until Apply is pressed - A Reset action (shown only when the draft differs from defaults) clears the draft back to defaults (all dates, default sort, no facets) without closing the sheet - Apply closes the sheet and returns the chosen date range, sort, and facet selections to the list (which then re-fetches); dismissing without Apply changes nothing - Only facets whose options actually loaded are shown
Priority	High

6.6 GL-006 — Shared pickers

Field	Value
Description	The reusable bottom-sheet pickers invoked from across the app for choosing a user, a meta value, or an attachment source.
Acceptance Criteria	- User picker — a sheet titled Select requester with a search box (Search by name or email) that queries users (debounced), showing a loading spinner, an error state with retry, or No users found; tapping a result returns that user. (Used by create-ticket requester, Change owner, Add collaborator.) - Meta picker — a sheet listing the options of a meta kind (departments, priorities, statuses, agents, teams, topics, tags), highlighting the current selection; long lists (> 8) show a search field; tapping an option returns it - Attachment-source chooser — a sheet offering Camera, Photo, and File; the chosen source is used to pick attachment(s) with their bytes ready to upload - Canned / FAQ inserters — pickers that return the chosen canned response / FAQ article to insert into a composer or message field
Priority	Medium

6.7 GL-007 — Shared paginated list behaviour

Field	Value
Description	The common contract every paginated list screen inherits (Tickets, Tasks, Organizations, Users, Canned, FAQ search, org/user tickets & members, queue results).
Acceptance Criteria	- The first load shows a loading skeleton in place of rows - Further pages are fetched and appended as the user scrolls (infinite scroll), until the server has no more - The list supports pull-to-refresh - A fetch error shows an error state with a retry action - When there are no rows, a typed empty state (message + optional hint/icon supplied by the host screen) is shown
Priority	Medium

6.8 GL-008 — Session expiry → forced sign-out

Field	Value
Description	When the session can no longer be refreshed, the app signs the agent out and returns to login.
Acceptance Criteria	- When the API determines the session cannot be refreshed (expired/invalid), local credentials are cleared and the auth state becomes unauthenticated - The routing guard then redirects the agent to the Login screen (protected routes are no longer reachable)
Priority	High

6.9 GL-009 — Keyboard dismissal on outside tap

Field	Value
Description	Tapping outside a focused input dismisses the keyboard, consistently across the whole app.
Acceptance Criteria	- Tapping anywhere outside a focused text field removes focus and dismisses the on-screen keyboard, on every screen - The dismiss tap does not consume taps intended for buttons or list items below it
Priority	Low

Document in progress — additional cases added after individual approval.