

Zebu Helpdesk — Tester Guide & Flow Index

Platform: Zebu Helpdesk — Staff Portal (Flutter, Android/iOS) **Purpose:** A single map of every BRD so a tester can follow the app's flows end-to-end and find the exact case for any behaviour. **Version:** 1.0 **Date:** August 2026

How to use this pack

- The app is documented as **17 BRDs**, one per module, each a `docs/brd/<PREFIX>-*-.brd.pdf` (with a `.md` source).
- Every testable behaviour is a **case** identified as `PREFIX-0NN` (e.g. `TK-016` = the ticket reply composer). Each case has a Description, testable **Acceptance Criteria**, and a **Priority** (High / Medium / Low).
- Cases specify **functionality only** (not colours/themes).
- **Global behaviours** (attachments, push, offline, filter sheet, pickers, list behaviour, session expiry) live in the **GL** BRD and are referenced by the feature BRDs instead of being repeated.
- **Total: 152 cases across 17 modules.**

Module map

Prefix	Module	Cases	BRD file
GL	Global & Shared Flows	9	<code>GL-global-shared-brd.pdf</code>
AU	Authentication	15	<code>AU-authentication-brd.pdf</code>
NV	Navigation Shell	3	<code>NV-navigation-shell-brd.pdf</code>
DB	Dashboard	7	<code>DB-dashboard-brd.pdf</code>
TK	Tickets	34	<code>TK-tickets-brd.pdf</code>
TS	Tasks	30	<code>TS-tasks-brd.pdf</code>
NT	Notifications (Inbox)	5	<code>NT-notifications-brd.pdf</code>
RP	Reports	6	<code>RP-reports-brd.pdf</code>
OR	Organizations	8	<code>OR-organizations-brd.pdf</code>
US	Users	7	<code>US-users-brd.pdf</code>
AG	Agents (Directory)	2	<code>AG-agents-brd.pdf</code>
QU	Saved Queues	5	<code>QU-queues-brd.pdf</code>
CR	Canned Responses	4	<code>CR-canned-brd.pdf</code>
FQ	Knowledgebase (FAQ)	4	<code>FQ-knowledgebase-brd.pdf</code>
PR	Profile	5	<code>PR-profile-brd.pdf</code>
MO	More (Menu Hub)	4	<code>MO-more-brd.pdf</code>

Prefix	Module	Cases	BRD file
ST	Settings (Server)	4	ST-settings-brd.pdf

End-to-end flows (walk these in order)

Each flow lists the case-ID trail a tester follows. Follow them top-to-bottom for a full regression pass.

Flow 1 — Launch & sign in

AU-001 splash → AU-002 routing guard sends unauthenticated users to Login → AU-003...AU-010 sign in (username uppercase-in/lowercase-out, show/hide password, remember-me, errors) → on success the guard lands on the **Dashboard** (DB-001).

- Forgot-password branch: AU-007 → AU-011 request → AU-012 email sent → AU-013 enter code + new password → AU-014 done → back to Login (AU-015).

Flow 2 — Home overview & triage

DB-001/DB-002 dashboard loads + greeting → DB-003 ticket tiles/chips, DB-006 task tiles/chips (each drills into a pre-filtered list) → DB-004 **Needs attention** (tap an overdue ticket → ticket detail) → DB-005 Overview volume + chart → DB-007 breakdown charts.

Flow 3 — Find & open a ticket

NV-001 tap the **Tickets** tab → TK-001 filter tabs + counts → TK-002 search / TK-003 filter & sort sheet (**details in GL-005**) → TK-004 read the row → TK-005 layout toggle, TK-006 scroll pagination → TK-010 tap to open.

Flow 4 — Work a ticket end-to-end

TK-011 detail loads → TK-012 header/SLA → TK-013 tabs → TK-014 read the conversation (**attachments GL-001**, **links/images GL-002**) → TK-015 reply/copy on a bubble → TK-016 reply or internal note (canned/FAQ, attachments via GL-006) → act via the TK-019 : menu: TK-020 status/mark, TK-021 assign/claim/release/owner/refer, TK-022 priority/topic/due/fields/tags, TK-023 link/merge, TK-024 collaborators, TK-025 ban, TK-034 **create task from ticket**, TK-026 delete → all gated by TK-027 permissions. TK-017 Details tab, TK-018 Activity tab.

Flow 5 — Create a ticket

NV-002 center + → New ticket → TK-028 required fields → TK-029 requester + collaborators (**user picker GL-006**) → TK-030 message + canned/FAQ + attachments → TK-031 properties → TK-032 internal note → TK-033 submit → lands on the new ticket.

Flow 6 — Bulk actions & export (tickets)

TK-007 long-press to multi-select → TK-008 bulk claim/assign/status/priority/delete → TK-009 export PDF/Excel.

Flow 7 — Tasks (mirrors tickets, plus task-only bits)

TS-001...TS-010 list → TS-011...TS-016 detail + composer → TS-017 details → TS-018 **subtasks**, TS-019 **dependencies (blocked state)** → TS-020 activity → TS-021 menu, TS-022 close/reopen, TS-023 assign/transfer/priority, TS-024 collaborators, TS-025 tags, TS-026 permissions → TS-027...TS-030 create task (incl. parent task + ticket link from TK-034).

Flow 8 — Notifications

NV-001 Inbox tab (unread badge, **push GL-003**) → NT-001 inbox + tabs + search → NT-002 grouped card → NT-003 tap to open the ticket/task → NT-004 swipe mark-read / delete → NT-005 mark-all / delete-all.

Flow 9 — Directory & records (reached from More)

MO-002 menu → **Users** **US-001...US-007** (list, create, detail, tickets/notes tabs, account actions) · **Organizations** **OR-001...OR-008** (list, create, detail, members/tickets/notes, edit/delete) · **Agent Directory** **AG-001/AG-002**.

Flow 10 — Resources (reached from More)

Knowledgebase **FQ-001...FQ-004** (browse categories / search / article) · **Canned Responses** **CR-001...CR-004** (list, view+copy, create/edit, delete) · **Saved Queues** **QU-001...QU-005** (list, card, create/rename, delete, results) · **Reports** **RP-001...RP-006**.

Flow 11 — Account & settings

MO-001 profile header → **Profile** **PR-001...PR-005** (availability, edit profile, change password, regenerate avatar) · **MO-003** theme toggle · **MO-004** sign out · **Server settings** **ST-001...ST-004** (URL + validation, test, save, reset).

Flow 12 — Always-on / cross-cutting (verify throughout)

GL-004 offline banner appears when the device drops connection · **GL-003** a push arrives and its tap deep-links to the object · **GL-001** attachments open (image/PDF/video/text/download) · **GL-002** links/images in messages are tappable · **GL-007** every list has skeleton/scroll/pull-refresh/retry/empty · **GL-009** tapping outside a field dismisses the keyboard · **GL-008** an expired session forces sign-out to Login.

Full case index

GL — Global & Shared Flows

- GL-001 Attachment viewer · GL-002 Tappable links & inline images · GL-003 Push notifications · GL-004 App-wide offline banner · GL-005 Filter & Sort sheet · GL-006 Shared pickers · GL-007 Shared paginated list behaviour · GL-008 Session expiry → forced sign-out · GL-009 Keyboard dismissal on outside tap

AU — Authentication

- AU-001 Splash while session restores · AU-002 Auth-aware routing guard · AU-003 Login screen contents · AU-004 Username/email field · AU-005 Password field + show/hide · AU-006 Remember me (username only) · AU-007 Forgot-password link · AU-008 Sign in button busy state · AU-009 Sign in submit/validation/errors · AU-010 Login footer help text · AU-011 Forgot: request stage · AU-012 Forgot: email-sent stage · AU-013 Forgot: code + new password · AU-014 Forgot: done · AU-015 Forgot: back navigation

NV — Navigation Shell

- NV-001 Bottom navigation tabs · NV-002 Center create button + speed-dial · NV-003 Shell lifecycle

DB — Dashboard

- DB-001 Structure/load/states · DB-002 Greeting header + profile entry · DB-003 Tickets tiles + chips · DB-004 Needs attention · DB-005 Overview volume + chart · DB-006 Tasks tiles + chips · DB-007 Breakdown charts

TK — Tickets

- TK-001 Filter tabs + counts · TK-002 Live search · TK-003 Filter & sort sheet · TK-004 Row content · TK-005 Layout toggle · TK-006 Pagination + empty · TK-007 Multi-select · TK-008 Bulk actions · TK-009 Export · TK-010 Open / cross-tab request · TK-011 Detail load/states · TK-012 Header + SLA · TK-013 Tabs · TK-014 Conversation · TK-015 Bubble actions · TK-016 Reply/note composer · TK-017 Details tab · TK-018 Activity tab · TK-019 Action menu (gated) · TK-020 Status / mark · TK-021 Assignment actions · TK-022 Attribute edits · TK-023 Link/merge · TK-024 Collaborators · TK-025 Ban email · TK-026 Delete · TK-027 Permission gating · TK-028 Create: structure · TK-029 Create: requester/cc · TK-030 Create: message/attachments · TK-031 Create: properties · TK-032 Create: internal note · TK-033 Create: submit · TK-034 Create task from ticket

TS — Tasks

- TS-001 Filter tabs + counts · TS-002 Live search · TS-003 Filter & sort sheet · TS-004 Row content · TS-005 Layout toggle · TS-006 Pagination + empty · TS-007 Multi-select · TS-008 Bulk actions · TS-009 Export · TS-010 Open / cross-tab request · TS-011 Detail load/states · TS-012 Header (progress/blocked) · TS-013 Tabs · TS-014 Conversation · TS-015 Bubble actions · TS-016 Reply/note composer · TS-017 Details tab · TS-018 Subtasks · TS-019 Dependencies · TS-020 Activity tab · TS-021 Action menu (gated) · TS-022 Close/reopen · TS-023 Assign/transfer/priority · TS-024 Collaborators · TS-025 Tags · TS-026 Permission gating · TS-027 Create: structure · TS-028 Create: description/attachments · TS-029 Create: properties · TS-030 Create: submit

NT — Notifications

- NT-001 Inbox list/tabs/search · NT-002 Grouped card · NT-003 Open notification · NT-004 Swipe mark-read/delete · NT-005 Bulk menu

RP — Reports

- RP-001 Screen/load/states · RP-002 Day-range selector · RP-003 Opened/Closed/Net · RP-004 Per-day averages · RP-005 Activity chart card · RP-006 Line-chart rendering

OR — Organizations

- OR-001 List · OR-002 Create · OR-003 Detail/header/states · OR-004 Tabs · OR-005 Members tab · OR-006 Tickets tab · OR-007 Notes tab · OR-008 Edit/delete

US — Users

- US-001 List · US-002 Create · US-003 Detail/header/states · US-004 Tabs · US-005 Tickets tab · US-006 Notes tab · US-007 Account actions

AG — Agents

- AG-001 Directory list · AG-002 Agent profile sheet

QU — Saved Queues

- QU-001 List + type filter · QU-002 Queue card · QU-003 Create/rename · QU-004 Delete · QU-005 Queue results

CR — Canned Responses

- CR-001 List · CR-002 Detail sheet + copy · CR-003 Create/edit · CR-004 Delete

FQ — Knowledgebase

- FQ-001 Browse vs search · FQ-002 Category browse · FQ-003 Search results · FQ-004 Article detail

PR — Profile

- PR-001 Screen/header · PR-002 Availability toggle · PR-003 Edit profile · PR-004 Change password · PR-005 Regenerate avatar

MO — More

- MO-001 Menu + profile header · MO-002 Workspace/Resources menu · MO-003 Theme toggle · MO-004 Sign out

ST — Settings

- ST-001 Server URL + status · ST-002 Test connection · ST-003 Save server · ST-004 Reset to default

Notes for testers

- **Permissions:** ticket/task actions are gated per department (`TK-027` , `TS-026`). Test with agents of different roles — actions the agent can't perform are hidden, not just disabled.
- **Server-fetch vs client-side:** list search/sort filter the already-fetched rows; changing tabs/filters re-fetches from the server. Watch the Network tab to confirm.
- **Where "New ticket / New task" lives:** the center + on the bottom nav (`NV-002`), not inside the lists.
- **The More tab** is reached from the Dashboard header avatar, not the bottom bar (`DB-002` , `NV-001`).
- **Cross-module reuse:** whenever a BRD says "see GL-00N", the shared behaviour is specified once in the GL BRD.