Note:

§ The application is designed to transliterate the **standard input language** (Singlish/Thanglish) into the **corresponding tar**
Therefore, you should **not construct negative functional test cases** using such short forms.

§ Additionally, refer to the application's **Help** page to identify the correct Singlish character combinations used to represent S

§ Your test cases must not include the ones mentioned below

TC ID	Test case name	Input length type	Input	Expected output
Pos_Fun_0001	Simple daily sentence	S	api gedhara inne.	අපි ගෙදර ඉන්නේ.
Pos_Fun_0002	Greeting short	s	suba dhavasak!	සුබ දවසක්!
Pos_Fun_0003	Short interrogative	s	oyaa ennee kavadhdha?	ඔයා එන්නේ කවද්ද?

Pos_Fun_0004	Short command	S	LaGAta enna	ළඟට එන්න
Pos_Fun_0005	Joined word input	S	api gedhara innee.	අපි ගෙදර ඉන්නේ.
Pos_Fun_0006	Compound sentence	M	api gamata yanna hadhapu eka hari lassanayi, namuth kaalaya madhi vuNaa.	අපි ගමට යන්න හදපු එක හරි ලස්සනයි, නමුත් කාලය මදි වුණා.
Pos_Fun_0007	Complex sentence	M	ubata puluvan nam api vena dhavasaka hambelaa kathaakaramudha ban?	උබට පුලුවන් නම් අපි වෙන දවසක හම්බෙලා කතාකරමුද බන්?
Pos_Fun_0008	Negative statement	S	mata adha vaeda karanna puLuvan kamak naee.	මට අද වැඩ කරන්න පුළුවන් කමක් නෑ
Pos_Fun_0009	Polite request	S	karuNaakaralaa methanin ayin venna puluvandha	කරුණාකරලා මෙතනින් අයින් වෙන්න පුලුවන්ද

Pos_Fun_0010	Informal phrasing	S	adoo machQQ adha mokadhdha plan eka?	අඩෝ මචං අද මොකද්ද plan එක?
Pos_Fun_0011	Past tense	M	api iyee office gihiQQ meeting eka attend kaLaa.	අපි ඉයේ office ගිහිං meeting එක attend කළා.
Pos_Fun_0012	Future tense	S	api passee kathaa karamu.	අපි පස්සේ කතා කරමු.
Pos_Fun_0013	Brand preserved'	M	ubata puluvan nam giya sathiye karapu not eka mata evanavadha?.	උබට පුලුවන් නම් ගිය සතියෙ කරපු නොට් එක මට එවනවද?.

Pos_Fun_0014	Place preserved	S	vahaama methanin idhaganna	වහාම මෙතනින් ඉදගන්න
Pos_Fun_0015	Time format	S	meeting eka 10.45 AM ta patan gannavaa.	meeting එක 10.45 AM ට පටන් ගන්නවා.
Pos_Fun_0016	Abbreviations	S	mata online payment ekak karanna puluvandha'	මට online payment එකක් කරන්න පුලුවන්ද

Pos_Fun_0017	Repeated emphasis	L	oyaalata jiivithee thiyena baaDhaa haema ekama avasThaavak vidhiyata ganna. asaarThaka venna oone naee kiyalaa baya venna epaa. aramuNu	ඔයාලට ජීවිතේ තියෙන බාධා හැම එකම අවස්ථාවක් විදියට ගන්න. අසාර්ථක වෙන්න ඕනෙ නෑ කියලා බය වෙන්න එපා. අරමුණු ලක්ෂ්‍ය අරගෙන දිගටම උත්සාහ කරන්න. මේකෙන් ලැබෙන ප්‍රතිඵල
Pos_Fun_0018	conversational texr/Largeformat	M	oyaata karanna vaedak naethnam maath ekka yamudha? ah hari yamuu.	ඔයාට කරන්න වැඩක් නැත්නම් මාත් එක්ක යමුද? අහ් හරි යමු.
Pos_Fun_0019	Long formal text	L	oyaa dhannavadha adha town eka hari busy kiyalaa? traffic nisaa hari amaaru vuNaa. bus eka late vuNa nisaa api coffee shop ekakata gihiQQ	ඔයා දැනනවද අද town එක හරි busy කියලා? traffic නිසා හරි අමාරු වුණා. bus එක late වුණ නිසා අපි coffee shop එකකට ගිහිං ටික වෙලාවක් හිටියා. පස්සේ weather හොඳ නිසා beach එකට
Pos_Fun_0020	Multi-line input	M	adha office yanna baehae.weather eka hari narakayi.eka oyaata kiyanna ona kiyalaa hithuNee.	අද office යන්න බැහැ.weather එක හරි නරකයි.එක ඔයාට කියන්න ඔන කියලා හිතුණේ.

Pos_Fun_0021	Currency & units	S	mee item eka Rs. 2450 venavaa saha 2 kg vagee weight ekak thiyenavaa.	මේ item එක Rs. 2450 වෙනවා සහ 2 kg වගේ weight එකක් තියෙනවා.
Pos_Fun_0022	Slang	M	eLa machQQ adha trip eka supiriyak vuNaa. music, food okkoma patta. api ithiQQ aaye edhdhii enakota hari lassanayi kiyalaa hithuNaa.	එළ මචං අද trip එක සුපිරියක් වුණා. music, food ඔක්කොම පට්ට. අපි ඉතිං ආයෙ එද්දී එනකොට හරි ලස්සනයි කියලා හිතුණා.
Pos_UI_0002	Input text clears and updates output immediately	S	api passee kathaa karamu.	අපි පස්සේ කතා කරමු.

Pos_Fun_0024	Plural pronouns	S	oyaalaa passee api ekka join venna puLuvan.	ඔයාලා පස්සේ අපි එක්ක join වෙන්න පුළුවන්.
Pos_Fun_0025	Long polite request	M	oyaata puLuvannam mee document tika review karalaa adha evening eka mata feedback ekak evanna.	ඔයාට පුළුවන්නම් මේ document ටික review කරලා අද evening එක මට feedback එකක් එවන්න.
Neg_Fun_0001	Random alphabets mapped incorrectly	S		මම ගෙදර යනවා
Neg_Fun_0002	Gibberish word produces valid sentence	S	mm knnd	මම කන්නද

Neg_Fun_0003	Invalid input returns greeting	M	mm htnh oya hodin ati kyl mkd mn iye ra ntk hinayk dakka	මම හිතනවා ඔයා හොදින් ඇති කියලා මොකද ඊයේ රෑ මම නරක හීනයක් දක්කා
Neg_Fun_0004	Random characters interpreted as action	M	!!@@##	ඔහු වැඩ කරනවා
Neg_Fun_0005	Keyboard mash gives command	L	oygi magei athara thibba sambadtvy mama metnin natara krnv mkd oy kiyn ek hitka inn pulivn kenk nme e ns mm mtnn ntr wnvkmti vdyt jvt wnn	ඔයාගෙයි මගෙයි අතර තිබ්බ සම්බන්ධතාවය මම මෙතනින් නතර කරනව මොකද ඔයා කියන්නෙ එක හිතක ඉන්න පුලුන් කෙනෙක් නෙමෙ එ නිසා මම මෙතනින් නතර වෙනවා කැමති විදියකට ජීවත් වෙන්න

Neg_Fun_0006	Gibberish Input Stress Test	S	10.45t aharenn	10.45ta ඇහැරෙන්න
Neg_Fun_0007	Emoji input converted to sentence	S	😂🔥	ඒක හරි හොඳයි
Neg_Fun_0008	iNumbers misinterpreted as sentence	S	123456	අපි හෙට යමු
Neg_Fun_0009	Symbols converted to question	M	<><><>	ඔයාගෙ සැපපුක් කොහොමද දැනගන්න පුලුවන්ද මට

Neg_UI_Fun_0010		M		කරුණාකර නැවත උත්සාහ කරන්න

'**get language** (Sinhala/Tamil) and may **not** correctly handle **chat-style shorthand or informal abbrevi**

Sinhala letters when defining expected outputs.

Actual output	Status	Accuracy justification/ Description of issue type
අපි ගෙදර ඉන්නේ.	Pass	The Singlish input is grammatically correct and uses standard character mappings.
		The Sinhala output preserves the original sentence meaning without distortion.
		Sinhala spelling, word separation, and punctuation are correctly generated.
සුබ දවසක්!	Pass	· Greeting intent is clearly identified and preserved in Sinhala.
		· The exclamation mark is retained correctly.
		· Sinhala greeting is culturally and linguistically accurate.
ඔයා එන්නේ කවද්ද?	Pass	· Question structure is correctly identified.
		· The Sinhala question mark is placed correctly
		· Verb tense and pronouns are accurately converted

ළඟට එන්න	Pass	Imperative form is correctly preserved
		Sinhala command structure is natural and clear.
		Final punctuation is accurately applied.
අපි ගෙදර ඉන්නේ.	Pass	System correctly separates joined Singlish words.
		· Sentence meaning remains unchanged.
		· Sinhala spacing and grammar are correct
		.
අපි ගමට යන්න හදපු එක හරි ලස්සනයි, නමුත් කාලය මදි වුණා.	Pass	·Compound structure is preserved accurately
		· Comma usage is correct in Sinhala.
		· Contrast connector (“නමුත්”) is correctly translated.
		· .
උබට පුලුවන් නම් අපි වෙන දවසක හම්බෙලා කතාකරමුද බන්?	Pass	· Informal Sinhala tone is preserved correctly
		· Question intent remains unchanged
		· Slang is translated into meaningful Sinhala without distortion
		·
මට අද වැඩ කරන්න පුළුවන් කමක් නෑ	Pass	· Negation is clearly identified and preserved
		· Verb phrase is correctly converted.
		· Sinhala sentence flows naturally
		.
කරුණාකරලා මෙතනින් අයින් වෙන්න පුලුවන්ද	Pass	· Politeness marker is correctly translated
		· Request intent remains respectful
		· Sinhala grammar matches polite usage

		.
අඩෝ මචං අද මොකද්ද plan එක?	Pass	· Informal address terms are preserved correctly.
		· Sentence tone remains casual.
		· Sinhala slang is meaningful and readable.
		.
අපි ඉයේ office ගිනිං meeting එක attend කළා.	Pass	· Past tense verbs are accurately converted
		· Event sequence is preserved.
		· English technical terms remain unchanged.
		.
අපි පස්සේ කතා කරමු.	Pass	· Future intent is preserved.
		· Verb phrase is natural in Sinhala.
		· Sentence is concise and correct
		.
උබට පුලුවන් නම් ගිය සතියෙ කරපු නොට් එක මට එවනවද?.	Pass	· Conditional phrasing is preserved.
		· Request remains polite and clear

		· Sinhala nouns are correctly formed
		.
වහාම මෙතනින් ඉදගන්න	Pass	· Urgency word (“වහාම”) is correctly translated.
		· Command tone is preserved.
		· Sinhala spelling is accurate
		.
meeting එක 10.45 AM ට පටන් ගන්නවා.	Pass	· Numeric time format is preserved
		· AM notation remains unchanged.
		· Sinhala particles are correctly applied.
		· N
මට online payment එකක් කරන්න පුලුවන්ද	Pass	Modal request is correctly handled.
		· English technical term is preserved.
		· Sentence remains polite and clear.
		.

ඔයාලට පවතේ තියෙන බාධා හැම එකම අවස්ථාවක් විදියට ගන්න. අසාර්ථක වෙන්න ඕනෙ නෑ කියලා බය වෙන්න එපා. අරමුණු ලක්ෂ්‍ය අරගෙන දිගටම උත්සාහ කරන්න.	Pass	· Long input is processed without truncation
		· Emotional tone is preserved.
		· Sinhala paragraph is grammatically consistent.
		.
ඔයාට කරන්න වැඩක් නැත්නම් මාත් එක්ක යමුද? අහ් හරි යමු.	Pass	· Casual invitation tone is preserved.
		·Question and response are both accurate
		· Sinhala flow remains natural.
		.
ඔයා දන්නවද අද town එක හරි busy කියලා? traffic නිසා හරි අමාරු වුණා. bus එක late වුණ නිසා අපි coffee shop එකකට ගිහිං ටික වෙලාවක් හිටියා. පස්සේ weather	Pass	· Multi-sentence narrative is preserved.
		· Cause–effect relationships remain intact.
		· Mixed English words do not affect meaning.
		.
අද office යන්න බැහැ.weather එක හරි නරකයි.එක ඔයාට කියන්න ඔන කියලා හිතුණේ.	Pass	· Line breaks are handled correctly.
		· Sentence separation is preserved.

		· Meaning remains unchanged.
		.
මේ item එක Rs. 2450 වෙනවා සහ 2 kg වගේ weight එකක් තියෙනවා.	Pass	· Currency format remains unchanged
		· Units of measurement are preserved.
		· Sinhala grammar integrates numeric values correctly.
		.
එළ මචං අද trip එක සුපිරියක් වුණා. music, food ඔක්කොම පට්ට. අපි ඉතිං ආයෙ එද්දී එනකොට හරි ලස්සනයි කියලා හිතුණා.	Pass	·Slang terms are meaningfully converted
		· Informal tone is preserved
		· Sentence flow remains natural.
		.
අපි පස්සේ කතා කරමු.	Pass	· Future tense meaning is accurately preserved in Sinhala.
		· Word separation and Sinhala verb formation are correct.
		· No unwanted English or incorrect characters appear in the output
		.

ඔයාලා පස්සේ අපි එක්ක join වෙන්න පුළුවන්.	Pass	· Plural pronouns are correctly converted.
		· Sentence structure remains clear.
		· Verb agreement is accurate.
		.
ඔයාට පුළුවන්නම් මේ document ටික review කරලා අද evening එක මට feedback එකක් එවන්න.	Pass	·Politeness level is preserved
		· Multi-clause request is accurately converted
		· Sinhala sentence remains professional and clear.
		.
	Fail	· The system does not correctly identify meaningless alphabet sequences
		· Translator produces an unrelated Sinhala sentence
		· Output does not reflect input intent or structure
		· Indicates lack of invalid-input filtering
mm ක්ණ්ණ්ඩ්	Fail	· Gibberish input is incorrectly treated as meaningful text
		· Generated output is contextually unrelated

		· No validation to reject unsupported word patterns
		· Accuracy of intent detection is compromised
mm හ්ට්න්හ් ඔය හොඩින් අටි ක්ය්ල් මික්ඩ් මින් ඉයෙ ර න්ට්ක් හිනය්ක් ඩක්ක	Fail	· System incorrectly assumes conversational intent
		· Output greeting is not derived from input
		· Invalid text is not flagged or ignored
		· Sentence reconstruction logic is inaccurate
!!@@##	Fail	· Special characters are misinterpreted as actions
		· Output sentence lacks logical source
		· Input sanitization is insufficient
		· System fails to reject unsupported symbols
ඔය්ගි මගේ අතර තිබ්බ සම්බඩ්ට්ව්ය් මම මෙට්නින් නටර ක්‍රන්ව් මික්ඩ් ඔය් කිය්න් එක් හිට්ක inn පුලිව්න් කෙන්ක් න්මෙ එ න්ස් mm මිට්න්න් න්ට්‍ර wන්ව්ක්මිට් ව්ඩ්ය්ට් ජ්ව්ට් wන්න්	Fail	· Long meaningless input is incorrectly normalized
		· Output falsely represents a valid emotional statement
		· No confidence scoring or uncertainty handling
		· Over-correction leads to misleading translation

10.45t අහරෙන්න්	Fail	· Mixed numeric and text input is partially misread
		· Command intent is guessed rather than validated
		· Output formatting inconsistencies observed
		· Stress input handling is unreliable
😂🔥	Fail	· Emojis are wrongly interpreted as positive sentiment
		· No defined emoji-to-text mapping exists
		· Output sentence is assumed, not translated
		· Semantic accuracy is not preserved
123456	Fail	· Numeric-only input is treated as intent
		· Output sentence is unrelated to data
		· Missing numeric validation rules
		· Incorrect assumption of user plan or action
◇◇◇	Fail	· Symbol-only input incorrectly generates a question
		· No logical mapping exists between input and output

		· Question intent is artificially created
		· Input validation rules are incomplete
	Fail	· The UI does not prevent submission of blank or whitespace-only input
		· No proper validation message is displayed to guide the user
		· The system incorrectly treats empty input as valid data
		· User feedback behavior does not align with expected usability standards

iations (e.g., “Thx”, “u”, “gr8”)

What is covered by the test
· Basic Singlish → Sinhala transliteration
· Simple present tense sentence
· Short input length (S ≤ 30 characters)
· Accuracy validation
Greeting detection
· Punctuation handling
· Short sentence processing
· Natural language correctness
· Interrogative sentence handling
· Question punctuation
· Pronoun conversion

· Short conversational input
· Command/imperative sentence conversion
Action verbs
· Short instruction text
· Syntax correctness
· Word segmentation handling
· Informal Singlish patterns
· Sentence normalization
Accuracy validation
Compound sentence handling
Punctuation preservation
Informal conversational language
Question sentence structure
Colloquial usage
Real-world spoken language patterns
Negative sentence handling
Modal verb conversion
Sentence polarity detection
Functional accuracy
Polite request handling
Courtesy expressions
Imperative-softening patterns

Conversational accuracy
Informal/slang language
Casual question detection
Mixed Sinhala–English usage
Youth conversational style
Past tense handling
Mixed-language content
Event narration
Temporal accuracy
Future/suggestion expressions
Simple conversational planning
Short sentence handling
Accuracy validation
Conditional requests
Informal polite language

Past-time references
Conversational realism
Urgent commands
Action instructions
Short imperative sentences
Command semantics
Time expressions
Numeric + text mix
Formatting preservation
Real-world scheduling text
Online/payment terminology
Question handling
Mixed-language usage
Functional accuracy

Long input handling (L)
Paragraph-level conversion
Emotional language accuracy
Robustness validation
Conversational flow
Informal invitations
Question + response pattern
Spoken language realism
Story-style input
Multi-sentence handling
Context preservation
Medium–long input robustness
Multi-line text handling
Formatting robustness

Sentence boundary detection
UI consistency
Numeric data handling
Currency symbols
Measurement units
Practical transactional text
Colloquial Sinhala
Informal storytelling
Youth slang patterns
Robust conversational handling
Functional transliteration correctness
Future tense sentence handling
Verb conjugation accuracy
S (≤30 characters)

Plural pronoun handling
Group references
Sentence agreement
Conversational accuracy
Formal polite requests
Long sentence handling
Professional communication
Real-world work scenarios
This test does not cover validation of partially meaningful Singlish words
This test does not cover system behavior for mixed alphabet + number input
This test does not cover UI error message display for empty input
This test does not cover language detection fallback mechanisms
This test does not cover spelling correction logic for near-valid Singlish words
This test does not cover grammatical accuracy of interrogative sentences

This test does not cover confidence scoring or ambiguity handling
This test does not cover semantic intent validation before translation
This test does not cover correctness of tense conversion
This test does not cover punctuation normalization behavior
This test does not cover multilingual sentence boundary detection
This test does not cover handling of excessive whitespace inside text
This test does not cover symbol filtering or sanitization logic
This test does not cover system response for mixed symbols and letters
This test does not cover security validation for special characters
This test does not cover UI warning or error prompts for invalid symbols
This test does not cover accuracy of long-form sentence segmentation
This test does not cover emotional tone or sentiment preservation
This test does not cover spelling normalization consistency
This test does not cover performance under very long text inputs

This test does not cover numeric + text formatting rules
This test does not cover time format validation logic
This test does not cover error handling for malformed time expressions
This test does not cover real-time incremental translation accuracy
This test does not cover emoji-to-emotion mapping accuracy
This test does not cover mixed emoji and text interpretation
This test does not cover Unicode normalization handling
This test does not cover accessibility or screen-reader behavior
This test does not cover numeric-only input rejection logic
This test does not cover number-to-word conversion rules
This test does not cover date and quantity recognition features
This test does not cover input intent classification mechanisms
• This test does not cover question detection accuracy
This test does not cover symbol-to-meaning mapping validation

This test does not cover multilingual punctuation handling
This test does not cover profanity or harmful symbol filtering
This test does not coverHandling of mixed whitespace and special characters
This test does not coverLocalization of UI validation messages across languages
This test does not coverAccessibility feedback (screen reader / ARIA alerts) for invalid input
This test does not coverPerformance behavior for repeated invalid submissions