

EXP NO: 6

DATE:

SERVLET-SESSION TRACKING USING HTTPSESSION

AIM:

To write a servlet that demonstrates session tracking using HttpSession and to implement a simple login form where the user's session is tracked.

PROGRAM:-

session.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Insert title here</title>
</head>
<body>
<form action="/Janani_V_R_65/HttpSessionHandle" method="Post">
<label for="uname">Username:</label>
<input type="text" id="uname" name="uname" placeholder="Enter username"/><br><br>
<label for="password">Password:</label>
<input type="password" id="password" name="password" placeholder="Enter password"/><br><br>
<button type="submit" value="SUBMIT" ></button>
</form>
</body>
</html>
```

HttpSessionHandle.java

```
package com.janani.servlet;
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
@WebServlet("/HttpSessionHandle")
public class HttpSessionHandle extends HttpServlet {
    private static final long serialVersionUID = 1L;
    public HttpSessionHandle() {
        super();
        // TODO Auto-generated constructor stub
    }
    protected void doGet(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        response.getWriter().append("Served at: ").append(request.getContextPath());
    }
    @SuppressWarnings("deprecation")
    protected void doPost(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
```

```

        String uname="Jananirajan";
        String password="Janani23@1";
        PrintWriter p=response.getWriter();
        String user=request.getParameter("uname");
        String pass=request.getParameter("password");
        if(user.equals(uname) && pass.equals(password))
        {
            HttpSession session=request.getSession(true);
            session.putValue("uname", user);

            response.sendRedirect(request.getContextPath()+"/HttpSessionHandleDisplay")
;
        }
        else
        {
            p.println("fail");
        }
    }
}


```

HttpSessionHandleDisplay.java

```

package com.janani.servlet;
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
@WebServlet("/HttpSessionHandleDisplay")
public class HttpSessionHandleDisplay extends HttpServlet {
    private static final long serialVersionUID = 1L;
    public HttpSessionHandleDisplay() {
        super();
        // TODO Auto-generated constructor stub
    }
    protected void doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
        PrintWriter p=response.getWriter();
        HttpSession session=request.getSession(true);
        @SuppressWarnings("deprecation")
        String user_name=(String)session.getValue("uname");
        p.println("Username Is:"+user_name);
    }
    protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        doGet(request, response);
    }
}

```




```
1 package com.janani.servlet;
2
3 import java.io.IOException;
4 import java.io.PrintWriter;
5
6 import javax.servlet.ServletException;
7 import javax.servlet.annotation.WebServlet;
8 import javax.servlet.http.HttpServlet;
9 import javax.servlet.http.HttpServletRequest;
10 import javax.servlet.http.HttpServletResponse;
11 import javax.servlet.http.HttpSession;
12
13 /**
14  * Servlet implementation class HttpSessionHandleDisplay
15  */
16 @WebServlet("/HttpSessionHandleDisplay")
17 public class HttpSessionHandleDisplay extends HttpServlet {
18     private static final long serialVersionUID = 1L;
19
20     /**
21      * @see HttpServlet#HttpServlet()
22      */
23     public HttpSessionHandleDisplay() {
24         super();
25         // TODO Auto-generated constructor stub
26     }
27
28     /**
29      * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse response)
30      */
31     protected void doGet(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
32         PrintWriter p = response.getWriter();
```

OUTPUT:

Form For HTTP Session

USERNAME:

PASSWORD:



RESULT:

Thus the servlet that demonstrates session tracking using HttpSession implemented successfully.