

Water Management Solutions
CEE

Klargester BioTec® Flo

Off-grid biological
wastewater
treatment plant



biopuhastid.com


Kingspan®

Over 60 years of manufacturing experience

Wastewater

treatment experts

For decades, Kingspan has been assisting in wastewater treatment and helping choose the right system for your property. The brand offers safe products, which are fully compliant with all effective environmental standards. Kingspan has been providing top quality wastewater and water treatment devices for over 60 years.

We respond to your needs

We divide the investment process into four stages

Stage 1



During the interview, our Consultant will provide you with the initial technical and commercial information and arrange a free-of-charge visit of your regional Installation Technician.

Stage 2



After assessing the local conditions and your expectations, the Installation Technician prepares a detailed selection and comprehensive installation quote.

Stage 3



When the offer is accepted and the notification documents are prepared, the Installation Technician installs and starts the treatment plant and trains the user.

Stage 4



When the installation process is complete, we will remain at your disposal in scope of both warranty and post-warranty notifications.

0%
electricity
consumption

BioTec® Flo

BioTec® Flo The compact BioTec® Flo biological treatment plant treats wastewater in two stages without electricity. Following settlement of the solid fractions, trapping of grease, and preliminary filtration, the pretreated liquid flows through two filtration beds. The first is composed of a synthetic bed composed of layers of plastic, the second is composed of mineral particles.



Tested in a notified PIA laboratory
in Aachen, Germany


- Full compliance with standard EN:12566-3+A2:2013, CE certificate,
- Extremely strong polyethylene tank,
- No electrical or mechanical elements,
- Two maintenance-free and long-lasting filtration agents,
- Adjustable inlet depth: 510-1000 mm,
- Optional embedded pumping station (R models).
- Solution approved for seasonal residences,
- Low environmental impact.



Our solutions are covered with a warranty and post-warranty servicing. We provide the required assistance in scope of use, servicing, and maintenance in order to ensure that your BioTec® Flo system will work for years to come.

BioTec® Flo

How it works



BioTec® Flo is a fully biological treatment plant, which does not require electricity or aeration. This is the perfect solution for properties without a sewerage system connection, both permanent and seasonal residences.

The treatment covers two stages:

1. Pretreatment: the heavier and lighter fractions settle in the primary settler where the temperature and composition of the wastewater are standardised
2. Biological treatment: the liquid flows gravitationally to the second chamber, where it passes through two filtration beds. The oxygen on the surface allows for development of aerobic bacteria, which additionally treat the biological wastewater.

The BioTec® Flo comes in two versions:

- Model G: gravity drainage (model G)
- Model R: pressure drainage (model R)

Model	Approval no.
BioTec®Flo 6 G	2023-001-mod01
BioTec®Flo 6	2023 - 0 01
R BioTec®Flo	2023-001-mod01-ext01
8 G	2023-001-ext01
BioTec®Flo 8	
R	

Technical specification

Model	Tank material	Population equivalent (PE)	Daily power consumption	Primary settler volume	Length	Width	Height				Inlet depth		Outlet depth		Approximate weight (kg)		
							min.	max.	min.	max.	min.	max.					
			kWh				Litres	mm	mm	mm	mm	mm	Total	Primary settler	Biofilter		
BioTec®Flo 6 G	PE	up to 6	0	2874	2450	2050	2015	2505	510	1000	1870	2360	818	185	560		
BioTec®Flo 6 R	PE		0,06								240	730	833	185	570		
BioTec®Flo 8 G	PE	up to 8	0	3831	2600	2450					1870	2360	1020	235	690		
BioTec®Flo 8 R	PE		0,08								240	730	1035	235	700		

The BioTec® Flo is delivered with inlet 1050 mm deep. The attachment can be cut to size down to 510 mm.

Off-grid wastewater treatment

The BioTec® Flo treatment plant is an alternative for biological wastewater treatment plants based on other technologies. It does not require electricity or mechanical aeration and there are no mechanical elements inside the device.

Our offer also includes:

- BioDisc®, BioFicient®, BioAir®, BioTec® biological treatment plants,
- RainStore and SewageStore wastewater and water storage tanks,
- servicing packages.

*Optional anchoring rods

Contact

Kingspan BIOPUHASTID

Info@kingspaneesti.com

