What is C like?

Hello World

```
// C Hello World program
#include <stdio.h>

int main()
{
    printf("Hello World!");
    return 0;
}
```

printf()

Variables

- bool
- char
- double
- float
- int
- long
- string

Prompt user for values

- int
- char
- scanf()
- print()

```
int main()
{
    int num;
    char name[50];

    // taking input using scanf
    scanf("Enter No.: %d", &num);
    scanf("Enter Name: %s", name);

    // printing output using printf
    printf("Name is %s and Number is %d", name, num);
    return 0;
}
```

What does this mean?

int i = 5 < 25 ? 10 : 20;

What does this mean?

```
int i = 5 < 25 ? 10 : 20;
```

```
(condition) ? (true-exp) : (false-exp);
```

What does this mean?

```
int i = 5 < 25 ? 10 : 20;
```

```
(condition) ? (true-exp) : (false-exp);
```

If else

if (condition) {action}

else if (condition) {action}

```
int i = 5 < 25 ? 10 : 20;
if (i == 10) {
    printf("i is 10");
else if (i == 15) {
    printf("i is 15");
else if (i == 20){
    printf("i is 20");
else
    printf("i is not present");
```

If else

Switch(variable)

Case (if variable is 1)

```
int main() {
    int var = 2;
    // switch case without break
    switch (var) {
    case 1:
        printf("Case 1 is executed.\n");
   case 2:
        printf("Case 2 is executed.\n");
    case 3:
        printf("Case 3 is executed.\n");
   case 4:
        printf("Case 4 is executed.");
    return 0;
```

Lookie at the code