University of Makati College of Computing and Information Sciences Diploma in Application Development

LIGHTHOUSE CAFE WEBSITE APPLICATIONS

A documentation in final submission of requirements for the course Website Applications Development

SUBMITTED TO:

Prof. Emily F. Sicat

SUBMITTED BY:

Muñoz, Jane Victoria L.
Cabrera, France Eidrian B.
Jara, Lorinda
Urdas, Diether C.
Saromo, Andrei Luis S.

II - A APDEV **June 9, 2024**

1. About Us.php

```
<!DOCTYPE html>
<html lang="en">
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
 <title>LightHouse Cafe</title>
 <link rel="stylesheet" href="Feedback.css">
 <script src="https://kit.fontawesome.com/ec1a397272.js"</pre>
crossorigin="anonymous"></script>
     <div class="row1">
       <a href="Landingpage.php"><img
src="Image/lighthouselogo.png" alt="Coffeshop" class="logo"></a>
       <a href="Landingpage.php">Home</a>
         <a href="Menu.php">Menu</a>
         <a href="About Us.php">About Cafe</a>
         <a href="Contact Us.php">Contact Us</a>
         <a href="Signup-Login.php">Login/Signup</a>
         <a href="Feedback Form.php">Reviews</a>
     <div class="about-us-container">
     <div class="about-us-text">
```

2. admindashboard.php

```
<?php
session_start();

// Check if the user is logged in and is an admin
if (!isset($_SESSION['email']) || ($_SESSION['email'] !=
   'dietherlighthouse@admin.com' && $_SESSION['email'] !=
   'janelighthouse@admin.com')) {
        // Redirect to login page if not an admin
        header("Location: Signup-Login.php");
        exit();
}

$servername = "localhost";
$username = "root";
$password = "";
$dbname = "db_lighthouse";

// Create connection</pre>
```

```
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect error) {
if ($ SERVER["REQUEST METHOD"] == "POST" &&
isset($ POST['update status'])) {
    $product id = $ POST['product id'];
    $status = $ POST['status'];
    $sql = "UPDATE products SET status = ? WHERE product id = ?";
    $stmt = $conn->prepare($sql);
    $stmt->bind param("si", $status, $product id);
    $stmt->execute();
    $stmt->close();
$sql = "SELECT * FROM products";
$result = $conn->query($sql);
$products = [];
if ($result->num rows > 0) {
        $products[] = $row;
$conn->close();
<!DOCTYPE html>
   <meta charset="utf-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
initial-scale=1">
    <title>Shriram | DashBoard</title>
    <link rel="shortcut icon" href="favicon.ico">
```

```
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/
    <link rel="apple-touch-icon" href="apple-touch-icon.png">
    <link rel="apple-touch-icon" sizes="72x72"</pre>
href="apple-touch-icon-72x72.png" />
    <link rel="apple-touch-icon" sizes="114x114"</pre>
href="apple-touch-icon-114x114.png" />
    <link rel="icon" type="images/svg+xml" href="images/logo.svg" />
href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,600,
700,800" rel="stylesheet">
href="https://fonts.googleapis.com/css?family=Montserrat:300,400,500
,600,700,800" rel="stylesheet">
    <link href="css/custom-admin.css" rel="stylesheet">
    <link href="css/font-awesome-admin.css" rel="stylesheet">
    <link href="css/bootstrap-admin.css" rel="stylesheet">
    <link href="css/export-chart-admin.css" rel="stylesheet">
    <link href="css/custom-admin.css" rel="stylesheet">
Clink rel="stylesheet" href="Admindashboard.css">
Sbody class="blur-theme data-container-body">
            <div class="navbar navbar-default">
                <div class="container-fluid">
                    <div class="clearfix">
                        <div class="navbar-left">
                <div class="menu-search-block">
```

```
<h3>ADMIN DASHBOARD</h3>
            <div class="container-dashboard">
               <div class="container-dashboard-inner">
                      Product Name
                               Product Price
class="text-center">Status
class="text-center">Edit
                            <?php foreach ($products as</pre>
$product) { ?>
₹<?=
number format($product['product price'], 2) ?>
class="text-center"><?= ucfirst($product['status']) ?>
                                   <form method="post"</pre>
action="">
type="hidden" name="product id" value="<?= $product['product id']
name="status">
```

```
value="available" <?= $product['status'] == 'available' ? 'selected'
: '' ?>>Available</option>
value="unavailable" <?= $product['status'] == 'unavailable' ?</pre>
type="submit" name="update status" class="btn
btn-primary">Update</button>
                            <form method="post"
action="update menu.php">
                                <button type="submit" class="btn</pre>
btn-primary">Update Menu</button>
```

3. ATC.php

```
<?php
session_start();

$_SESSION['selectedItems'] = $_SESSION['selectedItems'] ?? array();

$servername = "localhost";
$username = "root";
$password = "";</pre>
```

```
$dbname = "db lighthouse";
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect error) {
if (isset($ POST['add to cart'])) {
    if (isset($ SESSION['cart'])) {
        if (!in array($ GET['id'], $session array id)) {
            array push($ SESSION['selectedItems'], $ GET['id']);
            $session array = array(
                'id' => $ GET['id'],
            $ SESSION['cart'][] = $session array;
        $session array = array(
            'id' => $ GET['id'],
            "name" => $ POST['name'],
            "price" => $ POST['price'],
            "quantity" => $ POST['quantity'] ?? 1
        );
        $ SESSION['cart'][] = $session array;
        $ SESSION['selectedItems'][] = $ GET['id'];
if (isset($ POST['update cart'])) {
        if ($item['id'] == $ POST['id']) {
```

```
if (isset($_GET['action'])) {
$selectedId) {
                    if ($selectedId == $ GET['id']) {
                        unset($ SESSION['selectedItems'][$index]);
                unset($ SESSION['cart'][$key]);
        $ SESSION['cart'] = array values($ SESSION['cart']);
        unset($ SESSION['cart']);
        $ SESSION['selectedItems'] = array();
    if ($ GET['action'] == 'checkout') {
        header("Location: ordesr.php");
        exit();
$conn->close();
<html lang="en">
    <meta charset="UTF-8">
```

```
initial-scale=1.0">
    <title>Cart</title>
    <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstra
        function updatePrice(id, price) {
            const quantity = document.getElementById('quantity-' +
id).value;
            const totalElement = document.getElementById('total-' +
id);
            const newTotal = (price * quantity).toFixed(2);
            totalElement.innerText = 'P' + newTotal;
            let cartTotal = 0;
            const itemTotals =
document.querySelectorAll('[id^="total-"]');
            itemTotals.forEach(itemTotal => {
                cartTotal +=
parseFloat(itemTotal.innerText.replace('P', ''));
            });
            document.getElementById('cart-total').innerText = 'P' +
cartTotal.toFixed(2);
            const formData = new FormData();
            formData.append('id', id);
            formData.append('quantity', quantity);
            formData.append('update cart', true);
                method: 'POST',
                body: formData
            });
        function proceedToCheckout() {
```

```
<?php if (isset($ SESSION['user id'])): ?>
              window.location.href = "ordesr.php";
              if (confirm("You need to log in or sign up for an
login/signup page?")) {
                 window.location.href = "signup-login.php";
   <div class="container-fluid">
       <div class="col-md-12">
          <div class="row">
              <div class="col-md-5">
                 <h2 class="text-center my-4">Item Selected</h2>
                        ID
                        Item Name
                        Item Price
                        Item Quantity
                        Item Total
                        Action
                     $total = 0;
                     if (!empty($ SESSION['cart'])) {
$value) {
                               {td>{$value['id']}
                                {$value['name']}
```

```
data-price='{$value['price']}'> $\frac{1}{\$value['price']}
name='quantity' value='{$value['quantity']}' min='1'
onchange='updatePrice({$value['id']}, {$value['price']})'>

href='Atc.php?action=remove&id={$value['id']}'>
btn-danger btn-block btn-custom'>Remove</button>
                             $total += $value['quantity'] *
$value['price'];
                             ₱" .
number_format($total, 2) . "</rr>
href='Atc.php?action=clearall'>
btn-danger btn-block btn-custom'>Clear Cart</button>
                                </a>
                         echo "
```

```
<div class="container-fluid">
        <div class="col-md-12">
            <div class="row">
                <div class="col-md-7">
                    <?php if (!empty($ SESSION['cart'])): ?>
                        <button class="btn btn-success btn-block</pre>
btn-custom" onclick="proceedToCheckout()">Proceed to
Checkout</button>
                <div class="col-md-12">
                    <div class="row">
                        <div class="col-md-7">
btn-success btn-block btn-custom"><?php echo
empty($ SESSION['cart']) ? 'Continue Browsing' : 'Go to Menu';
?></a>
```

4. blabla.php

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
   <title>User Authentication</title>
   <link rel="stylesheet" href="BB.css">
   <script src="https://kit.fontawesome.com/ec1a397272.js"</pre>
crossorigin="anonymous"></script>
integrity="sha256-hVVnYaiADRTO2PzUGmuLJr8BLUSjGIZsDYGmIJLv2b8="
crossorigin="anonymous"></script>
   <script src="Signup-Login.js"></script>
           <div class="row1">
              <a href="Landingpage.php"><img</pre>
src="Image/lighthouselogo.png" alt="Coffeshop" class="logo"></a>
              <a href="Landingpage.php">Home</a>
                  <a href="Menu.php">Menu</a>
                  <a href="About Us.php">About Cafe</a>
                  <a href="Contact Us.php">Contact Us</a>
href="Signup-Login.php">Login/Signup</a>
                  <a href="Feedback Form.php">Reviews</a>
           <div class="nav-right">
              <a href="ATC.php" class="cart-icon">
       <div class="veen">
           <div class="login-btn splits">
              Already a user?
              <button class="active">Login/button><br><br>
```

```
onclick="window.location.href='Landingpage.php'">Home</button>
               Don't have an account?
               <button>Register<br><br>
onclick="window.location.href='Landingpage.php'">Home</button>
           <div class="wrapper">
               <form id="login" method="POST" action="login.php"</pre>
tabindex="500">
                   < h3 > Login < /h3 >
                   <div class="mail">
                       <input type="text"</pre>
name="login email username" required>
                       <label>Mail or Username
                       <input type="password" name="login password"</pre>
required>
                       <label>Password</label>
                   <div class="submit">
                       <button class="dark"</pre>
type="submit">Login</button>
                       if (isset($ GET['error'])) {
                           echo '' .
htmlspecialchars($ GET['error']) . '';
action="register.php" tabindex="502">
                   <h3>Register</h3>
                   <div class="name">
```

```
<input type="text" name="fullname" required>
                       <label>Full Name</label>
                   <div class="mail">
                        <input type="email" name="email" required>
                        <label>Email</label>
                        <input type="text" name="username" required>
                        <label>Username
                   <div class="passwd">
                       <input type="password" name="password"</pre>
required>
                       <label>Password</label>
                    <div class="address">
                        <input type="text" name="address" required>
                       <label>Address
                        <input type="text" name="phone_number"</pre>
required>
                       <label>Phone Number
                    <div class="submit">
                       <button class="dark"</pre>
type="submit">Register</button>
       <style type="text/css">
                padding: 5px 15px;
                position: fixed;
                z-index: 99999;
               background: #fff;
```

5. cart.php

```
<?php
session_start();

function get_item_price($item) {
    // Replace this with your actual logic to fetch the price from
the database
    $prices = [
        "item1" => 10.00,
        "item2" => 15.00,
        "item3" => 20.00,
        // Add more items and their prices as needed
];

return isset($prices[$item]) ? $prices[$item] : 0;
}

// Initialize the cart if not already done
if (!isset($_SESSION['cart'])) {
        $_SESSION['cart'] = [];
}
```

```
if ($ SERVER['REQUEST METHOD'] == 'POST') {
   if (isset($ POST['add item'])) {
        $item = htmlspecialchars($ POST['item']);
        $price = get item price($item);
        $found = false;
            if ($cart item['item'] == $item) {
                $cart item['quantity'] += 1;
                $found = true;
           $id = uniqid();
'price' => $price, 'quantity' => 1];
        $id = $ POST['id'];
        foreach ($ SESSION['cart'] as &$cart item) {
            if ($cart item['id'] == $id) {
                if ($action == 'increase') {
                    $cart item['quantity'] += 1;
                } elseif ($action == 'decrease' &&
$cart item['quantity'] > 1) {
```

```
if (isset($_GET['remove'])) {
    foreach ($_SESSION['cart'] as $key => $cart_item) {
            unset($ SESSION['cart'][$key]);
$totalCost = 0;
foreach ($ SESSION['cart'] as $cart item) {
<html lang="en">
   <meta charset="UTF-8">
initial-scale=1.0">
    <title>Shopping Cart</title>
    <link rel="stylesheet" href="cart.css">
        function updateQuantity(id, action) {
            const formData = new FormData();
            formData.append('id', id);
            formData.append('update quantity', action);
                method: 'POST',
                body: formData
            .then(response => response.text())
                document.open();
```

```
document.write(data);
              document.close();
   <h1>Shopping Cart</h1><br>
   <?php if (!empty($ SESSION['cart'])): ?>
              ID
              Item
              Price
              Quantity
              Total
              Action
           <?php foreach ($ SESSION['cart'] as $cart item):</pre>
              $itemTotal = $cart item['price'] *
$cart item['quantity'];
              <?php echo htmlspecialchars($cart item['id']);
              <?php echo htmlspecialchars($cart item['item']);
              <?php echo number format($cart item['price'],
2); ?>
                  <button onclick="updateQuantity('<?php echo</pre>
htmlspecialchars($cart item['id']); ?>', 'decrease')">-</button>
                  <?php echo $cart item['quantity']; ?>
                  <button onclick="updateQuantity('<?php echo</pre>
htmlspecialchars($cart_item['id']); ?>', 'increase')">+</button>
```

6. Contact Us.php

```
<div class="row1">
               <a href="Landingpage.php"><img</pre>
src="Image/lighthouselogo.png" alt="Coffeshop" class="logo"></a>
               <a href="Landingpage.php">Home</a>
                  <a href="Menu.php">Menu</a>
                  <a href="About Us.php">About Cafe</a>
                  <a href="Contact Us.php">Contact Us</a>
href="Signup-Login.php">Login/Signup</a>
                  <a href="Feedback Form.php">Reviews</a>
           <div class="nav-right">
               <a href="ATC.php" class="cart-icon">
       <div class="container">
       <div class="contact-form">
           <h1 class="contact-head">CONTACT US</h1>
           Please use the form below to
send us a message and we will reply within one business day. <br>
               You can also drop us an email anytime or feel free
to give us a call. We'd love to hear from you!
           <form action="contact form.php" method="post">
               <input type="text" sid="name" name="name"</pre>
placeholder="Your Name"><br><br>
               <input type="email" id="email" name="email"</pre>
placeholder="Your Email"><br><br>
placeholder="Your Message or Comments"></textarea><br><br>
               <input type="submit" value="SEND" formaction="#">
               <input type="submit" value="HOME"</pre>
formaction="Landingpage.php">
```

```
<div class="location-info">
           <h1 class="located-head">WE ARE LOCATED AT</h1>
           <div class="info-rows">
               <div class="address">
                   <div class="info-item">
alt="Address" width="70" height="70">
                           <h2 class="address-head">Our
address:</h2>
                           Ground floor, Lighthouse Bible
Baptist Church, 89 ROTC Hunters St., <br>
                               Barangay Tatalon, Quezon City,
Philippines
               <div class="contact-details">
                   <div class="info-item">
width="70" height="70">
                           0995 925 1083
                   <div class="info-item">
                       <img src="Image/mail.png" alt="Email"</pre>
width="70" height="70">
                           <h2 class="email-head">Email:</h2>
                           lighthousecafe@gmail.com
```

7. employeedashboard.php

```
session start();
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "db lighthouse";
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect error) {
if ($ SERVER["REQUEST METHOD"] == "POST" &&
isset($ POST['update status'])) {
    $order id = $ POST['order id'];
    $status = $ POST['status'];
    $sql = "UPDATE orderlist SET status = ? WHERE order id = ?";
    $stmt = $conn->prepare($sql);
    $stmt->bind param("si", $status, $order id);
    $stmt->execute();
    $stmt->close();
```

```
if ($ SERVER["REQUEST METHOD"] == "POST" &&
isset($ POST['delete order'])) {
    $sql = "DELETE FROM orderlist WHERE order id = ?";
    $stmt = $conn->prepare($sql);
    $stmt->bind param("i", $order id);
    $stmt->execute();
    $stmt->close();
$sql = "SELECT * FROM orderlist";
$result = $conn->query($sql);
$orders = [];
if ($result->num rows > 0) {
        $orders[] = $row;
$conn->close();
<html lang="en">
   <meta charset="UTF-8">
    <title>Employee DashBoard</title>
   <link rel="stylesheet" href="employeedashboard.css">
```

```
<div class="container-fluid">
                    <div class="clearfix">
                        <div class="navbar-left">
                <div class="menu-search-block">
                    <div class="clearfix">
                            <h3>EMPLOYEE'S DASHBOARD</h3>
                <div class="container-dashboard">
                        <div class="">
                            <form class="form-inline">
                                <div class="clearfix">
                                     <div class="pull-left">
                                         <div class="form-group">
                                             <label for="three">
                                                 Customer Name
                                             <input type="text"</pre>
class="form-control" placeholder="Name" id="three">
search-box" aria-hidden="true"></i></i>
```

```
href="employeedashboard.php" class="btn btn-primary"> <i class="fa
fa-check-circle fa-fw" aria-hidden="true"></i> Refresh</a>
                           <a href="logout.php"
class="btn btn-primary"> <i class="fa fa-check-circle fa-fw"</pre>
aria-hidden="true"></i>Logout</a>
                 <div class="table-responsive">
                    Order ID
                           Customer ID
                           Product ID
                           Product Name
                           Quantity
                           Product Price
                           Edit
                           Delete
                         <?php foreach ($orders as</pre>
$order) { ?>
```

```
₱<?=
method="post" action="">
type="hidden" name="order id" value="<?= $order['order id'] ?>">
name="status">
value="pending" <?= $order['status'] == 'pending' ? 'selected' : ''
?>>Pending</option>
value="done" <?= $order['status'] == 'done' ? 'selected' : ''</pre>
?>>Done</option>
type="submit" name="update status" class="btn
btn-primary">Update</button>
method="post" action="">
type="hidden" name="order id" value="<?= $order['order id'] ?>">
type="submit" name="delete order" class="btn
btn-danger">Delete</button>
```

8. Feedback Form.php

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
initial-scale=1.0">
   <link rel="stylesheet" href="FeedbackForm.css">
   <title>Feedback Form</title>
     <div class="row1">
       <a href="Landingpage.php"><img</pre>
src="Image/lighthouselogo.png" alt="Coffeshop" class="logo"></a>
       <a href="Landingpage.php">Home</a>
        <a href="Menu.php">Menu</a>
        <a href="About Us.php">About Cafe</a>
        <a href="Signup-Login.php">Login/Signup</a>
       <a href="ATC.php" class="cart-icon">
   <div class="hero-text-box">
```

```
<h1 class="businessgrow">Where Good Talks Happen</h1>
ini set('display errors', 1);
error reporting(E ALL & ~E NOTICE);
if ($ SERVER["REQUEST METHOD"] == "POST") {
    $servername = "localhost";
    $username = "root";
    $password = "";
    $dbname = "db lighthouse";
    $con = new mysqli($servername, $username, $password, $dbname);
    $name = $ POST['name'];
    $email = $ POST['email'];
    $pageRating = isset($ POST['page rating']) ?
$ POST['page rating'] : null;
    $devices = isset($ POST['devices']) ? implode(", ",
$ POST['devices']) : '';
    $otherDevice = isset($ POST['otherDevice']) ?
$ POST['otherDevice'] : '';
    $comment = $ POST['comment'];
    if (!empty($otherDevice)) {
    $sql = "INSERT INTO feedback (name, email, page rating, devices,
    $stmt = $con->prepare($sql);
```

```
$stmt->bind param("ssiss", $name, $email, $pageRating, $devices,
$comment);
    if ($stmt->execute()) {
       echo "Error: " . $sql . "<br>" .
$con->error . "";
   $stmt->close();
    $con->close();
<div id="feedback-container">
 <div id="feedback-title">Tell us what you think!</div>
 <form method="POST" action="">
    <label for="name">Name:
    <input type="text" name="name" placeholder="FIRST NAME, LAST</pre>
NAME, M.I"><br>
    <label for="email">Email:</label>
    <input type="email" name="email" placeholder="EMAIL"><br>
   <label for="rbPgRating"><div class="feedbackLabel">How would you
rate our site?</div></label>
     <fieldset class="selections">
     <label>Needs Work</label>
     <input type="radio" name="page rating" value="0">
     <input type="radio" name="page rating" value="1">
      <input type="radio" name="page_rating" value="2">
     <input type="radio" name="page rating" value="3">
      <input type="radio" name="page_rating" value="4">
     <input type="radio" name="page rating" value="5">
      <input type="radio" name="page_rating" value="6">
     <input type="radio" name="page rating" value="7">
      <input type="radio" name="page_rating" value="9">
      <input type="radio" name="page_rating" value="10">
      <label>Great</label>
```

```
<label for="rbPgRating"><div class="feedbackLabel">What devices
do you use to access our site?</div></label>
   <fieldset class="selections">
     <span class="deviceList">
       <input type="checkbox" class="userDevice" id="Tablet"</pre>
name="devices[]" value="Tablet"><label for="Tablet">Tablet</label>
       <input type="checkbox" class="userDevice" id="SmartPhone"</pre>
Phone</label>
     <span class="deviceList">
       <input type="checkbox" class="userDevice" id="Desktop"</pre>
name="devices[]" value="Desktop"><label</pre>
for="Desktop">Desktop</label>
     <span class="deviceList">
       <input type="checkbox" class="userDevice" id="Other"</pre>
name="devices[]"    value="Other"><label for="Other"><input type="text"
class="userDevice" name="otherDevice" placeholder="Other Device"
maxlength="25"></label>
     <div class="feedbackLabel">Additional Comments:</div>
name="comment" rows="5" maxlength="700" placeholder="What is your
   <input type="submit" class="btnSubmit" id="btnSubmit">
```

```
<html lang="en">
 <meta charset="UTF-8">
 <title>Landing Page</title>
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.
min.css">
 <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/owl-carousel/1.3.3/owl.
 <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/owl-carousel/1.3.3/owl.
theme.min.css">
crossorigin="anonymous"></script>
     <div class="row1">
       <a href="Landingpage.php"><img
src="Image/lighthouselogo.png" alt="Coffeshop" class="logo"></a>
       <a href="Landingpage.php">Home</a>
         <a href="Menu.php">Menu</a>
         <a href="About Us.php">About Cafe</a>
         <a href="Contact Us.php">Contact Us</a>
         <a href="Signup-Login.php">Login/Signup</a>
         <a href="Feedback Form.php">Reviews</a>
     <div class="nav-right">
```

```
<div class="hero-text-box">
     <h1 class="businessgrow">Where Good Talks Happen</h1>
 <section class="testimonials">
   <div class="container">
     <h1 class="customer-feedback">What Our Customers Say..</h1>
     <div class="row">
       <div class="col-sm-12">
         <div id="customers-testimonials" class="owl-carousel">
           <div class="item">
             <div class="shadow-effect">
alt="">
               Pramatically maintain clicks-and-mortar solutions
without functional solutions. Completely synergize resource taxing
relationships via premier niche markets. Professionally
cultivate.
             <div class="testimonial-name">EMILIANO AQUILANI</div>
           <div class="item">
             <div class="shadow-effect">
               <img class="img-circle" src="/Image/landpage.png"</pre>
alt="">
               >Dramatically maintain clicks-and-mortar solutions
without functional solutions. Completely synergize resource taxing
relationships via premier niche markets. Professionally
cultivate.
             <div class="testimonial-name">ANNA ITURBE</div>
```

```
<div class="item">
             <div class="shadow-effect">
alt="">
               >Dramatically maintain clicks-and-mortar solutions
without functional solutions. Completely synergize resource taxing
relationships via premier niche markets. Professionally
cultivate.
             <div class="testimonial-name">LARA ATKINSON</div>
           <div class="item">
             <div class="shadow-effect">
                <img class="img-circle" src="/Image/landpage.png"</pre>
alt="">
               >Dramatically maintain clicks-and-mortar solutions
without functional solutions. Completely synergize resource taxing
relationships via premier niche markets. Professionally
cultivate.
             <div class="testimonial-name">IAN OWEN</div>
           <div class="item">
             <div class="shadow-effect">
                <img class="img-circle" src="/Image/landpage.png"</pre>
alt="">
               >Dramatically maintain clicks-and-mortar solutions
without functional solutions. Completely synergize resource taxing
relationships via premier niche markets. Professionally
cultivate.
             <div class="testimonial-name">MICHAEL TEDDY</div>
```

```
<footer class="footer">
   <div class="container">
     <div class="row">
      <div class="col-md-5">
        LightHouse Cafe
        Ground floor, Lighthouse Bible Baptist Church, 89 ROTC
Hunters St., Barangay Tatalon, Quezon City, Philippines
        Phone: 0995 925 1083
        Email: lighthousecafe@gmail.com
      <div class="col-md-5">
        <h4>Opening Hours</h4>
        Monday - 9:00 AM - 5:00 PM<br>
          Tuesday - 9:00 AM - 5:00 PM < br >
          Wednesday - 9:00 AM - 5:00 PM<br>
          Thursday - 9:00 AM - 5:00 PM < br >
          Friday - 9:00 AM - 5:00 PM<br>
          Saturday - 9:00 AM - 5:00 PM<br>
          Sunday - 9:00 AM - 5:00 PM < br >
      <div class="col-md-2">
        <h4>Quick Links</h4>
        <a href="About Us.php">Our Menu</a>
          <a href="Menu.php">About Cafe</a>
          <a href="Contact Us.php">Contact Us</a>
          <a href="ATC.php">Cart</a>
          <a href="footer.php">Order</a>
          <a href="footer.php">Delivery</a>
```

```
<div class="row text-center">
       <div class="col-md-12">
         <div class="socmed">
href="https://www.facebook.com/LighthouseCafeCoffeeShop"><i
class="fab fa-facebook-square fa-beat-fade" style="color:
#000000;"></i></a>
href="https://www.instagram.com/lighthousecafetv?igsh=YXdodDVxaXR0eH
I1"><i class="fab fa-instagram fa-beat-fade" style="color:</pre>
#000000;"></i></a>
         © 2024 LightHouse Cafe - All
Rights Reserved
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.j
s"></script>
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.mi
n.js"></script>
src="https://cdnjs.cloudflare.com/ajax/libs/owl-carousel/1.3.3/owl.c
arousel.min.js"></script>
 <script src="Landingpage.js"></script>
```

```
</body>
</html>
```

10. login.php

```
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "db lighthouse";
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect error) {
if ($ SERVER["REQUEST METHOD"] == "POST") {
    $login email username = $ POST['login email username'];
    $login password = $ POST['login password'];
    $sql = "SELECT * FROM user account WHERE email = ? OR username =
    $stmt = $conn->prepare($sql);
    $stmt->bind param("ss", $login email username,
$login email username);
    $stmt->execute();
    $result = $stmt->get result();
        $user = $result->fetch assoc();
        $isAdmin = false;
        $adminCredentials = [
        if (array key exists($user['email'], $adminCredentials) &&
$login password == $adminCredentials[$user['email']]) {
```

```
$isAdmin = true;
        $isEmployee = false;
        $employeeCredentials = [
            'francelighthouse@employee.com' => '080603',
            'andreilighthouse@employee.com' => '040506'
        if (array key exists($user['email'], $employeeCredentials)
&& $login password == $employeeCredentials[$user['email']]) {
            $isEmployee = true;
        if ($isAdmin || $isEmployee ||
password verify($login password, $user['password'])) {
            session start();
            $ SESSION['user id'] = $user['customerID'];
            $ SESSION['username'] = $user['username'];
            $ SESSION['email'] = $user['email'];
            if ($isAdmin) {
                header("Location: admindashboard.php");
            } elseif ($isEmployee) {
                header("Location: employeedashboard.php");
                header("Location: landingpage.php");
           header("Location: signup-login.php?error=Incorrect
password");
       header("Location: signup-login.php?error=Incorrect username
or email");
```

```
}
    $stmt->close();
}
$conn->close();
?>
```

11. Menu.php

```
session start();
if (!isset($ SESSION['selectedItems'])) {
   $ SESSION['selectedItems'] = [];
$cart count = isset($ SESSION['cart']) ? count($ SESSION['cart']) :
0;
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "db lighthouse";
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect error) {
$sql = "SELECT * FROM products WHERE status = 'available'";
$result = $conn->query($sql);
$products = [];
if ($result->num rows > 0) {
   while ($row = $result->fetch assoc()) {
       $products[] = $row;
$conn->close();
```

```
<html lang="en">
   <meta charset="UTF-8">
initial-scale=1.0">
   <title>Menu</title>
   <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstra
p.min.css">
   <link rel="stylesheet" href="AddCart.css">
       <div class="row1">
          <a href="Landingpage.php">Home</a>
          <a href="Menu.php">Menu</a>
          <a href="Contact Us.php">Contact Us</a>
          <a href="Signup-Login.php">Login/Signup</a>
          <a href="Feedback Form.php">Reviews</a>
          <div class="nav-right">
              <a href="Atc.php" class="cart-icon">
(<?php echo $cart count; ?>)
   <div class="container-fluid">
       <div class="col-md-12">
```

```
<div class="row">
                <div class="col-md-12">
pastries">PASTRIES</h3>
                         foreach ($products as $product) {
                             if ($product['category'] == 'PASTRIES')
                                 <div class="col-md-4">
                                     <div class="product-card">
                                         <form method="post"</pre>
action="Atc.php?id=<?= $product['product id'] ?>">
                                              <img src="Image/<?=</pre>
str replace(' ', '', $product['product name']) ?>.jpg"
class="img-fluid" alt="<?= $product['product name'] ?>">
$product['product name']; ?></h2>
number format($product['product price'], 2); ?></h2>
                                             <input type="hidden"</pre>
name="name" value="<?= $product['product name'] ?>">
                                              <input type="hidden"</pre>
name="price" value="<?= $product['product price'] ?>">
                                              <input type="submit"</pre>
name="add to cart" class="btn btn-Add" value="ADD TO CART" <?php if
(in array($product['product id'], $ SESSION['selectedItems'])) echo
"disabled"; ?>>
                    <h3 class="text-center my-4 hot">HOT COFFEE</h3>
                    <div class="row">
```

```
foreach ($products as $product) {
                             if ($product['category'] == 'HOT
COFFEE') { ?>
                                 <div class="col-md-4">
                                     <div class="product-card">
                                         <form method="post"</pre>
action="Atc.php?id=<?= $product['product id'] ?>">
str replace(' ', '', $product['product name']) ?>.jpg"
class="img-fluid" alt="<?= $product['product name'] ?>">
$product['product name']; ?></h2>
                                             <h2>₱<?=
number format($product['product price'], 2); ?></h2>
                                             <input type="hidden"</pre>
name="name" value="<?= $product['product name'] ?>">
                                             <input type="hidden"</pre>
name="price" value="<?= $product['product price'] ?>">
                                             <input type="submit"</pre>
name="add to cart" class="btn btn-Add" value="ADD TO CART" <?php if
(in array($product['product id'], $ SESSION['selectedItems'])) echo
                    <h3 class="text-center my-4 cold">COLD
COFFEE</h3>
                    <div class="row">
                         foreach ($products as $product) {
                            if ($product['category'] == 'COLD
COFFEE') { ?>
                                 <div class="col-md-4">
```

```
<form method="post"</pre>
action="Atc.php?id=<?= $product['product id'] ?>">
str_replace(' ', '', $product['product_name']) ?>.jpg"
class="img-fluid" alt="<?= $product['product_name'] ?>">
$product['product name']; ?></h2>
                                             <h2>₱<?=
number format($product['product price'], 2); ?></h2>
                                             <input type="hidden"</pre>
name="name" value="<?= $product['product name'] ?>">
                                             <input type="hidden"</pre>
name="price" value="<?= $product['product price'] ?>">
                                             <input type="submit"</pre>
name="add to cart" class="btn btn-Add" value="ADD TO CART" <?php if
(in array($product['product id'], $ SESSION['selectedItems'])) echo
                    <div class="row">
                         foreach ($products as $product) {
                             if ($product['category'] == 'TEA') { ?>
                                 <div class="col-md-4">
                                         <form method="post"</pre>
action="Atc.php?id=<?= $product['product id'] ?>">
str_replace(' ', '', $product['product_name']) ?>.jpg"
class="img-fluid" alt="<?= $product['product name'] ?>">
$product['product name']; ?></h2>
                                             <h2>₱<?=
number_format($product['product_price'], 2); ?></h2>
```

```
<input type="hidden"</pre>
name="name" value="<?= $product['product name'] ?>">
                                              <input type="hidden"</pre>
name="price" value="<?= $product['product price'] ?>">
                                              <input type="submit"</pre>
name="add_to_cart" class="btn btn-Add" value="ADD TO CART" <?php if</pre>
(in array($product['product id'], $ SESSION['selectedItems'])) echo
                     <h3 class="text-center my-4 blended">ICE
BLENDED</h3>
                         foreach ($products as $product) {
                             if ($product['category'] == 'ICE
BLENDED') { ?>
                                 <div class="col-md-4">
                                          <form method="post"</pre>
action="Atc.php?id=<?= $product['product id'] ?>">
str replace(' ', '', $product['product name']) ?>.jpg"
class="img-fluid" alt="<?= $product['product name'] ?>">
$product['product name']; ?></h2>
                                              <h2>₱<?=
number format($product['product price'], 2); ?></h2>
                                              <input type="hidden"</pre>
name="name" value="<?= $product['product name'] ?>">
                                              <input type="hidden"</pre>
name="price" value="<?= $product['product price'] ?>">
                                              <input type="submit"</pre>
name="add to cart" class="btn btn-Add" value="ADD TO CART" <?php if</pre>
(in_array($product['product_id'], $_SESSION['selectedItems'])) echo
```

12. ordesr.php

```
<meta charset="UTF-8">
    <title>Orders</title>
    <link rel="stylesheet" href="orders.css">
   <div class="container">
        <h1>LIGHTHOUSE CAFE</h1>
        Delivered by GrabFood
        <h3>ORDER SUMMARY</h3>
        <h2>Product</h2>
        <?php if (!empty($cart items)) { ?>
            <?php foreach ($cart items as $item) { ?>
                <h2 class="product-name"><?= $item['name'] ?></h2>
                <h4>QTY: <?= $item['quantity'] ?></h4>
                <h2 class="Product-Price">\bar{\mathbf{P}}<?=
number format($item['price'] * $item['quantity'], 2) ?></h2>
            <h5 class="delivery-fee">Delivery Fee</h5>
            <h5 class="delivery-fee-price">P<?=
number format($delivery fee, 2) ?></h5>
            <h6>TOTAL</h6>
class="line1">
            <h5 class="total-product">\bar{P}<?=
number format($total price, 2) ?></h5>
            <h5 class="method">METHOD</h5>
            <form id="deliveryForm">
                    <input type="radio" name="deliveryOption"</pre>
value="Delivery" onclick="toggleLayout('delivery')">
                    Delivery
                    <input type="radio" name="deliveryOption"</pre>
value="Pick Up" onclick="toggleLayout('pickup')">
```

```
Pick Up
class="line2">
           <h5 class="pickup-time">PICK UP TIME</h5>
           <h5 class="standard-time">Standard time 20 - 25
minutes</h5>
class="line3">____</h5>
           <h5 class="pickup-address">PICKUP ADDRESS</h5>
           <h5 class="store-address">STORE ADDRESS:</h5>
           <h5 class="address">Ground floor, Lighthouse Bible
Baptist <br> Church, 89 ROTC Hunters St., Barangay <br> Tatalon,
Quezon City, Philippines</h5>
                  <input type="radio" name="paymentOption"</pre>
value="Cash On Delivery">
                  Cash On Delivery
                  <input type="radio" name="paymentOption"</pre>
value="Gcash">
class="line4"> </h5>
           <button class="btn-submit"</pre>
onclick="placeOrder('delivery')">PLACE ORDER</button>
           <button class="btn-submit2"</pre>
onclick="placeOrder('pickup')">PICK UP ORDER</button>
```

```
<a href="ATC.php" class="btn-back">Back</a>
           <h2>Your cart is empty.</h2>
       <div class="image">
        function toggleLayout(option) {
'line4'],
Object.entries(elementsToToggle)) {
                elements.forEach(id => {
                    document.querySelector(`.${id}`).style.display =
key === option ? 'block' : 'none';
               });
           const backButton = document.querySelector('.btn-back');
            const referenceButton = option === 'pickup' ?
document.querySelector('.btn-submit2') :
document.querySelector('.btn-submit');
           backButton.style.top = (referenceButton.offsetTop +
referenceButton.offsetHeight + 10) + 'px';
        function placeOrder(method) {
            const formData = new FormData();
            formData.append('method', method);
```

13. place_order.php

```
<?php
session_start();

$servername = "localhost";
$username = "root";
$password = "";
$dbname = "db_lighthouse";

$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$response = ['success' => false];

if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $method = $_POST['method'];
    $customer_id = $_SESSION['user_id']; // Assuming user_id is
stored in session
```

```
$cart items = $ SESSION['cart'] ?? [];
    foreach ($cart items as $item) {
        $product id = $item['id'];
        $product name = $item['name'];
        $quantity = $item['quantity'];
        $product price = $item['price'];
        $sql = "INSERT INTO orderlist (customer id, product id,
product name, quantity, product price, status) VALUES (?, ?, ?, ?,
        $stmt = $conn->prepare($sql);
        $stmt->bind param("iisid", $customer id, $product id,
$product name, $quantity, $product price);
       $stmt->execute();
    $ SESSION['selectedItems'] = array();
    $response['success'] = true;
$conn->close();
echo json encode($response);
```

15. register.php

```
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "db_lighthouse";

$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
```

```
if ($ SERVER["REQUEST METHOD"] == "POST") {
   $fullname = htmlspecialchars(trim($ POST['fullname']));
   $email = htmlspecialchars(trim($ POST['email']));
   $username = htmlspecialchars(trim($ POST['username']));
   $password = password hash(trim($ POST['password']), PASSWORD DEFAULT);
   $address = htmlspecialchars(trim($ POST['address']));
   $phone number = htmlspecialchars(trim($ POST['phone number']));
   $sql = "INSERT INTO user account (fullname, email, username, password,
address, phone number) VALUES (?, ?, ?, ?, ?, ?)";
   $stmt = $conn->prepare($sql);
   if ($stmt === false) {
       die("Error preparing statement: " . $conn->error);
   $stmt->bind param("ssssss", $fullname, $email, $username, $password,
$address, $phone number);
   if ($stmt->execute()) {
       header("Location: Signup-Login.php");
       echo "Error: " . $stmt->error;
   $stmt->close();
$conn->close();
```

16. Signup-Login.php

```
<html lang="en">
```

```
<meta charset="UTF-8">
   <title>User Authentication</title>
   <link rel="stylesheet" href="SignupLogIn.css">
   <script src="https://kit.fontawesome.com/ec1a397272.js"</pre>
crossorigin="anonymous"></script>
integrity="sha256-hVVnYaiADRTO2PzUGmuLJr8BLUSjGIZsDYGmIJLv2b8="
crossorigin="anonymous"></script>
   <script src="Signup-Login.js"></script>
           <div class="row1">
src="Image/lighthouselogo.png" alt="Coffeshop" class="logo"></a>
              <a href="Landingpage.php">Home</a>
                  <a href="Menu.php">Menu</a>
                  <a href="About Us.php">About Cafe</a>
                  <a href="Contact Us.php">Contact Us</a>
                  <a href="Signup-Login.php">Login/Signup</a>
                  <a href="Feedback Form.php">Reviews</a>
          <div class="nav-right">
              <a href="ATC.php" class="cart-icon">
                  <img src="/Image/finalcart.png" alt="Cart Logo">
       <div class="veen">
              Already a user?<br>
              <button class="active">Login/button><br><br>
           <div class="rgstr-btn splits">
```

```
<button>Register<br><br><br>
tabindex="500">
                   <h3>Login</h3>
                   <div class="mail">
                       <input type="text" name="login_email_username"</pre>
required>
                       <label>Mail or Username
                   <div class="passwd">
                       <input type="password" name="login password"</pre>
required>
                       <label>Password</label>
                   <div class="submit">
                       <button class="dark" type="submit">Login</button>
                       if (isset($ GET['error'])) {
htmlspecialchars($_GET['error']) . '';
               <form id="register" method="POST" action="register.php"</pre>
tabindex="502">
                   <h3>Register</h3>
                   <div class="name">
                        <input type="text" name="fullname" required>
                       <label>Full Name
                   <div class="mail">
                        <input type="email" name="email" required>
                       <label>Email</label>
                    <div class="uid">
```

```
<input type="text" name="username" required>
                       <label>Username
                       <input type="password" name="password" required>
                       <label>Password</label>
                       <input type="text" name="address" required>
                       <label>Address
                   <div class="phone">
                       <input type="text" name="phone number" required>
                       <label>Phone Number</label>
                   <div class="submit">
                       <button class="dark"</pre>
type="submit">Register</button>
       <style type="text/css">
           .site-link {
               padding: 5px 15px;
               position: fixed;
               z-index: 99999;
               background: #fff;
               box-shadow: 0 0 4px rgba(0, 0, 0, .14), 0 4px 8px rgba(0,
0, 0, .28);
               right: 30px;
               bottom: 30px;
               border-radius: 10px;
               width: 30px;
               height: 30px;
```

CSS FILES

1. AddCart

```
body {
   background-image: url(Image/menulandpage2.jpg);
   background-size: auto;
   background-repeat: repeat;
   background-position: center;
.product-card {
   margin-bottom: 20px;
   padding: 20px;
   border-radius: 5px;
   text-align: center;
   background-color: #D1BB9E;
   box-shadow: 0 4px 8px rgba(0,0,0,0.1);
   max-height: 150px;
   margin-bottom: 10px;
```

```
.btn-Add {
    background-color: #6F4E37;
.table-custom {
   margin-top: 20px;
   background-color: #FED8B1;
.table-custom th {
   background-color: #6F4E37;
.table-custom td {
.text-center {
header {
   box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
   display: flex;
   align-items: center;
   max-width: 1365px;
   margin: 0 auto;
   padding: 0 20px;
```

```
transparent */
   height: 105px;
    font-size: 1.9rem;
.logo {
   height: 180px;
   float: left;
   margin-top: -5px;
.nav-bar {
   list-style: none;
   display: flex;
   gap: 20px;
   position: absolute;
   left: 500px;
   margin-top: 40px;
    white-space: nowrap;
.nav-bar li {
   display: inline;
   margin-right: 30px;
.nav-bar a {
   color: #3B2313;
   text-decoration: none;
   font-size: 70%;
   text-transform: uppercase;
   color: #fff;
```

```
padding: 10px 0;
.nav-right {
   display: flex;
   align-items: center;
   position: absolute;
   top: 40px;
    left: 1240px;
.cart-icon {
   color: #3B2313;
   text-decoration: none;
   font-size: 1.2rem;
   display: flex;
   height: 35px;
   margin-right: 5px;
.cart-icon:hover {
   color: #fff;
h2.menu {
   font-size: 70px;
    font-weight: bolder;
h3.pastries,
h3.hot,
h3.cold,
h3.tea,
```

```
h3.blended {
   font-family: 'Merriweather', serif;
   color: #000;
}
```

2. Admindashboard.css

```
.navbar-menu-list .list-unstyled, table .list-inline{
   margin-bottom:0
.navbar-menu-list-add-testing{
   display:none
.mobile-menu-arrow .fa{
   display:none
   padding:90px 26px 10px!important
.menu-search-block .breadcrumb,body{
    font-family:'Open Sans',sans-serif
.field input,select{
   -webkit-appearance:none;
   -moz-appearance:none
body{
   background-color:#E4B73D;
   overflow-x:hidden
#chartdiv{
   width:100%;
   height:250px
.btn-danger{
   background-color:#ff9700;
   border-color: #ff9700
.navbar-menu-list-collapse-menu .scrollDiv{
   width:100%;
   overflow:hidden!important
```

```
float:none!important
.select-form{
   position:relative;
   overflow-y:hidden
.dashboard-tab-1 .panel:before{
   background:#4fc3f7;
   content:"";
   position:absolute;
   top:0;
   width:3px;
.select-form label{
   position:absolute;
   background:#fff;
   width:100%;
   top:0;
   left:0;
   bottom:auto;
   opacity:1;
   height:32px;
   transition:bottom .9s cubic-bezier(.9,-.15,.1,1.15), opacity .9s
table .fa{
   font-size:14px;
   text-align:center;
   display:block
```

```
table .fa-check-square-o{
table .fa-trash-o{
   color:#d34428
.label-select-form label{
   opacity:0;
   background:0 0;
   top:-50px;
    transition:.9s ease
   transform:rotate(Odeg);
   transition:.6s ease;
   font-size:16px;
   margin-left:10px
   transform:rotate(90deg);
    transition:.6s ease
   margin-right:0!important
   padding:14px;
   border-top:1px solid transparent;
   vertical-align:middle;
   font-size:14px;
   white-space:nowrap;
   color: #525b6b;
   border-bottom:1px solid #ebebeb
   transition:.9s ease
navbar-default:after{
```

```
position:absolute;
   height:56px;
   transform:skew(-40deg);
   top:0;
   border-radius:0;
   left:-35px;
   box-shadow:2px 2px 5px -5px rgba(0,0,0,.25);
   background-color:rgba(255,255,255,.87);
   z-index:-1;
.icon-box-2 .fa,header{
   position:relative
.container-dashboard-inner{
   margin-top:0
   margin:10px 0!important;
   padding:15px 16px!important
   display:none
   font-size:19px;
   color:#fff;
   line-height:16px;
   animation: keycolor 3.9s ease infinite;
   -webkit-animation:keycolor 3.9s ease infinite
@keyframes keycolor{
   0 % {
   25% {
       color:#fff;
```

```
transition:3.9s ease
   50% {
       transition:3.9s ease
   75% {
       color:#0bb3ff;
       transition:3.9s ease
   100%{
       color:#e7da69;
       transition: 3.9s ease
   -webkit-animation:fade 1.3s ease-in both
   display:block!important
   display:none!important
.icon-box-1{
   display:block
.icon-box-2{
   display:none
   width:50px!important;
   height:100%;
   animation:fade;
   -webkit-animation: fade
.container-dashboard-1{
   padding:10px 15px 60px 90px!important;
```

```
transition:.9s ease
   padding:90px 80px 10px!important;
   transition:.9s ease
.navbar-menu-list-add span{
   display:none;
   animation: fade 0.3s ease-in both;
   -webkit-animation:fade 0.3s ease-in both
.tab-content>.active{
   animation: fade 1.3s ease-in both;
   -webkit-animation: fade 1.3s ease-in both
.navbar-box{
   position:absolute;
   padding:5px 6px;
   box-shadow:4px 16px 9px -5px rgba(0,0,0,.25);
   left:195px;
   line-height:25px;
   border:2px solid #fff;
   background-color:#43415f;
   top:25%;
   border-radius:50%;
   animation:zoombox 3.9s ease infinite;
   -webkit-animation:zoombox 3.9s ease infinite
@keyframes zoombox{
   0 % {
       transform:scale(.8);
       transition:5.9s ease
       transform:scale(1);
       transition: 5.9s ease
```

```
100%,50%{
        transform:scale(.9);
.navbar-box span{
   display:block;
   height:2px;
   width:16px;
   margin:3px 0
@keyframes fade{
   0 % {
       opacity:0
   100% {
       opacity:1
    font-size:13px
a:focus,a:hover{
    text-decoration:none
   margin-right:0
.navbar-default{
   background-color:#43415f;
   border-radius:0;
    position:fixed;
    border:none;
   margin:0;
   width:100%;
    top:0
```

```
.navbar-logo img{
   margin:3px 0 0
.navbar-logo{
   margin:0
    padding:17px 15px;
    color:#fff
.navbar-default .navbar-nav>li>a .badge{
    border-radius:50%;
   right:15px;
    position:absolute;
   top:15px;
   display:block;
    padding:3px;
    width:1px;
    display:none;
    height:1px;
    font-size:0
@keyframes badge-blink{
    0%,49.9%{
        opacity:0
    100%, 50%, 60%, 70%, 80%, 90% {
        opacity:1
        opacity:0
@keyframes not-blink{
    0%, 10%, 20%, 30%, 40%, 50% {
        -webkit-transform:rotate(13deg) scale(1.3);
```

```
transform:rotate(13deg) scale(1.3)
   15%, 25%, 35%, 45%, 5% {
       -webkit-transform-origin:center center;
       transform-origin:center center;
       -webkit-transform:rotate(-13deg) scale(1.3);
       transform:rotate(-13deg) scale(1.3)
   100%,51.1%{
       -webkit-transform:rotate(0);
       transform:rotate(0)
.navbar-menu-list{
   background-color:#fff;
   position:fixed;
   box-shadow: 0 7px 8px 2px rgba(0,0,0,.25);
   top:0;
   min-height:50px;
   z-index:99;
   animation:fade;
   -webkit-animation:fade;
   padding-top:55px
   float:left;
   position:relative;
   list-style:none
.navbar-default .navbar-nav>li>a{
   border:1px solid transparent
.navbar-nav>li>a:hover{
   color:#4fc3f7;
```

```
color:#000;
   padding:10px 14px 10px 16px;
   line-height:21px;
   font-weight:500;
   font-size:13px;
   border-bottom:none;
   margin: 0 4px 0 0;
   transition: 0.1s ease;
   display:block;
   border-radius:0;
   margin-left:0
.container-dashboard-inner .form-inline .form-control{
   display:inline-block;
   width:200px;
   height:37px;
   padding:4px 32px 4px 16px;
   box-shadow:7px 9px 7px -11px rgba(0,0,0,.25);
   border-radius:50px
.navbar-menu-list .list-unstyled>.active>a,.navbar-menu-list
.list-unstyled>.active>a:hover,.navbar-menu-list
.list-unstyled>li:hover>a,.navbar-menu-list
.list-unstyled>li:focus>a{
   background-color:#d7e2f3;
   color:#000;
   border-bottom:none
.btn-primary{
   background-color:#f52;
```

```
.btn-primary:focus,.btn-primary:hover{
   background-color:#4f4f71;
   border-radius:20px
   max-width:520px;
   margin:auto;
   width:100%;
   padding:30px 15px!important
.panel-form2 .form-group{
   margin-bottom:30px!important
.panel-form2 .btn-primary{
   margin:20px 0 10px
   width:100%;
   float:left;
   background:#e9ecf1;
   padding:5px 30px 30px;
   transition: .9s ease
   padding:13px 10px 8px;
   border-radius:0;
   margin-bottom:25px;
   position:relative
.container-dashboard .panel{
   box-shadow:3px 4px 1px 1px #ccc
   width:100%;
   padding:135px 26px 10px;
```

```
margin-bottom:0
   padding:5px 0;
   font-weight:600;
   font-size:14px;
   margin-bottom:5px
   color:#37474f;
   padding:0 10px 0 5px;
   font:normal normal 14px/1 FontAwesome
   margin:5px 0;
   font-size:21px;
   position: relative;
   font-weight:600;
   padding-left:3px;
   color:#212529;
.container-dashboard h3{
   margin:25px 0 30px;
   color:#000
.dashboard-tab-1 .panel{
   color:#000;
   width:100%;
   box-shadow:4px 10px 8px -5px rgba(0,0,0,.25);
   margin-bottom:10px;
   border:none;
```

```
overflow:hidden;
   min-height:90px;
   padding:0;
    transition:all .2s ease-in-out
   margin-bottom:0
footer p{
    font-size:12px
   display:block;
   font-size:21px;
   background-color:#31c976;
   line-height:50px;
    text-align:center
.dashboard-tab-1 .media-left,.dashboard-tab-1 .media>.pull-left{
   padding-right:15px
   display:inline-block
   font-size:18px;
   font-weight:600;
   color:#3b9dc8
   font-size:24px;
    font-weight:600
.chart-bar{
   padding:10px 0 5px
```

```
padding:5px 0 0 30px;
    font-size:16px;
    text-align:center;
    color:#000
footer,footer a{
    color:#fff
.chart-bar .panel{
   padding:2px 0 5px;
   margin-bottom:0;
    position:relative
.chart-bar .panel:before{
   top:-2px;
    right:auto;
    width:48px;
   background-color:#4fc3f7;
   height:2px;
   position:absolute;
    bottom:auto
    position:relative
footer{
   background-color:#43415f;
   padding:7px 0;
   border-top:2px solid #fff;
   position:fixed;
   width:100%;
   box-shadow:4px 5px 3px 5px #ccc;
```

```
color:#f3f3f3
.mar-space{
   margin-left:8px
table{
   margin:10px 0 25px!important;
   box-shadow:4px 11px 17px -5px rgba(0,0,0,.25);
    font-family:Montserrat, sans-serif
.canvasjs-chart-credit{
   display:none
.bg-2{
   background-color:#ff5e52!important;
   border:1px solid #ff5e52
.bg-3{
.bg-4{
   border:1px solid #17c4e6
.container-dashboard .form-control{
   border-radius:0;
   border:1px solid transparent;
   box-shadow:none;
   font-size:14px;
   border-bottom:1px solid #ccc;
   padding:4px 0
.container-dashboard label{
   margin-bottom:10px
    box-shadow:6px 8px 1px 1px #d2d2d2;
   padding:20px 20px 5px;
```

```
border-top:2px solid #2196f3
.container-dashboard .form-group{
   margin-bottom:15px;
   position:relative
.container-dashboard .form-inline .form-group,.container-dashboard
.form-inline label{
   margin-right:15px
.container-dashboard .table>thead>tr>th{
   color:#fff;
   font-size:14px;
   text-transform:uppercase;
   background-color: #43415f;
   border-top:2px solid #43415f!important;
   font-weight:700;
   border-bottom:2px solid #43415f
   transform:scale(.99);
   transition:.9s ease
.container-dashboard .table-striped>tbody>tr{
   background-color:#fff;
   box-shadow:4px 6px 2px -5px rgba(0,0,0,.25);
   transform:scale(.99);
   transition: .9s ease
.container-dashboard
.table-striped>tbody>tr:focus,.container-dashboard
.table-striped>tbody>tr:hover{
   transform:scale(1);
   transition:1.1s ease;
.table-append-block .container-dashboard{
   padding:15px 0 60px;
   box-shadow:none
```

```
input:-webkit-autofill,select:-webkit-autofill,textarea:-webkit-auto
fill{
.excel-upload .mar-space{
   margin-left:4px!important
.btn-added-block{
    position:absolute;
    right:0
.dropdown-block .dropdown-toggle{
    width:420px;
   border:1px solid transparent;
    padding:7px 20px
.dropdown-block .caret{
   margin-top:8px
.dropdown-block .dropdown-menu{
   margin:-1px 0 0;
    width:100%
.dropdown-block .dropdown-menu>li>a{
    padding:10px 10px 2px
.dropdown-block .dropdown-menu .form-control{
    padding:2px 20px 2px 2px;
   border:1px solid #ccc;
    box-shadow:5px 9px 8px -11px rgba(0,0,0,.25);
    height:22px;
    width:105px
.dropdown-block .dropdown-menu .search-box{
    top:6px;
    font-size:10px;
    right:9px
```

```
.dropdown-block .dropdown-menu label{
   font-size:12px!important;
   margin-right:5px
.form-dropdown .field input{
.form-dropdown .list-inline li{
   font-size:11px!important;
   background-color:#2dcb74;
   border:1px solid #2dcb74;
   color:#fff;
   line-height:16px;
   border-radius:40px;
   padding:2px 6px
.form-dropdown .form-group{
   margin-bottom:0;
   margin-right:5px!important
.brand-delete{
.brand-close{
   border-radius:50%!important;
   padding:2px 3px!important;
   background-color:transparent!important;
   display:inline-block!important
.excel-upload-btn .form-group{
   display:block;
   margin-right:0!important
```

```
width:70%;
   padding-right:10px
.excel-upload-btn{
   width:30%;
   padding-left:10px;
   position:relative;
   margin-top:20px
.excel-upload-container{
   padding:10px 30px 20px
   cursor:not-allowed;
   -webkit-box-shadow:none;
   pointer-events:none;
   filter:grayscale(100%);
   box-shadow:none;
   opacity:.5
.form-screen-none{
   display:none!important
.btn-add-plus,.form-inline .Excel-File-table{
   display:none
.form-screen-block .field input,.form-screen-block label{
   display:inline-block!important;
   display:inline-block!important
   display:none
```

```
.btn-add-icon-plus-1{
   display:inline-block!important
.panel-bg-1:before{
.panel-bg-1 .media-heading{
.panel-bg-1 .panel-block:after,.panel-bg-1 .panel-block:before{
   background:rgba(51,219,158,.4)
.panel-bg-2:before{
   background: #f0466b!important
.panel-bg-2 .media-heading{
.panel-bg-2 .panel-block:after,.panel-bg-2 .panel-block:before{
   background:rgba(240,70,107,.4)
.panel-bg-3:before{
   background:#ff8a65!important
.panel-bg-3 .media-heading{
   color:#ff8a65!important
.panel-bg-3 .panel-block:after,.panel-bg-3 .panel-block:before{
   background: rgba (255, 138, 101, .4)
.panel-block{
   padding:15px 30px 10px;
   position:relative
.panel-block:after,.panel-block:before{
   position:absolute;
   background:rgba(79,195,247,.4);
   border-radius:0;
   transform:rotate(60deg);
```

```
right:-50px;
    animation:rotatebox 8.9s ease infinite;
    -webkit-animation:rotatebox 8.9s ease infinite
@keyframes rotatebox{
   0 % {
       transform:rotate(0);
       transition:6.9s ease
   25% {
       transform:rotate(90deg);
       transition:6.9s ease
   50%{
       transform:rotate(180deg);
       transition:6.9s ease
   75% {
       transform:rotate(270deg);
       transition:6.9s ease
   100%{
       transform:rotate(360deg);
       transition:6.9s ease
.panel-block:before{
   height:130px;
   bottom:-50px
.panel-block:after{
   width:85px;
   height:85px;
   bottom:50px
@media only screen and (min-width:768px){
   li [aria-expanded="false"],li [aria-expanded="true"]{
       display:none!important;
```

```
.navbar-menu-list .collapse.in {
       display: none !important;
@media only screen and (min-width:1600px) {
   .dashboard-tab-1 .panel{
       max-width:415px
.field{
   --uiFieldPlaceholderColor:var(--fieldPlaceholderColor, #767676);
   display:block;
   --fieldBorderColor:#2196f3;
   --fieldBorderColorActive: #2196f3
.field input{
   background-color:transparent;
   border-radius:0;
   border:none;
   display:block;
   box-sizing:border-box;
   width:100%
.a-field .field input:focus{
   outline:0
.field input:focus::-webkit-input-placeholder{
   color:var(--uiFieldPlaceholderColor)
.field input:focus::-moz-placeholder{
   color:var(--uiFieldPlaceholderColor);
   opacity:1
.a-field{
   --uiFieldHeight:var(--fieldHeight,40px);
   --uiFieldBorderWidth:var(--fieldBorderWidth,2px);
   --uiFieldBorderColor:var(--fieldBorderColor);
   --uiFieldFontSize:var(--fieldFontSize, 1em);
   --uiFieldHintFontSize:var(--fieldHintFontSize,1em);
   --uiFieldPaddingRight:var(--fieldPaddingRight,15px);
```

```
--uiFieldPaddingBottom:var(--fieldPaddingBottom, 15px);
   --uiFieldPaddingLeft:var(--fieldPaddingLeft,15px);
   position:relative;
   box-sizing:border-box;
   font-size:var(--uiFieldFontSize)
.a-field .field input{
   height:38px;
   font-weight:400;
   padding:0;
   border-bottom:1px solid #ccc
.a-field .field input::-webkit-input-placeholder{
   opacity:0;
   transition:opacity .2s ease-out
.a-field .field input::-moz-placeholder{
   opacity:0;
   transition:opacity .2s ease-out
.a-field .field input:not(:placeholder-shown)~.field label-wrap
.field label{
   opacity:0;
   bottom:var(--uiFieldPaddingBottom)
.a-field .field input:focus::-webkit-input-placeholder{
   opacity:1;
   transition-delay:.2s
.a-field .field input:focus::-moz-placeholder{
   opacity:1;
   transition-delay:.2s
.a-field .field label-wrap{
   box-sizing:border-box;
   width:100%;
   height:100%;
   pointer-events:none;
   cursor:text;
```

```
position:absolute;
   bottom:0;
   left:0
.a-field .field label{
   position:absolute;
   left:2px;
   bottom:13px;
   font-size:14px;
   pointer-events:none;
   transition:bottom .9s cubic-bezier(.9,-.15,.1,1.15),opacity .9s
.form-control:focus{
   border-bottom:2px solid #2196f3
.a-field .field input:focus~.field label-wrap .field label{
   opacity:0;
   left:0;
   font-size:10px;
   bottom:30px;
   right:auto
.a-field a2 .field label-wrap:after{
   content:"";
   box-sizing:border-box;
   width:0;
   height:var(--uiFieldBorderWidth);
   background-color:var(--fieldBorderColorActive);
   position:absolute;
   bottom:0;
   left:0;
   will-change:width;
.a-field a2 .field input:focus~.field label-wrap:after{
   width:100%
```

```
.select-form label:after{
   right:0;
   top:10px;
   transform:translate(-50%,-50%);
   position:absolute;
   font:normal normal 14px/1 FontAwesome
   max-width:90px;
   width:auto;
   margin:auto
.table-text-status a{
   font-weight:600;
   display:block;
   max-width:150px;
   margin:auto;
   text-align:left;
.issue-text{
   display:block;
   width:9px;
   float:left;
   border-radius:50%;
   margin:6px 15px 0
.isuue-processing{
.isuue-not-completed{
   background-color: #d34428
isuue-not-viewed{
```

```
display:block;
   position:absolute;
   top:10px;
    color:#43415f;
    right:15px
.form-inline{
   margin:20px 0 10px
.form-inline .btn{
   box-shadow:7px 10px 7px -6px rgba(0,0,0,.25);
.append-form{
   position:relative;
    float:left
   border-radius:50%;
   height:40px;
   padding:6px 2px;
   background-color:#34d2c8;
   width: 40px;
   line-height:24px
   display:none
@media screen and (max-width:767px){
        display:none!important
    .navbar-menu-list .list-unstyled a .fa-angle-right{
        transform:rotate(180deg)
```

```
.navbar-menu-list li:hover
.ui-dropdownmenu-list,.navbar-menu-list li:focus
.ui-dropdownmenu-list{
       background-color:transparent;
   .ui-dropdownmenu-list a:hover,.ui-dropdownmenu-list a:focus{
   .ui-dropdownmenu-list{
       margin-top:0!important;
   .navbar-menu-list .active .ui-dropdownmenu-list{
       position:static
   .mobile-menu-arrow .fa{
       display:block;
       position:absolute;
       transition:0.6s ease;
       right:10px;
       font-size:16px;
       transform:rotate(180deg);
       top:21px
   .mobile-menu-arrow-1 .fa{
       transform:rotate(90deg);
       transition:0.6s ease;
       display:block
   .ui-dropdownmenu-list{
       background-color:#fff!important;
       padding:0!important;
       position:static!important
   .ui-dropdownmenu-list li:before{
       left:0!important
   .navbar-logo img{
```

```
.container-dashboard-1-tesing{
       padding:5px 10px 70px 20px!important
   .row{
       margin-left:-10px;
       margin-right:-10px
   .panel-form2{
       max-width:100%
   .table-responsive>.table{
       margin:0!important
   .form-inline{
       margin:10px 0
   .navbar-box{
       top:13px;
       left:195px;
       right:auto
       max-width:54px;
       margin:auto
   .navbar-menu-list a .fa-angle-right,.navbar-menu-list a span{
       display:none
   .container-dashboard-inner .form-inline
.form-control,.dropdown-block .btn-group,.form-inline label{
       display:block
       float:none
   .navbar-menu-list{
       width:45px;
       height:100%;
```

```
overflow-y:auto
.navbar-menu-list .list-unstyled>li>a{
   padding:12px 15px;
   margin:0!important;
   font-size:12px;
   color:#333
.menu-search-block{
   padding:80px 10px 10px 10px
.container-dashboard{
   padding:5px 10px 70px 10px
.navbar-collapse-bar{
   position:fixed;
   right:-100%;
   top:50px;
   transition:1.1s ease-in;
   border-left:2px solid #fff;
   background-color: #43415f
.navbar-collapse-bar-1{
   right:0;
   transition:1.1s ease-out
   margin-bottom:30px
footer p{
    font-size:10px
    font-size:12px
```

```
height:51px
   .append-form,.container-dashboard-inner .form-inline
.form-control,.excel-upload-btn{
       width:100%
       margin:10px 0;
       padding:8px 6px;
       width:100%
   .form-inline .pull-left,.form-inline .pull-right{
       float:none;
   .search-box{
       top:60%
form-group,.container-dashboard .form-inline label{
       margin-right:0
   .dropdown-block .dropdown-toggle .pull-left{
   .dropdown-block .dropdown-toggle .pull-right{
       float:right;
   .btn-table{
       width: 40px!important;
       line-height:20px
       max-width:100%;
       width:100%
       display:inline-block;
       float:none;
```

```
padding:7px 0 7px 0
.dropdown-block .dropdown-menu{
   margin:-22px 0 0;
   position:static
   width:100%
   display:block!important
.excel-upload-btn{
   padding-left:0
.excel-upload-btn .form-group{
   margin:5px 0
.menu-list-mobile-collapse{
   display:block;
   position:absolute;
   right:0;
   padding:20px 5px;
   width:35px;
   height:50px;
   transform:rotate(0);
   transition:1.1s ease
.menu-list-mobile-collapse span{
   display:block;
   background-color:#fff;
   height:2px;
   width:15px;
   margin:2px 0
.menu-list-mobile-collapse .span1{
    transform:rotate(-45deg);
```

```
.menu-list-mobile-collapse .span2{
    transform:rotate(45deg);
.navbar-menu-list-collapse-menu{
   transition: 0.6s ease;
   transform:translate(-100%,0%)
.navbar-menu-list-add-testing{
    transform: translate (0%,0%);
   transition: 0.6s ease;
   display:block!important
.navbar-menu-list-collapse-menu .list-unstyled a{
   border-bottom:1px solid #fff;
   margin:0!important
.navbar-menu-list-collapse-menu .list-unstyled a .pull-left{
    float:none!important
.navbar-menu-list-collapse-menu .list-unstyled a .pull-left .fa{
   display:inline-block;
   border:none;
   margin:0 auto;
   text-align:center;
   width:25px;
   border-radius:50%;
   height:25px;
   padding:10px 1px
.navbar-menu-list-collapse-menu .list-unstyled a span{
   text-align:center;
   margin:0;
   display:inline-block;
   font-weight:600;
    font-size:14px
.navbar-menu-list-collapse-menu a .fa-angle-right{
```

```
display:block;
       position:absolute;
       top:20px;
       right:10px
   .navbar-menu-list-collapse-menu .list-unstyled a{
       width:100%
   .navbar-menu-list-collapse-menu .list-unstyled .active a{
       background-color:#fff!important;
       margin:0!important
   .navbar-menu-list-collapse-menu .list-unstyled .active a
.pull-left .fa{
       border:none
       padding:80px 10px 10px 10px
   .data-container-body .menu-search-block-add{
       padding:80px 10px 10px 70px!important
       padding:10px 15px 60px 70px!important
       padding:5px 10px 70px 10px
       padding:5px 10px 70px 20px
   .menu-search-block-add-testing{
       padding:80px 20px 10px!important
.active a:hover{
       background-color:#ff0000;
       color:#3c73a0
```

```
padding:10px 15px 60px 70px!important
       padding:80px 80px 10px 70px!important
    .menu-list-mobile-collapse-1{
       transform:rotate(180deg);
       top:5px;
       right:5px
    .form-dropdown .form-control{
       margin-bottom:20px;
       padding:10px 8px
    .dropdown-block .dropdown-menu .search-box{
       top:32px;
       font-size:10px;
        right:9px
       display:block!important
@media screen and (max-width:540px) {
.form-control,.field input,label{
    .dashboard-tab-1 .media-heading{
        font-size:16px
        font-size:20px
```

```
.panel-block{
        padding:15px 15px 10px
    .panel-form2{
       padding:20px 15px 0!important
    .panel-form2 .form-group{
       margin-bottom:15px!important
    .excel-upload-btn{
       padding-left:0;
       top:0
@media screen and (min-width:768px) and (max-width:1310px) {
    .menu-search-block{
       padding:190px 26px 10px
       max-width:190px
@media screen and (min-width:1600px){
    .a-field .field label, .btn, .form-control, .navbar-menu-list
a,.table>tbody>tr>td,.table>tbody>tr>th,.table>tfoot>tr>td,.table>tf
oot>tr>th,.table>thead>tr>td,.table>thead>tr>th,body{
        font-size:16px!important
        font-size:24px
    .panel-block{
       padding:30px
        font-size:18px
    .navbar-menu-list .list-unstyled li a{
       padding:10px 20px 10px 20px
```

```
#chartdiv{
        height:370px
        margin:40px -15px
        padding:15px 0
    .panel-block::before{
        width:160px;
       height:160px
select{
   appearance:none;
    -ms-appearance:none;
    -o-appearance:none
select::-ms-expand{
    display:none
.select-option{
    position:relative;
    display:inline-block
.select-option:after{
    position:absolute;
    content:"\f0d7";
    font:normal normal 14px/1 FontAwesome;
    right:-15px;
    top:50%;
    text-align:center;
   width:30px;
    padding:10px 0;
    transform:translate(-50%,-50%)
.panel-form2 .select-option{
    display:block
```

```
.ui-dropdownmenu-list{
   margin-top:0;
   position:fixed;
    z-index:1050;
   width:250px;
   padding:15px;
   display:none;
   border-radius:0;
   box-shadow:0 10px 20px rgba(0,0,0,.08)
.navbar-menu-list>li .ui-dropdownmenu-list{
    display:none
.navbar-menu-list li:hover .ui-dropdownmenu-list,.navbar-menu-list
li:focus .ui-dropdownmenu-list{
   display:block;
   height:auto;
   overflow:auto;
   margin-top:0;
   background-color:#d7e2f3;
   margin-left:0;
   list-style-type:none;
   list-style:none;
   border-radius:0;
   border-bottom:none
.ui-dropdownmenu-list li{
   position:relative;
   transition:.5s;
   list-style:none;
   list-style-type:none
.ui-dropdownmenu-list li:before{
   display:block;
   height:100%;
```

```
list-style:none;
   left:10px;
   right:auto;
   list-style-type:none;
   bottom:auto;
   top:0;
   position:absolute;
    transition:background-color .1s linear
.ui-dropdownmenu-list li:hover:before,.ui-dropdownmenu-list
li:focus:before{
   content:'';
   background-color:#43415f;
   list-style:none
.ui-dropdownmenu-list li a{
   padding:10px 35px;
   font-weight:500;
   line-height:1.5;
   display:block;
   font-size:14px;
   white-space:nowrap
.ui-dropdownmenu-list li a{
   padding:12px 35px!important;
    font-size:12px
```

3. BB

```
*,
*::before,
*::after {
  box-sizing: border-box;
}
```

```
.logo {
 height:180px;
 float:left;
 margin-top:-30px;
header {
 background-image: url('Image/menulandingpage3.jpg');
 background-position:center;
 height:100%;
 width:100%;
 color: #000;
 text-decoration: none;
 position: absolute;
 top: 40px;
 font-size: 18px;
 left: 1450px;
 width:80px;
 height: 35px;
 position:absolute;
 top:50%;
 left:50%;
 transform: translate(-50%, -50%);
 white-space: nowrap;
 font-size: 12px;
hero-text-box .businessgrow {
```

```
font-size: 100px;
html {
 color: #fff;
 font-size: 20px;
 font-weight:300;
 margin:0 auto;
 background-color:transparent;
 height: 105px;
 font-family: 'Merriweather', serif;
 font-size: 1.6rem;
.btn:link,
 display:inline-block;
 margin-right:20px;
 text-decoration:none;
 color:#fff;
 padding:10px 30px;
 font-weight:300;
 border-radius:200px;
 background-color: #3B2313;
.btn-b:visited {
 border:1px solid #E4B73D;
```

```
color:#fff;
.btn-b:hover,
 color:#fff;
 transition:background-color 1s, border 1s, color 1s;
.btn-a:hover,
.btn-a:active {
 background-color: #3B2313;
 transition:background-color 1s, border 1s, color 1s;
 left: 500px;
 position: absolute;
 list-style:none;
 margin-top: 40px;
 white-space: nowrap;
.nav-bar li {
 display:inline-block;
 margin-right: 30px;
.nav-bar li a:link,
.nav-bar li a:visited {
 text-transform: uppercase;
 text-decoration:none;
 color: #543310;
 font-size:70%;
 transition: 1px solid transparent;
 font-weight: bold;
```

```
border-bottom : 2px solid#E4B73D;
 padding: 10px 0;
body {
 margin: 0;
 padding: 0;
 overflow-x: hidden;
 background-image: url('/Image/landpage.png');
 background-size: cover;
 background-repeat: no-repeat;
 background-position: center center;
 width: 100%;
 height: 100vh;
 position: relative;
 padding: 0;
.navbar-default {
 background-color: transparent;
 border-radius: 0;
 border: 0;
 box-shadow: none;
 padding: 10px;
 position: absolute;
 left: 50%;
 transform: translateX(-50%);
 z-index: 10;
 font-size: 20px;
 width: fit-content;
.navbar-default .navbar-brand {
 font-family: Verdana;
```

```
font-size: 20px;
.navbar-default .navbar-brand:hover,
.navbar-default .navbar-nav > li > a:hover,
.navbar-default .navbar-toggle,
.navbar-default .navbar-toggle:hover,
.navbar-default .navbar-toggle:focus {
 border-color: transparent;
 background-color: transparent;
.navbar-default .navbar-toggle .icon-bar {
 background-color: #000000;
.carousel .background {
 background-position: center center;
 background-size: 100% 100%;
 background-repeat: no-repeat;
 height: 700px;
@media (max-width: 991px) {
.carousel-logo {
 position: absolute;
  top: 20px;
```

```
left: 50%;
 transform: translateX(-50%);
.carousel-logo img {
 max-width: 200px;
.carousel .background.a {
 background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/landingpage.png");
.carousel .background.b {
 background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/landpage.png");
.carousel .background.c {
 background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/choosetyle.png");
 opacity: 0;
 transition: opacity 0.5s;
.carousel-fade .carousel-inner .active {
 opacity: 1;
@media all and (transform-3d),
(-webkit-transform-3d) {
  .carousel-fade .carousel-inner > .item.prev,
    opacity: 0;
```

```
transform: translate3d(0, 0, 0);
 .carousel-fade .carousel-inner > .item.prev.right,
   opacity: 1;
   transform: translate3d(0, 0, 0);
.covertext {
 position: absolute;
 top: 200px;
 left: 0;
 text-align: center;
 font-weight: 600;
 font-size: 60px;
 color: #dbdbdb;
.subtitle {
 font-family: Verdana;
 font-size: 23px;
 color: #dbdbdb;
.explore {
 text-align: center;
 margin-top: 10px;
.explore .btn-lg,
.explore .btn-lg:hover {
```

```
border-radius: 30px;
 padding: 15px 25px;
 font-size: 22px;
 background-color: #ECB176;
 border-color: #FED8B1;
 color: #6F4E37;
.btn:hover {
 border-radius: 0;
 background-color: #FF4000;
 border-color: #FF4000;
 color: #dbdbdb;
 margin-bottom: 20px;
 box-shadow: none;
 outline: none;
.btn:active:focus,
.btn:active.focus,
.btn.active.focus {
 color: #dbdbdb;
 outline: none;
   background: #6F4E37;
   transition: background-color .5s ease;
   padding: 0;
   margin: 0;
   min-height: 100vh;
   width: 100%;
   display: flex;
   align-items: center;
   justify-content: center;
```

```
margin: 0;
padding: 0;
box-sizing: border-box;
.veen {
   width: 70%;
   margin: 85px auto 100px; /* Adjusted top margin to create space
   background: rgba(255,255,255,.5);
   min-height: 400px;
   display: table;
   position: relative;
    box-shadow: 0 0 4px rgba(0,0,0,.14), 0 4px 8px rgba(0,0,0,.28);
.veen > div {
display: table-cell;
vertical-align: middle;
text-align: center;
color: #000000;
.veen button{
background: transparent;
background-image: linear-gradient(90deg, #A67B5B, #ff4931);
display: inline-block;
padding: 10px 30px;
border: 3px solid #fff;
border-radius: 50px;
background-clip: padding-box;
position: relative;
color: #FFF;
box-shadow: 0 0 4px rgba(0,0,0,.14), 0 4px 8px rgba(0,0,0,.28);
transition: all .25s;
.veen button.dark{
border-color: #6F4E37;
background: #6F4E37;
```

```
border-color: #A67B5B;
background: #A67B5B;
font-size: 18px;
.veen button:active{
box-shadow: none;
outline: none;
.veen > .wrapper {
position: absolute;
width: 40%;
height: 150%;
top: -23%;
left: 5%;
background: #fff;
box-shadow: 0 0 4px rgba(0,0,0,.14), 0 4px 8px rgba(0,0,0,.28);
transition: all .5s;
color: #303030;
overflow: hidden;
.veen .wrapper > form{
transition: all .5s;
background: #fff;
padding-top: 130%;
.veen .wrapper > form:focus{
outline: none;
.veen .wrapper #login{
padding-top: 20%;
visibility: visible;
.veen .wrapper #register{
transform: translateY(-80%) translateX(100%);
visibility: hidden;
```

```
.veen .wrapper.move #register{
transform: translateY(-80%) translateX(0%);
visibility: visible;
.veen .wrapper.move #login{
transform: translateX(-100%);
visibility: hidden;
.veen .wrapper > form > div {
position: relative;
margin-bottom: 15px;
.veen .wrapper label{
position: absolute;
top: -7px;
font-size: 12px;
white-space: nowrap;
background: #fff;
text-align: left;
left: 40px;
padding: 0 5px;
color: #999;
pointer-events: none;
.veen .wrapper h3{
margin-bottom: 25px;
.veen .wrapper input{
height: 40px;
padding: 5px 15px;
width: 75%;
border: solid 1px #999;
.veen .wrapper input:focus{
outline: none;
border-color: #ff4931;
.veen > .wrapper.move{
left: 45%;
```

```
.veen > .wrapper.move input:focus{
border-color: #A67B5B;
.body.move {
background: #FED8B1; /* Background color for register form */
transition: background-color .5s ease; /* Smooth transition for
@media (max-width: 767px){
.veen{
   padding: 5px;
   margin: 0;
   width: 100%;
   display: block;
.veen > .wrapper{
   position: relative;
   height: auto;
   top: 0;
   left: 0;
    width: 100%;
.veen > div{
    display: inline-block;
   background: #fff;
    float: left;
   width: 100%;
   border-radius: 0;
   border: 0;
    opacity: .7;
    opacity: 1;
```

```
.splits button.active{
    opacity: 1;
    background: #A67B5B;
}
.splits.rgstr-btn button.active{
    background: #f00000;
}
.splits p{
    display: none;
}
.veen > .wrapper.move{
    left: 0%;
}
}
input:-webkit-autofil1, textarea:-webkit-autofil1,
select:-webkit-autofil1{
box-shadow: inset 0 0 0 50px #fff
}
```

4. cart

```
body {
    font-family: Arial, sans-serif;
    background-color: #f4f4f4;
    margin: 0;
    padding: 0;
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
}

h1 {
    text-align: center;
    color: #333;
}

/* Table styles */
table {
    width: 80%;
    margin: 20px auto;
```

```
border-collapse: collapse;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
th, td {
   padding: 12px;
   text-align: left;
   border-bottom: 1px solid #ddd;
th {
   background-color: #f2f2f2;
tr:hover {
   background-color: #f1f1f1;
button {
   border: none;
   padding: 8px 16px;
   text-align: center;
   display: inline-block;
    font-size: 14px;
   margin: 4px 2px;
    border-radius: 4px;
button:hover {
```

```
text-decoration: none;
a:hover {
form {
   display: inline;
   text-align: center;
   font-size: 18px;
    color: #333;
a.back-to-menu {
   display: block;
   text-align: center;
   margin: 20px 0;
    font-size: 16px;
```

5. ContactUs

```
/* Global Styles */
*,
*::before,
*::after {
  box-sizing: border-box;
}
.logo {
  height:180px;
  width:auto;
  float:left;
  margin-top:-30px;
}
```

```
background-image: url('Image/menulandingpage3.jpg');
 background-position:center;
 background-size:cover;
 height:100%;
 width:100%;
 color: #000;
 text-decoration: none;
 position: absolute;
 top: 40px;
 font-size: 18px;
 left: 1450px;
 width:80px;
 height: 35px;
.hero-text-box {
 position:absolute;
 top:50%;
 left:50%;
 transform: translate(-50%, -50%);
 color: #ffffff;
 font-family: 'Merriweather', serif;
 white-space: nowrap;
 font-size: 12px;
.hero-text-box .businessgrow {
 font-size: 100px;
html {
```

```
font-size: 20px;
 font-weight:300;
.row1 {
 max-width: 1520px;
 margin:0 auto;
 background-color:transparent;
 height: 105px;
 font-family: 'Merriweather', serif;
 font-size: 1.6rem;
.btn:link,
 display:inline-block;
 margin-right:20px;
 padding:10px 30px;
 font-weight:300;
 border-radius:200px;
 border:1px solid #E4B73D;
 background-color: #3B2313;
 border:1px solid #E4B73D;
 color:#fff;
.btn-b:hover,
.btn-b:active {
 border:1px solid #E4B73D;
```

```
background-color:#3B2313;
 transition:background-color 1s, border 1s, color 1s;
.btn-a:active {
 transition:background-color 1s, border 1s, color 1s;
 left: 500px;
 position: absolute;
 list-style:none;
 margin-top: 40px;
 white-space: nowrap;
 display:inline-block;
 margin-right: 30px;
 text-decoration:none;
 color: #543310;
 font-size:70%;
 font-weight: bold;
 border-bottom : 2px solid#E4B73D;
 padding: 10px 0;
```

```
margin: 0;
 padding: 0;
 overflow-x: hidden;
 background-image: url('/Image/landpage.png');
 background-size: cover;
 background-repeat: no-repeat;
 background-position: center center;
 height: 100vh;
.container-fluid.main {
 position: relative;
 padding: 0;
.navbar-default {
 background-color: transparent;
 border-radius: 0;
 border: 0;
 box-shadow: none;
 padding: 10px;
 position: absolute;
 left: 50%;
 transform: translateX(-50%);
 z-index: 10;
 width: fit-content;
.navbar-default .navbar-brand {
 font-family: Verdana;
 font-size: 20px;
.navbar-default .navbar-brand:hover,
.navbar-default .navbar-nav > li > a,
```

```
background-color: transparent;
.navbar-default .navbar-toggle,
.navbar-default .navbar-toggle:hover,
.navbar-default .navbar-toggle:focus {
 background-color: transparent;
.navbar-default .navbar-toggle .icon-bar {
 background-color: #000000;
.carousel .background {
 background-position: center center;
 background-size: 100% 100%;
 background-repeat: no-repeat;
 height: 700px;
@media (max-width: 991px) {
   background-size: cover;
.carousel-logo {
 position: absolute;
 top: 20px;
 left: 50%;
 transform: translateX(-50%);
.carousel-logo img {
 max-width: 200px;
```

```
.carousel .background.a {
 background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/landingpage.png");
.carousel .background.b {
 background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/landpage.png");
.carousel .background.c {
 background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/choosetyle.png");
 opacity: 0;
 transition: opacity 0.5s;
.carousel-fade .carousel-inner .active {
 opacity: 1;
@media all and (transform-3d),
(-webkit-transform-3d) {
  .carousel-fade .carousel-inner > .item.next,
  .carousel-fade .carousel-inner > .item.active.right,
  .carousel-fade .carousel-inner > .item.prev,
   opacity: 0;
   transform: translate3d(0, 0, 0);
  .carousel-fade .carousel-inner > .item.next.left,
  .carousel-fade .carousel-inner > .item.active {
```

```
opacity: 1;
 position: absolute;
 top: 200px;
 text-align: center;
.title {
 font-family: Verdana;
 font-weight: 600;
 font-size: 60px;
 font-family: Verdana;
 font-size: 23px;
.explore {
 text-align: center;
 margin-top: 10px;
.explore .btn-lg,
 border-radius: 30px;
 padding: 15px 25px;
 font-size: 22px;
 background-color: #ECB176;
 border-color: #FED8B1;
```

```
.btn:hover {
 border-color: #FF4000;
 margin-bottom: 20px;
.btn:focus,
.btn:active:focus,
.btn.active.focus {
.container {
   padding: 1%;
.location-info {
   width: 70%;
   width: 60%;
   font-size: 70px;
   width: 60%;
```

```
font-size: 66px;
form {
   margin-top: 20px;
textarea,
input[type="text"],
input[type="email"] {
   padding: 15px;
textarea {
   height: 250px;
input[type="submit"] {
   padding: 15px;
   cursor: pointer;
   width: 100%;
   margin-top: 10px;
    font-size: 1.2em;
#map {
   height: 400px;
   width: 100%;
   margin-top: 20px;
   display: flex;
    flex-direction: column;
   display: flex;
```

```
align-items: center;
   margin-bottom: 10px;
.info-item img {
   margin-right: 10px;
.info-rows {
   display: flex;
   justify-content: space-between;
.location-info h1 {
   text-align: center;
   width: 100%;
   position: relative;
   display: inline-block;
   text-shadow: 6px 6px 12px rgba(0, 0, 0.5);
   font-size: 24px;
   color: #543310;
   color: #543310;
   font-size: 30px;
```

6. employeedashboard

```
.navbar-menu-list .list-unstyled, table .list-inline{
   margin-bottom:0
.navbar-menu-list-add-testing{
   display:none
.mobile-menu-arrow .fa{
   display:none
.menu-search-block-add-testing{
   padding:90px 26px 10px!important
.menu-search-block .breadcrumb,body{
   font-family:'Open Sans',sans-serif
.field input,select{
   -webkit-appearance:none;
   -moz-appearance:none
body{
   background-color:#E4B73D;
   overflow-x:hidden
#chartdiv{
   width:100%;
   height:250px
   background-color: #ff9700;
   border-color: #ff9700
.navbar-menu-list-collapse-menu .scrollDiv{
   width:100%;
   overflow:hidden!important
```

```
float:none!important
.select-form{
    position: relative;
    overflow-y:hidden
.dashboard-tab-1 .panel:before{
   content:"";
   position:absolute;
   top:0;
   width:3px;
    left:0;
    height:100%
.select-form label{
   position:absolute;
   width:100%;
   top:0;
    left:0;
   bottom:auto;
   opacity:1;
    height:32px;
    transition:bottom .9s cubic-bezier(.9,-.15,.1,1.15),opacity .9s
table .fa{
   color:#337ab7;
   font-size:14px;
   text-align:center;
    display:block
table .fa-check-square-o{
table .fa-trash-o{
   color:#d34428
```

```
.label-select-form label{
   opacity:0;
   background:0 0;
   top:-50px;
   transition:.9s ease
   transform:rotate(0deg);
   transition:.6s ease;
   font-size:16px;
   margin-left:10px
   transform:rotate(90deg);
   transition:.6s ease
   margin-right:0!important
.table>tbody>tr>td,.table>tbody>tr>th,.table>tfoot>tr>td,.table>tfoo
   padding:14px;
   border-top:1px solid transparent;
   vertical-align:middle;
   font-size:14px;
   white-space:nowrap;
   color: #525b6b;
   border-bottom:1px solid #ebebeb
table>tbody>tr:focus,table>tbody>tr:hover{
   background-color:#f5f5f5;
   transition:.9s ease
.navbar-default:after{
   position:absolute;
   content:'';
   height:56px;
   transform:skew(-40deg);
   top:0;
```

```
border-radius:0;
   left:-35px;
   box-shadow:2px 2px 5px -5px rgba(0,0,0,.25);
   background-color:rgba(255,255,255,.87);
   z-index:-1;
   width:250px
   position:relative
   margin-top:0
.navbar-menu-list-add .list-unstyled li a{
   margin:10px 0!important;
   padding:15px 16px!important
   display:none
   font-size:19px;
   color:#fff;
   line-height:16px;
   animation: keycolor 3.9s ease infinite;
   -webkit-animation:keycolor 3.9s ease infinite
@keyframes keycolor{
   0왕{
       color:#0cabce;
       transition:3.9s ease
   25% {
       color:#fff;
       transition:3.9s ease
   50%{
       color:#1af5a6;
       transition: 3.9s ease
```

```
transition:3.9s ease
   100%{
       color:#e7da69;
       transition: 3.9s ease
.icon-box-1,.icon-box-2,.navbar-box-1 .icon-box-1,.navbar-box-1
.icon-box-2{
   animation: fade 1.3s ease-in both;
   -webkit-animation:fade 1.3s ease-in both
.navbar-box-1 .icon-box-2{
   display:block!important
   display:none!important
.icon-box-1{
   display:block
   display:none
   height:100%;
   animation:fade;
   -webkit-animation:fade
.container-dashboard-1{
   padding:10px 15px 60px 90px!important;
   transition:.9s ease
   padding:90px 80px 10px!important;
   transition:.9s ease
```

```
.navbar-menu-list-add span{
   display:none;
   animation:fade 0.3s ease-in both;
   -webkit-animation:fade 0.3s ease-in both
   animation: fade 1.3s ease-in both;
   -webkit-animation:fade 1.3s ease-in both
   position:absolute;
   padding:5px 6px;
   box-shadow:4px 16px 9px -5px rgba(0,0,0,.25);
   left:195px;
   height:32px;
   width:32px;
   top:25%;
   border-radius:50%;
   animation:zoombox 3.9s ease infinite;
   -webkit-animation:zoombox 3.9s ease infinite
@keyframes zoombox{
   0왕{
       transform:scale(.8);
       transition:5.9s ease
   25%,75%{
       transform:scale(1);
       transition:5.9s ease
   100%,50%{
       transform:scale(.9);
       transition:5.9s ease
```

```
.navbar-box span{
   display:block;
    height:2px;
   width:16px;
   margin:3px 0
@keyframes fade{
   0왕{
        opacity:0
   100%{
        opacity:1
a:focus,a:hover{
    text-decoration:none
    margin-right:0
   border-radius:0;
    z-index:999;
    position:fixed;
   border:none;
   margin:0;
   width:100%;
    top:0
.navbar-logo img{
   margin:3px 0 0
.navbar-logo{
```

```
margin:0
   padding:17px 15px;
   color:#fff
.navbar-default .navbar-nav>li>a .badge{
   border-radius:50%;
   right:15px;
   position:absolute;
   top:15px;
   min-width:auto;
   display:block;
   color:#fff;
   background:#fff;
   padding:3px;
   display:none;
   height:1px;
    font-size:0
@keyframes badge-blink{
   0%, 49.9% {
        opacity:0
   100%, 50%, 60%, 70%, 80%, 90% {
        opacity:1
   55%, 65%, 75%, 85%, 95% {
        opacity:0
        -webkit-transform:rotate(13deg) scale(1.3);
        transform:rotate(13deg) scale(1.3)
   15%, 25%, 35%, 45%, 5% {
        -webkit-transform-origin:center center;
        transform-origin:center center;
```

```
-webkit-transform:rotate(-13deg) scale(1.3);
       transform:rotate(-13deg) scale(1.3)
   100%,51.1%{
       -webkit-transform:rotate(0);
       transform:rotate(0)
   background-color:#fff;
   position: fixed;
   box-shadow: 0 7px 8px 2px rgba(0,0,0,.25);
   top:0;
   min-height:50px;
   z-index:99;
   width:100%;
   animation: fade;
   -webkit-animation:fade;
   padding-top:55px
   float:left;
   position: relative;
   list-style:none
.navbar-default .navbar-nav>li>a{
.navbar-default .navbar-nav>li>a:focus,.navbar-default
.navbar-nav>li>a:hover{
   color:#4fc3f7;
   color:#000;
   padding:10px 14px 10px 16px;
   font-weight:500;
   font-size:13px;
```

```
margin:0 4px 0 0;
   display:block;
   border-radius:0;
   text-transform:capitalize
   margin-left:0
.container-dashboard-inner .form-inline .form-control{
   display:inline-block;
   width:200px;
   padding:4px 32px 4px 16px;
   box-shadow:7px 9px 7px -11px rgba(0,0,0,.25);
.list-unstyled>.active>a:focus,.navbar-menu-list
.list-unstyled>.active>a:hover,.navbar-menu-list
.list-unstyled>li:hover>a,.navbar-menu-list
.list-unstyled>li:focus>a{
   background-color:#d7e2f3;
   color:#000;
   border-bottom:none
.btn-primary{
   background-color:#f52;
   border:1px solid #f52;
   transition:0.1s ease
   border:1px solid #4f4f71;
   transition:.9s ease
```

```
border-radius:20px
.panel-form2{
   max-width:520px;
   margin:auto;
   width:100%;
   padding:30px 15px!important
.panel-form2 .form-group{
   margin-bottom:30px!important
.panel-form2 .btn-primary{
   margin:20px 0 10px
.container-dashboard{
   width:100%;
   float:left;
   padding:5px 30px 30px;
.panel{
   padding:13px 10px 8px;
   border-radius:0;
   margin-bottom:25px;
   position:relative
.container-dashboard .panel{
   box-shadow:3px 4px 1px 1px #ccc
   width:100%;
   padding:135px 26px 10px;
   margin-bottom:0
.menu-search-block .breadcrumb{
   padding:5px 0;
```

```
font-weight:600;
   font-size:14px;
   margin-bottom:5px
   color: #37474f;
   padding:0 10px 0 5px;
   color:#37474f;
   font:normal normal 14px/1 FontAwesome
.menu-search-block h3{
   margin:5px 0;
   font-size:21px;
   position:relative;
   font-weight:600;
   padding-left:3px;
   color:#212529;
   margin:25px 0 30px;
   color:#000
.dashboard-tab-1 .panel{
   background-color:#fff;
   color:#000;
   width:100%;
   box-shadow:4px 10px 8px -5px rgba(0,0,0,.25);
   margin-bottom:10px;
   border:none;
   overflow:hidden;
   min-height:90px;
   border-radius:0;
   padding:0;
```

```
margin-bottom:0
footer p{
    font-size:12px
.dashboard-tab-1 .panel a{
   display:block;
   font-size:21px;
   background-color:#31c976;
   height:55px;
   width:55px;
   border-radius:50%;
   color:#fff;
.dashboard-tab-1 .media-left,.dashboard-tab-1 .media>.pull-left{
   padding-right:15px
   display:inline-block
.dashboard-tab-1 .media-heading{
    font-size:18px;
   font-weight:600;
   color:#3b9dc8
.dashboard-tab-1 h4{
   font-size:24px;
   font-weight:600
.chart-bar{
   padding:10px 0 5px
   padding:5px 0 0 30px;
    font-size:16px;
   text-align:center;
```

```
color:#000
footer,footer a{
.chart-bar .panel{
   padding:2px 0 5px;
   margin-bottom:0;
    position:relative
   content:"";
   left:49.3%;
   right:auto;
   transform:translate(0%,-50%);
   width:48px;
   height:2px;
    position:absolute;
    bottom:auto
    position:relative
footer{
   padding:7px 0;
    border-top:2px solid #fff;
   position:fixed;
   width:100%;
   box-shadow:4px 5px 3px 5px #ccc;
   bottom:0
footer a:focus,footer a:hover{
   color:#f3f3f3
.mar-space{
   margin-left:8px
```

```
margin:10px 0 25px!important;
   box-shadow:4px 11px 17px -5px rgba(0,0,0,.25);
   font-family:Montserrat, sans-serif
   display:none
   border:1px solid #ff5e52
.bg-3{
   background-color:#dee1e8!important;
   border:1px solid #dee1e8;
   color:#000!important
.bg-4{
.container-dashboard .form-control{
   border-radius:0;
   border:1px solid transparent;
   box-shadow:none;
   font-size:14px;
   border-bottom:1px solid #ccc;
   padding:4px 0
.container-dashboard label{
   margin-bottom:10px
.panel-form1{
   box-shadow:6px 8px 1px 1px #d2d2d2;
   padding:20px 20px 5px;
   border-top:2px solid #2196f3
.container-dashboard .form-group{
   margin-bottom:15px;
   position: relative
```

```
.container-dashboard .form-inline .form-group,.container-dashboard
.form-inline label{
   margin-right:15px
   color:#fff;
   font-size:14px;
   background-color:#43415f;
   border-top:2px solid #43415f!important;
   font-weight:700;
   border-bottom:2px solid #43415f
.container-dashboard .table>thead>tr{
   transform:scale(.99);
   transition:.9s ease
.container-dashboard .table-striped>tbody>tr{
   box-shadow:4px 6px 2px -5px rgba(0,0,0,.25);
   transform:scale(.99);
   transition:.9s ease
.container-dashboard
table-striped>tbody>tr:focus,.container-dashboard
.table-striped>tbody>tr:hover{
   transform:scale(1);
   transition:1.1s ease;
   cursor:pointer
.table-append-block .container-dashboard{
   padding:15px 0 60px;
   box-shadow:none
input:-webkit-autofill, select:-webkit-autofill, textarea:-webkit-auto
fill{
   background-color:transparent!important
excel-upload .mar-space{
```

```
margin-left:4px!important
   position:absolute;
   right:0
.dropdown-block .dropdown-toggle{
   width:420px;
   padding:7px 20px
.dropdown-block .caret{
   margin-top:8px
.dropdown-block .dropdown-menu{
   border-radius:0;
   margin:-1px 0 0;
   width:100%
.dropdown-block .dropdown-menu>li>a{
   padding:10px 10px 2px
.dropdown-block .dropdown-menu .form-control{
   padding:2px 20px 2px 2px;
   box-shadow:5px 9px 8px -11px rgba(0,0,0,.25);
   height:22px;
.dropdown-block .dropdown-menu .search-box{
   top:6px;
   font-size:10px;
   right:9px
.dropdown-block .dropdown-menu label{
   font-size:12px!important;
   margin-right:5px
```

```
.form-dropdown .field input{
   height:22px!important
.form-dropdown .list-inline li{
   font-size:11px!important;
   background-color:#2dcb74;
   border:1px solid #2dcb74;
   color:#fff;
   line-height:16px;
   border-radius:40px;
   padding:2px 6px
.brand-close, .brand-delete{
   border-color: #d43f3a! important
.form-dropdown .form-group{
   margin-bottom:0;
   margin-right:5px!important
.brand-delete{
   background-color:#d9534f!important
   border-radius:50%!important;
   padding:2px 3px!important;
.file-upload-block{
   display:inline-block!important
.excel-upload-btn .form-group{
   display:block;
   margin-right:0!important
   width: 70%;
   padding-right:10px
excel-upload-btn{
```

```
width:30%;
   padding-left:10px;
   position:relative;
.mar-top-space{
   margin-top:20px
.excel-upload-container{
   padding:10px 30px 20px
.info-disabled{
   cursor:not-allowed;
   -webkit-box-shadow:none;
   pointer-events:none;
   filter:grayscale(100%);
   box-shadow:none;
   opacity:.5
.form-screen-none{
   display:none!important
.btn-add-plus, .form-inline .Excel-File-table{
   display:none
.form-screen-block .field input,.form-screen-block label{
   display:inline-block!important;
.form-screen-block{
   display:inline-block!important
.btn-add-icon-plus{
   display:none
   display:inline-block!important
.panel-bg-1:before{
```

```
.panel-bg-1 .media-heading{
.panel-bg-1 .panel-block:after,.panel-bg-1 .panel-block:before{
   background:rgba(51,219,158,.4)
.panel-bg-2:before{
   background:#f0466b!important
.panel-bg-2 .media-heading{
   color:#f0466b!important
.panel-bg-2 .panel-block:after,.panel-bg-2 .panel-block:before{
   background:rgba(240,70,107,.4)
.panel-bg-3:before{
.panel-bg-3 .media-heading{
.panel-bg-3 .panel-block:after,.panel-bg-3 .panel-block:before{
   background:rgba(255,138,101,.4)
.panel-block{
   padding:15px 30px 10px;
   position: relative
.panel-block:after,.panel-block:before{
   content:"";
   position:absolute;
   background:rgba(79,195,247,.4);
   border-radius:0;
   transform:rotate(60deg);
   right:-50px;
   animation:rotatebox 8.9s ease infinite;
   -webkit-animation:rotatebox 8.9s ease infinite
```

```
transition:6.9s ease
   25% {
       transform:rotate(90deg);
       transition: 6.9s ease
   50%{
       transform:rotate(180deg);
       transition: 6.9s ease
   75% {
       transform:rotate(270deg);
       transition:6.9s ease
   100% {
       transform:rotate(360deg);
       transition:6.9s ease
.panel-block:before{
   width:130px;
   height:130px;
   bottom:-50px
.panel-block:after{
   width:85px;
   height:85px;
   bottom:50px
@media only screen and (min-width:768px){
   li [aria-expanded="false"],li [aria-expanded="true"]{
       display:none!important;
    .navbar-menu-list .collapse.in {
       display: none !important;
@media only screen and (min-width:1600px) {
```

```
.dashboard-tab-1 .panel{
       max-width:415px
   --uiFieldPlaceholderColor:var(--fieldPlaceholderColor, #767676);
   display:block;
   --fieldBorderColor:#2196f3;
   --fieldBorderColorActive:#2196f3
.field input{
   background-color:transparent;
   border-radius:0;
   border:none;
   display:block;
   box-sizing:border-box;
   width:100%
.a-field .field input:focus{
   outline:0
.field input:focus::-webkit-input-placeholder{
   color:var(--uiFieldPlaceholderColor)
.field input:focus::-moz-placeholder{
   color:var(--uiFieldPlaceholderColor);
   opacity:1
.a-field{
   --uiFieldHeight:var(--fieldHeight, 40px);
   --uiFieldBorderWidth:var(--fieldBorderWidth,2px);
   --uiFieldBorderColor:var(--fieldBorderColor);
   --uiFieldFontSize:var(--fieldFontSize,1em);
   --uiFieldHintFontSize:var(--fieldHintFontSize,1em);
   --uiFieldPaddingRight:var(--fieldPaddingRight,15px);
   --uiFieldPaddingBottom:var(--fieldPaddingBottom, 15px);
   --uiFieldPaddingLeft:var(--fieldPaddingLeft,15px);
   position:relative;
   box-sizing:border-box;
   font-size:var(--uiFieldFontSize)
```

```
.a-field .field input{
   height:38px;
   font-weight:400;
   padding:0;
   border-bottom:1px solid #ccc
.a-field .field input::-webkit-input-placeholder{
   opacity:0;
   transition:opacity .2s ease-out
.a-field .field input::-moz-placeholder{
   opacity:0;
   transition:opacity .2s ease-out
.a-field .field input:not(:placeholder-shown)~.field label-wrap
.field label{
   opacity:0;
   bottom:var(--uiFieldPaddingBottom)
.a-field .field input:focus::-webkit-input-placeholder{
   opacity:1;
   transition-delay:.2s
.a-field .field input:focus::-moz-placeholder{
   opacity:1;
   transition-delay:.2s
.a-field .field label-wrap{
   box-sizing:border-box;
   width:100%;
   height:100%;
   pointer-events:none;
   position:absolute;
   bottom:0;
   left:0
```

```
position:absolute;
   left:2px;
   bottom:13px;
   font-size:14px;
   pointer-events:none;
   transition:bottom .9s cubic-bezier(.9,-.15,.1,1.15), opacity .9s
.form-control:focus{
   border-bottom:2px solid #2196f3
.a-field .field input:focus~.field label-wrap .field label{
   opacity:0;
   transition:.9s ease;
   left:0;
   bottom:30px;
   right:auto
   content:"";
   box-sizing:border-box;
   width:0;
   height:var(--uiFieldBorderWidth);
   background-color:var(--fieldBorderColorActive);
   position:absolute;
   bottom:0;
   left:0;
   will-change:width;
.a-field a2 .field input:focus~.field label-wrap:after{
   width:100%
.select-form label:after{
   right:0;
   color: #595959;
   top:10px;
```

```
transform:translate(-50%,-50%);
   position:absolute;
   font:normal normal 14px/1 FontAwesome
.table-text-status{
   text-align:center;
   max-width:90px;
   width:auto;
   margin:auto
.table-text-status a{
   color: #595353;
   font-weight:600;
   display:block;
   max-width:150px;
   margin:auto;
   display:block;
   background-color: #26a920;
   width:9px;
   float:left;
   border-radius:50%;
   margin:15px 460px 0
.isuue-processing{
   background-color: #d69d0d
   background-color:#1d99e9
   display:block;
   position:absolute;
```

```
top:10px;
    right:15px
.form-inline{
   margin:20px 0 10px
.form-inline .btn{
   box-shadow:7px 10px 7px -6px rgba(0,0,0,.25);
.append-form{
   position:relative;
    float:left
.btn-table{
   border-radius:50%;
   height:40px;
   padding:6px 2px;
   border:2px solid #fff;
   width:40px;
    line-height:24px
.menu-list-mobile-collapse{
   display:none
@media screen and (max-width:767px){
    .icon-delete .fa-angle-right{
        display:none!important
    .navbar-menu-list .list-unstyled a .fa-angle-right{
        transform:rotate(180deg)
.ui-dropdownmenu-list,.navbar-menu-list li:focus
.ui-dropdownmenu-list{
       background-color:transparent;
    .ui-dropdownmenu-list a:hover,.ui-dropdownmenu-list a:focus{
```

```
.ui-dropdownmenu-list{
   margin-top:0!important;
.navbar-menu-list .active .ui-dropdownmenu-list{
   position:static
.mobile-menu-arrow .fa{
   display:block;
   position:absolute;
   transition: 0.6s ease;
   right:10px;
   font-size:16px;
   transform:rotate(180deg);
   top:21px
.mobile-menu-arrow-1 .fa{
   transform:rotate(90deg);
   transition:0.6s ease;
   display:block
.ui-dropdownmenu-list{
   background-color:#fff!important;
   padding:0!important;
   position:static!important
.ui-dropdownmenu-list li:before{
   background-color:#43415f!important;
   left:0!important
.navbar-logo img{
.container-dashboard-1-tesing{
   padding:5px 10px 70px 20px!important
.row{
```

```
margin-left:-10px;
       margin-right:-10px
   .panel-form2{
       max-width:100%
   .table-responsive>.table{
       margin:0!important
       margin:10px 0
   .navbar-box{
       top:13px;
       left:195px;
       right:auto
       max-width:54px;
       margin:auto
   .navbar-menu-list a .fa-angle-right, .navbar-menu-list a span{
       display:none
   .container-dashboard-inner .form-inline
.form-control,.dropdown-block .btn-group,.form-inline label{
       display:block
   .navbar-menu-list .list-unstyled>li{
       float:none
   .navbar-menu-list{
       width:45px;
       height:100%;
       overflow-y:auto
   .navbar-menu-list .list-unstyled>li>a{
       padding:12px 15px;
       margin:0!important;
       background-color:transparent!important;
```

```
font-size:12px;
       padding:80px 10px 10px 10px
       padding:5px 10px 70px 10px
    .navbar-collapse-bar{
       position:fixed;
       right:-100%;
       top:50px;
       left:auto;
       transition:1.1s ease-in;
       border-left:2px solid #fff;
    .navbar-collapse-bar-1{
        right:0;
       transition:1.1s ease-out
    .dashboard-tab-1 .panel{
       margin-bottom:30px
   footer p{
    .container-dashboard
t>tr>td,.table>tfoot>tr>th,.table>thead>tr>td,.table>thead>tr>th{
       height:51px
    .append-form,.container-dashboard-inner .form-inline
.form-control,.excel-upload-btn{
       width:100%
```

```
margin:10px 0;
       padding:8px 6px;
       width:100%
   .form-inline .pull-left,.form-inline .pull-right{
       float:none;
       top:60%
form-group,.container-dashboard .form-inline label{
       margin-right:0
   .dropdown-block .dropdown-toggle .pull-left{
   .dropdown-block .dropdown-toggle .pull-right{
       float:right;
       width:40px!important;
       line-height:20px
       max-width:100%;
       width:100%
   .issue-text{
       display:inline-block;
       float:none;
       padding:7px 0 7px 0
   .dropdown-block .dropdown-menu{
       margin:-22px 0 0;
       position:static
```

```
width:100%
    display:block!important
.excel-upload-btn{
   padding-left:0
.excel-upload-btn .form-group{
   margin:5px 0
.menu-list-mobile-collapse{
   display:block;
   position:absolute;
   right:0;
   padding:20px 5px;
   width:35px;
   height:50px;
   transform:rotate(0);
    transition:1.1s ease
.menu-list-mobile-collapse span{
   display:block;
   background-color:#fff;
   height:2px;
   width:15px;
   margin:2px 0
.menu-list-mobile-collapse .span1{
    transform:rotate(-45deg);
   width:9px
.menu-list-mobile-collapse .span2{
    transform:rotate(45deg);
.navbar-menu-list-collapse-menu{
```

```
transform:translate(-100%,0%)
.navbar-menu-list-add-testing{
    transform:translate(0%,0%);
    transition:0.6s ease;
   display:block!important
.navbar-menu-list-collapse-menu .list-unstyled a{
   border-bottom:1px solid #fff;
   margin:0!important
.navbar-menu-list-collapse-menu .list-unstyled a .pull-left{
    float:none!important
.navbar-menu-list-collapse-menu .list-unstyled a .pull-left .fa{
   display:inline-block;
   border:none;
   margin:0 auto;
   text-align:center;
   width:25px;
   border-radius:50%;
   height:25px;
   padding:10px 1px
.navbar-menu-list-collapse-menu .list-unstyled a span{
   text-align:center;
   margin:0;
   display:inline-block;
   font-weight:600;
    font-size:14px
.navbar-menu-list-collapse-menu a .fa-angle-right{
   display:block;
   position:absolute;
   top:20px;
    right:10px
.navbar-menu-list-collapse-menu .list-unstyled a{
```

```
width:100%
   .navbar-menu-list-collapse-menu .list-unstyled .active a{
       background-color:#fff!important;
       color:#333!important;
       margin:0!important
   .navbar-menu-list-collapse-menu .list-unstyled .active a
.pull-left .fa{
       border:none
   .data-container-body .menu-search-block{
       padding:80px 10px 10px 10px
       padding:80px 10px 10px 70px!important
       padding:10px 15px 60px 70px!important
       padding:5px 10px 70px 10px
   .data-container-body .container-dashboard-1-tesing{
       padding:5px 10px 70px 20px
   .menu-search-block-add-testing{
       padding:80px 20px 10px!important
   .navbar-menu-list .list-unstyled .active a, .navbar-menu-list
list-unstyled .active a:focus, .navbar-menu-list .list-unstyled
active a:hover{
       background-color:#ff0000;
       color:#3c73a0
       padding:10px 15px 60px 70px!important
   .menu-search-block-add{
       padding:80px 80px 10px 70px!important
```

```
.menu-list-mobile-collapse-1{
       transform:rotate(180deg);
       transition:1.1s ease;
       top:5px;
       right:5px
   .form-dropdown .form-control{
       margin-bottom:20px;
       padding:10px 8px
    .dropdown-block .dropdown-menu .search-box{
       top:32px;
       font-size:10px;
       right:9px
   .select-option{
       display:block!important
@media screen and (max-width:540px) {
.form-control,.field input,label{
   .menu-search-block h3{
    .dashboard-tab-1 .media-heading{
        font-size:16px
    .panel-block{
       padding:15px 15px 10px
    .panel-form2{
       padding:20px 15px 0!important
```

```
.panel-form2 .form-group{
       margin-bottom:15px!important
       padding-left:0;
       top:0
@media screen and (min-width:768px) and (max-width:1310px) {
       padding:190px 26px 10px
    .table-text-status{
       max-width:190px
@media screen and (min-width:1600px){
    .a-field .field label, .btn, .form-control, .navbar-menu-list
oot>tr>th,.table>thead>tr>td,.table>thead>tr>th,body{
        font-size:16px!important
        font-size:24px
    .panel-block{
       padding:30px
    .chart-bar h4{
        font-size:18px
    .navbar-menu-list .list-unstyled li a{
       padding:10px 20px 10px 20px
    #chartdiv{
       height:370px
    .chart-bar{
       margin:40px -15px
```

```
padding:15px 0
    .panel-block::before{
        width:160px;
       height:160px
select{
    appearance:none;
    -ms-appearance:none;
    -o-appearance:none
select::-ms-expand{
    display:none
.select-option{
    position:relative;
    display:inline-block
.select-option:after{
   position:absolute;
    content:"\f0d7";
    font:normal normal 14px/1 FontAwesome;
    right:-15px;
    top:50%;
    width:30px;
    padding:10px 0;
    transform:translate(-50%,-50%)
.panel-form2 .select-option{
    display:block
.ui-dropdownmenu-list{
   margin-top:0;
    position:fixed;
    z-index:1050;
    width:250px;
```

```
padding:15px;
   display:none;
   box-shadow:0 10px 20px rgba(0,0,0,.08)
.navbar-menu-list>li .ui-dropdownmenu-list{
   display:none
.navbar-menu-list li:hover .ui-dropdownmenu-list,.navbar-menu-list
li:focus .ui-dropdownmenu-list{
   display:block;
   overflow:auto;
   margin-top:0;
   background-color:#d7e2f3;
   margin-left:0;
   list-style-type:none;
   list-style:none;
   border-radius:0;
   border-bottom:none
.ui-dropdownmenu-list li{
   position: relative;
   transition:.5s;
   list-style:none;
   list-style-type:none
.ui-dropdownmenu-list li:before{
   content:'';
   background-color: #86a4d2;
   display:block;
   height:100%;
   width:3px;
   list-style:none;
   left:10px;
   right:auto;
   list-style-type:none;
   bottom:auto;
   top:0;
```

```
position:absolute;
    transition:background-color .1s linear
.ui-dropdownmenu-list li:hover:before,.ui-dropdownmenu-list
li:focus:before{
   content:'';
   background-color: #43415f;
   list-style:none
.ui-dropdownmenu-list li a{
   padding:10px 35px;
   color:#000;
   font-weight:500;
   line-height:1.5;
   display:block;
   font-size:14px;
   white-space:nowrap
.ui-dropdownmenu-list li a{
   padding:12px 35px!important;
    font-size:12px
```

7. Feedback

```
.header {
  height:100vh;
  width:100%;
}

.about-us-container {
    display: flex;
    justify-content: space-between;
    align-items: flex-start;
    max-width: 100%;
    max-height: 100%;
    margin: 0 auto;
```

```
.about-us-image {
   flex: 1;
   padding: 20px;
.about-us-image img {
   width: 100%;
   max-width: 700px;
   border-radius: 10px;
.about-us-text {
 flex: 2;
 padding: 5px;
 padding-left: 25px;
sans-serif;
.about-us-text .papaa {
 font-size: 55px;
 position: relative;
 display: inline-block;
 margin-bottom: 10px;
 margin-top: 0;
 left: 40%;
.about-us-text .papa {
 font-size: 55px;
 position: relative;
 display: inline-block;
 margin-bottom: 10px;
 margin-top: 0;
 left: 50%;
```

```
font-size: 20px;
 line-height: 1.5;
 margin-bottom: 20px;
 position: relative;
 left: 50%;
.address-about-us {
 padding: 0;
 margin-bottom: 20px;
 left: 50%;
 padding: 0;
 margin-bottom: 20px;
*::after {
.logo {
 height:180px;
 float:left;
 margin-top:-30px;
```

```
color: #000;
 text-decoration: none;
 position: absolute;
 top: 40px;
 font-size: 18px;
 left: 1450px;
 width:80px;
 height: 35px;
html {
    font-family: 'Merriweather', serif;
    font-size: 20px;
    font-weight:300;
   max-width: 1520px;
   margin: auto;
    font-family: 'Merriweather', serif;
    font-size: 1.6rem;
   display:inline-block;
   margin-right:20px;
    text-decoration:none;
```

```
color:#fff;
 padding:10px 30px;
 font-weight:300;
 border-radius:200px;
 border:1px solid #E4B73D;
.btn-b:link,
.btn-b:visited {
 border:1px solid #E4B73D;
 color:#fff;
 background-color:#3B2313;
 transition:background-color 1s, border 1s, color 1s;
.btn-a:hover,
.btn-a:active {
 background-color: #3B2313;
 transition:background-color 1s, border 1s, color 1s;
 background-image: url('Image/menulandingpage3.jpg'); /* Add
 background-position: center;
 background-size: cover;
 height: 100vh;
 width: 100%;
```

```
left: 500px;
 position: absolute;
 list-style:none;
 margin-top: 40px;
 white-space: nowrap;
 display:inline-block;
 margin-right: 30px;
.nav-bar li a:link,
.nav-bar li a:visited {
 text-decoration:none;
 color: #543310;
 font-size:70%;
 transition: 1px solid transparent;
 font-weight: bold;
 border-bottom : 2px solid#E4B73D;
 padding: 10px 0;
 margin: 0;
 padding: 0;
 overflow-x: hidden;
 background-image: url('/Image/landpage.png');
 background-repeat: no-repeat;
 background-position: center center;
 width: 100%;
 height: 100vh;
```

```
position: relative;
 padding: 0;
 border-radius: 0;
 border: 0;
 box-shadow: none;
 padding: 10px;
 position: absolute;
 left: 50%;
 transform: translateX(-50%);
 z-index: 10;
 font-family: Verdana;
 color: #dbdbdb;
 font-size: 20px;
.navbar-default .navbar-brand:hover,
.navbar-default .navbar-brand:focus,
.navbar-default .navbar-nav > li > a,
 color: #dbdbdb;
.navbar-default .navbar-toggle,
.navbar-default .navbar-toggle:hover,
.navbar-default .navbar-toggle:focus {
```

```
.navbar-default .navbar-toggle .icon-bar {
    background-position: center center;
   background-size: 100% 100%;
   background-repeat: no-repeat;
    height: 700px;
     background-size: cover;
  .carousel-logo {
   position: absolute;
   left: 50%;
    transform: translateX(-50%);
  .carousel-logo img {
   max-width: 200px;
   background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/landingpage.png");
```

```
background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/landpage.png");
   background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/choosetyle.png");
  .carousel-fade .carousel-inner .item {
   opacity: 0;
   transition: opacity 0.5s;
  .carousel-fade .carousel-inner .active {
   opacity: 1;
  @media all and (transform-3d),
  (-webkit-transform-3d) {
    .carousel-fade .carousel-inner > .item.active.left {
     opacity: 0;
     transform: translate3d(0, 0, 0);
    .carousel-fade .carousel-inner > .item.next.left,
    .carousel-fade .carousel-inner > .item.prev.right,
    .carousel-fade .carousel-inner > .item.active {
     opacity: 1;
     transform: translate3d(0, 0, 0);
  .covertext {
    position: absolute;
```

```
top: 200px;
  left: 0;
 right: 0;
 text-align: center;
 font-weight: 600;
 font-size: 60px;
.subtitle {
 font-family: Verdana;
 font-size: 23px;
.explore {
 text-align: center;
 margin-top: 10px;
.explore .btn-lg:hover {
 border-radius: 30px;
 padding: 15px 25px;
 font-size: 22px;
 background-color: #ECB176;
 border-color: #FED8B1;
.btn:hover {
 background-color: #FF4000;
 border-color: #FF4000;
```

```
margin-bottom: 20px;
box-shadow: none;
outline: none;
}

.btn:focus,
.btn:active:focus,
.btn.active:focus,
.btn.focus,
.btn.active.focus {
   color: #dbdbdb;
   outline: none;
}
```

8. FeedbackForm

```
#{
    max-width: 100%;
    min-width: fit-content;
    margin: 0 auto;
    padding: 0 20px;
    background-color: #ffe4b5;
    justify-content: center;
    display: grid;
}

.form{
    max-width: 80%;
    min-height: fit-content;
    display: grid;
}
```

9. index

```
/* Global Styles */
*,
*::before,
*::after {
  box-sizing: border-box;
}
```

```
.logo {
 height:180px;
 float:left;
 margin-top:-30px;
header {
 background-image: url('Image/menulandingpage3.jpg');
 background-position:center;
 height:100vh;
 width:100%;
 color: #000;
 text-decoration: none;
 position: absolute;
 top: 40px;
 font-size: 18px;
 left: 1450px;
 width:80px;
 height: 35px;
 position:absolute;
 top:50%;
 left:50%;
 transform: translate(-50%, -50%);
 white-space: nowrap;
 font-size: 12px;
hero-text-box .businessgrow {
```

```
font-size: 100px;
html {
 color: #fff;
 font-size: 20px;
 font-weight:300;
 margin:0 auto;
 background-color:transparent;
 height: 105px;
 font-family: 'Merriweather', serif;
 font-size: 1.6rem;
.btn:link,
 display:inline-block;
 margin-right:20px;
 text-decoration:none;
 color:#fff;
 padding:10px 30px;
 font-weight:300;
 border-radius:200px;
 background-color: #3B2313;
.btn-b:visited {
 border:1px solid #E4B73D;
```

```
color:#fff;
.btn-b:hover,
 color:#fff;
 transition:background-color 1s, border 1s, color 1s;
.btn-a:hover,
.btn-a:active {
 background-color: #3B2313;
 transition:background-color 1s, border 1s, color 1s;
 left: 500px;
 position: absolute;
 list-style:none;
 margin-top: 40px;
 white-space: nowrap;
.nav-bar li {
 display:inline-block;
 margin-right: 30px;
.nav-bar li a:link,
.nav-bar li a:visited {
 text-transform: uppercase;
 text-decoration:none;
 color: #543310;
 font-size:70%;
 transition: 1px solid transparent;
 font-weight: bold;
```

```
border-bottom : 2px solid#E4B73D;
 padding: 10px 0;
body {
 margin: 0;
 padding: 0;
 overflow-x: hidden;
 background-image: url('/Image/landpage.png');
 background-size: cover;
 background-repeat: no-repeat;
 background-position: center center;
 width: 100%;
 height: 100vh;
 position: relative;
 padding: 0;
.navbar-default {
 background-color: transparent;
 border-radius: 0;
 border: 0;
 box-shadow: none;
 padding: 10px;
 position: absolute;
 left: 50%;
 transform: translateX(-50%);
 z-index: 10;
 font-size: 20px;
 width: fit-content;
.navbar-default .navbar-brand {
 font-family: Verdana;
  color: #dbdbdb;
```

```
font-size: 20px;
.navbar-default .navbar-brand:hover,
.navbar-default .navbar-nav > li > a:hover,
.navbar-default .navbar-toggle,
.navbar-default .navbar-toggle:hover,
.navbar-default .navbar-toggle:focus {
 border-color: transparent;
 background-color: transparent;
.navbar-default .navbar-toggle .icon-bar {
 background-color: #000000;
.carousel .background {
 background-position: center center;
 background-size: 100% 100%;
 background-repeat: no-repeat;
 height: 700px;
@media (max-width: 991px) {
.carousel-logo {
 position: absolute;
  top: 20px;
```

```
left: 50%;
 transform: translateX(-50%);
.carousel-logo img {
 max-width: 200px;
.carousel .background.a {
 background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/landingpage.png");
.carousel .background.b {
 background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/landpage.png");
.carousel .background.c {
 background-image: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0,
0, 0.5)), url("/Image/choosetyle.png");
 opacity: 0;
 transition: opacity 0.5s;
.carousel-fade .carousel-inner .active {
 opacity: 1;
@media all and (transform-3d),
(-webkit-transform-3d) {
  .carousel-fade .carousel-inner > .item.prev,
    opacity: 0;
```

```
transform: translate3d(0, 0, 0);
 .carousel-fade .carousel-inner > .item.prev.right,
   opacity: 1;
   transform: translate3d(0, 0, 0);
.covertext {
 position: absolute;
 top: 200px;
 left: 0;
 text-align: center;
 font-weight: 600;
 font-size: 60px;
 color: #dbdbdb;
.subtitle {
 font-family: Verdana;
 font-size: 23px;
 color: #dbdbdb;
.explore {
 text-align: center;
 margin-top: 10px;
.explore .btn-lg,
.explore .btn-lg:hover {
```

```
border-radius: 30px;
 padding: 15px 25px;
 font-size: 22px;
 background-color: #ECB176;
 border-color: #FED8B1;
 color: #6F4E37;
.btn:hover {
 border-radius: 0;
 background-color: #FF4000;
 border-color: #FF4000;
 color: #dbdbdb;
 margin-bottom: 20px;
 box-shadow: none;
.btn:active:focus,
.btn.active:focus,
.btn:active.focus,
.btn.active.focus {
 color: #dbdbdb;
 outline: none;
.testimonials {
 padding: 50px 0;
 overflow: hidden;
 padding: 0 15px;
```

```
font-family: 'Merriweather', serif;
.owl-carousel .owl-wrapper-outer {
 overflow: hidden;
 position: relative;
 width: 100%;
.owl-carousel .owl-wrapper {
 display: flex;
 transition: all 0.3s ease;
.owl-carousel .owl-item {
 display: flex;
 justify-content: center;
 align-items: center;
 width: 100%;
 box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
 padding: 20px;
 border-radius: 10px;
 text-align: center;
 margin: 15px;
 max-width: 250px;
.testimonials .testimonial-name {
 font-weight: bold;
 margin-top: 10px;
 text-align: center;
.testimonials img.img-circle {
 border-radius: 50%;
```

```
width: 100px;
 height: 100px;
 display: block;
 margin: 0 auto 10px;
 object-fit: cover;
 object-position: center;
 background: #A79277;
 padding: 20px;
.footer h4 {
 font-size: 40px;
 margin-bottom: 10px;
 white-space: nowrap;
.footer p,
 color: #000;
 text-decoration: none;
 font-size: 18px;
```

```
padding-left: 0;
.footer .list-unstyled li {
 margin-bottom: 5px;
.footer .list-unstyled li a:hover {
 text-decoration: underline;
.socmed {
 margin: 10px 0;
.socmed a {
 margin: 0 5px;
 font-size: 40px;
 color: #ffffff;
.copy-rights {
 margin: 10px 0 0;
 font-size: 12px;
```

10. orders

```
body {
    font-family: Arial, sans-serif;
}
.hidden {
    display: none;
```

```
position: relative;
   width: 800px;
   margin: 0 auto;
h1 {
   font-size: 60px;
   position: absolute;
   top: 10px;
   left: 150px;
   color: #58cc58;
   top: 80px;
   position: absolute;
   left: 150px;
    font-size: 30px;
h3 {
   top: 125px;
   position: absolute;
   left: 150px;
    font-size: 25px;
h5 {
   color: #3B2313;
   top: 125px;
   position: absolute;
   left: 150px;
    font-size: 25px;
h2 {
   top: 170px;
   position: absolute;
   left: 150px;
```

```
font-size: 35px;
h4 {
   top: 250px;
   position: absolute;
   left: 370px;
    font-size: 25px;
   top: 230px;
   position: absolute;
   left: 370px;
.product-name {
   top: 230px;
   position: absolute;
   left: 150px;
    font-size: 25px;
h6 {
   top: 285px;
   position: absolute;
   left: 150px;
    font-size: 25px;
   top: 310px;
   position: absolute;
   left: 150px;
    font-size: 25px;
   top: 300px;
```

```
position: absolute;
    left: 370px;
    font-size: 25px;
   top: 340px;
   position: absolute;
   left: 150px;
    font-size: 25px;
#deliveryForm {
   top: 395px;
   position: absolute;
   left: 350px;
   top: 400px;
   position: absolute;
   left: 150px;
    font-size: 25px;
   top: 430px;
   position: absolute;
   left: 150px;
    font-size: 25px;
   top: 460px;
   position: absolute;
   left: 325px;
   font-size: 22px;
```

```
color: #3B2313;
   position: absolute;
   left: 150px;
   font-size: 25px;
   top: 515px;
   position: absolute;
   left: 150px;
   font-size: 25px;
.store-address {
   color: #3B2313;
   top: 670px;
   position: absolute;
   left: 360px;
   font-size: 25px;
.address {
   color: #3B2313;
   top: 720px;
   position: absolute;
   left: 360px;
   font-size: 14px;
.line4 {
   color: #3B2313;
   position: absolute;
   left: 150px;
   font-size: 25px;
   padding: 15px 32px;
   text-align: center;
```

```
text-decoration: none;
   display: inline-block;
   font-size: 18px;
   margin: 4px 2px;
   border-radius: 12px;
   transition: background-color 0.3s ease;
   top: 560px;
   left: 350px;
   position: absolute;
.logo {
   height: 100%;
   width: 50%;
   position: absolute;
   top: 20px;
   left: 670px;
.payment-method {
   top: 430px;
   position: absolute;
   left: 150px;
   font-size: 25px;
.paymentForm {
   position: absolute;
   left: 350px;
   font-size: 25px;
   top: 270px;
   position: absolute;
   left: 150px;
   font-size: 23px;
```

```
top: 275px;
   position: absolute;
   left: 370px;
   font-size: 22px;
.btn-submit2 {
   border: none;
   color: white;
   padding: 15px 32px;
   text-align: center;
   text-decoration: none;
   display: inline-block;
   font-size: 18px;
   margin: 4px 2px;
   cursor: pointer;
   border-radius: 12px;
   transition: background-color 0.3s ease;
   top: 810px;
   left: 350px;
   position: absolute;
.delivery-fee, .delivery-fee-price, .payment-method, .paymentForm,
   display: none; /* Hide these elements by default */
.btn-back {
   border: none;
   color: white;
   padding: 10px 24px;
   text-align: center;
   text-decoration: none;
   display: inline-block;
   margin: 4px 2px;
   cursor: pointer;
   border-radius: 12px;
   transition: background-color 0.3s ease;
```

```
top: 870px;
left: 350px;
position: absolute;
}
```

11. Signup-Login

```
.body{
   background: #6F4E37; /* Default background color for login */
background color */
   padding: 1px;
   min-height: 100vh;
   display: flex;
   align-items: center;
   justify-content: center;
.veen{
   width: 70%;
   margin: 100px auto;
   background: rgba(255,255,255,.5);
   min-height: 400px;
   display: table;
   position: relative;
   box-shadow: 0 0 4px rgba(0,0,0,.14), 0 4px 8px rgba(0,0,0,.28);
.veen > div {
   display: table-cell;
   vertical-align: middle;
    color: #000000;
.veen button{
   background: transparent;
   background-image: linear-gradient(90deg, #A67B5B, #ff4931);
   display: inline-block;
   padding: 10px 30px;
   border: 3px solid #fff;
   border-radius: 50px;
   background-clip: padding-box;
    position: relative;
```

```
box-shadow: 0 0 4px rgba(0,0,0,.14), 0 4px 8px rgba(0,0,0,.28);
.veen button.dark{
   border-color: #6F4E37;
   background: #6F4E37;
.veen .move button.dark{
   border-color: #A67B5B;
   background: #A67B5B;
.veen .splits p{
   font-size: 18px;
.veen button:active{
   box-shadow: none;
.veen button:focus{
.veen > .wrapper {
   position: absolute;
   width: 40%;
   height: 150%;
   top: -23%;
   left: 5%;
   background: #fff;
   box-shadow: 0 0 4px rgba(0,0,0,.14), 0 4px 8px rgba(0,0,0,.28);
   transition: all .5s;
   color: #303030;
   overflow: hidden;
.veen .wrapper > form{
   background: #fff;
   padding-top: 130%;
veen .wrapper > form:focus{
```

```
outline: none;
.veen .wrapper #login{
   padding-top: 20%;
   visibility: visible;
.veen .wrapper #register{
   transform: translateY(-80%) translateX(100%);
   visibility: hidden;
.veen .wrapper.move #register{
   transform: translateY(-80%) translateX(0%);
   visibility: visible;
.veen .wrapper.move #login{
   transform: translateX(-100%);
   visibility: hidden;
.veen .wrapper > form > div {
   position: relative;
   margin-bottom: 15px;
.veen .wrapper label{
   position: absolute;
   top: -7px;
   font-size: 12px;
   white-space: nowrap;
   background: #fff;
   text-align: left;
   left: 40px;
   padding: 0 5px;
   pointer-events: none;
.veen .wrapper h3{
   margin-bottom: 25px;
.veen .wrapper input{
   height: 40px;
   padding: 5px 15px;
```

```
border: solid 1px #999;
.veen .wrapper input:focus{
   outline: none;
   border-color: #ff4931;
.veen > .wrapper.move{
   left: 45%;
.veen > .wrapper.move input:focus{
   border-color: #A67B5B;
.body.move {
   background: #FED8B1; /* Background color for register form */
   transition: background-color .5s ease; /* Smooth transition for
@media (max-width: 767px){
   .veen{
       padding: 5px;
       margin: 0;
       width: 100%;
       display: block;
    .veen > .wrapper{
       position: relative;
       height: auto;
       top: 0;
       left: 0;
       width: 100%;
       display: inline-block;
    .splits{
       background: #fff;
       float: left;
```

```
width: 100%;
      background: #505050;
       border: 0;
       opacity: .7;
   .splits button.active{
       opacity: 1;
   .splits button.active{
       opacity: 1;
       background: #A67B5B;
   .splits.rgstr-btn button.active{
   .splits p{
       display: none;
   .veen > .wrapper.body{
 box-sizing: border-box;
   font-size: 1.6rem;
   background-color: rgb(24, 27, 30);
   color: #fff;
   place-items: center;
    width:100%;
 padding: 0;
.row {
```

```
margin:0 auto;
html {
 background-color: #ecf0f1;
 color: #fff;
 font-size: 20px;
 text-rendering: optimizeLegibility;
header {
 background-image:linear-gradient(rgba(0, 0, 0, 0.7), rgba(0, 0, 0,
0.7)), url('/Image/menulandpage.jpg');
 background-position:center;
 position:absolute;
 top:50%;
 left:50%;
.businessgrow{
 margin-bottom:10px;
 color:#d1ccc0;
 font-weight:300px;
 letter-spacing:1px;
 text-transform:uppercase;
 word-spacing:2px;
  left: -280px;
```

```
white-space: nowrap;
 display:inline-block;
 margin-right:20px;
 color:#fff;
 padding:10px 30px;
.btn-a:visited {
 border:1px solid #E4B73D;
 background-color: #3B2313;
 border:1px solid #E4B73D;
 color:#fff;
.btn-b:hover,
.btn-b:active {
 border:1px solid #E4B73D;
 color:#fff;
 background-color:#3B2313;
 background-color: #3B2313;
.logo {
 height:180px;
```

```
margin-top:-30px;
 left: 1000px;
 position: absolute;
 list-style:none;
 margin-top: 40px;
 white-space: nowrap;
.nav-bar li {
 margin-right: 30px;
 text-transform: uppercase;
 text-decoration:none;
 color:#3B2313;
 font-size:70%;
 transition: 1px solid transparent;
.nav-bar li a:hover,
.nav-bar li a:active {
 border-bottom : 2px solid#E4B73D;
 padding: 10px 0;
 color: #3B2313;
 height: 210vh; /* Each section takes up the full viewport height
 display: flex;
```

```
justify-content: center;
 padding: 20px;
.section1 {
 height: 240vh; /* Each section takes up the full viewport height
width: 100%;
 display: flex;
 overflow-x: hidden;
 justify-content: center;
 padding: 20px;
 height: 80vh; /* Each section takes up the full viewport height */
width: 100%;
 display: flex;
 padding: 20px;
.section3{
     height: 120vh; /* Each section takes up the full viewport
height */
 width: 100%;
     display: flex;
     align-items: center;
     justify-content: center;
     padding: 20px;
#section1 {
position: absolute;
```

```
#section2 {
position: absolute;
top: 310%;
#section3 {
position: absolute;
top: 550%;
#section4 {
background-color: #ece1c7;
 top: 630%;
     color:#3B2313;
   position: absolute;
   top: 50px;
    font-size: 50px;
     display: inline-block;
     color: #E4B73D;
     position: absolute;
 position: absolute;
 left: 850px;
 color: #3B2313;
```

```
position: absolute;
 z-index: 1;
h1{
     position: absolute;
     top: -105px;
     color: #3B2313;
p {
     display: inline-block;
     color:#E4B73D;
.hotcoffee{
     color:#3B2313;
     display: inline-block;
     color:#E4B73D;
```

```
background-color:#ece1c7;
     height: 190px;
    top:126%;
    border-radius: 10px;
    border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container1{
     background-color:#ece1c7;
    height: 190px;
    top:126%;
     border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container2{
     background-color:#ece1c7;
    height: 190px;
    position:absolute;
    border-radius: 10px;
     border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
container3{
     background-color:#ece1c7;
```

```
height: 190px;
     position:absolute;
    border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container4{
     background-color:#ece1c7;
    height: 190px;
    width: 450px;
    position:absolute;
    border: 2px solid #3B2313;
     top:196%;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container5{
     background-color:#ece1c7;
    height: 190px;
    position:absolute;
    top:196%;
    border: 2px solid #3B2313;
     border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container6{
     background-color:#ece1c7;
     height: 190px;
     position:absolute;
     top:241%;
```

```
box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
                      border: 2px solid #3B2313;
.container7{
     background-color:#ece1c7;
     height: 190px;
    width: 450px;
     top:241%;
     left: 1220px;
    border: 2px solid #3B2313;
    border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
     background-color:#ece1c7;
    height: 190px;
     top:275%;
     border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
                      border: 2px solid #3B2313;
.container9{
     background-color:#ece1c7;
     height: 190px;
     position:absolute;
     border: 2px solid #3B2313;
     border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
```

```
0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container10{
     background-color:#DECCA4;
     height: 300px;
     top:10%;
     border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container11{
     background-color:#DECCA4;
     top:10%;
     border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container12{
     background-color:#DECCA4;
     height: 300px;
     position: absolute;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
container13{
     background-color:#DECCA4;
```

```
height: 300px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
     background-color:#DECCA4;
    width: 320px;
    position: absolute;
    border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container15{
    background-color:#DECCA4;
    height: 300px;
    border: 2px solid #3B2313;
    position: absolute;
     left: 1205px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container16{
     background-color:#DECCA4;
     height: 300px;
```

```
position: absolute;
    border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container17{
    background-color:#DECCA4;
    width: 320px;
    border: 2px solid #3B2313;
    left: 805px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
    background-color:#DECCA4;
    height: 300px;
    top:56%;
    border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
    height: 300px;
```

```
border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
     background-color:#DECCA4;
    height: 300px;
    position: absolute;
    border: 2px solid #3B2313;
    top: 79%;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
   font-size: 50px;
   position: absolute;
   z-index: 1;
   color: #3B2313;
.Tealine{
   width: 100%;
   position: absolute;
   left: 900px;
   z-index: 1;
    background-color:#ece1c7;
    height: 300px;
     border: 2px solid #3B2313;
```

```
box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container22{
    background-color:#ece1c7;
    width: 320px;
    border: 2px solid #3B2313;
    left: 805px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container23{
    background-color:#ece1c7;
    height: 300px;
    position: absolute;
    border: 2px solid #3B2313;
    left: 1220px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container24{
    height: 250px;
    border: 2px solid #3B2313;
     left: 400px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
```

```
0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container25{
    background-color:#DECCA4;
   width: 400px;
   border: 2px solid #3B2313;
   left:900px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container26{
     background-color:#DECCA4;
   border: 2px solid #3B2313;
   left: 400px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container27{
     background-color:#DECCA4;
   width: 400px;
   position: absolute;
   border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.Americano{
     color: #3B2313;
     position: absolute;
     top: 0px;
```

```
white-space: nowrap;
     left: 190px;
     overflow: auto;
.Espresso{
     color: #3B2313;
     left:190px;
 white-space: nowrap;
.Cappucino{
     color: #3B2313;
   position: absolute;
   font-size: 25px;
.Latte{
     color: #3B2313;
   position: absolute;
   left: 190px;
   font-size: 25px;
   font-family: 'Merriweather', serif;
     color: #3B2313;
   position: absolute;
   left: 170px;
   font-size: 25px;
```

```
color: #3B2313;
   position: absolute;
   left: 175px;
   font-size: 25px;
.CafeShakerato{
    color: #3B2313;
   position: absolute;
.CappuccinoFreddo{
     color: #3B2313;
    position: absolute;
     top: 5px;
     margin: 0;
   padding: 0;
     white-space: nowrap;
.MochaccinoFreddo{
     color: #3B2313;
   position: absolute;
   left: 165px;
     white-space: nowrap;
.CioccolataFreddo{
    color: #3B2313;
   left: 165px;
```

```
font-size: 25px;
     white-space: nowrap;
.CookiesCream{
     color: #3B2313;
     top:50%;
     white-space: nowrap;
     overflow: auto;
.RedVelvetCheesecake{
 color: #3B2313;
position: absolute;
top:50%;
white-space: nowrap;
left: 17px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.DoubleDarkChocolate{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 20px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.HamCheeseCroissant{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 15px;
```

```
font-family: 'Merriweather', serif;
overflow: auto;
.KouignAmann{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 60px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.PainAuChocolat{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 55px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.CheesePuff{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 60px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.cookiescreamdes{
     color: #3B2313;
     position: absolute;
     top:180px;
```

```
margin: 0;
   padding: 0;
     white-space: nowrap;
.Sneakies{
     color: #3B2313;
    position: absolute;
     white-space: nowrap;
     font-size: 25px;
     overflow: auto;
.sneakiesdes{
   color: #3B2313;
     position: absolute;
     top:180px;
     margin: 0;
   padding: 0;
     white-space: nowrap;
.ClassicChocoChip{
     color: #3B2313;
     position: absolute;
     white-space: nowrap;
     overflow: auto;
.classicchocochipdes{
   color: #3B2313;
```

```
position: absolute;
     top:185px;
   padding: 0;
     white-space: nowrap;
.Biscookie{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 90px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.TurronCroissant{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 60px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.EarlGrey{
     color: #3B2313;
     top: 51%;
     font-size: 25px;
     overflow: auto;
     color: #3B2313;
```

```
white-space: nowrap;
     left:60px;
     font-size: 25px;
     overflow: auto;
.GreenTea{
     color: #3B2313;
     position: absolute;
     white-space: nowrap;
     font-size: 25px;
     overflow: auto;
.DoubleChocolateChip{
    color: #3B2313;
   position: absolute;
   white-space: nowrap;
   left: 180px;
   font-size: 20px;
   overflow: auto;
.Caramel{
     color: #3B2313;
   top: 25%;
   font-size: 20px;
.IceBlendedCookieseCream{
     color: #3B2313;
   position: absolute;
```

```
white-space: nowrap;
   font-size: 20px;
   overflow: auto;
.IceBlendedMocha{
     color: #3B2313;
   position: absolute;
   white-space: nowrap;
   font-size: 20px;
   font-family: 'Merriweather', serif;
   overflow: auto;
    color: #3B2313;
   font-size: 12px;
   position: absolute;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.IceBlendedMochades{
    color: #3B2313;
   font-size: 12px;
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   margin: 0;
   padding: 0;
   white-space: nowrap;
IceBlendedMochades{
```

```
color: #3B2313;
   font-size: 12px;
   position: absolute;
   top:85px;
   left: 180px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
     color: #3B2313;
   top:85px;
   left: 180px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.doublechocolatechipdes{
     color: #3B2313;
   font-size: 12px;
   position: absolute;
   top:85px;
   left: 180px;
   margin: 0;
   white-space: nowrap;
.biscookiedes{
     color: #3B2313;
     position: absolute;
     top:185px;
```

```
padding: 0;
     white-space: nowrap;
.doubledarkchocolatedes{
 color: #3B2313;
position: absolute;
top:185px;
left: 10px;
margin: 0;
 padding: 0;
white-space: nowrap;
.hamcheesecroissantdes{
 color: #3B2313;
position: absolute;
top:185px;
left: 10px;
margin: 0;
white-space: nowrap;
.coldcoffee{
     color:#3B2313;
     top: 232%;
     font-size: 30px;
h5{
     display: inline-block;
     color:#E4B73D;
```

```
color: #3B2313;
     left: 190px;
    margin: 0;
     white-space: nowrap;
.Espressodes{
     color: #3B2313;
     font-size: 13px;
     font-family: 'Montserrat', sans-serif;
     position: absolute;
    top: 35px;
    margin: 0;
   padding: 0;
     white-space: nowrap;
.Mochades {
     color: #3B2313;
     font-size: 13px;
     font-family: 'Montserrat', sans-serif;
     position: absolute;
     left: 165px;
    margin: 0;
   padding: 0;
     white-space: nowrap;
.Cappucinodes{
     color: #3B2313;
     font-size: 13px;
```

```
top: 35px;
     margin: 0;
   padding: 0;
     white-space: nowrap;
     color: #3B2313;
    top: 35px;
     left: 190px;
     margin: 0;
     white-space: nowrap;
     color: #3B2313;
     position: absolute;
     top: 35px;
    margin: 0;
   padding: 0;
     white-space: nowrap;
.CafeShakeratodes{
     color: #3B2313;
     font-size: 13px;
     font-family: 'Montserrat', sans-serif;
     position: absolute;
   padding: 0;
     white-space: nowrap;
cappuccinofreddodes{
```

```
color: #3B2313;
     font-size: 13px;
     margin: 0;
   padding: 0;
     white-space: nowrap;
     color: #3B2313;
     position: absolute;
     margin: 0;
   padding: 0;
     white-space: nowrap;
.cioccolatafreddodes{
     color: #3B2313;
     font-size: 13px;
     position: absolute;
     left: 166px;
     margin: 0;
     white-space: nowrap;
.redvelvetcheesecakedes{
 color: #3B2313;
position: absolute;
top:180px;
left: 12px;
margin: 0;
```

```
padding: 0;
white-space: nowrap;
.kouignamanndes{
 color: #3B2313;
position: absolute;
top:185px;
left: 10px;
margin: 0;
white-space: nowrap;
.painauchocolatdes{
 color: #3B2313;
position: absolute;
top:185px;
left: 10px;
margin: 0;
white-space: nowrap;
.cheesepuffdes{
 color: #3B2313;
position: absolute;
top:180px;
left: 20px;
margin: 0;
 padding: 0;
white-space: nowrap;
 color: #3B2313;
```

```
position: absolute;
top:185px;
left: 13px;
margin: 0;
 padding: 0;
white-space: nowrap;
.earlgreydes{
color: #3B2313;
font-size: 13px;
font-family: 'Montserrat', sans-serif;
position: absolute;
top:180px;
left: 13px;
margin: 0;
padding: 0;
white-space: nowrap;
.englishbreakfastdes{
color: #3B2313;
font-size: 13px;
font-family: 'Montserrat', sans-serif;
position: absolute;
top:180px;
left: 13px;
margin: 0;
padding: 0;
white-space: nowrap;
.greenteades{
     color: #3B2313;
     top:180px;
     margin: 0;
     padding: 0;
     white-space: nowrap;
```

```
.image-gallery {
   position: relative;
   margin: 20px;
   cursor: pointer;
   margin: 5px;
   position: absolute;
   top: 190px;
     z-index: 1;
   width: 200px;
    height: 250px;
   margin: 5px;
   top: 200px;
     z-index: 1;
.thumbnail3 {
    height: 290px;
   cursor: pointer;
   margin: 5px;
     left: 0px;
   top: 300px;
```

```
height: 250px;
   cursor: pointer;
   margin: 5px;
   top: 270px;
     z-index: 1;
thumbnail5 {
   width: 260px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
    left: 130px;
   top: 370px;
.thumbnail6 {
   width: 250px;
    height: 200px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
   top: 380px;
     transform: translate(30%, 260%);
   cursor: pointer;
   margin: 5px;
   position: absolute;
```

```
top: 780px;
   cursor: pointer;
   margin: 5px;
   top: 790px;
     z-index: 1;
    height: 220px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
   top: 940px;
     z-index:1 ;
.thumbnail10 {
    height: 200px;
   margin: 5px;
   top: 940px;
thumbnail11 {
```

```
height: 140px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
     border-radius: 10px;
   top: 985px;
     z-index:1 ;
.thumbnail12 {
    height: 140px;
   margin: 5px;
    border-radius: 10px;
   top: 985px;
     z-index:1 ;
   width: 250px;
    height: 140px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
     border-radius: 10px;
   width: 250px;
     height: 140px;
   cursor: pointer;
```

```
margin: 5px;
 border-radius: 10px;
 left: 122px;
top: 985px;
 z-index:1 ;
cursor: pointer;
margin: 5px;
 border-radius: 10px;
 height: 140px;
cursor: pointer;
margin: 5px;
 position: absolute;
 border-radius: 10px;
 transform: translate(60%, 1275%);
 z-index:1 ;
 height: 140px;
cursor: pointer;
margin: 5px;
 position: absolute;
 left: 125px;
```

```
border-radius: 10px;
    height: 140px;
   cursor: pointer;
   margin: 5px;
     top: 915px;
     border-radius: 10px;
     transform: translate(-95%, 1705%);
     z-index:1 ;
   width: 260px;
     height: 140px;
   cursor: pointer;
   margin: 5px;
     top: 915px;
     border-radius: 10px;
.thumbnail20 {
    height: 140px;
   cursor: pointer;
   margin: 5px;
     border-radius: 10px;
```

```
height: 140px;
   cursor: pointer;
   margin: 5px;
thumbnail22 {
   width: 260px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
    top: 915px;
    border-radius: 10px;
     z-index:1 ;
   width: 260px;
    height: 140px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
    top: 915px;
    border-radius: 10px;
     transform: translate(-45%, 2540%);
   width: 260px;
    height: 140px;
   cursor: pointer;
   margin: 5px;
```

```
border-radius: 10px;
    height: 242px;
   cursor: pointer;
   margin: 5px;
     transform: translate(-326%, 1818%);
     z-index:1 ;
.thumbnail26{
    height: 242px;
   cursor: pointer;
   margin: 5px;
     transform: translate(-32%, 1817%);
     z-index:1 ;
.thumbnail27{
    height: 242px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
     top: 915px;
    height: 242px;
   cursor: pointer;
   margin: 5px;
```

```
position: absolute;
     top: 915px;
   position: fixed;
   padding-top: 60px;
   left: 0;
   background-color: rgba(0, 0, 0, 0.9);
   margin: auto;
   max-width: 80%;
   max-height: 80%;
   animation-duration: 0.6s;
@keyframes zoom {
/* Close button */
   position: absolute;
   top: 15px;
```

```
right: 35px;
   color: #fff;
   font-size: 40px;
   transition: 0.3s;
   cursor: pointer;
.close:hover,
.close:focus {
   color: #bbb;
   text-decoration: none;
   color: #000;
   text-decoration: none;
     top: 40px;
   font-size: 18px;
.nav-right .cart-icon img {
   width:80px;
^{\prime}* Media Queries for Mobile S (320px) */
@media (max-width: 320px) {
       position: static;
```

```
margin-bottom: 10px;
.container9, .container10, .container11, .container12, .container13,
.container22, .container23, .container24, .container25,
.container26, .container27 {
       width: 100%;
       left: 50%;
      transform: translateX(-50%);
      position: relative;
      margin-bottom: 20px;
thumbnail9, .thumbnail10, .thumbnail11, .thumbnail12, .thumbnail13,
.thumbnail14, .thumbnail15, .thumbnail16, .thumbnail17,
thumbnail22, .thumbnail23, .thumbnail24, .thumbnail25,
      position: relative;
       left: auto;
       top: auto;
     .Iceblended, .Iceline, .pastries, .line, h1, p, .hotcoffee,
       left: 50%;
       position: relative;
```

```
font-size: 35px;
   .pastries, .Tea {
    font-size: 25px;
    font-size: 35px;
/* Media Queries for Mobile M (375px) */
@media (max-width: 375px) {
```

```
position: static;
 margin-bottom: 10px;
 left: 50%;
 position: relative;
 margin-bottom: 20px;
 position: relative;
.Iceblended, .Iceline, .pastries, .line, h1, p, .hotcoffee,
 left: 50%;
 position: relative;
```

```
.pastries, .Tea {
    height: 1px;
   .hotcoffee {
    font-size: 40px;
/* Media Queries for Mobile L (425px) */
    position: static;
    margin-bottom: 10px;
```

```
transform: translateX(-50%);
 margin-bottom: 20px;
position: relative;
transform: none;
.Iceblended, .Iceline, .pastries, .line, h1, p, .hotcoffee,
position: relative;
.pastries, .Tea {
height: 1px;
 font-size: 35px;
```

```
font-size: 45px;
   .hotcoffee {
     font-size: 20px;
/* Media Queries for Tablets and Smaller Devices */
@media (max-width: 768px) {
     flex-direction: column;
    position: static;
    margin-bottom: 10px;
     width: 90%;
     left: 50%;
     transform: translateX(-50%);
     margin-bottom: 20px;
     max-width: 150px;
     position: relative;
```

```
position: relative;
.pastries, .Tea {
 font-size: 40px;
height: 1px;
```

```
/* Media Queries for Laptop (1366px) */
@media (max-width: 1366px) {
   .nav-bar {
     flex-direction: row;
   .container {
    width: 90%;
/* Media Queries for Desktop (1920px) */
   .nav-bar {
     flex-direction: row;
    width: 85%;
    max-width: 250px;
/* Media Queries for 4K (2560px) */
@media (max-width: 2560px) {
```

```
width: 80%;
     }body{
  overflow-x: hidden;
 box-sizing: border-box;
    font-size: 1.6rem;
   background-color: rgb(24, 27, 30);
   color: #fff;
   display: grid;
   min-height: 100vh;
 margin:0;
 padding: 0;
 margin: 0 auto;
 background-color:#ece1c7;
html {
 background-color: #ecf0f1;
 color: #fff;
```

```
text-rendering: optimizeLegibility;
header {
 background-image:linear-gradient(rgba(0, 0, 0, 0.7), rgba(0, 0, 0,
0.7)), url('/Image/menulandpage.jpg');
 background-position:center;
 width:100%;
.hero-text-box {
 position:absolute;
/* width:1140px; */
 top:50%;
 left:50%;
.businessgrow{
 margin-bottom:10px;
 color:#d1ccc0;
 letter-spacing:1px;
 text-transform:uppercase;
 word-spacing:2px;
 font-size:150%;
 top: 140%;
 left: -280px;
 white-space: nowrap;
 margin-right:20px;
 color:#fff;
```

```
.btn-a:link,
 background-color: #3B2313;
 border:1px solid #E4B73D;
 color:#fff;
.btn-b:hover,
 border:1px solid #E4B73D;
 color:#fff;
 background-color:#3B2313;
 background-color: #3B2313;
.logo {
 height:180px;
 width:auto;
 margin-top:-30px;
 position: absolute;
 list-style:none;
 margin-top: 40px;
 white-space: nowrap;
```

```
display:inline-block;
 margin-right: 30px;
 text-transform: uppercase;
 text-decoration:none;
 color:#3B2313;
 font-size:70%;
 transition: 1px solid transparent;
 border-bottom : 2px solid#E4B73D;
 padding: 10px 0;
 color: #3B2313;
.section {
 height: 210vh; /* Each section takes up the full viewport height
 width: 100%;
 align-items: center;
 justify-content: center;
 padding: 20px;
 height: 240vh; /* Each section takes up the full viewport height
```

```
padding: 20px;
 height: 80vh; /* Each section takes up the full viewport height */
width: 100%;
 display: flex;
 box-sizing: border-box;
.section3{
     height: 120vh; /* Each section takes up the full viewport
height */
     display: flex;
     padding: 20px;
#section1 {
 background-color: #DECCA4;
position: absolute;
top: 100%;
#section2 {
 background-color: #ece1c7;
position: absolute;
top: 310%;
#section3 {
position: absolute;
top: 550%;
```

```
#section4 {
background-color: #ece1c7;
 position: absolute;
     color:#3B2313;
   position: absolute;
   top: 50px;
.Iceline{
     display: inline-block;
     font-size: 65px;
     color: #E4B73D;
     top: 40px;
.pastries{
 position: absolute;
 color: #3B2313;
.line{
 position: absolute;
 left: 885px;
h1 {
```

```
left: 600px;
     color: #3B2313;
     display: inline-block;
     font-size: 65px;
     color: #E4B73D;
     left: 610px;
.hotcoffee{
     color:#3B2313;
     position: absolute;
     top: -55px;
.hotline{
     font-weight: bolder;
     font-size: 65px;
     color: #E4B73D;
     top: -90px;
     height: 190px;
     position: absolute;
     border-radius: 10px;
```

```
border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container1{
     background-color:#ece1c7;
     height: 190px;
     top:126%;
    border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
     background-color:#ece1c7;
     height: 190px;
     border-radius: 10px;
     border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container3{
     background-color:#ece1c7;
     height: 190px;
     position:absolute;
     border: 2px solid #3B2313;
     border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
```

```
background-color:#ece1c7;
     height: 190px;
     position:absolute;
     border: 2px solid #3B2313;
     top:196%;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container5{
     background-color:#ece1c7;
    height: 190px;
     width: 450px;
     top:196%;
     border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container6{
     background-color:#ece1c7;
    height: 190px;
    position:absolute;
     top:241%;
     left:250px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
                      border: 2px solid #3B2313;
.container7{
     background-color:#ece1c7;
     height: 190px;
```

```
position:absolute;
     top:241%;
     border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container8{
     background-color:#ece1c7;
     height: 190px;
    width: 450px;
     top:275%;
     left: 250px;
     border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
                      border: 2px solid #3B2313;
     background-color:#ece1c7;
     height: 190px;
    top:275%;
     left: 1220px;
    border: 2px solid #3B2313;
     border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container10{
     height: 300px;
     position: absolute;
     border: 2px solid #3B2313;
```

```
box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container11{
     background-color:#DECCA4;
     top:10%;
    border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
    height: 300px;
     top:10%;
     border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container13{
     background-color:#DECCA4;
     height: 300px;
    border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
```

```
background-color:#DECCA4;
     height: 300px;
    position: absolute;
    border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container15{
     background-color:#DECCA4;
    height: 300px;
    border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container16{
     background-color:#DECCA4;
    height: 300px;
    position: absolute;
    border: 2px solid #3B2313;
     left: 400px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
container17{
     background-color:#DECCA4;
```

```
height: 300px;
     position: absolute;
     border: 2px solid #3B2313;
     top:56%;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
     background-color:#DECCA4;
    width: 320px;
    top:56%;
    border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container19{
    background-color:#DECCA4;
    height: 300px;
    width: 320px;
    top: 79%;
    border: 2px solid #3B2313;
     left: 400px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
```

```
border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
   position: absolute;
   left: 900px;
   z-index: 1;
   color: #3B2313;
.Tealine{
   width: 100%;
   position: absolute;
.container21{
    height: 300px;
    border: 2px solid #3B2313;
     left: 400px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container22{
     background-color:#ece1c7;
     height: 300px;
```

```
position: absolute;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container23{
     background-color:#ece1c7;
     height: 300px;
    position: absolute;
    border: 2px solid #3B2313;
    top: 20%;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container24{
     background-color:#DECCA4;
     height: 250px;
    position: absolute;
    border: 2px solid #3B2313;
     left: 400px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container25{
   position: absolute;
   border: 2px solid #3B2313;
```

```
box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container26{
     background-color:#DECCA4;
   border: 2px solid #3B2313;
   left: 400px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container27{
     background-color:#DECCA4;
   position: absolute;
   border: 2px solid #3B2313;
   top:0%;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.Americano{
     color: #3B2313;
     position: absolute;
     top: 0px;
     white-space: nowrap;
     left: 190px;
     overflow: auto;
.Espresso{
     color: #3B2313;
     position: absolute;
     top: 0px;
```

```
white-space: nowrap;
.Cappucino{
     color: #3B2313;
   position: absolute;
.Latte{
     color: #3B2313;
   position: absolute;
.Mocha{
     color: #3B2313;
   position: absolute;
   font-size: 25px;
.CioccolataCalda{
    color: #3B2313;
   left: 175px;
   font-size: 25px;
     color: #3B2313;
```

```
left: 185px;
   font-size: 25px;
.CappuccinoFreddo{
     color: #3B2313;
     position: absolute;
     margin: 0;
   padding: 0;
     white-space: nowrap;
.MochaccinoFreddo{
    color: #3B2313;
   position: absolute;
   left: 165px;
   font-size: 25px;
     white-space: nowrap;
.CioccolataFreddo{
    color: #3B2313;
   font-size: 25px;
   font-family: 'Merriweather', serif;
     white-space: nowrap;
.CookiesCream{
     color: #3B2313;
     position: absolute;
     white-space: nowrap;
     left: 30px;
```

```
.RedVelvetCheesecake{
 color: #3B2313;
position: absolute;
top:50%;
white-space: nowrap;
left: 17px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.DoubleDarkChocolate{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 20px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.HamCheeseCroissant{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 15px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.KouignAmann{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 60px;
```

```
font-family: 'Merriweather', serif;
overflow: auto;
.PainAuChocolat{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 55px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.CheesePuff{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 60px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
     color: #3B2313;
     font-size: 13px;
     font-family: 'Montserrat', sans-serif;
     position: absolute;
     top:180px;
     left: 15px;
    margin: 0;
   padding: 0;
     white-space: nowrap;
.Sneakies{
     color: #3B2313;
     top:50%;
     white-space: nowrap;
```

```
font-size: 25px;
     overflow: auto;
   color: #3B2313;
     position: absolute;
     top:180px;
     margin: 0;
   padding: 0;
     color: #3B2313;
     top:50%;
     white-space: nowrap;
     overflow: auto;
.classicchocochipdes{
   color: #3B2313;
     font-size: 13px;
     position: absolute;
   padding: 0;
     white-space: nowrap;
 color: #3B2313;
```

```
top:51%;
white-space: nowrap;
left: 90px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.TurronCroissant{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 60px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.EarlGrey{
     color: #3B2313;
     position: absolute;
     white-space: nowrap;
     left: 100px;
     overflow: auto;
.EnglishBreakfast{
     color: #3B2313;
     top: 51%;
     left:60px;
     font-size: 25px;
     overflow: auto;
.GreenTea{
     color: #3B2313;
```

```
font-size: 25px;
     overflow: auto;
.DoubleChocolateChip{
    color: #3B2313;
   position: absolute;
   white-space: nowrap;
   left: 180px;
   font-size: 20px;
   font-family: 'Merriweather', serif;
   overflow: auto;
    color: #3B2313;
   position: absolute;
   white-space: nowrap;
   font-size: 20px;
   overflow: auto;
.IceBlendedCookieseCream{
     color: #3B2313;
   top: 25%;
   font-size: 20px;
.IceBlendedMocha{
     color: #3B2313;
   position: absolute;
```

```
white-space: nowrap;
   font-size: 20px;
   overflow: auto;
.iceblendedcookiescreamdes{
     color: #3B2313;
   font-size: 12px;
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   left: 180px;
   margin: 0;
.IceBlendedMochades{
    color: #3B2313;
   top:85px;
   left: 180px;
   margin: 0;
   padding: 0;
.IceBlendedMochades{
     color: #3B2313;
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   top:85px;
   left: 180px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
```

```
color: #3B2313;
   font-size: 12px;
   position: absolute;
   top:85px;
   left: 180px;
   margin: 0;
   white-space: nowrap;
.doublechocolatechipdes{
     color: #3B2313;
   font-size: 12px;
   position: absolute;
   margin: 0;
   padding: 0;
   white-space: nowrap;
     color: #3B2313;
     font-size: 13px;
     position: absolute;
     margin: 0;
   padding: 0;
.doubledarkchocolatedes{
 color: #3B2313;
position: absolute;
top:185px;
left: 10px;
```

```
margin: 0;
white-space: nowrap;
.hamcheesecroissantdes{
 color: #3B2313;
position: absolute;
top:185px;
left: 10px;
margin: 0;
white-space: nowrap;
.coldcoffee{
     color:#3B2313;
     position: absolute;
     font-size: 30px;
h5{
     font-weight: bolder;
     font-size: 65px;
     color: #E4B73D;
     top: 229%;
     left: 255px;
.Americanodes{
     color: #3B2313;
     position: absolute;
     top:35px;
```

```
padding: 0;
     white-space: nowrap;
.Espressodes{
     color: #3B2313;
     position: absolute;
    margin: 0;
   padding: 0;
     white-space: nowrap;
.Mochades{
     color: #3B2313;
    top: 35px;
     left: 165px;
     margin: 0;
     white-space: nowrap;
.Cappucinodes{
     color: #3B2313;
     top: 35px;
    margin: 0;
   padding: 0;
     white-space: nowrap;
     color: #3B2313;
```

```
position: absolute;
     margin: 0;
   padding: 0;
     white-space: nowrap;
.CioccolataCaldades{
     color: #3B2313;
     position: absolute;
    left: 175px;
    margin: 0;
   padding: 0;
    color: #3B2313;
     left: 185px;
    margin: 0;
   padding: 0;
.cappuccinofreddodes{
     color: #3B2313;
    margin: 0;
   padding: 0;
     white-space: nowrap;
```

```
color: #3B2313;
     position: absolute;
     left: 170px;
     margin: 0;
     white-space: nowrap;
.cioccolatafreddodes{
     color: #3B2313;
     font-size: 13px;
     font-family: 'Montserrat', sans-serif;
     position: absolute;
   padding: 0;
     white-space: nowrap;
.redvelvetcheesecakedes{
 color: #3B2313;
position: absolute;
top:180px;
left: 12px;
margin: 0;
white-space: nowrap;
.kouignamanndes{
 color: #3B2313;
position: absolute;
top:185px;
left: 10px;
```

```
margin: 0;
white-space: nowrap;
.painauchocolatdes{
 color: #3B2313;
position: absolute;
top:185px;
left: 10px;
margin: 0;
white-space: nowrap;
.cheesepuffdes{
 color: #3B2313;
position: absolute;
top:180px;
left: 20px;
margin: 0;
 padding: 0;
white-space: nowrap;
.turoncroissantdes{
 color: #3B2313;
 font-size: 13px;
 font-family: 'Montserrat', sans-serif;
position: absolute;
top:185px;
left: 13px;
margin: 0;
 padding: 0;
white-space: nowrap;
.earlgreydes{
color: #3B2313;
font-size: 13px;
```

```
position: absolute;
top:180px;
left: 13px;
margin: 0;
padding: 0;
white-space: nowrap;
.englishbreakfastdes{
color: #3B2313;
font-size: 13px;
font-family: 'Montserrat', sans-serif;
position: absolute;
top:180px;
left: 13px;
margin: 0;
padding: 0;
white-space: nowrap;
.greenteades{
     color: #3B2313;
     position: absolute;
     margin: 0;
     white-space: nowrap;
.image-gallery {
   position: relative;
   margin: 20px;
thumbnail1 {
    width: 200px;
```

```
cursor: pointer;
margin: 5px;
position: absolute;
 left: 0px;
top: 190px;
 z-index: 1;
 height: 250px;
margin: 5px;
 left: 210px;
 height: 290px;
cursor: pointer;
margin: 5px;
 position: absolute;
 left: 0px;
 transform: translate(-330%, 75%);
 height: 250px;
cursor: pointer;
margin: 5px;
 position: absolute;
 left: 130px;
top: 270px;
```

```
width: 260px;
    height: 250px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
   top: 370px;
     transform: translate(-340%, 200%);
.thumbnail6 {
    height: 200px;
   margin: 5px;
   top: 380px;
   margin: 5px;
   top: 780px;
     z-index: 1;
thumbnail8 {
   cursor: pointer;
   margin: 5px;
```

```
position: absolute;
   top: 790px;
.thumbnail9 {
    height: 220px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
   top: 940px;
     z-index:1 ;
    height: 200px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
    left: 260px;
   top: 940px;
thumbnail11 {
   width: 250px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
    border-radius: 10px;
   top: 985px;
```

```
height: 140px;
   cursor: pointer;
   margin: 5px;
   top: 985px;
     transform: translate(-95%, 895%);
     z-index:1 ;
.thumbnail13 {
    height: 140px;
   margin: 5px;
    border-radius: 10px;
   top: 985px;
     z-index:1 ;
    height: 140px;
   margin: 5px;
    border-radius: 10px;
    left: 122px;
   top: 985px;
   width: 260px;
```

```
height: 140px;
margin: 5px;
 border-radius: 10px;
 position: absolute;
top: 985px;
width: 260px;
cursor: pointer;
margin: 5px;
top: 985px;
 border-radius: 10px;
width: 260px;
 height: 140px;
cursor: pointer;
margin: 5px;
 position: absolute;
 height: 140px;
cursor: pointer;
margin: 5px;
```

```
position: absolute;
 left: 125px;
 border-radius: 10px;
  z-index:1 ;
 height: 140px;
margin: 5px;
 border-radius: 10px;
 transform: translate(-260%, 1705%);
 height: 140px;
cursor: pointer;
margin: 5px;
 position: absolute;
 z-index:1;
 height: 140px;
cursor: pointer;
margin: 5px;
 position: absolute;
 top: 915px;
 border-radius: 10px;
```

```
width: 260px;
    height: 140px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
     top: 915px;
     border-radius: 10px;
     transform: translate(-204%, 2540%);
     z-index:1 ;
.thumbnail23 {
    height: 140px;
   margin: 5px;
    border-radius: 10px;
    height: 140px;
   margin: 5px;
    height: 242px;
   cursor: pointer;
   margin: 5px;
```

```
position: absolute;
     top: 915px;
    height: 242px;
   cursor: pointer;
   margin: 5px;
     z-index:1 ;
.thumbnail27{
    height: 242px;
   cursor: pointer;
   margin: 5px;
     z-index:1 ;
.thumbnail28{
    height: 242px;
   cursor: pointer;
   margin: 5px;
    position: absolute;
/* Modal styles */
```

```
display: none;
    position: fixed;
   padding-top: 60px;
    left: 0;
    background-color: rgba(0, 0, 0, 0.9);
.modal-content {
   margin: auto;
   max-width: 80%;
@keyframes zoom {
    from {transform: scale(0);}
/* Close button */
   position: absolute;
   top: 15px;
   right: 35px;
   color: #fff;
   font-size: 40px;
   cursor: pointer;
.close:hover,
```

```
cursor: pointer;
   color: #000;
   text-decoration: none;
    top: 40px;
   font-size: 18px;
     left: 1740px;
   width:80px;
^{\prime}* Media Queries for Mobile S (320px) */
     .nav-bar {
       flex-direction: column;
      position: static;
      margin-bottom: 10px;
.container9, .container10, .container11, .container12, .container13,
```

```
transform: translateX(-50%);
      position: relative;
      margin-bottom: 20px;
.thumbnail4, .thumbnail5, .thumbnail6, .thumbnail7, .thumbnail8,
thumbnail9, .thumbnail10, .thumbnail11, .thumbnail12, .thumbnail13,
thumbnail14, .thumbnail15, .thumbnail16, .thumbnail17,
       transform: none;
     .Iceblended, .Iceline, .pastries, .line, h1, p, .hotcoffee,
      left: 50%;
      position: relative;
```

```
.pastries, .Tea {
    height: 1px;
    font-size: 35px;
   .hotcoffee {
    font-size: 35px;
/* Media Queries for Mobile M (375px) */
    position: static;
    margin-bottom: 10px;
```

```
transform: translateX(-50%);
 position: relative;
 margin-bottom: 20px;
position: relative;
transform: none;
.Iceblended, .Iceline, .pastries, .line, h1, p, .hotcoffee,
position: relative;
.pastries, .Tea {
height: 1px;
 font-size: 30px;
```

```
font-size: 40px;
   .hotcoffee {
     font-size: 18px;
/* Media Queries for Mobile L (425px) */
@media (max-width: 425px) {
    position: static;
    margin-bottom: 10px;
     width: 95%;
     left: 50%;
     margin-bottom: 20px;
     max-width: 120px;
     position: relative;
```

```
position: relative;
.pastries, .Tea {
 font-size: 35px;
height: 1px;
```

```
/* Media Queries for Tablets and Smaller Devices */
@media (max-width: 768px) {
   .nav-bar {
     flex-direction: column;
   .nav-bar li {
    margin-bottom: 10px;
     position: relative;
     margin-bottom: 20px;
   .thumbnail {
     position: relative;
     left: auto;
     top: auto;
   .Iceblended, .Iceline, .pastries, .line, h1, p, .hotcoffee,
     left: 50%;
     position: relative;
```

```
font-size: 50px;
   .pastries, .Tea {
   font-size: 40px;
@media (max-width: 1366px) {
```

```
/* Media Queries for Desktop (1920px) */
   .nav-bar {
    flex-direction: row;
/* Media Queries for 4K (2560px) */
   .nav-bar {
    flex-direction: row;
    justify-content: center;
    max-width: 300px;
```

```
}
}

move{
    left: 0%;
    }

input:-webkit-autofill, textarea:-webkit-autofill,
select:-webkit-autofill{
    box-shadow: inset 0 0 0 50px #fff
}
```

13. styles

```
body{
  font-family: 'Merriweather', serif;
 overflow-x: hidden;
   font-size: 1.6rem;
   background-color: rgb(24, 27, 30);
   display: grid;
   place-items: center;
   min-height: 100vh;
   width:100%;
 margin:0;
 padding: 0;
 max-width: 1900px;
 margin:0 auto;
 height: 105px;
html {
```

```
font-family: 'Merriweather', serif;
 color: #fff;
 font-weight:300;
header {
 background-image:linear-gradient(rgba(0, 0, 0, 0.7), rgba(0, 0, 0,
0.7)), url('/Image/menulandpage.jpg');
 background-position:center;
 background-size:cover;
 height:100vh;
 width:100%;
 position:absolute;
 top:50%;
 left:50%;
 transform: translate(-50%, -50%);
.businessgrow{
 margin-bottom:10px;
 color:#d1ccc0;
 font-weight:300px;
 letter-spacing:1px;
 text-transform:uppercase;
 word-spacing:2px;
 font-size:150%;
 position:absolute;
 top: 140%;
 left: -280px;
 white-space: nowrap;
.btn:visited {
 display:inline-block;
```

```
margin-right:20px;
 padding:10px 30px;
 font-weight:300;
 border-radius:200px;
 border:1px solid #E4B73D;
.btn-b:link,
.btn-b:visited {
 background-color:#3B2313;
 transition:background-color 1s, border 1s, color 1s;
.btn-a:hover,
.btn-a:active {
 background-color: #3B2313;
.logo {
 height:180px;
 width:auto;
 float:left;
 margin-top:-30px;
 left: 1000px;
```

```
position: absolute;
 list-style:none;
 margin-top: 40px;
 white-space: nowrap;
 display:inline-block;
 margin-right: 30px;
.nav-bar li a:visited {
 text-decoration:none;
 color:#3B2313;
 transition: 1px solid transparent;
 border-bottom : 2px solid#E4B73D;
 padding: 10px 0;
 color: #3B2313;
.section {
 height: 210vh; /* Each section takes up the full viewport height
 width: 100%;
 display: flex;
 align-items: center;
 padding: 20px;
```

```
height: 240vh; /* Each section takes up the full viewport height
width: 100%;
 display: flex;
 align-items: center;
 overflow-x: hidden;
 justify-content: center;
 padding: 20px;
 height: 80vh; /* Each section takes up the full viewport height */
width: 100%;
 display: flex;
 align-items: center;
 justify-content: center;
 padding: 20px;
    height: 120vh; /* Each section takes up the full viewport height
 width: 100%;
   display: flex;
   align-items: center;
   justify-content: center;
   padding: 20px;
#section1 {
 background-color: #DECCA4;
position: absolute;
top: 100%;
#section2 {
 background-color: #ece1c7;
position: absolute;
top: 310%;
#section3 {
```

```
position: absolute;
top: 550%;
#section4 {
background-color: #ece1c7;
 position: absolute;
 top: 630%;
   position: absolute;
   top: 50px;
   left: 800px;
    font-size: 50px;
   display: inline-block;
   font-weight: bolder;
   font-size: 65px;
   top: 40px;
   position: absolute;
   left: 800px;
.pastries{
 font-size: 50px;
 position: absolute;
 top: 3%;
 left: 850px;
 z-index: 1;
 font-family: 'Merriweather', serif;
.line{
 width: 100%;
 height: 1px;
 position: absolute;
 top: 3%;
 left: 885px;
```

```
z-index: 1;
h1 {
    position: absolute;
   top: -105px;
   left: 600px;
    font-size: 50px;
   color: #3B2313;
    font-family: 'Merriweather', serif;
p {
   display: inline-block;
    font-weight: bolder;
    font-size: 65px;
    color: #E4B73D;
   top: -115px;
    position: absolute;
    left: 610px;
   position: absolute;
   top: -55px;
    font-size: 30px;
 left:10px;
.hotline{
   display: inline-block;
   font-weight: bolder;
   font-size: 65px;
   top: -90px;
    position: absolute;
    left: 10px;
   height: 190px;
    width: 450px;
```

```
position: absolute;
   top:126%;
   left: 250px;
   border-radius: 10px;
   border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container1{
   background-color:#ece1c7;
   height: 190px;
   width: 450px;
   position: absolute;
   top:126%;
   left: 1220px;
   border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
   height: 190px;
   width: 450px;
   position:absolute;
   top: 161%;
   left: 250px;
   border-radius: 10px;
   border: 2px solid #3B2313;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container3{
   height: 190px;
   width: 450px;
   position:absolute;
   top:161%;
   left: 1220px;
   border: 2px solid #3B2313;
```

```
border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container4{
   background-color:#ece1c7;
   height: 190px;
   width: 450px;
   position:absolute;
   border: 2px solid #3B2313;
   top:196%;
   left: 250px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
   height: 190px;
   width: 450px;
   position:absolute;
   top:196%;
   border: 2px solid #3B2313;
   left: 1220px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container6{
   background-color:#ece1c7;
   height: 190px;
   width: 450px;
   position:absolute;
   top:241%;
   left:250px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
```

```
background-color:#ece1c7;
   height: 190px;
   width: 450px;
   position:absolute;
   top:241%;
   left: 1220px;
   border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container8{
   background-color:#ece1c7;
   height: 190px;
   width: 450px;
   position:absolute;
   top:275%;
   left: 250px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
               border: 2px solid #3B2313;
.container9{
   height: 190px;
   width: 450px;
   position:absolute;
   top:275%;
   left: 1220px;
   border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container10{
   background-color:#DECCA4;
   height: 300px;
   width: 320px;
```

```
position: absolute;
   top:10%;
   left: 400px;
   border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container11{
   background-color:#DECCA4;
   height: 300px;
   width: 320px;
   position: absolute;
   top:10%;
   left: 805px;
   border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
   background-color:#DECCA4;
   height: 300px;
   width: 320px;
   position: absolute;
   top:10%;
   left: 1205px;
   border: 2px solid #3B2313;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container13{
   background-color:#DECCA4;
   height: 300px;
   border: 2px solid #3B2313;
   width: 320px;
   position: absolute;
   top:33%;
   left: 400px;
```

```
border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container14{
   background-color:#DECCA4;
   height: 300px;
   width: 320px;
   position: absolute;
   border: 2px solid #3B2313;
   top:33%;
   left: 805px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container15{
   background-color:#DECCA4;
   height: 300px;
   border: 2px solid #3B2313;
   width: 320px;
   position: absolute;
   top:33%;
   left: 1205px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container16{
   background-color:#DECCA4;
   height: 300px;
   width: 320px;
   position: absolute;
   top:56%;
   border: 2px solid #3B2313;
   left: 400px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow *,
```

```
0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow
   background-color:#DECCA4;
   height: 300px;
   width: 320px;
   position: absolute;
   border: 2px solid #3B2313;
   top:56%;
   left: 805px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container18{
   background-color:#DECCA4;
   height: 300px;
   width: 320px;
   position: absolute;
   top:56%;
   border: 2px solid #3B2313;
   left: 1205px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container19{
   background-color:#DECCA4;
   height: 300px;
   width: 320px;
   position: absolute;
   top: 79%;
   border: 2px solid #3B2313;
   left: 400px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
container20{
```

```
height: 300px;
   width: 320px;
   position: absolute;
   border: 2px solid #3B2313;
   top: 79%;
   left: 805px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.Tea{
   font-size: 50px;
   position: absolute;
   top: 5%;
   left: 900px;
   z-index: 1;
   color: #3B2313;
   width: 100%;
   height: 1px;
   position: absolute;
   top: 3%;
   left: 900px;
   z-index: 1;
   background-color:#ece1c7;
   height: 300px;
   width: 320px;
   position: absolute;
   border: 2px solid #3B2313;
   top: 20%;
   left: 400px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
```

```
.container22{
   background-color:#ece1c7;
   height: 300px;
   width: 320px;
   position: absolute;
   border: 2px solid #3B2313;
   top: 20%;
   left: 805px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container23{
   background-color:#ece1c7;
   height: 300px;
   width: 320px;
   position: absolute;
   border: 2px solid #3B2313;
   top: 20%;
   left: 1220px;
   border-radius: 10px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container24{
   background-color:#DECCA4;
   height: 250px;
   width: 400px;
   position: absolute;
   border: 2px solid #3B2313;
   top: 20%;
   left: 400px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container25{
   background-color:#DECCA4;
   height: 250px;
   width: 400px;
```

```
position: absolute;
   border: 2px solid #3B2313;
   top: 20%;
   left:900px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.container26{
   background-color:#DECCA4;
   height: 250px;
   width: 400px;
   position: absolute;
   border: 2px solid #3B2313;
   top:60%;
   left: 400px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
   background-color:#DECCA4;
   height: 250px;
   width: 400px;
   position: absolute;
   border: 2px solid #3B2313;
   top:0%;
   left: 500px;
   box-shadow: 0 10px 20px rgba(0, 0, 0, 0.25), /* Larger shadow */
               0 6px 6px rgba(0, 0, 0, 0.22); /* Smaller shadow */
.Americano{
   color: #3B2313;
   position: absolute;
   top: 0px;
   white-space: nowrap;
   left: 190px;
   font-size: 25px;
   font-family: 'Merriweather', serif;
   overflow: auto;
```

```
.Espresso{
   position: absolute;
   top: 0px;
   left:190px;
   font-size: 25px;
 white-space: nowrap;
.Cappucino{
   position: absolute;
   left: 180px;
   font-size: 25px;
   font-family: 'Merriweather', serif;
   position: absolute;
   left: 190px;
.Mocha{
   color: #3B2313;
   position: absolute;
   top: 0%;
   left: 170px;
   font-size: 25px;
   font-family: 'Merriweather', serif;
.CioccolataCalda{
   position: absolute;
   top: 0%;
   left: 175px;
   font-size: 25px;
```

```
position: absolute;
   top: 0%;
   left: 185px;
   font-family: 'Merriweather', serif;
.CappuccinoFreddo{
   color: #3B2313;
   font-size: 25px;
   font-family: 'Merriweather', serif;
   position: absolute;
   left: 165px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.MochaccinoFreddo{
   color: #3B2313;
   position: absolute;
   top: 0px;
   left: 165px;
   font-size: 25px;
   font-family: 'Merriweather', serif;
   white-space: nowrap;
.CioccolataFreddo{
   color: #3B2313;
   position: absolute;
   top: 0px;
   left: 165px;
   font-size: 25px;
   white-space: nowrap;
.CookiesCream{
```

```
position: absolute;
    top:50%;
    white-space: nowrap;
   left: 30px;
    font-size: 25px;
   overflow: auto;
.RedVelvetCheesecake{
 color: #3B2313;
position: absolute;
top:50%;
white-space: nowrap;
left: 17px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.DoubleDarkChocolate{
position: absolute;
top:51%;
white-space: nowrap;
left: 20px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.HamCheeseCroissant{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 15px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
```

```
position: absolute;
top:51%;
white-space: nowrap;
left: 60px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.PainAuChocolat{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 55px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.CheesePuff{
position: absolute;
top:51%;
white-space: nowrap;
left: 60px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.cookiescreamdes{
   color: #3B2313;
   font-size: 13px;
   position: absolute;
   top:180px;
   left: 15px;
   margin: 0;
   padding: 0;
    white-space: nowrap;
Sneakies{
```

```
color: #3B2313;
   position: absolute;
   top:50%;
   white-space: nowrap;
   left: 100px;
   font-size: 25px;
   overflow: auto;
.sneakiesdes{
   color: #3B2313;
   font-size: 13px;
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   top:180px;
   left: 16px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.ClassicChocoChip{
   color: #3B2313;
   position: absolute;
   top:50%;
   white-space: nowrap;
   left: 30px;
   font-size: 25px;
   font-family: 'Merriweather', serif;
   overflow: auto;
.classicchocochipdes{
   font-size: 13px;
   position: absolute;
   top:185px;
   left: 15px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
```

```
.Biscookie{
position: absolute;
top:51%;
white-space: nowrap;
left: 90px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.TurronCroissant{
 color: #3B2313;
position: absolute;
top:51%;
white-space: nowrap;
left: 60px;
font-size: 22px;
font-family: 'Merriweather', serif;
overflow: auto;
.EarlGrey{
   position: absolute;
   top: 51%;
   white-space: nowrap;
   left: 100px;
    overflow: auto;
.EnglishBreakfast{
   position: absolute;
   top: 51%;
   white-space: nowrap;
   left:60px;
   font-size: 25px;
    font-family: 'Merriweather', serif;
    overflow: auto;
```

```
.GreenTea{
   position: absolute;
   top: 51%;
   white-space: nowrap;
   left:100px;
   font-size: 25px;
   font-family: 'Merriweather', serif;
   overflow: auto;
.DoubleChocolateChip{
   color: #3B2313;
   position: absolute;
   white-space: nowrap;
   left: 180px;
   font-size: 20px;
   overflow: auto;
.Caramel{
   color: #3B2313;
   position: absolute;
   white-space: nowrap;
   left: 260px;
   overflow: auto;
.IceBlendedCookieseCream{
   color: #3B2313;
   position: absolute;
   top: 25%;
   white-space: nowrap;
   left: 200px;
   font-size: 20px;
   font-family: 'Merriweather', serif;
   overflow: auto;
```

```
.IceBlendedMocha{
   position: absolute;
   top: 25%;
   white-space: nowrap;
   left: 260px;
   font-size: 20px;
   font-family: 'Merriweather', serif;
   overflow: auto;
.iceblendedcookiescreamdes{
   color: #3B2313;
   font-size: 12px;
   position: absolute;
   top:85px;
   left: 180px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.IceBlendedMochades{
   color: #3B2313;
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   top:85px;
   left: 180px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.IceBlendedMochades{
   position: absolute;
   top:85px;
   left: 180px;
```

```
margin: 0;
   padding: 0;
   white-space: nowrap;
.carameldes{
   color: #3B2313;
   font-size: 12px;
   position: absolute;
   top:85px;
   left: 180px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.doublechocolatechipdes{
   color: #3B2313;
   font-size: 12px;
   position: absolute;
   top:85px;
   left: 180px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.biscookiedes{
   color: #3B2313;
   font-size: 13px;
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   top:185px;
   left: 10px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.doubledarkchocolatedes{
 color: #3B2313;
 font-size: 13px;
```

```
font-family: 'Montserrat', sans-serif;
position: absolute;
top:185px;
left: 10px;
margin: 0;
 padding: 0;
white-space: nowrap;
.hamcheesecroissantdes{
 color: #3B2313;
 font-size: 13px;
 font-family: 'Montserrat', sans-serif;
position: absolute;
top:185px;
left: 10px;
margin: 0;
 padding: 0;
white-space: nowrap;
.coldcoffee{
   position: absolute;
   top: 232%;
   left:255px;
   font-size: 30px;
    font-family: 'Merriweather', serif;
h5{
   display: inline-block;
   font-weight: bolder;
   font-size: 65px;
   top: 229%;
    position: absolute;
    left: 255px;
    font-size: 13px;
```

```
position: absolute;
   top:35px;
   left: 190px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.Espressodes{
   font-size: 13px;
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   left: 190px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
   color: #3B2313;
   position: absolute;
   top: 35px;
   left: 165px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.Cappucinodes{
   color: #3B2313;
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   top: 35px;
   left: 175px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
```

```
font-size: 13px;
   position: absolute;
   top: 35px;
   left: 190px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.CioccolataCaldades{
   color: #3B2313;
   font-size: 13px;
   position: absolute;
   left: 175px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.CafeShakeratodes{
   color: #3B2313;
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   top: 20%;
   left: 185px;
   margin: 0;
   padding: 0;
   white-space: nowrap;
.cappuccinofreddodes{
   font-family: 'Montserrat', sans-serif;
   position: absolute;
   top: 20%;
   left: 165px;
```

```
margin: 0;
    padding: 0;
    white-space: nowrap;
   color: #3B2313;
    font-size: 13px;
    position: absolute;
   top: 20%;
   left: 170px;
   margin: 0;
   padding: 0;
    white-space: nowrap;
.cioccolatafreddodes{
   color: #3B2313;
   font-size: 13px;
   position: absolute;
   top: 20%;
   left: 166px;
   margin: 0;
   padding: 0;
    white-space: nowrap;
.redvelvetcheesecakedes{
 color: #3B2313;
 font-size: 13px;
 font-family: 'Montserrat', sans-serif;
position: absolute;
top:180px;
left: 12px;
margin: 0;
 padding: 0;
white-space: nowrap;
.kouignamanndes{
 color: #3B2313;
 font-size: 13px;
```

```
font-family: 'Montserrat', sans-serif;
position: absolute;
top:185px;
left: 10px;
margin: 0;
 padding: 0;
white-space: nowrap;
.painauchocolatdes{
 color: #3B2313;
 font-size: 13px;
position: absolute;
top:185px;
left: 10px;
margin: 0;
 padding: 0;
white-space: nowrap;
.cheesepuffdes{
 font-size: 13px;
 font-family: 'Montserrat', sans-serif;
position: absolute;
top:180px;
left: 20px;
margin: 0;
 padding: 0;
white-space: nowrap;
.turoncroissantdes{
 color: #3B2313;
 font-size: 13px;
position: absolute;
top:185px;
left: 13px;
margin: 0;
 padding: 0;
white-space: nowrap;
```

```
.earlgreydes{
color: #3B2313;
font-size: 13px;
font-family: 'Montserrat', sans-serif;
position: absolute;
top:180px;
left: 13px;
margin: 0;
padding: 0;
white-space: nowrap;
.englishbreakfastdes{
color: #3B2313;
font-size: 13px;
font-family: 'Montserrat', sans-serif;
position: absolute;
top:180px;
left: 13px;
margin: 0;
padding: 0;
white-space: nowrap;
    font-size: 13px;
    font-family: 'Montserrat', sans-serif;
    position: absolute;
   top:180px;
   left: 13px;
   margin: 0;
   padding: 0;
    white-space: nowrap;
.image-gallery {
    position: relative;
   text-align: center;
   margin: 20px;
```

```
width: 200px;
   height: 250px;
   margin: 5px;
   position: absolute;
   left: 0px;
   top: 190px;
   z-index: 1;
   transform: translate(-360%, 0%);
.thumbnail2 {
   width: 200px;
   height: 250px;
   cursor: pointer;
   margin: 5px;
   position: absolute;
   left: 210px;
   top: 200px;
   z-index: 1;
   width: 220px;
   height: 290px;
   cursor: pointer;
   margin: 5px;
   position: absolute;
   left: 0px;
   top: 300px;
   z-index: 1;
   width: 200px;
   height: 250px;
   margin: 5px;
```

```
position: absolute;
   left: 130px;
   top: 270px;
   z-index: 1;
   width: 260px;
   height: 250px;
   margin: 5px;
   position: absolute;
   left: 130px;
   top: 370px;
   transform: translate(-340%, 200%);
   z-index: 1;
   width: 250px;
   height: 200px;
   margin: 5px;
   position: absolute;
   left: 130px;
   top: 380px;
   transform: translate(30%, 260%);
   z-index: 1;
.thumbnail7 {
   width: 250px;
   height: 180px;
   cursor: pointer;
   margin: 5px;
   position: absolute;
   left: 130px;
   top: 780px;
   transform: translate(-350%, 310%);
thumbnail8 {
```

```
width: 240px;
   height: 230px;
   margin: 5px;
   position: absolute;
   left: 260px;
   top: 790px;
   transform: translate(-10%, 225%);
   width: 290px;
   margin: 5px;
   position: absolute;
   left: 130px;
   top: 940px;
   width: 250px;
   height: 200px;
   margin: 5px;
   position: absolute;
   left: 260px;
   top: 940px;
   transform: translate(-20%, 350%);
.thumbnail11 {
   width: 250px;
   height: 140px;
   margin: 5px;
   position: absolute;
   left: 130px;
```

```
border-radius: 10px;
   top: 985px;
   transform: translate(-265%, 885%);
   width: 250px;
   height: 140px;
   margin: 5px;
   position: absolute;
   left: 130px;
   border-radius: 10px;
   top: 985px;
   transform: translate(-95%, 895%);
   z-index:1 ;
   width: 250px;
   height: 140px;
   margin: 5px;
   position: absolute;
   left: 130px;
   border-radius: 10px;
   top: 985px;
   transform: translate(65%, 895%);
   z-index:1 ;
.thumbnail14 {
   width: 250px;
   height: 140px;
   margin: 5px;
   position: absolute;
   border-radius: 10px;
   left: 122px;
   top: 985px;
```

```
width: 260px;
   height: 140px;
   margin: 5px;
   border-radius: 10px;
   position: absolute;
   left: 122px;
   top: 985px;
   transform: translate(-93%, 1275%);
   z-index:1 ;
.thumbnail16 {
   width: 260px;
   height: 140px;
   margin: 5px;
   position: absolute;
   left: 122px;
   top: 985px;
   border-radius: 10px;
   transform: translate(60%, 1275%);
   z-index:1 ;
   width: 260px;
   height: 140px;
   margin: 5px;
   position: absolute;
   left: 125px;
   top: 915px;
   border-radius: 10px;
   transform: translate(-250%, 1705%);
thumbnail18 {
```

```
width: 260px;
   height: 140px;
   margin: 5px;
   position: absolute;
   left: 125px;
   top: 915px;
   border-radius: 10px;
.thumbnail19 {
   width: 260px;
   height: 140px;
   cursor: pointer;
   margin: 5px;
   position: absolute;
   left: 950px;
   top: 915px;
   border-radius: 10px;
   z-index:1 ;
   width: 260px;
   height: 140px;
   cursor: pointer;
   margin: 5px;
   position: absolute;
   top: 915px;
   border-radius: 10px;
   transform: translate(-205%, 2085%);
   z-index:1 ;
   width: 260px;
   height: 140px;
   margin: 5px;
```

```
position: absolute;
   top: 915px;
   border-radius: 10px;
   z-index:1 ;
   width: 260px;
   height: 140px;
   margin: 5px;
   position: absolute;
   border-radius: 10px;
   transform: translate(-204%, 2540%);
   z-index:1 ;
   width: 260px;
   height: 140px;
   margin: 5px;
   position: absolute;
   top: 915px;
   border-radius: 10px;
   transform: translate(-45%, 2540%);
   z-index:1 ;
.thumbnail24 {
   width: 260px;
   height: 140px;
   cursor: pointer;
   margin: 5px;
   position: absolute;
   top: 915px;
   border-radius: 10px;
   transform: translate(115%, 2540%);
thumbnail25 {
```

```
width: 170px;
   height: 242px;
   margin: 5px;
   position: absolute;
   top: 915px;
   z-index:1 ;
.thumbnail26{
   height: 242px;
   cursor: pointer;
   margin: 5px;
   position: absolute;
   top: 915px;
   transform: translate(-32%, 1817%);
   width: 170px;
   height: 242px;
   margin: 5px;
   position: absolute;
   top: 915px;
   transform: translate(-325%, 2009%);
.thumbnail28{
   width: 170px;
   height: 242px;
   margin: 5px;
   position: absolute;
   top: 915px;
   transform: translate(-31%, 2009%);
```

```
display: none;
   position: fixed;
   padding-top: 60px;
   left: 0;
   top: 0;
   width: 100%;
   height: 100%;
   overflow: auto;
    background-color: rgba(0, 0, 0, 0.9);
   margin: auto;
   display: block;
   max-height: 80%;
   animation-name: zoom;
    animation-duration: 0.6s;
@keyframes zoom {
   from {transform: scale(0);}
   to {transform: scale(1);}
   position: absolute;
   top: 15px;
   right: 35px;
   font-size: 40px;
    font-weight: bold;
    transition: 0.3s;
```

```
color: #bbb;
   color: #000;
   text-decoration: none;
   position: absolute;
   top: 40px;
   font-size: 18px;
   left: 1740px;
.nav-right .cart-icon img {
   width:80px;
   height: 35px;
@media (max-width: 320px) {
   .nav-bar {
    flex-direction: column;
    align-items: center;
     position: static;
    margin-bottom: 10px;
```

```
.container14, .container15, .container16, .container17,
     width: 100%;
     left: 50%;
     transform: translateX(-50%);
     position: relative;
     top: auto;
     margin-bottom: 20px;
.thumbnail5, .thumbnail6, .thumbnail7, .thumbnail8, .thumbnail9,
thumbnail22, .thumbnail23, .thumbnail24, .thumbnail25,
     max-width: 80px;
     position: relative;
     left: auto;
     top: auto;
     transform: none;
   .Iceblended, .Iceline, .pastries, .line, h1, p, .hotcoffee,
.hotline, .Tea, .Tealine {
     left: 50%;
     transform: translateX(-50%);
     position: relative;
     top: auto;
     font-size: 25px;
```

```
font-size: 35px;
 .pastries, .Tea {
  font-size: 25px;
  height: 1px;
  font-size: 35px;
  font-size: 15px;
   font-size: 35px;
@media (max-width: 375px) {
  flex-direction: column;
   align-items: center;
   position: static;
  margin-bottom: 10px;
```

```
width: 100%;
 left: 50%;
 transform: translateX(-50%);
 position: relative;
 top: auto;
 margin-bottom: 20px;
.thumbnail {
 max-width: 100px;
 position: relative;
 left: auto;
 top: auto;
 transform: none;
.Iceblended, .Iceline, .pastries, .line, h1, p, .hotcoffee,
 left: 50%;
 transform: translateX(-50%);
 position: relative;
 font-size: 30px;
 font-size: 40px;
.pastries, .Tea {
 font-size: 30px;
```

```
height: 1px;
   font-size: 30px;
   font-size: 40px;
  .hotcoffee {
 .hotline {
@media (max-width: 425px) {
   flex-direction: column;
   align-items: center;
   position: static;
 .nav-bar li {
   margin-bottom: 10px;
   width: 95%;
   position: relative;
   margin-bottom: 20px;
```

```
max-width: 120px;
 position: relative;
 top: auto;
 transform: none;
 left: 50%;
 transform: translateX(-50%);
 position: relative;
 font-size: 35px;
 font-size: 45px;
.pastries, .Tea {
 font-size: 35px;
 height: 1px;
 font-size: 35px;
 font-size: 45px;
```

```
font-size: 20px;
   font-size: 45px;
@media (max-width: 768px) {
 .nav-bar {
   flex-direction: column;
   position: static;
   margin-bottom: 10px;
   width: 90%;
   left: 50%;
   transform: translateX(-50%);
   position: relative;
   top: auto;
   margin-bottom: 20px;
   max-width: 150px;
   position: relative;
```

```
.Iceblended, .Iceline, .pastries, .line, h1, p, .hotcoffee,
 position: relative;
 top: auto;
 font-size: 40px;
.Iceline {
 font-size: 50px;
.pastries, .Tea {
 font-size: 40px;
 height: 1px;
 font-size: 40px;
 font-size: 50px;
 font-size: 25px;
 font-size: 50px;
```

```
@media (max-width: 1366px) {
   flex-direction: row;
   justify-content: center;
 .thumbnail {
   max-width: 200px;
@media (max-width: 1920px) {
   flex-direction: row;
   justify-content: center;
   width: 85%;
 .thumbnail {
   max-width: 250px;
@media (max-width: 2560px) {
   flex-direction: row;
```

```
.container {
    width: 80%;
}
.thumbnail {
    max-width: 300px;
}
```

JSCRIPT FILES

1. LandingPage

```
$(document).ready(function(){
    $('.carousel').carousel({
       pause: false,
       interval: 3000
    });
});
```

2. script

```
$(document).ready(function(){
    $(".veen .rgstr-btn button").click(function(){
        $('.veen .wrapper').addClass('move');
        $('.body').css('background','#FED8B1');
        $(".veen .login-btn button").removeClass('active');
        $(this).addClass('active');

});

$(".veen .login-btn button").click(function(){
        $('.veen .wrapper').removeClass('move');
        $('.body').css('background','#ECB176');
        $(".veen .rgstr-btn button").removeClass('active');
        $(this).addClass('active');
});
```

3. scripts

```
function enlargeImage(img) {
    var modal = document.getElementById('modal');
    var modalImg = document.getElementById('modal-image');
    modal.style.display = 'block';
    modalImg.src = img.src;
}

function closeModal() {
    var modal = document.getElementById('modal');
    modal.style.display = 'none';
}

// Close the modal if the user clicks outside of the image
window.onclick = function(event) {
    var modal = document.getElementById('modal');
    if (event.target == modal) {
        modal.style.display = 'none';
    }
}
```

```
$ (document) .ready(function() {
            $(".add-to-cart").click(function(e) {
                e.preventDefault();
                var id = $(this).data('id');
                var name = $(this).data('name');
                var price = $(this).data('price');
                $.ajax({
                    url: 'ATC.php',
                    method: 'POST',
name, price: price },
                    success: function(response) {
                        var cartCount =
parseInt($("#cart-count").text());
                        $("#cart-count").text(cartCount + 1);
                });
        });
```

4. Signup-Login

```
$ (document).ready(function(){
    $(".veen .rgstr-btn button").click(function() {
        $('.veen .wrapper').addClass('move');
        $('.body').css('background','#FED8B1');
        $(".veen .login-btn button").removeClass('active');
        $(this).addClass('active');

});

$(".veen .login-btn button").click(function() {
        $('.veen .wrapper').removeClass('move');
        $('.body').css('background','#ECB176');
        $(".veen .rgstr-btn button").removeClass('active');
        $(this).addClass('active');
    });

});
```

SCREENSHOTS OF ALL THE FEATURES



What Our Customers Say..

"Absolutely thrilled with my experience with Lighthouse Foods! From the freshness of their ingredients to the impeccable customer service, every aspect of my interaction with them has been top-notch. Their commitment to quality shines through in every bite, and I couldn't be happier with the variety and taste of their offerings. Lighthouse Foods has become my goto choice for healthy and delicious meals. Highly recommended!"

MICHAEL DUMADAGUG

"Lighthouse Foods has truly experience, Their dedication to sourcing the finest ingredients ensures that every meal is bursting with flavor and nutrition. Not only are their dishes delicious, but they also cater to a preferences, making them a versatile option for any occasion. The convenience of their service coupled with the consistent excellence of their food has made me a loval customer. Thank you, Lighthouse Foods, for making healthy eating both easy and enjoyable!"

menu offers something for everyone. Whether it's their savory entrees, crisp or any salads, or indulgent desserts, each dish is crafted with care and attention to detail. With ide me a Lighthouse Foods, I can always count on a delicious and satisfying meal that exceeds my expectations."

NENE GUZMAN

TOTOY SILVA

"Exceptional quality,

unparalleled taste, and

that's what Lighthouse

weeknights to special

occasions, their diverse

unbeatable convenience -

Foods delivers with every

Contact Us

LightHouse Cafe

Ground floor, Lighthouse Bible Baptist Church, 89 ROTC Hunters St., Barangay Tatalon, Quezon City, Philippines

Phone: 0995 925 1083

Email: lighthousecafe@gmail.com

Opening Hours

Monday - 9:00 AM - 5:00 PM Tuesday - 9:00 AM - 5:00 PM Wednesday - 9:00 AM - 5:00 PM Thursday - 9:00 AM - 5:00 PM Friday - 9:00 AM - 5:00 PM Saturday - 9:00 AM - 5:00 PM Sunday - 9:00 AM - 5:00 PM

Quick Links

Home Menu

About Cafe Contact Us

Cart

Order



© 2024 LightHouse Cafe - All Rights Reserved



HOME

MENU

ABOUT CAFE

CONTACT US

REVIEWS

LOGIN/SIGNUP

MENU

Pastries



Cookies & Cream ₱100.00

ADD TO CART



Sneakies ₱100.00

ADD TO CART



Classic Choco Chip ₱100.00

ADD TO CART



Red Velvet Cheesecake ₱110.00

ADD TO CART



Biscookie ₱110.00

ADD TO CART



Double Dark Chocolate ₱110.00

ADD TO CART



Ham & Cheese Croissant ₱110.00

ADD TO CART




Kouign Amann ₱110.00

Pain Au Chocolat ₱110.00

ADD TO CART





Hot Coffee













Cold Coffee









Tea









Ice Blended










ADMIN DASHBOARD)		
PRODUCT NAME	PRODUCT PRICE	STATUS	EDIT
Cookies & Cream	₽ 100.00	Available	Available Update
Sneakies	₱100.00	Available	Available Update
Classic Choco Chip	₱100.00	Available	Available Update
Red Velvet Cheesecake	₱110.00	Available	Available Update
Biscookie	₱110.00	Available	Available Update
Double Dark Chocolate	₱110.00	Available	Available Update
Ham & Cheese Croissant	₽110.00	Available	Available Update
Kouign Amann	₱110.00	Available	Available Update



Ham & Cheese Croissant	₱110.00	Available	Available Update
Kouign Amann	₽110.00	Available	Available Update
Pain Au Chocolat	₱110.00	Available	Available Update
Cheese Puff	₱124.00	Available	Available Update
Turron Croissant	₱130.00	Available	Available Update
Americano	₱55.00	Available	Available Update
Espresso	₽50.00	Available	Available Update
Cappuccino	₱70.00	Available	Available Update
Latte	₱70.00	Available	Available Update
Mocha	₽70.00	Available	Available Update
Cioccolata Calda	₽80.00	Available	Available Update
Cafe Shakerato	₱60.00	Available	Available Update
	₱70.00	Available	Available Update
Mocha	₽70.00	Available	Available Update
Cioccolata Calda		Available	Available Update
Joccolata Calda	₱80.00	7 (7 (3) (3) (3)	Wallabi
Cafe Shakerato		Available	Available Update
	₱60.00		
Cafe Shakerato	P60.00	Available	Available Update
Cafe Shakerato Cappuccino Freddo	P60.00 P90.00 P95.00	Available Available	Available Update Available Update
Cafe Shakerato Cappuccino Freddo Mochaccino Freddo	P60.00 P90.00 P95.00 P85.00	Available Available Available	Available (Update) Available (Update) Available (Update)
Cafe Shakerato Cappuccino Freddo Mochaccino Freddo Cioccolata Freddo	P60.00 P90.00 P95.00 P85.00 P50.00	Available Available Available Available	Available Update Available Update Available Update Available Update
Cafe Shakerato Cappuccino Freddo Mochaccino Freddo Cioccolata Freddo Earl Grey	P60.00 P90.00 P95.00 P85.00 P50.00	Available Available Available Available Available	Available Update Available Update Available Update Available Update Available Update





Figure. Entity Relationship Diagram



db_lighthouse

feedback

Column	Туре	Null	Default	Links to	Comments	Media type
feedbackID (Primary)	int(11)	No				
fullname	varchar(255)	Yes	NULL			
email	varchar(255)	Yes	NULL			
page_rating	int(11)	Yes	NULL			
devices	varchar(255)	Yes	NULL			
comment	text	Yes	NULL			

Indexes

Keyname	Туре	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	feedbackID	17	Α	No	

orderlist

Column	Туре	Null	Default	Links to	Comments	Media type
order_id (Primary)	int(11)	No				
userID	int(11)	Yes	NULL	user_account -> userID		
product_id	int(11)	Yes	NULL	products -> product_id		
product_name	varchar(255)	Yes	NULL			
quantity	int(11)	Yes	NULL			
product_price	decimal(10,2)	Yes	NULL			
status	enum('pending', 'done')	Yes	NULL			

Indexes

Keyname	Туре	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	order_id	0	Α	No	
userID	BTREE	No	No	userID	0	Α	Yes	
product_id	BTREE	No	No	product_id	0	Α	Yes	

products

products

Column	Туре	Null	Default	Links to	Comments	Media type
product_id (Primary)	int(11)	No				
product_name	varchar(255)	No				
product_price	decimal(10,2)	No				

 $tp://localhost/phpmyadmin/index.php?route=/database/data-dictio...db=db_lighthouse\&goto=index.php\%3Froute\%3D\%2Fdatabase\%2Fstructure$

Page 1 of 2

calhost / localhost / db_lighthouse | phpMyAdmin 5.2.1

6/6/24, 12:44 PM

category	varchar(50)	No		
status	varchar(50)	No		

Indexes

Keyname	Туре	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	product_id	25	Α	No	

user_account

Column	Туре	Null	Default	Links to	Comments	Media type
userID (Primary)	int(11)	No				
fullname	varchar(255)	No				
email	varchar(255)	No				
password	varchar(255)	No				
address	text	No				
phone_number	varchar(20)	No				

Indexes

Keyname	Туре	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	userID	10	Α	No	
email	BTREE	Yes	No	email	10	Α	No	