06/09/2020 | IN INSTALLATION GUIDES | 1 MINUTES


PL2303HXA Phased out since 2012. Please contact your supplier (SOLVED)



Some Cheap chinese FTDI cables use a fake chipset from Prolific. Prolific has prohibited the use of these cables. Windows does detect them but they are not usable. Use these 8 easy steps to install the driver.

1. Opening the device manager shows the driver as "PL2303HXA PHASED OUT SINCE 2012.

PLEASE CONTACT YOUR SUPPLIER."



2. To solve this, you can download the driver here.

3. Unzip the archive and Install the driver. Go to the next step.

DSMR P1 – Slimme meter via WiFi adapter met display



DSMR P1 – Slimme meter via WiFi adapter met display Deze adapter of maakt het mogelijk om een slimme meter ... Continue reading

4. Open device manager. Right click on the unrecognized device and select "Update Driver".







5. Click on "Browse my computer for drivers"




Cancel



6. Select "Let me pick from a list of available drivers on my computer"



7. First select "Show compatible hardware" and then select "Prolific USB-to-Serial Comm Port Version 3.3.2.105 [27/10/208]" from the list. Click Next. 8. The driver is now installed successfully and is even maintained after a reboot.



FTDI INSTALL PL2303HXA

PL2303HXA DRIVER

PL2303HXA MANUAL

PROLIFIC

PROLIFIC PL2303HXA



Roel van Wanrooy

ALL AUTHOR POSTS

YOU MAY ALSO LIKE



13/08/2023

Slimme Meter Lezer Voor Home Assistant Dashboard



by Roel van Wanrooy



11/07/2023

S0 Energy Meter For Home Assistant



by Roel van Wanrooy

HAProfs.com



06/07/2023

Water Level Dashboard For Home Assistant



by Roel van Wanrooy



Willem

16/10/2020

This installation worked for me. But unfortunately the COM port still doesn't work. And if I power cycle the Prolific device it shows a yellow triangle. Any ideas?

REPLY



Roel Van Wanrooy

16/10/2020

Did you first uninstall the current driver with the esclamation mark? you can enable all the hidden devices in the device manager to uninstall those too.

REPLY



Willem

16/10/2020

Removing all my old COM ports does actually remove the yellow triangle! I didn't know this one.

But I cannot still not connect but that might be a hardware issue as well



Menouer

27/02/2021

Done thank you

REPLY



Bernardos

11/03/2021

It worked for an ICSTATION UNO R3 compatible board, on windows 10.

Thank you so much!



Roel Van Wanrooy

21/03/2021

Good to read it worked Bernandos! Happy programming!

REPLY



Petr Krejčí

14/03/2021

Thank You. This was very helpful.



Roel Van Wanrooy

21/03/2021

Thanks Petr!

REPLY



Harry Purwanto

16/03/2021

Hi Roel,

Triank you very much.

Very simple to do it, by following your guidance.

It's working now.

GOD bless you.

REPLY



Roel Van Wanrooy

21/03/2021

Thanks Harry,

Good to read it worked for you. Have a nice day!



Harry Purwanto

30/03/2021

Hi Roel,

How to change the printer setting in order can print the paper without blank margin (fit as the ticket picture)?

It's looked the object in a center paper, so when print in landscape mode, about 7 cm blank paper in left of ticket.



David Wallis

21/04/2021

I found V 3.4.67.325 dated 15/08/2014 worked where your suggestion of 27/1/2008 didn't work. With your suggestion I had error 8020 which the Internet said was an incorrect driver, even if your suggestion allowed my laptop to recognize the USB cable. Many thanks for putting me on the right track.

REPLY



Roel Van Wanrooy

24/04/2021

Hi David,

Thanks for your reply on this post. This will help other people to solve this problem too!



Olle

25/04/2021

Big thanks! This post saved my day. \bigcirc

REPLY



Charlie Col

23/05/2021

Great help, I recoveder my adapter and also learned something new.

Many thanks, guru!



Peter

21/02/2022

Perfect, thank you, now I can use my old USB Serial converter with Cisco console cable again.

REPLY



Lucien

16/03/2022

Roel,

Super!!!

I dusted off my old Sweex USB-to-serial and it didn't work with Windows10. It is now brought back to line.

Now i can use my CM11A again to send /recieve X10 command over the wire with HS4.

REPLY



Henk

21/07/2022

Hoi Roel,

Dank voor deze superhulp. Mijn oude gpsmuis werkt weer, nadat ik van mijn oude navigatiepc-tje naar een moderne nuc8 met win11 ben overgestapt, en ik hoef niet mijn plafond aan boord open te halen om een moderne gpsmuis te plaatsen op de antennebeugel.

Mvgr, Henk



Roel Van Wanrooy

21/07/2022

Beste Henk,

Bedankt voor je bericht. Wat goed om te lezen dat je gpsmuis weer werkt en dat deze instructie je daarbij heeft geholpen!

REPLY



Jeannot GRAF

13/08/2022

Alles super gute Anleitung funktioniert auf Windows 11

REPLY



Oumar

12/09/2022

Thanks very much for the driver, it worked for me.

You made my day!

Blessing!



Marc

30/12/2022

This got my AirLink101 (Fry's Electronics) USB-to-Serial adapter working again on Windows 10 x64. Never expected to see that happen. Glad I hadn't gotten rid of it yet. Thank you very much.

REPLY



Its working, thanks

HAProfs.com

ABOUT US

Uncode is a pixel perfect creative multiuse WordPress Theme designed with terrific attention to details, flexibility and performance. It is ultra professional, smooth and sleek, with a clean modern layout for almost any needs.

LATEST BLOG NEWS

Slimme Meter lezer voor Home Assistant Dashboard 13/08/2023

S0 Energy Meter for Home Assistant 11/07/2023

Water Level Dashboard for Home Assistant 06/07/2023

TAGS

BGP DRAGINO CASE DRAGINO GPS BOX DRAGINO GPS TRACKER DRAGINO LGT-92 **DSMR WIFI DONGEL DSMR WIFI GATEWAY ENERGIEVERBRUIKSMANAGER FAILOVER GPS TRACKER GRAFANA HOMEWIZARD P1 HOMEWIZARD P1 DSMR IPSEC** LGT-92 BOX LGT-92 CASE LORA GPS TRACKER P1 P1 POORT P1 PORT P1 WIFI DONGEL P1 WIFI GATEWAY

HAProfs.com

PHILIPS HUE HOME ASSISTANT

PROLIFIC

REDUNDANT

© 2023 HAProfs.com. All rights reserved

SMART WATERMETER GATEWAY

TELEGRAM

THETHINGSNETWORK

THE THINGS NETWORK

TRADFRI HOME ASSISTANT

WATERMETER GATEWAY

WATERMETER KIT

WATERMETERKIT ZIGBEE

TTN