CFG - Practical session 2

jan.izquierdo@alum.esci.upf.edu Canvia de compte



L'opció per desar està desactivada

| Alignment questions |
|---|
| Which is/are the most likely mutational process/es explaining the pattern observed between the positions 1,417 and 1,438 (numbers according to the top bar of JalView). |
| Insertion and deletion |
| O Duplication and loss |
| O Point mutation |
| Inversion |
| Esborra la selecció |
| |
| Calculate and report the % of sites in the alignment that are gaps |
| 26.1% |
| |
| By looking at the results of the protein domain analyses, which molecular function would you assign to this set of sequences? |
| O Protein binding |
| Catalytic activity |
| Extracellular matrix |
| C Electron transport |

Look at the 'Domain' and 'Repeat' rows at Interpro results. List all the differences that you find, if any, between the three queried sequences.

Annotate the **ungaped** positions that you want to talk about. Max.: 500 characters

VWF is only present in 2 (position 31 to 88), Fib_collagen_C is present in all (positions 1196 to 1447), like the collagen repeat (various positions). There is a collagen triple helix repeat for all species except Bos Mutus (extends from position 99 to 388).

Enrere Següent

No enviïs mai contrasenyes a través de Formularis de Google.

Aquest formulari s'ha creat fora del vostre domini. <u>Informa d'un ús abusiu</u> - <u>Condicions del Servei</u> - <u>Política de</u> <u>privadesa</u>

Esborra el formulari

Google Formularis

CFG - Practical session 2

jan.izquierdo@alum.esci.upf.edu Canvia de compte



L'opció per desar està desactivada

Trimming questions

By looking at the initial part of the alignment (alignment positions 70 to 163), you will see that there is a conserved region shared between some sequences.

Based on the InterProScan results, can you identify which matches (domain, repeat...) corresponds to this region?

Hint: To check the position of the aligned amino acid in the unaligned protein sequence look at the information displayed at the bottom left of the JalView software.

| Non cytoplasmatic domain |
|--------------------------|
| None of them |

Collagen triple helix repeat

How many sites have been trimmed in relation to the original alignment?

674

| What could be the benefit from having trimmed a fraction of the alignment? Are there any potential drawbacks associated with this process? | | |
|--|----|--|
| By trimming the alignment, there will be less informative sites, and this will always increase the computational time needed by the phylogenetic inference software to compute a phylogeny | | |
| By trimming the alignment, we may have removed informative signal | | |
| In general, we can expect alignment trimming to reduce computational time of the phylogenetic inference | | |
| Trimming the alignment will always improve the accuracy of the phylogenetic inference | | |
| Enrere Següent Esborra el formula | ri | |

No enviïs mai contrasenyes a través de Formularis de Google.

Aquest formulari s'ha creat fora del vostre domini. <u>Informa d'un ús abusiu</u> - <u>Condicions del Servei</u> - <u>Política de privadesa</u>

Google Formularis

CFG - Practical session 2


jan.izquierdo@alum.esci.upf.edu Canvia de compte





L'opció per desar està desactivada

Tree inference

Which of the following branches would you trust the least?









Paraphyletic

Polyphyletic

Monophyletic






Monophyletic

Paraphyletic

OPolyphyletic






- Paraphyletic
- Polyphyletic
- Monophyletic

Identify nodes that correspond to species-specific duplications

Write the number of the node/ nodes in the figure using the following format: XX, XX, XX, ...



67, the only one where the specie is mantaine

Enrere Envia

Esborra el formulari

No enviïs mai contrasenyes a través de Formularis de Google.

Aquest formulari s'ha creat fora del vostre domini. <u>Informa d'un ús abusiu</u> - <u>Condicions del Servei</u> - <u>Política de privadesa</u>

Google Formularis